1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

<u>District III</u>

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u>	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the			
1220 S. St. Francis Dr., Santa Fe, NM 87505		appropriate NMOCD District Office.			
Pit, Closed-Loop System, Below-Grade Tank, or					
Proposed	Alternative Method Permit or Clos	sure Plan Application			
7` ==	Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method				
	X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method				
	odification to an existing permit				
—	osure plan only submitted for an existing permitte ow-grade tank, or proposed alternative method	ed or non-permitted pit, closed-loop system,			
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request					
	uest does not relieve the operator of liability should operations re				
environment. Nor does approval relieve the op	perator of its responsibility to comply with any other applicable	governmental authority's rules, regulations or ordinances.			
Operator: ConocoPhillips Company		OGRID#: <u>217817</u>			
Address: PO Box 4289, Farmington, NM	87499				
Facility or well name: San Juan 28-7 Unit 1	131N				
API Number: 30-039-30	OCD Permit Number	r:			
U/L or Qtr/Qtr: <u>C(NE/NW)</u> Section: 3	Township: 28N Range: 7	7W County: Rio Arriba			
Center of Proposed Design: Latitude:	36.62361 °N Longitude:	107.56301 °W NAD: 1927 X 1983			
Surface Owner: X Federal	State Private Tribal Trust or Indian	Allotment			
Pit: Subsection F or G of 19.15.17.11 NM. Temporary: Drilling Workover Permanent Emergency Cavitation Lined Unlined Liner type: String-Reinforced Liner Seams: Welded Factory	ı ∏P&A	HDPE PVC Other bbl Dimensions L x W x D			
	19.15.17.11 NMAC g a new well	RCVD JAN 30 '14 OIL CONS. DIV.			
Drying Pad X Above Ground Steel X Lined Unlined Liner type: Liner Seams: X Welded X Factory	Tanks Haul-off Bins Other Thickness 20 mil X LLDPE H Other	DIST. 3			
Below-grade tank: Subsection I of 19.15 Volume:bbl Tank Construction material:	5.17.11 NMAC Type of fluid:				
Secondary containment with leak detection Visible sidewalls and liner Vi Liner Type: Thickness mil	Visible sidewalls, liner, 6-inch lift and autorisible sidewalls only Other HDPE PVC Other	matic overflow shut-off			
5 Alternative Method: Submittal of an exception request is required. E.	xceptions must be submitted to the Santa Fe Environ	mental Burcau office for consideration of approval.			

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify				
7				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner) Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.	i			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes NA	No		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	— ,,			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□ No		
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No		
Within a 100-year floodplain - FEMA map	Yes	No		

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
14				
Proposed Closure: 19.15.17.13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System Alternative				
Proposed Closure Method: Waste Excavation and Removal				
X Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel	Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)				
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fl facilities are required.		1			
	isposal Facility Permit #: NM-0109911 / NM 01-00)10B			
•	isposal Facility Permit #: NM-01-005				
Will any of the proposed closed-loop system operations and associated activities Yes (If yes, please provide the information No	·	service and			
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.					
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtain	ed from nearby wells	∐N/A			
Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtain	ed from nearby wells	□N/A			
Ground water is more than 100 feet below the bottom of the buried waste.		Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtain	ed from nearby wells	N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant (measured from the ordinary high-water mark).	t watercourse or lakebed, sinkhole, or playa lake	Yes No			
- Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in exi - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	stence at the time of initial application.	Yes No			
		Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existen - NM Office of the State Engineer - iWATERS database; Visual inspection (certificat	ce at the time of the initial application.				
Within incorporated municipal boundaries or within a defined municipal fresh water well pursuant to NMSA 1978, Section 3-27-3, as amended.		Yes No			
 Written confirmation or verification from the municipality; Written approval obtain Within 500 feet of a wetland 	ed from the municipality	∏Yes ∏No			
 US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspect 	ion (certification) of the proposed site				
Within the area overlying a subsurface mine.		Yes No			
- Written confirantion or verification or map from the NM EMNRD-Mining and Min	eral Division				
Within an unstable area.		∐Yes ∐No			
 Engineering measures incorporated into the design; NM Bureau of Geology & Mine Topographic map 	ral Resources; USGS; NM Geological Society;				
Within a 100-year floodplain FEMA map		Yes No			
18					
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of by a check mark in the box, that the documents are attached.	the following items must bee attached to the closu	re plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids an Soil Cover Design - based upon the appropriate requirements of Subsection		mnot de acmeved)			
	Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

Form C-144 Oil Conservation Division Page 4 of 5

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate an	nd complete to the best	of my knowledge and belief		
Name (Print):	Title:	or my morneage and conec.		
Signature:	<u> </u>			
	Telephone:			
C-man address.	Telephone.			
# OCD Approval: Permit Application (including closure plan) Clo OCD Representative Signature: Title: OMP Tance	osafe Plan (only) QCD Permit	OCD Conditions (see attachment) Approval Date: 2/21/2014 Number:		
Closure Report (required within 60 days of closure completion): Subsection Instructions: Operators are required to obtain an approved closure plan prior to impreport is required to be submitted to the division within 60 days of the completion of the approved closure plan has been obtained and the closure activities have been complete.	lementing any closure he closure activities. I ted.	·		
Closure Method: Waste Excavation and Removal If different from approved plan, please explain.	Alternative Closure Me	ethod X Waste Removal (Closed-loop systems only)		
# Closure Report Regarding Waste Removal Closure For Closed-loop Systems Tha Instructions: Please identify the facility or facilities for where the liquids, drilling flawere utilized. Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Name: Basin Disposal Facility Were the closed-loop system operations and associated activities performed on or in Yes (If yes, please demonstrate compliane to the items below) X No Required for impacted areas which will not be used for future service and operation Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	Disposal Facility Pe Disposal Facility Pe Disposal Facility Pe n areas that will not b (Original Appr	rmit Number: NM-01-001 / NM-01-0010B rmit Number: NM-01-005		
Closure Report Attachment Checklist: Instructions: Each of the following the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: 36.62361		ed to the closure report. Please indicate, by a check mark in 107.56301 NAD		
25 Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print): Kenny Davis	Title:	Staff Regulatory Technician		
Signature:	Date:	1/29/2014		
c-mail address: kenny.r.davis@conocophillips.com	Telephone:	505-599-4045		