╕		an a
District 1 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-144 July 21, 2008 For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
Type of action: Permit	losed-Loop System, Below-Grade 7 rnative Method Permit or Closure F tof a pit, closed-loop system, below-grade tank, or re of a pit, closed-loop system, below-grade tank, ication to an existing permit	Plan Application or proposed alternative method or proposed alternative method
below-grade tank, or propos Instructions: Please submit one applica Please be advised that approval of this request does no environment. Nor does approval relieve the operator of 1.	tion (Form C-144) per individual pit, closed-loop syst of relieve the operator of liability should operations result is of its responsibility to comply with any other applicable ge	tem, below-grade tank or alternative request in pollution of surface water, ground water or the overnmental authority's rules, regulations or ordinances.
Address: 200 Energy Court, Farmington, N Facility or well name: GALLEGOS CANYON API Number: 3004507207	UNIT 184 OCD Permit Number:	
Center of Proposed Design: Latitude 36.63766 Surface Owner: I Federal I State Private [
String-Reinforced	P&A mii [] LLDPE [] HDPE [] PVC [] O	
3. Closed-loop System: Subsection H of 19.15 Type of Operation: P&A Drilling a new v intent) Drying Pad Above Ground Steel Tanks	well Workover or Drilling (Applies to activities wh Haul-off Bins Other	ich require prior approval of a permit or notice of
Tank Construction material: Steel Secondary containment with leak detection [Visible sidewalls and liner	7.11 NMAC <u>Tank ID: A</u> fluid: Produced Water Visible sidewalls, liner, 6-inch lift and automatic or valls only X Other <u>SINGLE WALLED</u> SINGLE BOT I HDPE PVC Other	TOMED SIDE WALLS NOT VISIBLE
5. Alternative Method: Submittal of an exception request is required. Ex	cceptions must be submitted to the Santa Fe Environme	ental Bureau office for consideration of approval.
Form C-144	Oil Conservation Division	Page 1 of 5

9

/

` в					
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)					
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital,					
institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet					
 ✓ Four foot length, four shares of barbed wire eventy spaced between one and four feet ✓ Alternate. Please specify 4' Hogwire with single barbed wire 					
[]					
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)					
Screen Netting Other					
Monthly inspections (If netting or screening is not physically feasible)					
8.					
Signs: Subsection C of 19.15.17.11 NMAC					
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers					
Signed in compliance with 19.15.16.8 NMAC					
9. Administrative Approvals and Exceptions:					
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.					
 Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau 	office for				
consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
Siting Criteria (regarding permitting): 19.15.17.10 NMAC					
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accelerate acceleration and the application of the approval from the approval from the approximate the approxima	opriate district				
office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry	approval.				
above-grade tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	🗶 Yes 🗌 No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa	Yes 🗶 No				
 lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No				
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	🗆 NA				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No				
(Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	X NA				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock	🗌 Yes 🗙 No				
 watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	🖸 Yes 🗙 No				
 adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality 					
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site					
Within the area overlying a subsurface mine.					
- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	🖸 Yes 🗵 No				
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	🗌 Yes 🔀 No				
Society; Topographic map					
Within a 100-year floodplain.	🖸 Yes 🗶 No				
- FEMA map					

-

• ••

يتداديك المدادير

. .

ì

11. <u>Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist</u> : Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
 Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operation and Maintenance Blan, because the appropriate requirements of 10.15 17.12 NMAC
 Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
12. <u>Closed-loop Systems Permit Application Attachment Checklist</u> : Subsection B of 19.15.17.9 NMAC <i>Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.</i>
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number:
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
13. Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment
 Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
 Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H₂S, Prevention Plan Emergency Response Plan
 Oil Field Waste Stream Characterization Monitoring and Inspection Plan
Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14. Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit E Below-grade Tank Closed-loop System
Alternative Proposed Closure Method: X Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
 On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15. <u>Waste Excavation and Removal Closure Plan Checklist</u> : (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.
 Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
 Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
 Soft Backing and Cover Design Specifications - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

.

.

° •					
^{16.} Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if facilities are required.					
Disposal Facility Name: Disposal Facility Permit Number:					
Disposal Facility Name: Disposal Facility Permit Number:					
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future ser Yes (If yes, please provide the information below) No					
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	с				
17. <u>Siting Criteria (regarding on-site closure methods only)</u> : 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sou provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate dist considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Just demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	trict office or may be				
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA				
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA				
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	🗋 Yes 🗌 No				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	🗌 Yes 🗌 No				
 Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site 					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	🗌 Yes 🗌 No				
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No				
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	🗋 Yes 🗌 No				
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗋 Yes 🗋 No				
Within a 100-year floodplain. - FEMA map	🗋 Yes 🗌 No				
PEMA map Interview Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.13 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Sipsosal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					

····

ĩ

1

^{19.} • <u>Operator Application Certification</u> :	
I hereby certify that the information submitted with this application is true, ac	curate and complete to the best of my knowledge and belief.
Name (Print): Jeffrey Peace	Title: Field Environmental Advisor
Signature: Herey H. Vene	Date: 6/3/10
e-mail address: Peace.Jeffery@bp.com	Telephone: 505-326-9479
20. <u>OCD Approval</u> : Permit Application (including closure plan) (PClogur OCD Representative Signature:	Compliance Conditions (see attachment) - Conditions
21. <u>Closure Report (required within 60 days of closure completion)</u> : Subsection Instructions: Operators are required to obtain an approved closure plan print The closure report is required to be submitted to the division within 60 days section of the form until an approved closure plan has been obtained and the	or to implementing any closure activities and submitting the closure report. of the completion of the closure activities. Please do not complete this
22. Closure Mathed:	
Glosure Method: Waste Excavation and Removal On-Site Closure Method Alter If different from approved plan, please explain.	ernative Closure Method 🔲 Waste Removal (Closed-loop systems only)
^{23.} <u>Closure Report Regarding Waste Removal Closure For Closed-loop Syste</u> <i>Instructions: Please indentify the facility or facilities for where the liquids, two facilities were utilized.</i>	ims That Utilize Above Ground Steel Tanks or Haul-off Bins Only: drilling fluids and drill cuttings were disposed. Use attachment if more than
Disposal Facility Name:	Disposal Facility Permit Number:
Disposal Facility Name:	Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed or Ves (If yes, please demonstrate compliance to the items below)	
Required for impacted areas which will not be used for future service and ope Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	rations:
24. <u>Closure Report Attachment Checklist:</u> Instructions: Each of the following mark in the box, that the documents are attached.	g items must be attached to the closure report. Please indicate, by a check
Proof of Closure Notice (surface owner and division)	
 Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) 	
Confirmation Sampling Analytical Results (if applicable)	
 Waste Material Sampling Analytical Results (required for on-site closur Disposal Facility Name and Permit Number 	re)
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)	
Site Reclamation (Photo Documentation) On-site Closure Location: Latitude 36,63766	ngitude <u>- 108, 112,14</u> NAD: []1927 [2] 1983
25. Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this closu belief. I also certify that the closure complies with all applicable closure requi	
Name (Print): Jeff Peace	Title: Field Environmental Advisor
Signature:	Date: February 4, 2014
e-mail address: peace jeffrey Obp. com	Telephone: (505) 32-6-9479

1

BP AMERICA PRODUCTION COMPANY SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

<u>Gallegos Canyon Unit 184</u> <u>API No. 3004507207</u> <u>Unit Letter A, Section 28, T28N, R12W</u>

RCVD FEB 6'14 OIL CONS. DIV. DIST. 3

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

- 1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement. Notice is attached.
- 2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number. Notice is attached.
- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)

- d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
- e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)
- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)
 All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.
- 4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported to a storage area for sale and re-use.

 BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.
 All equipment associated with the BGT has been removed.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	95 bbl BGT	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	ND
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	ND
ТРН	US EPA Method SW-846 8015D	100	ND
Chlorides	US EPA Method 300.0 or 4500B	250 or background	ND

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled and TPH, BTEX and chloride levels were below the stated limits. Sampling data is attached.

7. BP shall notify the division District III office of its results on form C-141.

C-141 is attached.

- If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.
 Sampling results indicate no release occurred.
- 9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

The area under the BGT was backfilled with clean soil and will become part of the active crop area for NAPI.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area under the BGT was backfilled with clean soil and will become part of the active crop area for NAPI. No further reclamation will be required.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area under the BGT was backfilled with clean soil and will become part of the active crop area for NAPI. No further reclamation will be required.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area under the BGT was backfilled with clean soil and will become part of the active crop area for NAPI. No further reclamation will be required.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

The area under the BGT was backfilled with clean soil and will become part of the active crop area for NAPI. No further reclamation will be required. The well was

plugged and abandoned and the P&A marker was placed underground so the former well site can be used for crops.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

The area under the BGT was backfilled with clean soil and will become part of the active crop area for NAPI. No further reclamation will be required. The well was plugged and abandoned and the P&A marker was placed underground so the former well site can be used for crops.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation. Closure report on C-144 form is included.
- 16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505

Submit 1 Cop	by to appropriate accordance with	District Office in 19.15.29 NMAC.

1220 S. St. Fran	cis Dr., Santa	a Fe, NM 87505	5	S	anta F	e, NM 875	05		
			Rele	ease Notifi	catio	n and Co	orrective A	ction	
						OPERA '	ГOR	🗍 Initia	al Report 🛛 🛛 Final Report
Name of Company: BP Contact: Jeff Peace						· · · · · · · · · · · · · · · · · · ·			
Address: 200 Energy Court, Farmington, NM 87401							No.: 505-326-94	79	
		os Canyon U					be: Natural gas v		
							. Thatarar Bus 1		
Surface Owner: FederalMineral Owner: FederalAPI No. 3004507207						. 3004507207			
				LOC	ATIO	N OF RE	LEASE		
Unit Letter A	Section 28	Township 28N	Range 12W	Feet from the 1,160	North North	n/South Line	Feet from the 1,190	East/West Line East	County: San Juan
	L	Lat	itude 3	6.63766	1	Longitud	e_108.11214	L	
						OF REL			
Type of Rele	ase: none						Release: N/A	Volume F	Recovered: N/A
Source of Re	lease: belov	v grade tank –	- 95 bbl			Date and I	lour of Occurrence	ce: Date and	Hour of Discovery:
Was Immedi	ate Notice (Yes 🗌] No 🛛 Not R	Required	If YES, To	Whom?		
By Whom?						Date and I	lour		
Was a Water	course Read	ched?					olume Impacting	the Watercourse.	· · · · · · · · · · · · · · · · · · ·
	•] Yes 🛛						RCVD FEB 6 '14 DIL CONS. DIV.
If a Waterco	urse was Im	pacted, Descr	ibe Fully.	ĸ					CIL CONS. DIV. DIST. 3
Describe Are	a Affected	and Cleanup A	Action Tal		emoved	and the area u	s results are attac		he excavated area was
regulations a public health should their or the enviro	Il operators or the envi operations h nment. In a	are required t ronment. The nave failed to a	to report and e acceptance adequately DCD accept	nd/or file certain ce of a C-141 rep	release ort by th remedia	notifications a he NMOCD m ite contaminat	nd perform correct arked as "Final R ion that pose a thr	ctive actions for rele eport" does not reli eat to ground water	tuant to NMOCD rules and eases which may endanger eve the operator of liability surface water, human health ompliance with any other
Signature:	ff	Proce	2					SERVATION	DIVISION
Printed Nam	e: Jeff Peac	e				Approved by	Environmental S	pecialist:	
Title: Field I	Environmen	tal Advisor				Approval Da	te:	Expiration	Date:
		effrey@bp.co				Conditions of Approval: Attached		Attached	
Date: Febru Attach Add		ets If Necess		: 505-326-9479					

CLIENT: BP		NGINEERING, INC		API # 3004507	207
		LOOMFIELD, NM 05) 632-1199	87413	TANK ID (if applicble):	<u>.</u>
FIELD REPORT:	(circle one): BGT CONFIRMATION		HER:	PAGE #: of	1
SITE INFORMATION	I: SITE NAME: GCU #	184		DATE STARTED: 12/1	0/13
QUAD/UNIT: A SEC: 28 TWP:	28N RNG: 12W PM	NM CNTY: SJ	ST: NM	DATE FINISHED:	
1/4 -1/4/FOOTAGE: 1,160'N / 1,19	D'E NE/NE LEASE	TYPE: FEDERAL/STATE / F		ENVIRONMENTAL	
LEASE #: SF078828A	PROD. FORMATION: DK C	CROSSFIR	E TERSON	SPECIALIST(S): JC	B
REFERENCE POINT	WELL HEAD (W.H.) GPS	S COORD.: 36.63729	X 108.11206	GL ELEV.: 5,	674'
1) 95 BGT (SW/SB)					
2)	GPS COORD,:		DISTANCE/BEAK	RING FROM W.H.:	
3)	GPS COORD.:		DISTANCE/BEAF	RING FROM W.H.:	
4)				RING FROM W.H.:	
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) #				READING (ppm)
1) SAMPLE ID:95_BGT 5-pt. @				. ,	0.0
2) SAMPLE ID:					
3) SAMPLE ID:					
4) SAMPLE ID:	· · · · · · · · · · · · · · · · · · ·				
SOIL DESCRIPTION		1			
SOIL COLOR: DARK Y	ELLOWISH ORANGE	PLASTICITY (CLAYS): NON PLASTIC /			Y PLASTIC
CONSISTENCY (NON COHESIVE SOILS):		DENSITY (COHESIVE CLAYS & SI HC ODOR DETECTED: YES NO E	· ·		
MOISTURE: DRY/SLIGHTLY MOIST/ MOIST / W					
SAMPLE TYPE: GRAB COMPOSITE		ANY AREAS DISPLAYING WETNESS			
SITE OBSERVATION					
APPARENT EVIDENCE OF A RELEASE OBSERVE	DAND/OR OCCURRED : YES NO EXP	LANATION:			
EQUIPMENT SET OVER RECLAIMED AREA: OTHER: GAS WELL RECENTLY PLUGG			ND POT 15 FT		
			ND. DG1 - 15F1.1	DIANNETER LOW FROME.	
SOIL IMPACT DIMENSION ESTIMATION:		ft. X <u>NA</u> ft.		IMATION (Cubic Yards) :	NA
	IEAREST WATER SOURCE: _>1,000		>1,000' NMOC	D TPH CLOSURE STD: 100	ppm
SITE SKETCH	BGT Located : off on si	te PLOT PLAN circle	: attached OVM	CALIB. READ. = 99.7 ppm	RF = 1.00
-				CALIB. GAS = <u>100</u> ppm	
. PBGTL T.B. ~ 4'	\rightarrow $(x x x)$				
B.G.	XX		"	MISCELL. NOT	ES
				0:	
			P	K: ZFEIRKOSJS J#:	
				ermit date(s): 06/03/	10
				CD Appr. date(s): 10/10/	13
			Tan ID	ppm = parts per million	
	P & A MARKER		A	BGT Sidewalls Visible: Y / N	
	0	X - S		BGT Sidewalls Visible: Y / N	
NOTES: BGT = BELOW-GRADE TANK; E.D. = EXCAVATION T.B. = TANK BOTTOM; PBGTL = PREVIOUS BEL				BGT Sidewalls Visible: Y / N	
	E WALL; DW - DOUBLE WALL; SB - SINGLE BO	TTOM; DB - DOUBLE BOTTOM.		agnetic declination: 10°	E
NOTES:		ONSITE: 12/10	/13		

.

Analytical Report	
Lab Order 1312650	

Date Reported: 12/20/2013

Hall Environmental Analysis Laboratory, Inc.

-

CLIENT: Blagg Engineering		C	lient Samp	le ID: 95 BGT 5-pt @ 4'	
Project: GCU 184			Collection	Date: 12/10/2013 2:45:00 PM	
Lab ID: 1312650-001	Matrix: S	OIL	Received	Date: 12/14/2013 10:30:00 Al	М
Analyses	Result	RL Qual	Units	DF Date Analyzed	Batch

EPA METHOD 8015D: DIESEL RANGE	ORGANICS				Analyst: JME
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	12/19/2013 1:05:45 AM 10815
Surr: DNOP	98.1	66-131	%REC	1	12/19/2013 1:05:45 AM 10815
EPA METHOD 8015D: GASOLINE RANG	GE				Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	12/18/2013 11:36:26 PM 10837
Surr: BFB	95.1	74.5-129	%REC	1	12/18/2013 11:36:26 PM 10837
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.047	mg/Kg	1	12/18/2013 11:36:26 PM 10837
Toluene	ND	0.047	mg/Kg	1	12/18/2013 11:36:26 PM 10837
Ethylbenzene	ND	0.047	mg/Kg	1	12/18/2013 11:36:26 PM 10837
Xylenes, Total	ND	0.093	mg/Kg	1	12/18/2013 11:36:26 PM 10837
Surr: 4-Bromofluorobenzene	105	80-120	%REC	1	12/18/2013 11:36:26 PM 10837
EPA METHOD 300.0: ANIONS					Analyst: JRR
Chloride	ND	30	mg/Kg	20	12/18/2013 2:21:52 PM 10863

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	В	Analyte detected in the associated Method Blank
	E	Value above quantitation range	Н	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit Page 1 of 4
	0	RSD is greater than RSDlimit	Р	Sample pH greater than 2 for VOA and TOC only.
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
	S	Spike Recovery outside accepted recovery limits		

Client: Mailing	BLA BP 1 Address BLOUN	leis Eng Averante P. O. 1 FIELD	изгоцу Кесоги 2 ^{Imeery} Inc. СА Вох 87 NM 87413 232-1197	Standard Project Name GCU Project #:	e:	· <u> </u>			HALL ENVIRONMENT ANALYSIS LABORAT www.hallenvironmental.com 4901 Hawkins NE - Albuquerque, NM 87109 Tel. 505-345-3975 Fax 505-345-4107 Analysis Request				ATC	~ A							
Phone #: So5 - 632 - 1197 email or Fax#:							E 1 1 MBS (8021)	E + TPH (Gas only)	TPH 8015B (GRO / DRO / MHO)	418.1)	04.1)	or 82/U SIMS)	Anions (F, Cl, NO ₃ , NO ₂ , PO ₄ , SO ₄)	8081 Pesticides / 8082 PCB's		(A)	DE		<u>z</u> '	11 A11	
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative		AL No.	BTEX + MTBE =	BTEX + MTBE	TPH 8015B ((TPH (Method 418.1)	EDB (Method 504.1)	PAH'S (8310 Or DCPA & Matale	Anions (F,CI,h	8081 Pesticid	8260B (VOA)	8270 (Semi-VOA)	CHLORIDE			Air D 44100 A
	1445	SOIL	95 BGT 5-pt @ 4	402 ×1				X		×	×							×			
Date: 12/13/13 Date: 12/14/13	Time: I\ Z6 Time: ID30	Relinguish Relinguish	(Bhgg	Received by: Received by: Received by:	ub A	Date 12/13/13 Date 1 L/14	Time		narks	5:	Pe		Ξr:	ZF J					Ś		_1_

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

.

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

Client: Blagg Project: GCU	Engineering 184	-								
Sample ID MB-10815	SampT	ype: ME	 3LK	Tes	tCode: El	PA Method	8015D: Dies	el Range (Drganics	
Client ID: PBS	Batch	n ID: 10	815	F	RunNo: 1	5536				
Prep Date: 12/16/2013	Analysis D	ate: 12	2/17/2013	S	GeqNo: 4	48012	Units: mg/h	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Surr: DNOP	8.5		10.00		85.1	66	131			
Sample ID LCS-10815	SampT	ype: LC	S	Tes	tCode: El	PA Method	8015D: Dies	el Range (Drganics	
Client ID: LCSS	Batch	n ID: 10	815	F	RunNo: 1	5536				
Prep Date: 12/16/2013	Analysis D	ate: 12	2/17/2013	S	SeqNo: 4	48013	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	51	10	50.00	0	101	62.1	127			
Surr: DNOP	4.4		5.000		88.5	66	131			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2 for VOA and TOC only.
- RL Reporting Detection Limit

Page 2 of 4

WO#: 1312650

20-Dec-13

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

WO#: 1312650

20-Dec-13

Client: Project:	Blagg Eng GCU 184	gineering									
Sample ID MI	B-10837	SampTy	/pe: Mi	BLK	Tes	tCode: E	PA Method	8015D: Gasc	oline Rang	e	
Client ID: PE	35	Batch	ID: 10	837	F	lunNo: 1	5586				
Prep Date: 1	2/17/2013	Analysis Da	ate: 1	2/18/2013	S	eqNo: 4	49046	Units: mg/H	٢g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range O Surr: BFB	rganics (GRO)	ND 920	5.0	1000		92.0	74.5	129			
Sample ID LC	CS-10837	SampTy	/pe: LC	:s	Tes	tCode: E	PA Method	8015D: Gasc	line Rang	e	
Client ID: LC	CSS	Batch	ID: 10	837	F	lunNo: 1	5586				
Prep Date: 1	2/17/2013	Analysis Da	ate: 1	2/18/2013	S	eqNo: 4	49047	Units: mg/#	ίg		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Quai
Gasoline Range O	rganics (GRO)	27	5.0	25.00	0	107	74.5	126			
Surr: BFB		980		1000		98.2	74.5	129			
Sample ID MI	B-10837 MK	SampT	ype: M	BLK	Tes	tCode: E	PA Method	8015D: Gasc	line Rang	e	
Client ID: PE	35	Batch	ID: R1	5586	F	tunNo: 1	5586				
Prep Date:		Analysis Da	ate: 1	2/18/2013	S	eqNo: 4	49123	Units: %RE	с		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB		920		1000		92.0	74.5	129		·· · ··	
Sample ID LC	CS-10837 MK	SampT	/pe: LC	s	Tes	tCode: E	PA Method	8015D: Gasc	line Rang	e	
Client ID: LC	ss	Batch	ID: R1	5586	F	lunNo: 1	5586				
Prep Date:		Analysis Da	ate: 1	2/18/2013	S	eqNo: 4	49124	Units: %RE	с		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB		980		1000		98.2	74.5	129			

Qualifiers:

2

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- Analyte detected below quantitation limits J
- 0 RSD is greater than RSDlimit
- RPD outside accepted recovery limits R
- Spike Recovery outside accepted recovery limits S
- В Analyte detected in the associated Method Blank
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- Sample pH greater than 2 for VOA and TOC only. Р
- RL Reporting Detection Limit

Page 3 of 4

QC SUMMARY REPORT

Р Sample pH greater than 2 for VOA and TOC only.

В

Н

ND

RL Reporting Detection Limit

Analyte detected in the associated Method Blank Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit

Analyte	Result	PQL	SPK
Surr: 4-Bromofluorobenzene	1.1		

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	1.1		1.000		111	80	120			
Sample ID MB-10837	SampT	Гуре: МЕ	BLK	Tes	tCode: El	PA Method	8021B: Vola	tiles		
Client ID: PBS	Batci	h ID: 10	837	F	lunNo: 1	5586				
Prep Date: 12/17/2013	Analysis [Date: 12	2/18/2013	5	eqNo: 4	49145	Units: mg/H	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.050								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.0		1.000		105	80	120			
Sample ID LCS-10837	SampT	Гуре: LC	:s	Tes	tCode: El	PA Method	8021B: Vola	tiles		
Client ID: LCSS	Batc	h ID: 10	837	F	lunNo: 1	5586				
Prep Date: 12/17/2013	Analysis [Date: 12	2/18/2013	S	eqNo: 4	49146	Units: mg/M	٤g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.0	0.050	1.000	0	104	80	120			
Toluene	1.0	0.050	1.000	0	102	80	120			
Ethylbenzene	1.0	0.050	1.000	0	104	80	120			
Xylenes, Total	3.1	0.10	3.000	0	102	80	120			
•										

TestCode: EPA Method 8021B: Volatiles

LowLimit

80

TestCode: EPA Method 8021B: Volatiles

Units: %REC

120

Units: %REC

%RPD

RPDLimit

HighLimit

RunNo: 15586

SeqNo: 449140

%REC

105

RunNo: 15586

SeqNo: 449141

Hall Environmental Analysis Laboratory, Inc.

Result

1.0

SampType: MBLK

Batch ID: R15586

Analysis Date: 12/18/2013

PQL

Batch ID: R15586

Analysis Date: 12/18/2013

SampType: LCS

SPK value SPK Ref Val

1.000

Blagg Engineering

GCU 184

Client:

Project:

Sample ID MB-10837 MK

Surr: 4-Bromofluorobenzene

Sample ID LCS-10837 MK

Client ID: PBS

Client ID: LCSS

Prep Date:

Prep Date:

Analyte

WO#: 1312650

20-Dec-13

Page 4 of 4

- Qualifiers:
 - * Value exceeds Maximum Contaminant Level.
- Е Value above quantitation range
- J Analyte detected below quantitation limits
- RSD is greater than RSDlimit 0
- R RPD outside accepted recovery limits
- Spike Recovery outside accepted recovery limits S

Qual

ENVIRONMENTAL ANALYSIS LABORATORY	Hall Environmento Al TEL: 505-345-397 Website: www.l	4901 buquerque 5 FAX: 50	4awkins NE , NM 87109 95-345-4107	Sample Log-In Check List					
Client Name: BLAGG	Work Order Numbe	er: 13126	50	~~~	ReptNo:	1			
Received by/date: AF 12/14	//3								
Logged By: Anne Thorne	12/14/2013 10:30:00	AM	ć	Anne Arm	-				
Completed By: Anne Thorne	12/16/2013			anne Im	• · · · ·				
Reviewed By: IO	17/17/13								
Chain of Custody									
1. Custody seals intact on sample bottles?		Yes		No 🗆	Not Present 🗹				
2. Is Chain of Custody complete?		Yes		No 🗌	Not Present				
3. How was the sample delivered?									
Log In									
 Was an attempt made to cool the samples? 	1	Yes		No 🗌					
5. Were all samples received at a temperature	of >0° C to 6.0°C	Yes		No 🗌					
6. Sample(s) in proper container(s)?		Yes		No 🗌					
				,					
7. Sufficient sample volume for indicated test(s	-	Yes		No 🗌					
8. Are samples (except VOA and ONG) proper	ly preserved?			No L	NA 🗔				
9. Was preservative added to bottles?		Yes		No 🗹	, NA LI				
10, VOA vials have zero headspace?		Yes		No 🗌	No VOA Viais 🗹				
11, Were any sample containers received broke	en?	Yes		No 🗹	# of preserved				
					bottles checked				
12. Does paperwork match bottle labels? (Note discrepancies on chain of custody)		Yes	\mathbf{X}	No	for pH: (<2	or >12 unless noted)			
13. Are matrices correctly identified on Chain of	Custody?	Yes		No 🗆	Adjusted?				
14. Is it clear what analyses were requested?		Yes		No 🗌					
15. Were all holding times able to be met?		Yes		No 🗌	Checked by:				
(If no, notify customer for authorization.)									
pecial Handling (if applicable)									
3. Was client notified of all discrepancies with	this order?	Yes		No 🗆	NA 🗹				
Person Notified:	Date	1							
By Whom:	Via:	eM	ail 📋 Pho	one 🗍 Fax	in Person				
Regarding:									
Client Instructions:	an a								
Additional remarks:									
Cooler Information									
المحرك المحمد المحمد المحمد المحمد			محدد تاري الأعلى الارتداري		T				

 Cooler No
 Temp %
 Condition
 Seal Intact
 Seal No
 Seal Date
 Signed By

 1
 1.0
 Good
 Yes
 Image: Signed By
 Image: Signe: Signe: Signed By
 Image: Signed By



BP America Production Company 200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

November 21, 2013

Bureau of Land Management Mark Kelly 6251 College Blvd Suite A Farmington, NM 87402

VIA CERTIFIED MAIL – RETURN RECEIPT REQUESTED

Re: Notification of plans to close/remove a below grade tank Well Name: GALLEGOS CANYON UNIT 184

Dear Mr. Kelly,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about December 3, 2013. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

Unless you have questions about this notice, there is no need to respond to this letter. If you do have any questions or concerns, please contact me at 505-326-9214

Sincercly,

JP Van Kips

Jerry Van Riper Surface Land Negotiator BP America Production Company

BP America Production Company 200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

SENT VIA E-MAIL TO: BRANDON.POWELL@STATE.NM.US

November 21, 2013

•

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

GALLEGOS CANYON UNIT 184 API 30-045-07207 (G) Section 28 – T28N – R12W San Juan County, New Mexico

Dear Mr. Brandon Powell:

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 95 bbl BGT that will no longer be operational at this well site.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,

Af Peace

Jeff Peace BP Field Environmental Advisor

(505) 326-9479

