<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II

1000 Rio Brazos Road, Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Sonta Fe, NM 87505

## State of New Mexico **Energy Minerals and Natural Resources** Department Oil Conservation Division

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

1220 South St. Francis Dr. Santa Fe, NM 87505

Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method  Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request  Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the
environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: BP AMERICA PRODUCTION COMPANY OGRID #: 778
Address: 200 Energy Court, Farmington, NM 87401
Facility or well name: A L ELLIOTT D 001
API Number: 3004508493 OCD Permit Number:  U/L or Qtr/Qtr K Section 12.0 Township 29.0N Range 09W County: San Juan County
U/L or Qtr/Qtr K Section 12.0 Township 29.0N Range 09W County: San Juan County
Center of Proposed Design: Latitude 36.73642 Longitude -107.73409 NAD: ☐1927 ▼ 1983
Surface Owner: ■ Federal □ State □ Private □ Tribal Trust or Indian Allotment
2.
Pit: Subsection F or G of 19.15.17.11 NMAC
Temporary: Drilling Workover RCVD FEB 26 '14
□ Permanent □ Emergency □ Cavitation □ P&A OIL COMS. DIV.
☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ OtherDIST. 3
☐ String-Reinforced
Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D
3.  Closed-loop System: Subsection H of 19.15.17.11 NMAC
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of
intent)
Drying Pad Above Ground Steel Tanks Haul-off Bins Other
☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other
Liner Seams:  Welded Factory Other
4.    Name   Subsection   of 19.15.17.11 NMAC (Closure Plan submittal only)
Secondary containment with leak detection  Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
□ Visible sidewalls and liner       □ Visible sidewalls only       □ Other         Liner type:       Thickness

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Alternative Method:

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify	hospital,
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Notting Other  Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC  12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  Signed in compliance with 19.15.16.8 NMAC	
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval.  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acce, material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	priate district Approval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.    Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC   Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC   Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC   Previously Approved Design (attach copy of design)   API Number: or Permit Num
12.
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design)  API Number:
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
13.
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC  Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan  Emergency Response Plan  Oil Field Waste Stream Characterization  Monitoring and Inspection Plan  Erosion Control Plan  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.  Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative  Proposed Closure Method: Waste Excavation and Removal  Waste Removal (Closed-loop systems only)  On-site Closure Method (Only for temporary pits and closed-loop systems)  In-place Burial On-site Trench Burial  Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Maste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids, facilities are required.								
Disposal Facility Name: Disposal Facility Permit Number:								
Disposal Facility Name: Disposal Facility Permit Number:								
Will any of the proposed closed-loop system operations and associated activities of Yes (If yes, please provide the information below) \( \bigcap \) No	occur on or in areas that will not be used for future ser	vice and operations?						
Required for impacted areas which will not be used for future service and operating Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	te requirements of Subsection H of 19.15.17.13 NMA n I of 19.15.17.13 NMAC	С						
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may required considered an exception which must be submitted to the Santa Fe Environment demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC	ire administrative approval from the appropriate dist al Bureau office for consideration of approval. Just	rict office or may be						
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Da	ta obtained from nearby wells	☐ Yes ☐ No ☐ NA						
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Da	ta obtained from nearby wells	Yes No						
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells								
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site								
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image								
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site								
Within incorporated municipal boundaries or within a defined municipal fresh was adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written appro-	•	☐ Yes ☐ No						
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visu	al inspection (certification) of the proposed site	☐ Yes ☐ No						
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Minin	g and Mineral Division	Yes No						
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geolog Society; Topographic map	y & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No						
Within a 100-year floodplain. - FEMA map		☐ Yes ☐ No						
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Construction/Design Plan of Burial Trench (if applicable) based upon the a Construction/Design Plan of Temporary Pit (for in-place burial of a drying protocols and Procedures - based upon the appropriate requirements of 19.1 Confirmation Sampling Plan (if applicable) - based upon the appropriate reduirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and Soil Cover Design - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection	puirements of 19.15.17.10 NMAC f Subsection F of 19.15.17.13 NMAC ppropriate requirements of 19.15.17.11 NMAC pad) - based upon the appropriate requirements of 19.15.17.13 NMAC quirements of Subsection F of 19.15.17.13 NMAC Subsection F of 19.15.17.13 NMAC drill cuttings or in case on-site closure standards cannot H of 19.15.17.13 NMAC L of 19.15.17.13 NMAC	5.17.11 NMAC						

Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate	and complete to the best of my knowledge and belief.
Name (Print): Jeffréy Peace	Title: Field Environmental Advisor
Signature: Signature: Stemp reace	Date: <u>06/14/2010</u>
e-mail address: Peace.Jeffrey@bp.com	Telephone: _505-326-9479
OCD Approval: Permit Application (including closure plan) Closure Plan  OCD Representative Signature:	Comby) TOCD Conditions (see attachment)  Approval Date: 5/0/11
Title: Friemmental Engine	OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K Instructions: Operators are required to obtain an approved closure plan prior to The closure report is required to be submitted to the division within 60 days of the section of the form until an approved closure plan has been obtained and the closure plan prior to the division within 60 days of the section of the form until an approved closure plan has been obtained and the closure plan prior to the division within 60 days of the section of the form until an approved closure plan has been obtained and the closure plan prior to the division within 60 days of the section of the form until an approved closure plan has been obtained and the closure plan has been obtained and th	implementing any closure activities and submitting the closure report.
22.	
Closure Method:  Waste Excavation and Removal On-Site Closure Method Alternative If different from approved plan, please explain.	ve Closure Method
Closure Report Regarding Waste Removal Closure For Closed-loop Systems T Instructions: Please indentify the facility or facilities for where the liquids, drilling two facilities were utilized.	hat Utilize Above Ground Steel Tanks or Haul-off Bins Only:  ng fluids and drill cuttings were disposed. Use attachment if more than
Disposal Facility Name:	Disposal Facility Permit Number:
Disposal Facility Name:	Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in Yes (If yes, please demonstrate compliance to the items below) \( \subseteq \text{No} \)	areas that will not be used for future service and operations?
Required for impacted areas which will not be used for future service and operation  Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique	
Closure Report Attachment Checklist: _Instructions: Each of the following item mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)	ns must be attached to the closure report. Please indicate, by a check
Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (required for on-site closure)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique	
	e <u>-/67. 73469</u> NAD: □1927 🕱 1983
Operator Closure Certification:	
Thereby certify that the information and attachments submitted with this closure repbelief. I also certify that the closure complies with all applicable closure requirement	its and conditions specified in the approved closure plan.
Name (Print): Teff Yeace	Title: Field Environmental Advisor
Signature: John Peace	Title: Field Environmental Alvier  Date: February 25, 2014
e-mail address: peace jettrey @ bg. com	Telephone: (505) 326-9479

## BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

#### BELOW-GRADE TANK CLOSURE PLAN

# A. L. Elliott D 1 API No. 3004508493 Unit Letter K, Section 12, T29N, R9W

RCVD FEB 26'14 OIL CONS. DIV. DIST. 3

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

#### General Closure Plan

- 1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.
  - No notice was made due to misunderstanding of the notice requirements. Closure notices will be made for all BGT closures from this point forward.
- 2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.
  - No notice was made due to misunderstanding of the notice requirements. Closure notices will be made for all BGT closures from this point forward.
- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
  - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
  - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)

- c. Basin Disposal, Permit NM-01-0005 (Liquids)
- d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
- e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)
- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported to a storage area for sale and re-use.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	95 bbl BGT	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	ND
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	ND
TPH	US EPA Method SW-846 418.1	100	ND
Chlorides	US EPA Method 300.0 or 4500B	250 or background	ND

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled and TPH, BTEX and chloride levels were below the stated limits. Sampling data is attached.

- 7. BP shall notify the division District III office of its results on form C-141. C-141 is attached.
- 8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results indicate no release occurred.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

The area under the BGT was backfilled with clean soil and is still within the active area.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

BP will seed the area when the well is plugged and abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

BP will notify NMOCD when re-vegetation is successful.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
  - a. proof of closure notification (surface owner and NMOCD)
  - b. sampling analytical reports; information required by 19.15.17 NMAC;
  - c. disposal facility name and permit number
  - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
  - e. site reclamation, photo documentation.
    - Closure report on C-144 form is included.
- 16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

### State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Release Notificat	ion and Corrective	Action					
	<b>OPERATOR</b>	☐ Initial	Report   Final Report				
Name of Company: BP	Contact: Jeff Peace						
Address: 200 Energy Court, Farmington, NM 87401	Telephone No.: 505-326	9479					
Facility Name: A. L. Elliott D 1	Facility Type: Natural ga	s well					
Surface Owner: Federal Mineral Own	er: Federal	API No.	3004508493				
LOCAT	ION OF RELEASE						
Unit Letter   Section   Township   Range   Feet from the   No.	orth/South Line Feet from the outh 1,550	East/West Line West	County: San Juan				
Latitude36.73642	Longitude107.7340	)					
NATUI	RE OF RELEASE						
Type of Release: none	Volume of Release: N/A		ecovered: N/A				
Source of Release: below grade tank – 95 bbl	Date and Hour of Occurr	ence: Date and H	Iour of Discovery:				
Was Immediate Notice Given? ☐ Yes ☐ No ☒ Not Requi	If YES, To Whom?						
By Whom?	Date and Hour						
Was a Watercourse Reached?  ☐ Yes ☑ No	If YES, Volume Impacting	•	RCVD FEB 26 '14				
If a Watercourse was Impacted, Describe Fully.*			OIL CONS. DIV.				
The water-course may impacted, pesonibe ruity.			DIST. 3				
Describe Cause of Problem and Remedial Action Taken.* Sampling of the BGT. Soil analysis resulted in TPH, BTEX and chloride below st  Describe Area Affected and Cleanup Action Taken.* BGT was remove backfilled and compacted and is still within the active well area.	andards. Analysis results are at	ached.					
I hereby certify that the information given above is true and complete regulations all operators are required to report and/or file certain relea public health or the environment. The acceptance of a C-141 report b should their operations have failed to adequately investigate and reme or the environment. In addition, NMOCD acceptance of a C-141 report federal, state, or local laws and/or regulations.	ase notifications and perform con by the NMOCD marked as "Final Ediate contamination that pose a	rective actions for releat Report" does not relie threat to ground water,	ases which may endanger eve the operator of liability surface water, human health				
1 00 0	OIL CO	NSERVATION I	<u>DIVISION</u>				
Signature:	_						
Printed Name: Jeff Peace	Approved by Environmental Specialist:						
Title: Field Environmental Advisor	Approval Date:	Expiration D	Pate:				
E-mail Address: peace.jeffrey@bp.com	Conditions of Approval:		Attached				
Date: February 25, 2014 Phone: 505-326-9479							

<sup>\*</sup> Attach Additional Sheets If Necessary

client: BP	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	API #: 3004508493  TANK ID (if applicble): A
FIELD REPORT:	(circle one): BGT CONFIRMATION RELEASE INVESTIGATION / OTHER:	PAGE #:1 of1
SITE INFORMATION	I: SITE NAME: A.L. ELLIOTT D #1	DATE STARTED: 06/09/11
QUAD/UNIT: K SEC: 12 TWP:		DATE FINISHED:
1/4 -1/4/FOOTAGE: 1.650'S / 1.5	50'W NE/SW LEASE TYPE: FEDERAL STATE / FEE / INDIAN ELKHORN	= BNVIRONMENTAL
LEASE #: SF078132	PROD. FORMATION: MV CONTRACTOR: J. GONZALEZ	SPECIALIST(S): NJV
REFERENCE POINT		3412 GL ELEV.: 5,971'
		BEARING FROM W.H.: 71', S5W
2)		BEARING FROM W.H.:
3)		BEARING FROM W.H.:
4)		BEARING FROM W.H.:
LAB INFORMATION	CHAIN OF CUSTODY RECORD(S) # OR LAB USED: HALL	OVM   READING
	95) SAMPLE DATE: 06/09/11 SAMPLE TIME: 1445 LAB ANALYSIS: 418.	(npm)
·	SAMPLE DATE: SAMPLE TIME: LAB ANALYSIS:	
	SAMPLE DATE: SAMPLE TIME: LAB ANALYSIS:	
	SAMPLE DATE: SAMPLE TIME: LAB ANALYSIS:	
	SOIL TYPE: SAND SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / G	
SOIL COLOR: DARK YI		JINER
COHESION (ALL OTHERS): NON COHESIVE / SLIGHTL		C / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC
CONSISTENCY (NON COHESIVE SOILS): LC		FT / FIRM / STIFF / VERY STIFF / HARD
MOISTURE: DRY (SLIGHTLY MOIST / MOIST / W		PLANATION -
SAMPLE TYPE: GRAB (COMPOSITE) - 1 DISCOLORATION/STAINING OBSERVED		
DISCOLORATION/OTAINING OBGETVED	- TEO/NG EXIDATION-	-
ANY AREAS DISPLAYING WETNESS: YES / NO		
ADDITIONAL COMMENTS: NO APP	ARENT EVIDENCE OF A RELEASE FROM BGT.	
EXCAVATION DIMENSIONS (if applicable	·	excavated (if applicable):
	EAREST WATER SOURCE: <u>&gt;1,000'</u> NEAREST SURFACE WATER: <u>&lt;200'</u> NM	OCD TPH CLOSURE STD: 100 PPM
SITE SKETCH		/M CALIB. READ. = NA ppm RF = 0.52
SURFAC GRADIE	The state of the s	VM CALIB. GAS = NA ppm
DIRECTI		ME: NA am/pm DATE: NA
	۰۰۱ ا	MISCELL. NOTES
P	SGTL S.P.D.	
	, ~ 5.5° /	WO: N1299810
	BERM BERM	WO: 38895
		PAYKEY: ZSCHWLLSEL
	(x x x) (PROD. TANK)	
SEP.		BGT 15' DIAMETER
		SHALLOW PROFILE
	UP SLOPE	
		POT OIDEIMALLO MOUDI EN ALCONO
	TON DEPRESSION; B.G. = BELOW GRADE; B = BELOW; T.H. = TEST HOLE; ~ = APPROX.; LOW-GRADE TANK LOCATION; SPD = SAMPLE POINT DESIGNATION; R.W. = RETAINING WALL;	BGT SIDEWALLS VISIBLE Y) N / NA Magnetic declination: 10° E
NA - NOT APPLICABLE OR NOT AVAILABLE; S	W - SINGLE WALL; DW - DOUBLE WALL; SB - SINGLE BOTTOM; DB - DOUBLE BOTTOM.	wagnetic decimation. IV C
TRAVEL NOTES: CALLOUT:	ONSITE: <b>06/09/11</b>	

## Hall Environmental Analysis Laboratory, Inc.

Date: 16-Jun-11

**CLIENT:** 

Blagg Engineering

Client Sample 1D: 5PC-TB@6' (95 BGT)

Analytical Report

Lab Order:

1106427

Collection Date: 6/9/2011 2:45:00 PM

Date Received: 6/10/2011

Project: Lab ID:

A.L. Elliot D#1 1106427-01

Matrix: SOIL

Analyses	Result	PQL (	Qual Units	DF	Date Analyzed
EPA METHOD 8015B: DIESEL RANG	· · · · · · · · · · · · · · · · · · ·			Analyst: JB	
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	6/11/2011 11:57:27 PM
Surr: DNOP	92.7	73.4-123	%REC	1	6/11/2011 11:57:27 PM
EPA METHOD 8015B; GASOLINE RA	ANGE				Analyst: RAA
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	6/12/2011 1:27:46 AM
Surr: BFB	98.2	89.7-125	%REC	1	6/12/2011 1:27:46 AM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	NĎ	0.050	mg/Kg	1	6/12/2011 1:27:46 AM
Toluene	ND	0.050	mg/Kg	<sup>1</sup> 1	6/12/2011 1:27:46 AM
Ethylbenzene	ND	0.050	mg/Kg	1	6/12/2011 1:27:46 AM
Xylenes, Total	ND	0.10	mg/Kg	1	6/12/2011 1:27:46 AM
Surr: 4-Bromofluorobenzene	111	85.3-139	%REC	1	6/12/2011 1:27;46 AM
EPA METHOD 300.0: ANIONS					Analyst: SRM
Chloride	ND	7.5	mg/Kg	5	6/14/2011 4:25:21 AM
EPA METHOD 418.1: TPH					Analyst: JB
Petroleum Hydrocarbons, TR	· ND	20	mg/Kg	1	6/15/2011

#### Qualifiers:

- Value exceeds Maximum Contaminant Level
- E Estimated value
- Analyte detected below quantitation limits
- NC Non-Chlorinated
- PQL Practical Quantitation Limit

- Analyte detected in the associated Method Blank В
- Н Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- Not Detected at the Reporting Limit
- Spike recovery outside accepted recovery limits

<u>hain-c</u>	of-Cus	stody Record	Turn-Around I	ime:					Н	A	H	F	V	TR	201	Nh	4F	NT.	Δi	
BLAG	G ENGR.	/ BP AMERICA		Rush _		]														•
			Project Name:															_		
Address:	P.O. BOX	( 87	A	.L. ELLIOTT	D#1		49	01 H	awki	ns N	1E -	Alb	uque	erqu	ie, N	M 87	7109	j		
	BLOOM	FIELD, NM 87413	Project #:	-		1	Te	l. 50	5-34	5-39	75	F	ax 5	505-3	345-	4107	7			
	(505) 63	2-1199						<u></u>			- A	naly	/sis	Req	ues	t -= =				
Fax#:			Project Manag	jer:									\$				$\Box$			
ackage: dard		Level 4 (Full Validation)	NELSON VELEZ			021B)	on(y)	/Diesel					P04,	CB's						
ation:			Sampler:	NELSON VI	ELEZ n	- 8 F	(Gas	(Gas			1		150	82 P					b Be	
NP	☐ Other			<b>/</b>	E No.		TPH	15B	18.1)	04.1)	F		3,	8		أج			sam	z z
(Type)			Sample Temp	erature -	<u> </u>		3E +	08 p	pd 4	od 5(	or P.	tals	ž	ides	7	9	0.0	[	site	٤ (
Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEAL NO.	BTEX +- MF	BTEX + MTI	TPH Metho	TPH (Meth	EDB (Meth	8310 (PNA	RCRA 8 Me	Anions (F, C	8081 Pestic	8260B (VO	8270 (Semi	Chloride (3		5 pt. comp	Air Bubbles (Y or N)
1445	SOIL	5PC-TB @ζ' (95 BGT)	4 oz 1	Cool	-/	٧		٧	V								٧		٧	
																	$\neg$			
																		$\neg$		
						<b>†</b>			$\neg \uparrow$	╗										1
					1					$\neg$							$\Box$	_	$\top$	$\uparrow$
<del>                                     </del>	<del>                                     </del>			<del>                                     </del>					_									$\Box$		1
1									1										+	1
						十一	<b></b>			7								1	+-	<del> </del>
				<del>                                     </del>		+						_			-			_	+	1
						+				-		_			-				+	+-
Time:	Relinquish	ed by:	Received by:		Date Time	Ren	nark	 s:	TPH	(80	)15E	3) - (	GRO	8	DRO	ON	ί <mark>ιΥ.</mark>			.L
1545	H	der VI	Maste	- Weete	6/9/4 1545								<u>ırt, F</u> a	rmic	ngton	1, NM	ı 874	<u>01</u>		
1659	Cha	ed by: Valle	Received by:	3 (								_			_				んしち	EL
	Address:  Fax#: ackage: dard ation: .P (Type)  Time  /445  Time: /545	BLAGG ENGR.  Address: p.o. Bo)  BLOOMI (505) 63  Fax#:  ackage: dard	BLOOMFIELD, NM 87413  (505) 632-1199  Fax#: ackage: dard	BLAGG ENGR. / BP AMERICA    Standard	BLAGG ENGR. / BP AMERICA  Project Name:  A.L. ELLIOTT  BLOOMFIELD, NM 87413  (505) 632-1199  Fax#:  ackage: dard	BLAGG ENGR. / BP AMERICA  Project Name:  A.L. ELLIOTT D # 1  BLOOMFIELD, NM 87413  (505) 632-1199  Fax#:  Project Manager:  NELSON VELEZ  Avaluation:  P Other  Time Matrix Sample Request ID  According Type and #  Type According Type  Time:  Relinquished by:  Received	BLAGG ENGR. / BP AMERICA  Project Name:  A.L. ELLIOTT D # 1  BLOOMFIELD, NM 87413  (505) 632-1199  Fax#:  Project Manager:  NELSON VELEZ  Asion:  P   Other  Time Matrix Sample Request ID  Time Matrix Soll 5PC-TB @ (' (95 BGT)	BLAGG ENGR. / BP AMERICA  Project Name:  A.L. ELLIOTT D # 1  AL. ELLIO	BLAGG ENGR. / BP AMERICA  Project Name:  A.L. ELLIOTT D # 1  4901 H  Tel. 50  Fax#:  Sackage:  dard	BLAGG ENGR. / BP AMERICA  Project Name:  A.L. ELLIOTT D # 1  4901 Hawki Tel. 505-34  (505) 632-1199  Faxi:  ackage: dard	BLAGG ENGR. / BP AMERICA  Project Name:  A.L. ELLIOTT D # 1  AND  AND  AND  AND  AND  AND  AND  AN	BLAGG ENGR. / BP AMERICA  Project Name:  A.L. ELLIOTT D # 1  4901 Hawkins NE - Tel. 505-345-3975  Fax#:  Project Manager:  Sampler:  NELSON VELEZ  All (100 89) 91/9 95/9 95/9 95/9 95/9 95/9 95/9 95/9	BLAGG ENGR. / BP AMERICA    Standard   Rush   Project Name:   A.L. ELLIOTT D # 1   ANALYS   Www.hallem     BLOOMFIELD, NM 87413   Project #:   Project Manager:   Gost) 632-1199   Fax#:   Project Manager:   NELSON VELEZ   ANALYS     Balcomfield, NM 87413   Project Manager:   NELSON VELEZ   ANALYS   Project	BLAGG ENGR. / BP AMERICA    Standard   Rush   Project Name:   Www.hallenviror   A901 Hawkins NE - Albuqu   Tel. 505-345-3975   Fax :   (505) 632-1199   Time   Matrix   Sample Request ID   Time   Matrix   Sample Request ID   Time   Matrix   Sample Request ID   Time   Refinquished by:   Received by:   Recei	BLAGG ENGR. / BP AMERICA    Standard   Rush   Project Name:	BLAGG ENGR. / BP AMERICA    Standard   Rush   Project Name:   AL ELLIOTT D # 1   Project Name:   AL ELLIOTT D # 1   Project Name:   AL ELLIOTT D # 1   Project Manager:   AL ELLIOTT D # 1   Project Manager:   Project Manager:   Project Manager:   NELSON VELEZ   Analysis Request adard   Level 4 (Full Validation)   Sample:   NELSON VELEZ   NELSON VELEZ	BLAGG ENGR. / BP AMERICA    Standard   Rush   Project Name:   A.L. ELLIOTT D # 1   Project #:   Tel. 505-345-3975   Fax 505-345	BLAGG ENGR. / BP AMERICA  Project Name:  A.L. ELLIOTT D # 1  BLOOMFIELD, NM 87413  Project #:  Project Manager:  Sampler:  NELSON VELEZ  Time:  Matrix:  Sample Request ID  Container Type and #  Preservative Fig. 8	BLAGG ENGR. / BP AMERICA    Standard   Rush   Project Name:   A.L. ELLIOTT D # 1   ANALYSIS LABORATO   ANA	BLAGG ENGR. / BP AMERICA  Project Name:  A.L. ELLIOTT D # 1  BLOOMFIELD, NM 87413  Project Manager:  Schedge: Schaddr   Project Manager:  Schedge: Schedge: Schaddr   Project Manager:  NELSON VELEZ Schedge: Sche

Date: 16-Jun-11

# **QA/QC SUMMARY REPORT**

Client:

Blagg Engineering

Project: A.L. Elliot D #1

Work Order:

1106427

			_						WOIK	Order.	1100427
Analyte	Result	Units	PQL	SPK Va	SPK ref	%Rec L	.owLimit Hi	ighLimit	%RPD	RPDLimit	Qual
Method: EPA Method 300.0: An	ions										
Sample ID: MB-27170		MBLK				Batch ID:	27170	Analysi	s Date:	6/13/2011	3:39:14 PN
Chloride	ND	mg/Kg	1.5								_
Sample ID: LCS-27170		LCS				Batch ID:	27170	Analysi	s Date:	6/13/2011	3:56:38 PN
Chloride	14.41	mg/Kg	1.5	15	0_	96.1	90	110	···		
Method: EPA Method 418.1: TPI	Н										
Sample ID: MB-27187		MBLK				Batch ID:	27187	Analysi	s Date:		6/15/201
Petroleum Hydrocarbons, TR	ND	mg/Kg	20								
Sample ID: LCS-27187		LCS				Batch ID:	27187	Analysi	s Date:		6/15/201
Petroleum Hydrocarbons, TR	105.5	mg/Kg	20	100	0	106	81.4	118			
Sample ID: LCSD-27187		LCSD				Batch ID:	27187	Analysi	s Date:		6/15/201
Petroleum Hydrocarbons, TR	106.9	mg/Kg	20	100	0	107	81.4	118	1.32	8.58	
Method: EPA Method 8015B: Di	esel Range	Organics									
Sample ID: MB-27155		MBLK				Batch ID:	27155	Analysi	s Date:	6/11/2011 :	3:20:00 PN
Diesel Range Organics (DRO)	ND	mg/Kg	10					_			-
Sample ID: LCS-27155	. –	LCS				Batch ID:	27165	Analysis	s Date:	6/11/2011 3	3:54:40 PN
Diesel Range Organics (DRO)	46.52	mg/Kg	10	50	0	93.0	66.7	119			
Sample ID: LCSD-27155		LCSD				Batch ID:	27155	Analysis	s Date:	6/11/2011 4	4:29:20 PN
Diesel Range Organics (DRO)	51.56	mg/Kg	10	50	0	103	66.7	119			
Method: EPA Method 8015B: Ga	seoline Par	100							······		
Sample ID: MB-27154	asonne Nai	MBLK				Batch ID:	27154	Analysis	s Date:	6/11/2011 11	1·27·29 PN
Gasoline Range Organics (GRO)	ND	mg/Kg	5.0					7 u. y o	Duto.	0/11/2011 11	
Sample ID: LCS-27154	IID	LCS	5.0			Batch ID:	27154	Analysis	s Date:	6/12/2011 5	5:28:05 AM
Gasoline Range Organics (GRO)	25.74	mg/Kg	5.0	25	0	103	88.8	124			
<u> </u>		99									
Method: EPA Method 8021B: Vo	latiles	MDIV				Batch ID:	27154	Analysis	Data.	6/11/2011 11	-27-20 DM
Sample ID: MB-27154	415	MBLK	0.050			Daton ID.	27 104	Allalysis	Date.	0/11/2011 11	1.27.29 FIV
Benzene	ND ND	mg/Kg	0.050 0.050			••					
Toluene Ethylbenzene	ND	mg/Kg mg/Kg	0.050								
Ethymotizelle		my/Ng									
Yulongo Total		malKa	0.10								
Xylenes, Total Sample ID: LCS-27154	ND	mg/Kg LCS	0.10			Batch ID:	27154	Analysis	Date:	6/12/2011 4	:57:59 AN
Sample ID: LCS-27154	ND	LCS		1 0	.0065			Analysis	Date:	6/12/2011 4	:57:59 AN
Sample ID: LCS-27154 Benzene	ND 1.077	LCS mg/Kg	0.050		.0065 0	107	83.3	107	a Date:	6/12/2011 4	:57:59 AN
Sample ID: LCS-27154	ND	LCS		1 0 1	0.0065 0 0			•	o Date:	6/12/2011 4	:57:59 AN

	_	_		_
Ons	li	fi	e:	re

E Estimated value

J Analyte detected below quantitation limits

ND Not Detected at the Reporting Limit

H Holding times for preparation or analysis exceeded

NC Non-Chlorinated

R RPD outside accepted recovery limits

## Hall Environmental Analysis Laboratory, Inc.

## Sample Receipt Checklist

Client Name BLAGG			Date Received	<b>!:</b>	6/10/2011
Work Order Number 1106427			Received by:	AMG	
Checklist completed by Signature	1	O Date	Sample ID la	bels checked by	r: MG
Matrix:	Carrier name:	Greyhound			
Shipping container/cooler in good condition?		Yes 🗹	No 🗆	Not Present	
Custody seals intact on shipping container/cooler	7	Yes 🗹	No 🗌	Not Present	Not Shipped
Custody seals intact on sample bottles?		Yes 🗌	No 🗌	N/A	
Chain of custody present?		Yes 🗹	No 🗀		
Chain of custody signed when relinquished and re	ceived?	Yes 🗹	No 🗆		
Chain of custody agrees with sample labels?		Yes 🗹	No 🗔		
Samples in proper container/bottle?		Yes 🗹	No 🗆		
Sample containers intact?		Yes 🗹	No 🗌		
Sufficient sample volume for indicated test?		Yes 🗹	No 🗆		
All samples received within holding time?		Yes 🗹	No 🗆		Number of preserved
Water - VOA vials have zero headspace?	No VOA vials subm	itted 🗹	Yes 🗌	No 🗌	bottles checked for pH:
Water - Preservation labels on bottle and cap mat	ch?	Yes 🗌	No 🗆	N/A 🗹	
Water - pH acceptable upon receipt?		Yes 🗌	No 🗆	N/A 🗹	<2 >12 unless noted
Container/Temp Blank temperature?		2.6°	<6° C Acceptable		below.
COMMENTS:			If given sufficient	time to cool.	
					,
Client contacted D	ate contacted: Person contacted				
Contacted by:	egarding:				
Comments:					
			· · · · · ·		
				HEV	
	~				
		-·		_,,	
Corrective Action					



