Form C-144 July 21, 2008

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

170	()

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

O() Prop	osed Alternal	tive Method Pei	mit or Closure	Plan Ap	plication
Type of action:	Closure of a Modification	pit, closed-loop syste a pit, closed-loop systent on to an existing perman only submitted for a ternative method	em, below-grade tank it	, or propose	
Instructions: Please subm	iit one application (Form C-144) per indivi	dual pit, closed-loop sys	tem, below-p	grade tank or alternative request
	request does not relie ve the operator of its r	eve the operator of liability responsibility to comply v	y should operations result with any other applicable g	in pollution o	of surface water, ground water or the authority's rules, regulations or ordinances.
I. Operator: BP AMERICA PROI	DUCTION COMP	PANY	OGRID #: 7	778	•
Address: 200 Energy Court, F					RCVD MAR 20 '1 4
Facility or well name: RIDDLE C					oil cons. Div.
API Number: <u>3004526839</u>		OCI	Permit Number:		DIST. 3
U/L or Qtr/Qtr P s	Section 30.0	Township <u>31.0N</u>	Range <u>09W</u>	County:	San Juan County
					NAD: □1927 🗷 1983
Surface Owner: ■ Federal □ Stat	te 🗌 Private 🔲 Tril	bal Trust or Indian Allot	ment		
2.					
Pit: Subsection F or G of 19.	15.17.11 NMAC				
Temporary: Drilling Works	over				
Permanent Emergency					
Lined Unlined Liner type	: Thickness	mil	HDPE ☐ PVC ☐ C	ther	
String-Reinforced					· .
Liner Seams: Welded Facto	ory Other	· · · · · · · · · · · · · · · · · · ·	Volume:bt	ol Dimensio	ons: L x W x D
3.			***************************************	· · · · · · · · · · · · · · · · · · ·	
Closed-loop System: Subsect					
intent)				nich require p	prior approval of a permit or notice of
Drying Pad Above Ground	i Steel Tanks 🔲 H	aul-off Bins 🔲 Other			
☐ Lined ☐ Unlined Liner type:	Thickness	mil 🔲 LLDPI	E HDPE PVC	Other	
Liner Seams: Welded Facto	ory 🗌 Other		-		
4.					
Below-grade tank: Subsection					
Volume: 95.0		Produced Water			
Tank Construction material: Stee					
Secondary containment with le					-off
☐ Visible sidewalls and liner 🗷				DITOMED	
Liner type: Thickness	mil 🔲	HDPE PVC O	ther		
5,					
Alternative Method:			at a Coura D. D. C.		
Submittal of an exception request is	required. Exception	ons must be submitted to	tne Santa Fe Environme	ental Bureau	office for consideration of approval.

Form C-144

Oil Conservation Division

Page 1 of 5

6. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)	
Chain link, six feet in height, two strands of barbed wire at top (Required of located within 1000 feet of a permanent residence, school,	hospital,
institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet	
➤ Alternate. Please specify 4' Hogwire with single barbed wire	
7.	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	
8. Signal Subsection Conf. 10.15.17.11.NIMAC	
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
■ Signed in compliance with 19.15.16.8 NMAC	
9. Administrative Approvals and Exceptions:	
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank:	
Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau	office for
consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
10.	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptance of the compliance for each siting criteria below in the application.	ntable source
material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appro-	opriate district
office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry	
above-grade tanks associated with a closed-loop system.	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Yes 🗷 No
- Topographic map; Visual inspection (certification) of the proposed site	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	│
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ☐ No ■ NA
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes 🗷 No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	,
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ເ≫ No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	
Within 500 feet of a wetland.	☐ Yes 🗷 No
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	Yes 🗷 No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes 🗷 No
Within a 100-year floodplain.	☐ Yes 🗷 No
- FEMA map	

Oil Conservation Division Page 2 of 5

11. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. ▼ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC □ Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC ▼ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
 ☑ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC ☑ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC ☑ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Oil Conservation Division Page 3 of 5

Form C-144

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.1 Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment	
facilities are required.	
Disposal Facility Name: Disposal Facility Permit Number:	
Disposal Facility Name: Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future s Yes (If yes, please provide the information below) No	ervice and operations?
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NM Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	AC
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable so provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate a considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Judemonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	istrict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playal lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards ca Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	9.15.17.11 NMAC

Form C-144

Oil Conservation Division Page 4 of 5

Operator Application Certification:	
I hereby certify that the information submitted with this application is tr	
Name (Print): Jeffrey Peace	Title: Field Environmental Advisor
Signature: They H. Vence	Date:
e-mail address: Peace deffrey @pp.com	Telephone: 505-326-9479
20. OCD Approval: ☐ Permit Application (including closure plan) ☑ C	Closure Plan (chly)
OCD Representative Signature:	Approval Date: 5/11
Title: Fivinmental Figures	OCD Permit Number:
	in prior to implementing any closure activities and submitting the closure report. days of the completion of the closure activities. Please do not complete this
Closure Method: Waste Excavation and Removal On-Site Closure Method If different from approved plan, please explain.	Alternative Closure Method Waste Removal (Closed-loop systems only)
	Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please indentify the facility or facilities for where the liquid two facilities were utilized.	uids, drilling fluids and drill cuttings were disposed. Use attachment if more than
Disposal Facility Name:	Disposal Facility Permit Number:
Disposal Facility Name:	
Were the closed-loop system operations and associated activities perform Yes (If yes, please demonstrate compliance to the items below)	
Required for impacted areas which will not be used for future service and Site Reclamation (Photo Documentation)	d operations:
☐ Soil Backfilling and Cover Installation ☐ Re-vegetation Application Rates and Seeding Technique	
24.	
Closure Report Attachment Checklist: Instructions: Each of the foll mark in the box, that the documents are attached.	lowing items must be attached to the closure report. Please indicate, by a check
Proof of Closure Notice (surface owner and division)	
Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits)	
Confirmation Sampling Analytical Results (if applicable)	
Waste Material Sampling Analytical Results (required for on-site of Disposal Facility Name and Permit Number	closure)
Soil Backfilling and Cover Installation	•
Re-vegetation Application Rates and Seeding Technique	
On-site Closure Location: Latitude 36.8653444	_ Longitude
25. Operator Classus Cartification	
	closure report is true, accurate and complete to the best of my knowledge and
belief. I also certify that the closure complies with all applicable closure Name (Print): Veff leace	Title: Area Environmental Advisor
Name (Print): Tell Peace Signature: Jeff Roace	Title: Area Environmental Advisor Date: March 19, 2014 Telephone: (505) 326-9479
e-mail address: Peace jeffrey @ bp.com	Telephone: (505) 326-9479

BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

Riddle C 7 API No. 3004526839 Unit Letter P, Section 30, T31N, R9W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

- 1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.
 - Notice is attached.
- 2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

Notice is attached.

- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)

- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)
 - All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.
- 4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported to a storage area for sale and re-use.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	95 bbl BGT	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	ND
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	ND
TPH	US EPA Method SW-846 418.1	100	130
Chlorides	US EPA Method 300.0 or 4500B	250 or background	ND

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled and BTEX and chloride were below the stated limits. TPH by Method 418.1 was 130 mg/kg, which is above the stated limit of 100 mg/kg, but TPH by Method 8015D was non-detect. Sampling data is attached.

7. BP shall notify the division District III office of its results on form C-141.

- 8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.
 - Sampling results indicate no release occurred.
- 9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

The area under the BGT was backfilled with clean soil and is still within the active well area.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area under the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area under the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area under the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover

BP will seed the area when the well is plugged and abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

BP will notify NMOCD when re-vegetation is successful.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.
 - Closure report on C-144 form is included.
- 16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

			Kei	ease Notific	cation	and Co	orrective A	ction				
						OPERA	ГOR		☐ Initia	al Report	\boxtimes	Final Repor
Name of Co						Contact: Jef	f Peace					
		Court, Farmi	ngton, N	M 87401			No.: 505-326-94					
Facility Nar	ne: Riddle	C 7			[]	Facility Typ	e: Natural gas v	vell				
Surface Ow	ner: Feder	al		Mineral (Owner: I	Federal			API No	. 3004526	839	
			_	LOCA	ATION	OF REI	LEASE					
Unit Letter P	Section 30	Township 31N	Range 9W	Feet from the 1,175	North/ South	South Line	Feet from the 890	East/W East	est Line	County: S	an Juan	l
		Latit	ude36	.865344		Longitud	e107.815404					
				NAT	URE	OF REL	EASE					
Type of Rele						Volume of	Release: N/A		Volume F	Recovered: 1	V/A	
Source of Re	lease: belov	v grade tank –	95 bbl			Date and H N/A	lour of Occurrenc	e:	Date and	Hour of Dis	covery:	: N/A
Was Immedia	ate Notice C		V	INT. MAINT		If YES, To	Whom?					
D W/I 0			Y es _	No Not Re	equired	D . 10		<u> </u>				
By Whom? Was a Water	course Read	hed?				Date and H	lour Dlume Impacting t	he Water	required			
was a water	course reac		Yes 🗵	No		11 115, 40	nume impacting t	iic water	icourse.			
If a Watercou	ırse was Im	pacted, Descr	ibe Fully.*			L						
Describe Are	a Affected	and Cleanup A	Action Tak			-	is results are attacently inderneath the BG		ımpled. Ti	he area unde	er the B	GT was
regulations at public health should their cor the environ	Il operators or the envir operations h nment. In a	are required to conment. The ave failed to a	o report ar acceptant adequately OCD accep	d/or file certain re te of a C-141 report investigate and re	elease no ort by the emediate	otifications are NMOCD m contaminati	knowledge and und perform correctarked as "Final Roon that pose a three the operator of the control of the cont	etive action eport" do eat to gro responsib	ons for rele oes not reli ound water oility for co	eases which ieve the ope r, surface wa ompliance v	may en rator of ater, hur vith any	idanger Tiability man health
Signature:	off 1	Pesel				Approved by	OIL CONS			DIVISIO	<u>)N</u>	
Printed Name	e: Jeff Peace	<u> </u>										- 1
Title: Field E	nvironment	al Advisor_				Approval Dat	e:	E	expiration l	Date:		
E-mail Addre	ess: peace.je	effrey@bp.cor				Conditions of	`Approval:			Attached		
Date: March Attach Addi		ets If Necess		505-326-9479							<u> </u>	

client: BP		IGINEERING, INC. OOMFIELD, NM 8	7413	API#: 300	4526839
,	1	5) 632-1199		TANK ID (if applicble):	Α
FIELD REPORT:	(circle one): BGT CONFIRMATION /	RELEASE INVESTIGATION / OTHER		PAGE #:	1 of 1
SITE INFORMATION				DATE STARTED:	01/30/14
QUAD/UNIT: P SEC: 30 TWP:			T: NM	DATE FINISHED:	
1/4 -1/4/FOOTAGE: 1,175'S / 890'I		FLYHODN		ENVIRONMENTAL	N/ N/
	PROD. FORMATION: PC CO	NTRACTOR: MBF - J. POW		<u> </u>	NJV
REFERENCE POINT	: WELL HEAD (W.H.) GPS (COORD.: 36.86542 X	<u>107.81568</u>	GL ELE	∨: <u>6,386'</u>
1) 95 BGT (SW/DB)				RING FROM W.H.:	
3)					
4)					
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) # OR				OVM READING
1) SAMPLE ID: <u>5PC - TB @ 5' (</u>			 JAI YSIS: 418 1/8	8015B/8021B/300	(ppm)
2) SAMPLE ID:					//o_(OI)
3) SAMPLE ID:	SAMPLE DATE:	SAMPLE TIME: LAB AN	NALYSIS:		
4) SAMPLE ID:					
SOIL DESCRIPTION	SOIL TYPE: SAND / SILTY SAND / SI	LT / SILTY CLAY / CLAY / GRAVEL / OT	THER		
	l l	PLASTICITY (CLAYS): NON PLASTIC / SLIC			
COHESION (ALL OTHERS): NON COHESIVE / SLIGHTL CONSISTENCY (NON COHESIVE SOILS): LO		DENSITY (COHESIVE CLAYS & SILTS HC ODOR DETECTED: YES NO EXPL			
MOISTURE: DRY SLIGHTLY MOIST / WOIST / W	ET / SATURATED / SUPER SATURATED	TO ODOR DETECTED. TEO (NO) EXTE			
SAMPLE TYPE: GRAB COMPOSITE		ANY AREAS DISPLAYING WETNESS: YI	ES / NO EXPLAN	NATION -	
DISCOLORATION/STAINING OBSERVED: YES / N		VES AND EVEL ANATION			
APPARENT EVIDENCE OF A RELEASE OBSERVE					
EQUIPMENT SET OVER RECLAIMED AREA:	YES NO EXPLANATION -				
OTHER: PLASTIC LINER DIRECTLY BEN	EATH BUT. PECLED BACK, THEN	COLLECTED SAMPLE,			
SOIL IMPACT DIMENSION ESTIMATION:				IMATION (Cubic Yard	,
	BOTT WATER SOURCE: >1,000'			D TPH CLOSURE STD:	
SITE SKETCH	BGT Located: off Ion site	PLOT PLAN circle:		CALIB. READ. = NA	KF = 1.00
			[] []	CALIB. GAS = <u>NA</u> : <u>NA</u> am/pm DA	ATE: NA
	BERM		N TIME		
· •	/ ()			MISCELL.	
W.H.		100 BBL PROD. TANK	1 -	<u>/0: </u>	
	PBGTL T.B. ~ 5'		-	K:	100
	B.G.	/	P.	J #:	
		WOODEN	Pe	ermit date(s):	06/14/10
		R.W.	O(CD Appr. date(s): OVM = Organic V	05/04/11 Vapor Meter
SEPARAT	OR		ID A	ppm = parts per	million
	\searrow	V	S.P.D.	BGT Sidewalls Visib	
NOTES: BGT = BELOW-GRADE TANK; E.D. = EXCAVATION	ON DEPRESSION; B.G. = BELOW GRADE; B = BEL		WELL HEAD;	BGT Sidewalls Visib	-
T.B. = TANK BOTTOM; PBGTL = PREVIOUS BEL	.OW-GRADE TANK LOCATION; SPD = SAMPLE POI E WALL; DW - DOUBLE WALL; SB - SINGLE BOTTO	INT DESIGNATION; R.W. = RETAINING WALL;	NA - NOT M	lagnetic declination	on: 10° E
NOTES: GOOGLE FARTH IMAGE		ONSITE: 01/30/14		 	

Analytical Report

Lab Order 1402111

Date Reported: 2/13/2014

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering

Riddle C #7 Project:

Lab ID:

1402111-001

Client Sample ID: 5PC-TB@5'(95)

Collection Date: 1/30/2014 9:00:00 AM

Matrix: SOIL Received Date: 2/4/2014 10:36:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANG	E ORGANICS				Analys	t: BCN
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	2/6/2014 8:11:28 PM	11569
Surr: DNOP	101	66-131	%REC	1	2/6/2014 8:11:28 PM	11569
EPA METHOD 8015D: GASOLINE RA	NGE				Analys	t: JMP
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	2/6/2014 7:42:47 PM	11577
Surr: BFB	83.5	74.5-129	%REC	1	2/6/2014 7:42:47 PM	11577
EPA METHOD 8021B: VOLATILES					Analys	t: JMP
Benzene	ND	0.047	mg/Kg	1	2/6/2014 7:42:47 PM	11577
Toluene	ND	0.047	mg/Kg	1	2/6/2014 7:42:47 PM	11577
Ethylbenzene	ND	0.047	mg/Kg	1	2/6/2014 7:42:47 PM	11577
Xylenes, Total	ND	0.094	mg/Kg	1	2/6/2014 7:42:47 PM	11577
Surr: 4-Bromofluorobenzene	89.5	80-120	%REC	1	2/6/2014 7:42:47 PM	11577
EPA METHOD 300.0: ANIONS					Analys	t: JRR
Chloride	ND	30	mg/Kg	20	2/7/2014 5:24:59 PM	11622
EPA METHOD 418.1: TPH					Analys	t: BCN
Petroleum Hydrocarbons, TR	130	20	mg/Kg	1	2/6/2014	11576

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

В

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Ε Value above quantitation range
- J Analyte detected below quantitation limits
- 0 RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- Spike Recovery outside accepted recovery limits
- Analyte detected in the associated Method Blank Holding times for preparation or analysis exceeded Н
- Not Detected at the Reporting Limit

Page 1 of 6

- P Sample pH greater than 2.
- RLReporting Detection Limit

Client: BLAGG ENGR. / BP AMERICA Project Name: Mailing Address: P.O. BOX 87 BLOOMFIELD, NM 87413 Project #: Project Manager: CANCC Package: Standard Cool Cool	ORY	
Project Name:		ė 3
Phone #: (505) 632-1199	sample	ė N
Phone #: (505) 632-1199 email or Fax#: QA/QC Package: ☐ Standard Accreditation: ☐ NELAP ☐ Date Time Matrix Sample Request ID Analysis Request Project Manager: NELSON VELEZ NELSON VELEZ NELSON VELEZ NELSON VELEZ No Nelson Velex No Nelson Velex No No Sample remperature Type HEAL No Type HEAL No Type No Container Ty	sample	e "1
Email or Fax#: Project Manager: QA/QC Package: NELSON VELEZ Standard Level 4 (Full Validation) Accreditation: NELAP Date NELSON VELEZ Matrix Sample Femperature: Date Time Matrix Sample Request ID Container Type Preservative Type Type Type Wethor (Soil - 3000 / water - 2000) Part (Soil - 3000 / water - 2000)	sample	8 7
email or Fax#: Project Manager: QA/QC Package: Standard Level 4 (Full Validation) Accreditation: Sample: NELSON VELEZ NELAP One fee Nethod 418.1) Date Time Matrix Sample Femperature Container Type HEAL (8310 or 8270SIMS) Chloride (soil - 300.0 / water - 300.1) Pakt (8310 or 8270SIMS) Chloride (soil - 300.0 / water -	sample	
QA/QC Package: NELSON VELEZ Standard Lime Date Date Time Matrix Sample Femperature: Chloride (soil - 3000 / Waster - 300 NELSON VELEZ NELSON VELEZ No. Time Netron (F,CI,NO3,NO2,PO4,S) No. Time Netron (F,CI,NO3,NO2,PO4,S) No. Time Natrix No. Time Netron (F,CI,NO3,NO2,PO4,S) No. Time Netron (F,CI,NO3,NO2,PO4,S) No. Time No. Time Netron (F,CI,NO3,NO2,PO4,S) No. Time Netron (F,CI,NO3,NO2,PO4,S) No. Time Netron (F,CI,NO3,NO2,PO4,S) No. Time No. Time Netron (F,CI,NO3,NO2,PO4,S) No. Time Netron (F,CI,NO3,NO2,PO4,S) No. Time No. No. Time Netron (F,CI,NO3,NO2,PO4,S) No. Time Netron (F,CI,NO3,NO2,PO4,S) No. No. No. No. No. No. No. No	sample	7
	sampl	
	S	
	ا بو ا	'
	osit	공 [*]
1/30/14 0900 SOIL 5PC - TB @ 5' (95) 4 oz 1 Cool - OO V V V V V V V V V V	Grab sample 5 pt. composite sample	Grab sam
	7	
		十
		1
		+
		+
	-	+
		十
		十
		+
		+
		十
Date: / Time: Relinquished by: Received by: Date Time Remarks:		
73/14/835 Phr 17 Minter Waste 2/3/14/835 Send invoice to:		
P.O. Box 87 Plour Field NM 87413		
If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytic		eport.

Hall Environmental Analysis Laboratory, Inc.

WO#:

1402111 13-Feb-14

Client:

Blagg Engineering

Project:

Analyte

Riddle C #7

Sample ID MB-11576

SampType: MBLK

TestCode: EPA Method 418.1: TPH

Client ID: PBS

Batch ID: 11576

PQL

RunNo: 16539

Prep Date: 2/5/2014 Analysis Date: 2/5/2014

SeqNo: 476327

Units: mg/Kg

SPK value SPK Ref Val %REC LowLimit HighLimit

%RPD **RPDLimit**

Qual

Petroleum Hydrocarbons, TR

Sample ID LCS-11576

ND

Result

SampType: LCS

20

20

TestCode: EPA Method 418.1: TPH

LowLimit

TestCode: EPA Method 418.1: TPH

RunNo: 16539

Batch ID: 11576

Prep Date: 2/5/2014

Client ID: LCSS

Analysis Date: 2/5/2014

SeqNo: 476328 %REC

Units: mg/Kg

Analyte Petroleum Hydrocarbons, TR

PQL Result

98

Result

95

SPK value SPK Ref Val 100.0

98.1

HighLimit

%RPD **RPDLimit**

Qual

Sample ID LCSD-11576

Client ID: LCSS02

SampType: LCSD

Batch ID: 11576

RunNo: 16539

Analyte

Prep Date: 2/5/2014

Analysis Date: 2/5/2014

SeqNo: 476329 %REC

0

Units: mg/Kg HighLimit

RPDLimit

Qual

Petroleum Hydrocarbons, TR

PQL SPK value SPK Ref Val 20 100.0

95.3

80

120

%RPD 2.92

20

Qualifiers:

Value exceeds Maximum Contaminant Level.

E Value above quantitation range

Analyte detected below quantitation limits

Spike Recovery outside accepted recovery limits

RSD is greater than RSDlimit 0

RPD outside accepted recovery limits R

Analyte detected in the associated Method Blank

Н Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

Sample pH greater than 2.

RLReporting Detection Limit Page 2 of 6

Hall Environmental Analysis Laboratory, Inc.

4.3

WO#:

1402111

13-Feb-14

Client:

Blagg Engineering

Surr: DNOP

Project: Riddle	C #7		· · · · · · · · · · · · · · · · · · ·						
Sample ID MB-11569	SampType: MBL	K	Tes	tCode: EF	PA Method	8015D: Dies	el Range (Organics	,
Client ID: PBS	Batch ID: 1156	9	F	RunNo: 16	6554				
Prep Date: 2/5/2014	Analysis Date: 2/6/	2014	S	SeqNo: 47	76906	Units: mg/K	(g		
Analyte	Result PQL S	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND 10								
Surr: DNOP	6.8	10.00		68.3	66	131			<u> </u>
Sample ID LCS-11569	SampType: LCS		Tes	tCode: EF	PA Method	8015D: Diese	el Range (Organics	
Client ID: LCSS	Batch ID: 1156	9	F	RunNo: 16	6554				
Prep Date: 2/5/2014	Analysis Date: 2/6/2	2014	S	SeqNo: 47	76908	Units: mg/K	(g		
Analyte	Result PQL S	PK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	52 10	50.00	0	104	60.8	145			

86.7

66

131

5.000

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Value above quantitation range
- Analyte detected below quantitation limits J
- RSD is greater than RSDlimit 0
- RPD outside accepted recovery limits
- Spike Recovery outside accepted recovery limits
- Analyte detected in the associated Method Blank
- Holding times for preparation or analysis exceeded Н
- Not Detected at the Reporting Limit ND
- Sample pH greater than 2.
- Reporting Detection Limit

Page 3 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#: 1402111

13-Feb-14

Client:

Blagg Engineering

Project:

Riddle C #7

Sample ID MB-11577

SampType: MBLK

TestCode: EPA Method 8015D: Gasoline Range

LowLimit

Client ID:

Analyte

PBS

Batch ID: 11577

RunNo: 16565

Analysis Date: 2/6/2014

PQL

5.0

SeqNo: 477086

Units: mg/Kg

Prep Date: 2/5/2014

Result

HighLimit

RPDLimit

Qual

Gasoline Range Organics (GRO)

ND 840

1000

83.5

74.5

%RPD

Surr: BFB

SampType: LCS

129

Sample ID LCS-11577

LCSS

Batch ID: 11577

RunNo: 16565

TestCode: EPA Method 8015D: Gasoline Range

126

129

Client ID: Prep Date: 2/5/2014

Analyte

Result

Analysis Date: 2/6/2014

SeqNo: 477087

Units: mg/Kg

Gasoline Range Organics (GRO)

28

890

Result

830

PQL SPK value SPK Ref Val 5.0 25.00

%REC 0 111 1000 88.7

SPK value SPK Ref Val %REC

74.5 74.5

LowLimit

HighLimit %RPD

RPDLimit

Qual

Surr: BFB

Sample ID 5ML RB

SampType: MBLK

Analysis Date: 2/7/2014

TestCode: EPA Method 8015D: Gasoline Range

Client ID:

PBS

Batch ID: R16598

POI

RunNo: 16598 SeqNo: 478175

%REC

83.2

Units: %REC

HighLimit

129

%RPD

RPDLimit Qual

Sample ID 2.5UG GRO LCS

LCSS

SampType: LCS Batch ID: R16598

PQL

TestCode: EPA Method 8015D: Gasoline Range RunNo: 16598

LowLimit

74.5

Client ID: Prep Date:

Prep Date:

Surr: BFB

Analyte

Analysis Date: 2/7/2014

SeqNo: 478176

Units: %REC

HighLimit

%RPD **RPDLimit**

Qual

Analyte Surr: BFB Result 900

1000

SPK value SPK Ref Val

SPK value SPK Ref Val

1000

%REC 90.2 LowLimit

74.5

Qualifiers:

Value exceeds Maximum Contaminant Level.

Spike Recovery outside accepted recovery limits

- Value above quantitation range E Analyte detected below quantitation limits
- RSD is greater than RSDlimit 0
- RPD outside accepted recovery limits R

- В Analyte detected in the associated Method Blank
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit ND
- P Sample pH greater than 2.
- RL Reporting Detection Limit
- Page 4 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#: 1402111

13-Feb-14

Client:

Blagg Engineering

Riddle C #7

Project: Riddle	C #7										
Sample ID MB-11577	SampType: MBLK			TestCode: EPA Method 8021B: Volatiles							
Client ID: PBS	Batch ID: 11577			RunNo: 16565							
Prep Date: 2/5/2014	Analysis Date: 2/6/2014		SeqNo: 477123		Units: mg/Kg						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	ND	0.050		· -	-			-			
Toluene	ND	0.050									
Ethylbenzene	ND	0.050									
Xylenes, Total	ND	0.10									
Surr: 4-Bromofluorobenzene	0.90		1.000		90.3	80	120		,, <u>,</u> ,,		
Sample ID LCS-11577	SampT	ype: LC	:s	TestCode: EPA Method 8021B: Volatiles							
Client ID: LCSS	Batch ID: 11577			RunNo: 16565							
Prep Date: 2/5/2014	Analysis Date: 2/6/2014			SeqNo: 477124			Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	1.1	0.050	1.000	0	111	80	120				
Toluene	1.1	0.050	1.000	0	110	80	120				
Ethylbenzene	1.1	0.050	1.000	0	110	80	120				
Xylenes, Total	3.3	0.10	3.000	0	109	80	120				
Surr: 4-Bromofluorobenzene	0.97		1.000		96.6	80	120				
Sample ID MB-11577	SampType: MBLK			TestCode: EPA Method 8021B: Volatiles							
Client ID: PBS	Batch ID: 11577			RunNo: 16565							
Prep Date: 2/5/2014	Analysis Date: 2/6/2014			S	SeqNo: 47	77126	Units: mg/k	Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	ND	0.050									
Toluene	ND	0.050									
Ethylbenzene	ND	0.050									
Xylenes, Total	ND	0.10									
Surr: 4-Bromofluorobenzene	0.90		1.000		90.3	80	120				
Sample ID LCS-11577	SampT	ype: LC	s	TestCode: EPA Method 8021B: Volatiles							
Client ID: LCSS	Batch ID: 11577			RunNo: 16565							
Prep Date: 2/5/2014	Analysis Date: 2/6/2014			S	eqNo: 47	77127	Units: mg/K	Units: mg/Kg			
Analyte	Result	PQL		SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	1.1	0.050	1.000	0	111	80	120				
Toluene	1.1	0.050	1.000		110	80	120				
Ethylbenzene	1.1	0.050	1.000	0	110	80	120				
Xylenes, Total Surr: 4-Bromofluorobenzene	3.3 0.97	0.10	3.000 1.000	0	109 96.6	80 80	120 120				

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 5 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#:

1402111

13-Feb-14

Client:

Blagg Engineering

Project:

Riddle C #7

Sample ID 5ML RB

SampType: MBLK

TestCode: EPA Method 8021B: Volatiles

Client ID: PBS

Batch ID: R16598

RunNo: 16598

Prep Date:

Analysis Date: 2/7/2014

SeqNo: 478191

89.3

Units: %REC

Analyte Surr: 4-Bromofluorobenzene Result 0.89 SPK value SPK Ref Val %REC LowLimit

80

HighLimit

120

%RPD

RPDLimit

Qual

Sample ID 100NG BTEX LCS

SampType: LCS

TestCode: EPA Method 8021B: Volatiles

Client ID: LCSS

Batch ID: R16598

RunNo: 16598

LowLimit

Prep Date:

Analysis Date: 2/7/2014

SeqNo: 478192

Units: %REC

Analyte

PQL

SPK value SPK Ref Val %REC

RPDLimit %RPD

Qual

Surr: 4-Bromofluorobenzene

Result 0.96

1.000

1.000

95.9

80

120

HighLimit

Oualifiers:

- Value exceeds Maximum Contaminant Level.
- Value above quantitation range
- Analyte detected below quantitation limits J
- RSD is greater than RSDlimit 0
- RPD outside accepted recovery limits
- Spike Recovery outside accepted recovery limits S
- В Analyte detected in the associated Method Blank
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- Reporting Detection Limit

Page 6 of 6



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Website: www.hallenvironmental.com **BLAGG** Work Order Number: 1402111 Client Name: RcptNo: 1 Received by/date Logged By: Ashley Gallego: 2/4/2014 10:36:00 AM Ashley Gallegos Completed By: 2/4/2014 4:54:34 PM Reviewed By: Chain of Custody No 🗔 Not Present 🗹 Yes 🗌 1. Custody seals intact on sample bottles? No 🗍 Yes 🗸 Not Present 2. Is Chain of Custody complete? 3. How was the sample delivered? Courier Log In No 🗔 NA ... 4. Was an attempt made to cool the samples? Yes 🗸 No 🗌 NA 🗔 5. Were all samples received at a temperature of >0° C to 6.0°C Yes 🗸 6. Sample(s) in proper container(s)? Yes 🗸 No [] No 🗌 Sufficient sample volume for indicated test(s)? No 8. Are samples (except VOA and ONG) properly preserved? 9. Was preservative added to bottles? Yes 🗌 No V 10. VOA vials have zero headspace? Yes 🗌 No ... No VOA Vials 11. Were any sample containers received broken? No 🗸 # of preserved bottles checked Yes 🗹 No 🗌 for pH: 12. Does paperwork match bottle labels? (Note discrepancies on chain of custody) (<2 or >12 unless noted) Adjusted? Yes 🗹 No 🗌 13. Are matrices correctly identified on Chain of Custody? Yes 🔽 No 🗌 14. Is it clear what analyses were requested? Checked by: No 🗔 15. Were all holding times able to be met? Yes 🗸 (If no, notify customer for authorization.) Special Handling (if applicable) 16. Was client notified of all discrepancies with this order? Yes 🗀 No 🔲 NA 🗹 Person Notified: Date: By Whom: Via: eMail Phone Fax In Person Regarding: Client Instructions: 17. Additional remarks: 18. Cooler Information Cooler No Temp C Condition Seal Intact Seal No Seal Date Signed By

1.0

Good





BP America Production Company 200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

March 7, 2014

Bureau of Land Management Mark Kelly 6251 College Blvd Suite A Farmington, NM 87402

VIA CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Re: Notification of plans to close/remove a below grade tank

Well Name: RIDDLE C 007

API#: 3004526839

Dear Mr. Kelly,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about March 20, 2014. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

Unless you have questions about this notice, there is no need to respond to this letter. If you do have any questions or concerns, please contact me at 505-326-9214

Sincerely,

Jerry Van Riper

9D Valler

Surface Land Negotiator

BP America Production Company

BP America Production Company

200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

SENT VIA E-MAIL TO: BRANDON.POWELL@STATE.NM.US

March 7, 2014

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

RIDDLE C 007 API 30-045-26839 (J) Section 30 - T31N - R09W San Juan County, New Mexico

Dear Mr. Brandon Powell:

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 95 bbl BGT that will no longer be operational at this well site.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,

Jeff Peace

BP Field Environmental Advisor

(505) 326-9479



