District 1
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources** Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application
Proposed Alternative Method Permit or Closure Plan Application Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: BP AMERICA PRODUCTION COMPANY OGRID #: 778
Address: 200 Energy Court, Farmington, NM 87401
Facility or well name: GALLEGOS CANYON UNIT COM I 181E
API Number: 3004524736 OCD Permit Number:
U/L or Qtr/Qtr H Section 34.0 Township 29.0N Range 12W County: San Juan County
Center of Proposed Design: Latitude 36.6864.7 Longitude -108.08069 NAD: □1927 × 1983
Surface Owner: ☐ Federal ☐ State ➤ Private ☐ Tribal Trust or Indian Allotment
Pit: Subsection For G of 19.15.17.11 NMAC
KGVU JHN / 14
Temporary: Drilling Workover OIL CONS. DIV. Permanent Emergency Cavitation P&A DIST. 3
<u> </u>
Ulinced Unlined Lines type: Thickness mil ULIDPF HDPF PVC Other
☐ Lincd ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other
☐ String-Reinforced
☐ String-Reinforced Liner Seams: ☐ Welded ☐ Factory ☐ Other
☐ String-Reinforced
String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D 5.
String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D 3. Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of
String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D 3. Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other
String-Reinforced Liner Seams:
String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other Liner Seams: Welded Factory Other
String-Reinforced Liner Seams:
String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D
String-Reinforced Liner Seams:
String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D
String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D
String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six fect in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hinstitution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify 4' Hogwire with single barbed wire	hospital.
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.16.8 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau of consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system.	priate district oproval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	X Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	X Yes □ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ➤ No ☐ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits)	☐ Yes ☐ No ☑ NA
Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.	☐ Yes 🗷 No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes 🗷 No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	¥ Yes ☐ No
Within the area overlying a subsurface minc. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes 🗵 No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ⊠ No
Within a 100-year floodplain FEMA map	¥ Yes □ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC Previously Approved Design (attach copy of design) API Number:
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Preeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems)
In-place Burial On-site Trench Burial
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. ■ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC ■ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC ■ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ■ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ■ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.1 Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if it	O NMAC) nore than two
facilities are required. Disposal Facility Name:	
Disposal Facility Name: Disposal Facility Permit Number: Disposal Facility Name: Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future sen Yes (If yes, please provide the information below) No	vice and operations?
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	C
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate disting considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justif demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Ycs No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Ycs ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	Yes No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plants of the following items must be attached to the closure plants of Surface Owner Notice - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cann Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	15,17.11 NMAÇ

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate	and complete to the best of my knowledge and belief.
Name (Print): _Jeffrey Peace	Title: Field Environmental Advisor
Signature: Jaffrey Page	Date: 06/14/2010
e-mail address: Peace.Jeffrey@bp.com	Telephone: _ 505-326-9479
OCD Approval: Permit Application (including closure plant	Continue of Conditions (see attachment) 5/14/2014 Approval Date: 1/7/2014 OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K Instructions: Operators are required to obtain an approved closure plan prior to a The closure report is required to be submitted to the division within 60 days of the section of the form until an approved closure plan has been obtained and the closure plan has been plan has been obtained and the closure plan has been	implementing any closure activities and submitting the closure report. completion of the closure activities. Please do not complete this ure activities have been completed.
	Closure Completion Date: 2-28-2014
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative If different from approved plan, please explain.	/e Closure Method
23. Closure Report Regarding Waste Removal Closure For Closed-loop Systems T Instructions: Please indentify the facility or facilities for where the liquids, drillin two facilities were utilized.	
	Disposal Facility Permit Number:
•	Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in Yes (If yes, please demonstrate compliance to the items below) No	
Required for impacted areas which will not be used for future service and operation Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	s:
24. <u>Closure Report Attachment Checklist:</u> Instructions: Each of the following item mark in the box, that the documents are attached.	s must be attached to the closure report. Please indicate, by a check
Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits)	
 ✓ Confirmation Sampling Analytical Results (if applicable) ✓ Waste Material Sampling Analytical Results (required for on-site closure) ✓ Disposal Facility Name and Permit Number ✓ Soil Backfilling and Cover Installation ✓ Re-vegetation Application Rates and Seeding Technique ✓ Site Reclamation (Photo Documentation) ✓ On-site Closure Location: Latitude 36.6847 	te <u>−108.08069</u> NAD: □1927 ⊠ 1983
□ Waste Material Sampling Analytical Results (required for on-site closure) □ Disposal Facility Name and Permit Number □ Soil Backfilling and Cover Installation □ Re-vegetation Application Rates and Seeding Technique □ Site Reclamation (Photo Documentation) ○ On-site Closure Location: Latitude 36.68647 Longitude 25. Operator Closure Certification:	
Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude 36.8647 Longitud 15. Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure repulselief. I also certify that the closure complies with all applicable closure requirement	ort is true, accurate and complete to the best of my knowledge and
□ Waste Material Sampling Analytical Results (required for on-site closure) □ Disposal Facility Name and Permit Number □ Soil Backfilling and Cover Installation □ Re-vegetation Application Rates and Seeding Technique □ Site Reclamation (Photo Documentation) ○ On-site Closure Location: Latitude 36.8847 Longitude 25. Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure rep	ort is true, accurate and complete to the best of my knowledge and
Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude 36.8647 Longitud 15. Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure repulselief. I also certify that the closure complies with all applicable closure requirement	ort is true, accurate and complete to the best of my knowledge and

BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

Gallegos Canyon Unit Com I 181E – Tank B (21 bbl) API No. 3004524736 Unit Letter H, Section 34, T29N, R12W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

- 1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.
 - Notice is attached.
- 2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

Notice is attached.

- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)

- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported to a storage area for sale and re-use.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	21 bbl BGT – Tank B	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	ND
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	ND
TPH	US EPA Method SW-846 418.1	100	24
Chlorides	US EPA Method 300.0 or 4500B	250 or background	2.6

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled and TPH, BTEX and chloride levels were below the stated limits. Sampling data is attached.

7. BP shall notify the division District III office of its results on form C-141. **C-141 is attached.**

- 8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

 Sampling results indicate no release occurred.
- 9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

The area under the BGT was backfilled with clean soil. The area over the BGT is still within the active well area.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover

BP will seed the area when the well is plugged and abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

BP will notify NMOCD when re-vegetation is successful.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

Closure report on C-144 form is included.

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

			Rele	ease Notific	cation	and Co	orrective A	ction					
						OPERA	TOR		Initia	al Report	\boxtimes	Final Repo	
Name of Co						Contact: Jet							
		Court, Farm					No.: 505-326-94						
Facility Na	ne: Galleg	gos Canyon I	Jnit Com	1181E		Facility Type: Natural gas well							
Surface Ow	te		Mineral C	Owner: I	Private			API No	3004524	736			
				LOCA	ATION	OF RE	LEASE						
Unit Letter H	Section 34	Township 29N	Range 12W	Feet from the 1,480	North/ North	South Line	Feet from the 790	East/We East	est Line	County: S	an Juan	1	
		Lat	itude3	6.68647		Longitud	e 108.08069						
				NAT	TURE	OF REL	EASE						
Type of Rele	ase: none						Release: N/A		Volume F	Recovered: 1	N/A		
Source of Re	lease: belov	w grade tank –	- 21 bbl, T	ank B		Date and I- N/A	lour of Occurrenc	e: 1	Date and	Hour of Dis	scovery	: N/A	
Was Immedi	ate Notice (If YES, To	Whom?	1					
			Yes L	No 🛛 Not R	equired								
By Whom? Was a Water	aarinaa Daar	-h - d0				Date and H		l 117-4					
was a water	course Read		Yes 🗵	No		HYES, VO	olume Impacting t	ne watero	course.				
If a Waterco	ırse was İm	pacted, Descr	ibe Fully '										
							the BGT was donsits results are attack		removal	to ensure no	soil im	npacts from	
				ten.* BGT was re active well area.	moved a	nd the area u	nderneath the BG	T was sar	mpled. T	he excavate	d area v	vas	
regulations a public health should their or or the enviro	I operators or the envi operations hament. In a	are required tronment. The nave failed to	o report ar acceptance dequately OCD accep	nd/or file certain r ce of a C-141 repo investigate and r	elease no ort by the emediate	tifications a NMOCD m contaminati	knowledge and und perform correct arked as "Final Roon that pose a three the operator of the correct arked as "Final Roon that pose a three the operator of the correct arked	tive action eport" doe eat to gro	ns for rele es not reli und water	eases which ieve the ope r, surface wa	may er rator of ater, hu	ndanger Fliability man health	
) 00	Ω					OIL CONS	SERV <i>A</i>	ATION	DIVISIO	<u>N</u>		
Signature:	fell	Poses					n						
Printed Name	e: Jeff Peac	e		-		Approved by	Environmental S ₁	pecialist:				·	
Title: Area E	nvironment	tal Advisor				Approval Da	te:	Ex	xpiration	Date:			
E-mail Addre	ess: peace.jo	effrey@bp.co	m			Conditions o	f Approval:			Attached			
Date: April Attach Addi		ets If Necess		05-326-9479									

10

FIELD REPORT: (Girde one): BGT COMFIRMATION: / RELEASE INVESTIGATION / OTHER PAGE #: SITE INFORMATION: SITE MANE GCU COM I #181E QUADLINIT. H. SEC 34 TAME 29N RNG. 12W PM. NIM. CHITY. SJ. ST. NIM. 1/4-1/MFOOTAGE 1,480 NI/790 'E. SE/NE LEASE TYPE: FEDERAL / STATE / FEE INDIAN LEASE # PROD. FORMATION DK. CONTRACTOR MIDE: S. GENTRY REFERENCE POINT: WELL HEAD WH.) GPS COORD: 36,6862 X 108.08044 GLEL 1) 95 BGT (DW/DB) - A GPS COORD: 36,6864 X 108.08052 DISTACEBEARING FROM WH. 2) 21 BGT (SW/DB) - B GPS COORD: 36,6864 X 108.08052 DISTACEBEARING FROM WH. 3) GPS COORD: 0STANCEBEARING FROM WH. 4) GPS COORD: 0STANCEBEARING FROM WH. 5) GPS COORD: 0STANCEBEARING FROM WH. 1) SAMPLEID: 95 BGT 5-pt. @ 6' SMREDNE 02/28/14 SMRETINE 1035 DEFINIOSE-PRING FROM WH. 2) SAMPLEID: 95 BGT 5-pt. @ 6' SMREDNE 02/28/14 SMRETINE 1035 DEFINIOSE-PRING FROM WH. 3) SAMPLEID: SMREDNE 02/28/14 SMRETINE 1035 DEFINIOSE-PRING FROM WH. 4) SAMPLEID: SMREDNE SMREDNE SMRETINE 1035 DEFINIOSE-PRING FROM WH. 5) SAMPLEID: SMREDNE SMREDNE SMRETINE 1035 DEFINIOSE-PRING FROM WH. 6) SAMPLEID: SMREDNE SMREDNE SMRETINE 1035 DEFINIOSE-PRING FROM WH. 6) SAMPLEID: SMREDNE SMRETINE UBJANCYSS SOIL DESCRIPTION: SOIL TYPE: SAND SMREDNE SMRETINE CORRISTMENCY MON COMESSINE SIGNIFICATION FROM SMREDNE SMRETINE UBJANCYSS SOIL DESCRIPTION: SOIL TYPE: SAND SMRETNE SMRETNE DEPONITY CLAYS IN DISTACES OFTHER SMRETNE MIDDINIFIANT CLAYS IN DISTACES OFTHER MIDINIFIANT CLAYS IN DISTACES OFTHER SMRETNE MIDINIFIANT CLAYS IN DISTACES OFTHER SMRETN					
		•		PAGE #: 1 of 1 DATE STARTED: 02/28/14 NM DATE FINISHED: IDIAN ENVIRONMENTAL SPECIALIST(S): JCB B.08044 GL ELEV: 5,344' DISTANCE/BEARING FROM W.H.: 106', N1W DISTANCE/BEARING FROM W.H.: 153', N42.5E DISTANCE/BEARING FROM W.H.: DISTANCE/BEARING FROM	A&D
FIELD REPORT:	(circle one): BGT CONFIRMATION	/ RELEASE INVESTIGATION /	OTHER:	PAGE #:	1 of 1
				DATE STARTED:	02/28/14
QUAD/UNIT: H SEC: 34 TWP:	29N RNG: 12W PM:	: NM CNTY: SJ	st: NM	DATE FINISHED:	
1/4-1/4/FOOTAGE: 1,480'N/790'E	SE/NE LEASE			ENVIRONMENTAL	
LEASE#: - F	PROD. FORMATION: DK C	ONTRACTOR: MBF - S.	N GENTRY	SPECIALIST(S):	<u>JCB</u>
REFERENCE POINT	WELL HEAD (W.H.) GPS	S COORD.: 36.686	22 X 108.08044	GL ELE	≣v.: 5,344'
1				RING FROM W.H.:	106', N1W
2) 21 BGT (SW/DB) - B	GPS COORD.:	6.68647 X 108.08069	DISTANCE/BEAF	RING FROM W.H.:	153', N42.5E
			DISTANCE/BEAR	RING FROM W.H.:	
	•				READING (ppm)
					0.0(CI) 0.0
		ANY AREAS DISPLAYING WETNE	ESS: YES /[NO] EXPLAN	ATION -	
		YES NO EXPLANATION -			
	/es/no explanation -				
OTHER.					
.501				,	•
				D TPH CLOSURE STD	:100 ppm
SHESKEICH	BG I Located: off I on site	e PLOT PLAN cir			
		BEDM			
	(OE)	BEKM	N LIIME:		
	PBGTL	·	1		
		-	1 —		268
	Моорен	E.D. PBC	STL D		BGT2
	WOODEN R.W.	B.G. T.B.	:· —		
TO	(15'X15'X5' DEEP)		[]		
TO PROD.		NAI			
TANK			RUN <u>ID</u>	ppm = parts pe	er million
	w. H. ⊕				
NOTES: BGT = BELOW-GRADE TANK; E.D. = EXCAVATION			X - 3.P.D.	<u> </u>	
T.B. = TANK BOTTOM; PBGTL = PREVIOUS BELC	DW-GRADE TANK LOCATION; SPD = SAMPLE F	POINT DESIGNATION; R.W. = RETAINING	G WALL; NA - NOT	agnetic declinati	ion: 10° E
APPLICABLE OR NOT AVAILABLE; SW - SINGLE	WALL; DW - DOUBLE WALL; SB - SINGLE BOT)6/14		

Analytical Report

Lab Order 1403243

Date Reported: 3/13/2014

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering

Client Sample ID: 21 BGT 5-pt @ 7'

Project:

GCU Com I 181E

Collection Date: 2/28/2014 10:28:00 AM

Lab ID:

1403243-001

Matrix: SOIL

Received Date: 3/6/2014 10:20:00 AM

Analyses	Result	RL Qu	ual Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANG	E ORGANICS				Analyst	: JME
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	3/11/2014 6:36:43 PM	12065
Surr: DNOP	115	66-131	%REC	1	3/11/2014 6:36:43 PM	12065
EPA METHOD 8015D: GASOLINE RA	NGE				Analyst	: JMP
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	3/7/2014 3:45:05 PM	12060
Surr: BFB	86.4	74.5-129	%REC	1	3/7/2014 3:45:05 PM	12060
EPA METHOD 8021B: VOLATILES					Analyst	: JMP
Benzene	ND	0.047	mg/Kg	1	3/7/2014 3:45:05 PM	12060
Toluene	ND	0.047	mg/Kg	1	3/7/2014 3:45:05 PM	12060
Ethylbenzene	ND	0.047	mg/Kg	1	3/7/2014 3:45:05 PM	12060
Xylenes, Total	ND	0.094	mg/Kg	1	3/7/2014 3:45:05 PM	12060
Surr: 4-Bromofluorobenzene	103	80-120	%REC	1	3/7/2014 3:45:05 PM	12060
EPA METHOD 300.0: ANIONS					Analyst	JRR
Chloride	2.6	1.5	mg/Kg	1	3/10/2014 11:01:02 AM	12097
EPA METHOD 418.1: TPH					Analyst	JME
Petroleum Hydrocarbons, TR	24	20	mg/Kg	1	3/12/2014 10:02:00 AM	12076

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Е Value above quantitation range
- Analyte detected below quantitation limits J
- 0 RSD is greater than RSDlimit
- RPD outside accepted recovery limits R
- Spike Recovery outside accepted recovery limits
- В Analyte detected in the associated Method Blank
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit ND

Page 1 of 7

- Sample pH greater than 2.
- Reporting Detection Limit

Client:	Blagg Engir		С.	Standard	□ Rush		-						_			OR	
	BP America			Project Name	∋:			-37				lenvir					•
Mailing Addr	ress:	P.O. Box	× 87	7	GCU Com I	181E		4901	Hawl						M 87	109	
	***		eld, NM 87413	Project #:			1		505-3					-	5-4107		
Phone #:		(505)320	0-1183	1				- 7 - 7 - 7		-							
email or Fax	c#:			Project Mana	ager:												
QA/QC Packa	•		☐ Level 4 (Full Validatio	n)	Jeff Blagg			í									
□ Other	<u> </u>			Sampler:	Jeff Blagg]										5
□ EDD (Typ	pe)			On Ice Sample Tem		□ No *①	1)	Cad Cody									. (Y or
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEAL No. 1403243	BTEX (8021)	9045B	TPH 418.1							Chloride	Air Bubbles (Y or N)
02/28/2014	10:28	Soil	21 BGT 5-pt @ 7'	4oz x 1	cool	-001	х	>						1		х	
02/28/2014	10:35	Soil	95 BGT 5-pt @ 6'	4oz x 1	cool	-002	х	,	×							x	
									十								一
·									╁┈					\dagger	+		+
							1		十					+	1		\top
		- 												+			+
									十				_	+	T	$\neg \vdash$	+
	,	+					1		+	<u> </u>				+	1 1		+
		- 					1		\top	\top			_	1	†		+
	 				 				 						1-1		+
	<u> </u>	- 		 			+			1					+		+
		- 					 			1			_		11		十
Date: 5/2014 Date:	Time:	Relinquisi Relinquisi	lf Blogg	Received by:	whete	Date Time 3/5/// 1100 Date 1 Time	Pay BP	narks: key: Z Contac	EVH(t: Je)1BG ff Pe	ace	Ple	ease o	ору і	results	s to:	
3/6/14	Time:	Mri	atu lo e lea talle Environmental may be subcontra	Received by.	GALLOS ed laboratories (This	03 Du 114 1020	Ĺ	ce.jeffr				dearly n	otated o	n the ar	nalvtical	report	

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1403243

13-Mar-14

Client:

Blagg Engineering

Project:

GCU Com I 181E

Sample ID MB-12097

SampType: MBLK Batch ID: 12097

TestCode: EPA Method 300.0: Anions

Client ID: **PBS**

RunNo: 17219

Prep Date: 3/10/2014

Analysis Date: 3/10/2014 **PQL**

SeqNo: 495365

Units: mg/Kg

HighLimit

RPDLimit Qual

Analyte Chloride

ND

Result

Sample ID LCS-12097

SampType: LCS

TestCode: EPA Method 300.0: Anions

Client ID: LCSS

Batch ID: 12097

RunNo: 17219

Prep Date: 3/10/2014

Analysis Date: 3/10/2014

SeqNo: 495366

Units: mg/Kg

Analyte

Result PQL

14

Result

Result

16

SPK value SPK Ref Val %REC LowLimit

HighLimit

%RPD **RPDLimit** Qual

Chloride

1.5 15.00

15.00

93.1

SPK value SPK Ref Val %REC LowLimit

110

%RPD

%RPD

Sample ID 1403243-001AMS

SampType: MS

TestCode: EPA Method 300.0: Anions

Client ID: 21 BGT 5-pt @ 7' Prep Date: 3/10/2014

Batch ID: 12097

RunNo: 17219 SegNo: 495378

86.0

Units: mg/Kg

115

Analyte

Analysis Date: 3/10/2014 **PQL**

1.5

SPK value SPK Ref Val %REC

LowLimit HighLimit **RPDLimit** Qual

Chloride

Sample ID 1403243-001AMSD

SampType: MSD

TestCode: EPA Method 300.0: Anions

Prep Date:

Client ID: 21 BGT 5-pt @ 7'

3/10/2014

Batch ID: 12097

RunNo: 17219

Units: mg/Kg

Qual

Analyte Chloride

Analysis Date: 3/10/2014 PQL

SeqNo: 495379

%REC LowLimit HighLimit

%RPD

RPDLimit

20

16 1.5 15.00

SPK value SPK Ref Val 2.632

2.632

85.9

71.3

115

0.0961

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Value above quantitation range Е
- Analyte detected below quantitation limits J
- RSD is greater than RSDlimit 0
- RPD outside accepted recovery limits R Spike Recovery outside accepted recovery limits S
- Analyte detected in the associated Method Blank
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- Sample pH greater than 2
- RL Reporting Detection Limit

Page 3 of 7

OC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#:

1403243

13-Mar-14

Client:

Blagg Engineering

Project:

GCU Com I 181E

Sample ID MB-12076 SampType: MBLK

TestCode: EPA Method 418.1: TPH

Client ID:

PBS

Batch ID: 12076

PQL

20

RunNo: 17241

SPK value SPK Ref Val %REC LowLimit

Prep Date: 3/6/2014 Analysis Date: 3/12/2014

SeqNo: 496555

Units: mg/Kg

HighLimit

RPDLimit

Qual

Analyte Petroleum Hydrocarbons, TR Result ND

Sample ID LCS-12076

SampType: LCS

TestCode: EPA Method 418.1: TPH

Client ID: LCSS

3/6/2014

Batch ID: 12076

RunNo: 17241

SeqNo: 496556

Units: mg/Kg

120

%RPD

%RPD

Analyte

Prep Date:

Analysis Date: 3/12/2014 **PQL**

20

SPK value SPK Ref Val

%REC 98.0

LowLimit HighLimit **RPDLimit**

Qual

Petroleum Hydrocarbons, TR

Client ID:

Sample ID LCSD-12076

SampType: LCSD Batch ID: 12076

RunNo: 17241 SeqNo: 496557

TestCode: EPA Method 418.1: TPH

80

Units: mg/Kg

Analyte Petroleum Hydrocarbons, TR

Prep Date: 3/6/2014

LCSS02

Analysis Date: 3/12/2014

94

Result

Result

98

SPK value SPK Ref Val 100.0

100.0

%REC LowLimit 93.7

0

HighLimit 120 %RPD

4.47

RPDLimit Qual

20

Qualifiers:

S

Value exceeds Maximum Contaminant Level.

Spike Recovery outside accepted recovery limits

Value above quantitation range Ē

Analyte detected below quantitation limits J

RSD is greater than RSDlimit Ó

RPD outside accepted recovery limits R

Analyte detected in the associated Method Blank

Η ND Not Detected at the Reporting Limit

P Sample pH greater than 2. Reporting Detection Limit

Holding times for preparation or analysis exceeded

Page 4 of 7

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1403243

13-Mar-14

Client:

Blagg Engineering

CCLLCo

Project:	GCU Cor	n I 181E									
Sample ID	MB-12071	SampTyp	e: M	BLK	Tes	tCode: E	PA Method	8015D: Dies	el Range (Organics	
Client ID:	PBS	Batch I	D: 12	2071	F	RunNo: 1	7227				
Prep Date:	3/6/2014	Analysis Dat	e: 3	/11/2014	8	SeqNo: 4	95739	Units: %RE	C		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP		9.1		10.00		91.0	66	131			
Sample ID	LCS-12071	SampTyp	e: LC	cs	Tes	tCode: E	PA Method	8015D: Dies	el Range (Organics	
Client ID:	LCSS	Batch I	D: 12	2071	F	RunNo: 1	7227				
Prep Date:	3/6/2014	Analysis Dat	e: 3	/11/2014	S	SeqNo: 4	95792	Units: %RE	C		
Analyte			PQL		SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP		5.6		5.000		113	66	131			
Sample ID	MB-12065	SampTyp	e: MI	BLK	Tes	tCode: E	PA Method	8015D: Dies	el Range (Organics	
Client ID:	PBS	Batch II	D: 12	2065	F	RunNo: 1	7227				
Prep Date:	3/6/2014	Analysis Dat	e: 3	/11/2014	S	SeqNo: 4	96286	Units: mg/h	(g		
Analyte			PQL		SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range C Surr: DNOP	Organics (DRO)	ND 9.9	10	10.00		98.7	66	424			
Sull. DNOP		5.5		10.00		90.7	66	131			
,	LCS-12065	SampTyp						8015D: Dies	el Range (Organics	
Client ID:		Batch II				RunNo: 1					
Prep Date:	3/6/2014	Analysis Dat	e: 3 .	/11/2014	S	SeqNo: 4	96287	Units: mg/k	⟨g		
Analyte	; (DPQ)		PQL 10		SPK Ref Val		LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range C Surr: DNOP	organics (DRO)	50 4.9	10	5.000	0	99.9 98.5	60.8 66	145 131			
0110	4400040 0044440	. CT	14		Tank	Cada: E	D A M - 411	0045D: D':			
,	1403243-001AMSE 21 BGT 5-pt @ 7'	SampTyp Batch II				tunNo: 1		8015D: Dies	ei Kange (organics	
Prep Date:		Analysis Dat				SeqNo: 4		Units: mg/k	(n		
Analyte	0,0/2014	•	PQL		SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range C	Organics (DRO)	58	10		4.388	107	47.4	148	11.2	22.7	- G(ddi
Surr: DNOP	· 	5.2		4.990		104	66	131	0	0	
Sample ID	1403243-001AMS	SampTyp	e: M	S	Test	Code: E	PA Method	8015D: Dies	el Range (Organics	
Client ID:	21 BGT 5-pt @ 7'	Batch II	D: 12	2065	R	tunNo: 1	7225				
Prep Date:	3/6/2014	Analysis Dat	e: 3 .	/12/2014	S	eqNo: 4	96678	Units: mg/k	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range C	Organics (DRO)	65 5.3	9.9	49.60 4.960	4.388	122 106	47.4 66	148 131			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Value above quantitation range Е
- Analyte detected below quantitation limits
- RSD is greater than RSDlimit 0
- RPD outside accepted recovery limits
- Spike Recovery outside accepted recovery limits
- Analyte detected in the associated Method Blank
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- Sample pH greater than 2.
- RLReporting Detection Limit

Page 5 of 7

Hall Environmental Analysis Laboratory, Inc.

WO#: 1403243

13-Mar-14

Client:

ĝ

Blagg Engineering

Project:

GCU Com I 181E

Sample ID MB-12060	Samp	Гуре: МЕ	BLK	TestCode: EPA Method 8015D: Gasoline Range						
Client ID: PBS	RunNo: 17170									
Prep Date: 3/6/2014 Analysis Date: 3/7/2014			S	SeqNo: 4	94269	Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0				-				
Surr: BFB	850		1000		84.8	74.5	129			

Sample ID LCS-12060	SampType: LCS			TestCode: EPA Method 8015D: Gasoline Range						
Client ID: LCSS	Batch ID: 12060 Analysis Date: 3/7/2014			F	RunNo: 1	7170				
Prep Date: 3/6/2014				S	SeqNo: 494270			Units: mg/Kg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	30	5.0	25.00	0	118	71.7	134			
Surr: BFB	920		1000		92.1	74.5	129			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 6 of 7

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1403243

13-Mar-14

Client:

Blagg Engineering

Project:

GCU Com I 181E

Sample ID MB-12060	le ID MB-12060 SampType: MBLK			TestCode: EPA Method 8021B: Volatiles								
Client ID: PBS	Batc	Batch ID: 12060			RunNo: 1	7170						
Prep Date: 3/6/2014	Analysis Date: 3/7/2014		S	SeqNo: 4	94292	Units: mg/Kg						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	ND	0.050										
Toluene	ND	0.050										
Ethylbenzene	ND	0.050										
Xylenes, Total	ND	0.10										
Surr: 4-Bromofluorobenzene	1.0		1.000		102	80	120					
Sample ID LCS-12060	SampType: LCS			TestCode: EPA Method 8021B: Volatiles								
Client ID: LCSS	Batch ID: 12060			7	tunNo: 1							
Prep Date: 3/6/2014	Analysis Date: 3/10/2014			SeqNo: 495211			Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
						00	120					
Benzene	1.2	0.050	1.000	0	116	80	120					
	1.2 1.2	0.050 0.050	1.000 1.000	0 0	116 116	80	120					
Toluene				•								
Benzene Toluene Ethylbenzene Xylenes, Total	1.2	0.050	1.000	0	116	80	120					

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 7 of 7



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: BLAGG	Work Order Number:	140324	13			Rcpt	No: 1
Received by/date:	03/06/14						,
Logged By: Ashley Gallegos	3/6/2014 10:20:00 AM			AZ			
Completed By: Ashley Gallegos / /	3/6/2014 12:43:40 PM						
Reviewed By: WMS 3/6/14				- , 0			i :
Chain of Custody			٠	•			
1. Custody seals intact on sample bottles?		Yes		No		Not Present	y
2. Is Chain of Custody complete?		Yes	₹	No		Not Present	
3. How was the sample delivered?		Courie	e <u>r</u>				
<u>Log In</u>							
4. Was an attempt made to cool the samples'		Yes	∠ i	No	l'';	NA	
5. Were all samples received at a temperature	of >0° C to 6.0°C	Yes	Ż	No [:]	7	NA :	. !
6. Sample(s) in proper container(s)?		Yes	V	No	[
7. Sufficient sample volume for indicated test(s)?	Yes	✓	No			
8. Are samples (except VOA and ONG) prope	ly preserved?	Yes	V	No			
9. Was preservative added to bottles?		Yes		No	Y	NA .	 :
10.VOA vials have zero headspace?		Yes	_]	No		No VOA Viais	✓
11. Were any sample containers received broken	en?	Yes	IJ	No	V	# of preserved	
12. Does paperwork match bottle labels? (Note discrepancies on chain of custody)		Yes	V	No		for pH:	<2 or >12 unless noted)
13. Are matrices correctly identified on Chain of	Custody?	Yes	V	No		Adjusted ²	?
14. Is it clear what analyses were requested?		Yes	✓	No			
15. Were all holding times able to be met? (If no, notify customer for authorization.)		Yes	<u>Z</u>	No		Checked-l	oy :
•							
Special Handling (if applicable)							_
16. Was client notified of all discrepancies with	this order?	Yes	:	No 		NA	✓
Person Notified:	Date:						
By Whom:	Via: [_; eMail	[_] Pho	one ∏	Fax	In Person	nur .
Regarding:				·		- International Control of the Contr	_
Client Instructions:		, .: · <u></u> -					
17. Additional remarks:							
18. Cooler Information	*		· 15 =	=	. 1		
Cooler No Temp °C Condition S 1 1.0 Good Ye		Seal Dat	e S	igned B	у		
Page 1 of 1	production of the professional services and	(- -		**			Control of the less than





BP America Production Company 200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

November 21, 2013

Keller Farms Inc. 4507 Atlantic Str, Farmington, NM 87402

VIA CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Re: Notification of plans to close/remove a below grade tank Well Name: GALLEGOS CANYON UNIT COM 1181E

Dear Keller Farms Inc.,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about January 28, 2014. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

Unless you have questions about this notice, there is no need to respond to this letter. If you do have any questions or concerns, please contact me at 505-326-9214

Sincerely,

Jerry Van Riper Surface Land Negotiator

BP America Production Company

AD Velle

BP America Production Company

200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

SENT VIA E-MAIL TO: BRANDON.POWELL@STATE.NM.US

November 21, 2013

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

GALLEGOS CANYON UNIT COM 1 181E API 30-045-24736 (G) Section 34 – T29N – R12W San Juan County, New Mexico

Dear Mr. Brandon Powell:

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 95 bbl BGT and a 21 bbl BGT that will no longer be operational at this well site.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,

Jeff Peace

BP Field Environmental Advisor

Job Kesee

(505) 326-9479



