•<u>District I</u> 1625 N, French Dr., Hobbs, NM 88240 <u>District II</u> 1301 W. Grand Avenue, Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

7

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

	Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application
``	Type of action: Weight of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
	Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
	Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
	I. Operator: BP AMERICA PRODUCTION COMPANY OGRID #: 778
	Address: 200 Energy Court, Farmington, NM 87401
	Facility or well name: MUDGE A 058
	API Number: 3004528005 OCD Permit Number:
	U/L or Qtr/Qtr L Section 3.0 Township 31.0N Range 11W County: San Juan County
	Center of Proposed Design: Latitude 36.923893 Longitude -107.984177 NAD: 1927 🛚 1983
	Surface Owner: 🗷 Federal 🔲 State 🔲 Private 🔲 Tribal Trust or Indian Allotment
	2.
	Image: Subsection I of 19.15.17.11 NMAC Tank ID: _A
	 <u>Alternative Method:</u> Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)

Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)

Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate. Please specify <u>4' Hogwire with single barbed wire</u>

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)

Screen D Netting Other_

7.

10.

Monthly inspections (If netting or screening is not physically feasible)

Signs: Subsection C of 19.15.17.11 NMAC

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

Administrative Approvals and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accommentations are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appr office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	opriate district approval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	🗌 Yes 🗷 No
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	Yes 💌 No
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	☐ Yes ¥ No ☐ NA
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	Yes No NA

Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	🗌 Yes 🗷 No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes 🗷 No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	🗋 Yes 💌 No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	🗋 Yes 🗶 No
Within an unstable area.	Yes X No

 Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map

Within a 100-year floodplain.

FEMA map

🖸 Yes 🗷 No

* Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
 Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
 Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
12. <u>Closed-loop Systems Permit Application Attachment Checklist</u> : Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
13. Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Cimatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Muisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal
Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
 ^{15.} Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

٠

.

۰.,

1

•

.

16. • <u>Waste Removal Closure For Closed-loop Systems That Utilize Above Ground S</u> Instructions: Please indentify the facility or facilities for the disposal of liquids, du	Steel Tanks or Haul-off Bins Only: (19.15.17.13.)	D NMAC)
facilities are required.	inning fiutus unu urni cuttings. Ose unucriment if	more inan iwo
Disposal Facility Name:	Disposal Facility Permit Number:	
	Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occ Yes (If yes, please provide the information below) No		
Required for impacted areas which will not be used for future service and operation. Soil Backfill and Cover Design Specifications based upon the appropriate r Re-vegetation Plan - based upon the appropriate requirements of Subsection I Site Reclamation Plan - based upon the appropriate requirements of Subsection	requirements of Subsection H of 19.15.17.13 NMA of 19.15.17.13 NMAC	с
^{17.} Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the co provided below. Requests regarding changes to certain siting criteria may require considered an exception which must be submitted to the Santa Fe Environmental demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC fo	administrative approval from the appropriate dist Bureau office for consideration of approval. Just	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data of the State Engineer - iWATERS database	obtained from nearby wells	Yes No NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data of	obtained from nearby wells	□ Yes □ No □ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data of	obtained from nearby wells	□ Yes □ No □ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signilake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	ificant watercourse or lakebed, sinkhole, or playa	🗋 Yes 🗌 No
Within 300 feet from a permanent residence, school, hospital, institution, or church in - Visual inspection (certification) of the proposed site; Acrial photo; Satellite i		🗌 Yes 🗌 No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less t watering purposes, or within 1000 horizontal feet of any other fresh water well or spr - NM Office of the State Engineer - iWATERS database; Visual inspection (ce	ring, in existence at the time of initial application.	🗌 Yes 🗌 No
Within incorporated municipal boundaries or within a defined municipal fresh water adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval		🗋 Yes 🗋 No
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual 	•	🗋 Yes 🗌 No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining a	and Mineral Division	🗋 Yes 🗌 No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology a Society; Topographic map 	& Mineral Resources; USGS; NM Geological	🗌 Yes 🗌 No
Within a 100-year floodplain. - FEMA map		🗋 Yes 🗌 No
 18. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the j by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of S Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of a drying pad Protocols and Procedures - based upon the appropriate requirements of 19.15.1 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of S Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill	rements of 19.15.17.10 NMAC Subsection F of 19.15.17.13 NMAC ropriate requirements of 19.15.17.11 NMAC d) - based upon the appropriate requirements of 19. 17.13 NMAC rements of Subsection F of 19.15.17.13 NMAC ubsection F of 19.15.17.13 NMAC	15.17.11 NMAC

Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
 Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC
 Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

٠

.

۰.

,

	r
19. • Operator Application Certification:	
I hereby certify that the information submitted with this application is tru	ie, accurate and complete to the best of my knowledge and belief.
Name (Print): Jeffrey Peace	Title: Field Environmental Advisor
Signature: Herey H. Vence	Date: 06\14\2010
c-mail address: Peace.Jeffrey@bp.com	Telephone:505-326-9479
20.	
20. OCD Approval: Permit Application (including closure plant) OCD Representative Signature:	Losure Plan (only) DOCD Conditions (see attachment)
Title: Environmentel Engineer	Compliance Officer OCD Permit Number:
^{21.} <u>Closure Report (required within 60 days of closure completion)</u> : Sub Instructions: Operators are required to obtain an approved closure plan The closure report is required to be submitted to the division within 60 d section of the form until an approved closure plan has been obtained an	n prior to implementing any closure activities and submitting the closure report. days of the completion of the closure activities. Please do not complete this nd the closure activities have been completed.
	Closure Completion Date: 5-19-2011
22. Closure Method: Waste Excavation and Removal On-Site Closure Method If different from approved plan, please explain.	Alternative Closure Method 🔲 Waste Removal (Closed-loop systems only)
23. Closure Report Regarding Waste Removal Closure For Closed-Joon S	Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please indentify the facility or facilities for where the lique two facilities were utilized.	sids, drilling fluids and drill cuttings were disposed. Use attachment if more than
Disposal Facility Name:	Disposal Facility Permit Number:
Disposal Facility Name:	Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed Yes (If yes, please demonstrate compliance to the items below)	
Required for impacted areas which will not be used for future service and	operations:
Site Reclamation (Photo Documentation)	
Re-vegetation Application Rates and Seeding Technique	
24. Closure Report Attachment Checklist: Instructions: Each of the follo	owing items must be attached to the closure report. Please indicate, by a check
mark in the box, that the documents are attached.	
 Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) 	1
Plot Plan (for on-site closures and temporary pits)	
Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site cl	losure)
Disposal Facility Name and Permit Number	
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Secding Technique	
Site Paalamation (Photo Documentation)	IND GERIND -
On-site Closure Location: Latitude	Longitude <u>~10つ、98そ1つつ</u> NAD: □1927 図 1983
25. Operator Closure Certification:	
	closure report is true, accurate and complete to the best of my knowledge and requirements and conditions specified in the approved closure plan.
Name (Print): Jeft Peace	Title: Area Environmental Advisor
Name (Print): <u>Jeff Peace</u> Signature: <u>Aff Peace</u>	Title: <u>Area Environ mental Advisor</u> Date: <u>May 1, 2014</u> Telephone: (505) 326-94999
e-mail address: peace. jeftrey @ bp. com	(505) 226-94039

.

•

.

.

• . •

•

,

BP AMERICA PRODUCTION COMPANY SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

<u>Mudge A 58 Tank A (95 bbl)</u> <u>API No. 3004528005</u> <u>Unit Letter L, Section 3, T31N, R11W</u>

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

- BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement. No notice was made due to misunderstanding of the notice requirements. Closure notices will be made for all BGT closures from this point forward.
- 2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

No notice was made due to misunderstanding of the notice requirements. Closure notices will be made for all BGT closures from this point forward.

- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)

- c. Basin Disposal, Permit NM-01-0005 (Liquids)
- d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
- e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)
- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)
 All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.
- 4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported to a storage area for sale and re-use.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	95 bbl BGT – Tank A	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	ND
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	ND
TPH	US EPA Method SW-846 418.1	100	ND
Chlorides	US EPA Method 300.0 or 4500B	250 or background	ND

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled and TPH, BTEX and chloride levels were below the stated limits. Sampling data is attached.

- 7. BP shall notify the division District III office of its results on form C-141. C-141 is attached.
- If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.
 Sampling results indicate no release occurred.
- 9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

The area under the BGT was backfilled with clean soil and is still within the active area.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

BP will seed the area when the well is plugged and abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

BP will notify NMOCD when re-vegetation is successful.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation. Closure report on C-144 form is included.
- 16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

•

•

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

1220 S. St. Fra	1220 S. St. Francis Dr., Santa Fe, NM 87505 Santa Fe, NM 87505											
Release Notification and Corrective Action												
						OPERA	ГOR	Г] Initia	al Report	\bowtie	Final Report
Name of Co	ompany: B	P				Contact: Jef	f Peace					i
Address: 20	0 Energy	Court, Farmi	ngton, N	M 87401	,	Telephone 1	No.: 505-326-94	79				
Facility Na	me: Mudge	e A 58				Facility Typ	e: Natural gas v	well				
Surface Ow	ner: Feder	al		Mineral (Owner: I	Federal			API No	. 30045280	005	
				LOCA	ATION	N OF REI	LEASE					
Unit Letter L	Section 3	Township 31N	Range 11W	Feet from the 1,600		South Line	Feet from the 790	East/Wes West	t Line	County: Sa	ın Juan	
		Latit	ude36	.923893		_ Longitud	e_107.984177					
				NAT	URE	OF REL	EASE					
Type of Rele	ase: none						Release: N/A		olume R	lecovered: N	I/A]
		v grade tank –	95 bbl – 1	Fank A			lour of Occurrenc			l-lour of Dis		
Was Immedi	ate Notice C		Yes 🗌	No 🛛 Not R	equired	If YES, To	Whom?					
By Whom?						Date and F	our					
Was a Water	course Read		Yes 🛛	No			lume Impacting t	he Waterco	ourse.			
							the BGT was don s results are attack		emoval t	o ensure no	soil im	pacts from
Describe Area Affected and Cleanup Action Taken.* BGT was removed and the area underneath the BGT was sampled. The excavated area was backfilled and compacted is still within the active well area.												
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.												
Signature: All Page						OIL CONSERVATION DIVISION						
Printed Name	110					Approved by	Environmental S	pecialist:				
Title: Area E	nvironment	al Advisor				Approval Date: Expiration Date:						
E-mail Address: peace.jeffrey@bp.com						Conditions of Approval:						
Date: May 1, 2014 Phone: 505-326-9479												

* Attach Additional Sheets If Necessary

CLIENT: BP	BLAGG ENGI	NEERING, INC.		API# 3004	528005					
	P.O. BOX 87, BLO (505) 6	13								
•		(if applicble):	<u>A</u>							
FIELD REPORT: (circle one): BGT CONFIRMATION / RELEASE INVESTIGATION / OTHER: PAGE #:										
SITE INFORMATION				DATE STARTED:	05/06/11					
		CNTY: SJ ST: NM		DATE FINISHED:						
<u>1/4 -1/4/FOOTAGE:</u> 1,600'S / 790' LEASE #: SF078040		FÉDERAL / STATE / FEE / I ELKHORN IRACTOR: MBF - D. HARRIS	NDIAN	Environmental Specialist(s):	NJV					
REFERENCE POINT	WELL HEAD (W.H.) GPS COOF	RD.: 36.92410 X	107.984	12 GLELEV	/:: 6,044'					
1) 95 BBL BGT (SW/DB)	GPS COORD.: 36.923			ARING FROM W.H.:	77', S18W					
2) ABAN-24 BBL-BCT	GPS COORD 30.323)01 X 107.983723	DISTANCEBER		4 20', 865E					
3)	GPS COORD.:		DISTANCE/BE/	ARING FROM W.H.:						
4)	GPS COORD.:		DISTANCE/BEA	ARING FROM W.H.:	OVM					
LAB INFORMATION:]				(ppm)					
,	BGT) SAMPLE DATE: 05/06/11				· ·					
	BOT)-SAMPLE DATE: 05/00/11			3845D/8021D/538	.0 (SI) - NA -					
	SAMPLE DATE:	<u></u>								
SOIL DESCRIPTION	SOIL TYPE: SAND' SILTY SANE) / SILT / SILTY CLAY / CLAY / G	RAVEL / OTI	HER						
SOIL COLOR: DARK YELLOW		PLASTICITY (CLAYS): NON PLASTIC / SLIG	HTI Y PLASTIC / (COHESIVE / MEDIUM PLASTIC /	HIGHLY PLASTIC					
CONSISTENCY (NON COHESIVE SOILS): LC	OSE / FIRM / DENSE / VERY DENSE	DENSITY (COHESIVE CLAYS & S								
MOISTURE: DRY/SLIGHTLYMOIST/MOIST/W SAMPLE TYPE: GRAB/COMPOSITE-#		HC ODOR DETECTED: YES	NO EXPL	ANATION						
DISCOLORATION/STAINING OBSERVED										
		······································								
ANY AREAS DISPLAYING WETNESS: YES / NO	EXPLANATION -									
ADDITIONAL COMMENTS:										
EXCAVATION DIMENSIONS (if applicable DEPTH TO GROUNDWATER: 		X	-	cavated (if applicable): DTPH CLOSURE STD:	<u>NA</u> 100 PPM					
SITE SKETCH		PLOT PLAN circle: attack	here lover							
	⊕ ₩ELL	TEOTTEAN Circle. attact		Calib. Read. = <u>NA</u> Calib. Gas = <u>NA</u>						
	HEAD			: NA am/pm DA						
;		ABAN.		MISCELL.						
		21 BBL. BGT DEPRESSION		VO: N1350291	NOTES					
PBGTL		PERIMETER		VO: 43783						
(95 BBL BGT)				PAYKEY: ZSCH	WLLSEL					
BERM			<u> </u>							
SEPARATOR TH										
S.P.D.			-							
	CREST OF SLOPE		-							
	VATION DEPRESSION; B.G. = BELOW GRADE; B = E			GT SIDEWALLS VIS	IBLE: Y N NA					
	5 BELOW-GRADE TANK LOCATION; SPD = SAMPLE E; SW - SINGLE WALL; DW - DOUBLE WALL; SB - SIN		GWALL;∥ M	lagnetic declinatio	<u>n: 10°E</u>					
TRAVEL NOTES: CALLOUT:	05/04/11 - late after.	ONSITE: 05/06/11								
CALLOUT:										

. .

•

•

CLIENT:	Blagg Engineering			Client Sample II	D: 5PC-TB(@5' 95 BGT
Lab Order:	1105456			Collection Dat	e: 5/6/2011	12:20:00 PM
Project:	Mudge A #58			Date Receive	d: 5/11/201	1
Lab ID:	1105456-01			Matri	x: SOIL	
Analyses		Result	PQL	Qual Units	DF	Date Analyzed
EPA METHOD 8	015B: DIESEL RANGE	ORGANICS			· ·	Analyst: JB
Diesel Range Or	ganics (DRO)	ND	- 10	mg/Kg	1	5/17/2011 11:38:51 AM
Surr: DNOP		106	81.8-129	%REC	1	5/17/2011 11:38:51 AM
EPA METHOD 8	015B: GASOLINE RANG	θE				Analyst: NSB
Gasoline Range	Organics (GRO)	ND	5.0	mg/Kg	1	5/16/2011 12:13:04 PM
Surr: BFB		108	89.7-125	%REC	1	5/16/2011 12:13:04 PM
EPA METHOD 8	021B: VOLATILES					Analyst: NSB
Benzene		ND	0.050	mg/Kg	. 1	5/16/2011 12:13:04 PM
Toluene		ND	0.050	mg/Kg	1	5/16/2011 12:13:04 PM
Ethylbenzene		ND	0.050	mg/Kg	1	5/16/2011 12:13:04 PM
Xylenes, Total		ND	0.10	mg/Kg	1	5/16/2011 12:13:04 PM
Surr: 4-Bromo	fluorobenzene	109	85. 3- 139	%REC	1	5/16/2011 12:13:04 PM
EPA METHOD 3	00.0: ANIONS					Analyst: SRM
Chloride		ND	1.5	mg/Kg	1	5/17/2011 8:26:57 PM
EPA METHOD 4	18.1: TPH					Analyst: JB
Petroleum Hydro	carbons, TR	ND	20	mg/Kg	1	5/17/2011

Hall Environmental Analysis Laboratory, Inc.

_

Date: 19-May-11

Qualifiers:

* Value exceeds Maximum Contaminant Level

E Estimated value

J Analyte detected below quantitation limits

NC Non-Chlorinated

PQL Practical Quantitation Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded

MCL Maximum Contaminant Level

ND Not Detected at the Reporting Limit

S Spike recovery outside accepted recovery limits

Page 1 of 2

С	hain-	of-Cu	istody Record	Turn-Around	Time:	· · · ·				1		. 8				•				"A =	r	
Client: BLAZE ENER. (BP AMERIA			Standard	🗆 Rush														NT NTC				
				Project Name			1 1				 www									Ø 1 1	. 17	
Mailing	Address	P.O.	86×87	MUDO	SE A	#58		49	01 H		ins N							109				
		BUFL	2. Nm. 87413	Project #:			1				5-39				-		410					
Phone #	#: (5	05/	632-1199					A Main Second		AT LOD ON	at Sector in the	6. PL 44114					No. 2011		\$ <u>5</u> .5	14 B.2		1. A. C.
email or	r Fax#:			Project Mana		The	6	only)	sel)					04)						Τ	W.	٦
QA/QC F	Package:			NELS	on VEL	EZ VELEZ	3021	as or	(Gas/Dies					0, S(PCB's			$\widehat{0}$			Sample	
Stan			Level 4 (Full Validation)	ļ			Ĩ	(Gas	Gas					D D Z	2 P(1	$ \mathcal{Y}$	ふ	
Accredi		🗆 Othe	er	Sampler: /	VELSON	VELEZ	<u>н ТМВ's (80218)</u>	H TPH	28	418.1)	34.1)	(HH)		3, NO	/ 808		A	(300		SAMPLE	(bmpositt	
	(Type)			Sample Tem	Constraint and the second second			BE	1801	ф 4	d 5(P P	tals	N.	ides	2	0.	¥)		<u>ا</u> کړ	02 ∑	<u>'</u>
Date	Time	Matrix	Sur-	Container Type and #	Preservative Type	HEAPNO	<u>а</u> тш.	BTEX + MTBI	TPH Method	TPH (Method	EDB (Method 504.1)	8310 (PNA or PAH)	RCRA 8 Metals	Anions (F,CI,NO ₃ ,NO ₂ ,PO ₄ ,SO ₄)	8081 Pesticides / 8082	8260B (VOA)	8270 (Semi-VOA)	20 roats		ERAB	S Pr. Composite Air Bubbles (Y or N)	
516/n	1220	SOIL	# 5PC-TBC 5' 95 BGT	4021	COOL	-1			\checkmark	$\overline{\backslash}$								V		-	$\overline{\Lambda}$	1
							1							·								1
stil.			1H1C7 ABND. 21 B51	402. 1	Cost		\checkmark		\checkmark	\square	_							į		Z		1
<u></u>			MONTALET DIST						-						-			_			+	1
						· · · · · · · · · · · · · · · · · · ·	+			<u> </u>							···		-			1
		<u> </u>		<u> </u>			1						—†	\neg				\vdash	+	+	-	1
							+	<u>├</u> ──			- +			-						\neg	-	-
							†													-+	\top	1
																			\top	-+	-	1
_							Ţ													Τ		٦
	1																				T	1
	1														_				\neg		-	
Date: 5/10/11 Date:	Time: 1505 Time:	Relinquish	in VI	Received by: Received by:	tuble	Date Time	Rei	nark	s: 77	Al (TO	(80	ISB PLA	;)- 56	61 2	20 れん	5 R	OR	0	0,14	1.		
5/10/11	1635	hr	the Walters	MM	ul G.	5/11/11 8:53	5	-				- •				· · ·	• •					

.

•

QA/QC SUMMARY REPORT Client: Blagg Engineering Mudge A #58 **Project:** Work Order: 1105456 SPK Va SPK ref Analyte Result Units PQL %Rec LowLimit HighLimit %RPD **RPDLimit** Qual Method: EPA Method 300.0: Anions Sample ID: MB-26851 MBLK Batch ID: 26851 Analysis Date: 5/17/2011 6:42:29 PM Chloride ND mg/Kg 1.5 Sample ID: LCS-26851 Batch ID: 26851 Analysis Date: 5/17/2011 6:59:54 PM LCS Chloride 14.34 mg/Kg 1.5 15 0 95.6 90 110 Method: EPA Method 418.1: TPH Sample ID: MB-26826 Batch ID: MBLK 26826 Analysis Date: 5/17/2011 Petroleum Hydrocarbons, TR ND mg/Kg 20 Sample ID: LCS-26826 Batch ID: LCS 26826 Analysis Date: 5/17/2011 Petroleum Hydrocarbons, TR 0 99.1 99.06 mg/Kg 20 100 81.4 118 Sample ID: LCSD-26826 LCSD Batch ID: 26826 Analysis Date: 5/17/2011 Petroleum Hydrocarbons, TR 104.4 mg/Kg 20 100 0 104 81.4 118 5.23 8.58~ EPA Method 8015B: Diesel Range Organics Method: Sample ID: 1105456-01AMSD Batch ID: 26825 Analysis Date: 5/17/2011 12:47:09 PM MSD **Diesel Range Organics (DRO)** 52.88 mg/Kg 10 50 0 106 57.5 128 7.09 19.7 Batch ID: Sample ID: MB-26825 MBLK Analysis Date: 5/17/2011 9:56:19 AM 26825 **Diesel Range Organics (DRO)** ND mg/Kg 10 Batch ID: Sample ID: LCS-26825 LCS 26825 Analysis Date: 5/17/2011 10:30:28 AM 66.2 100 **Diesel Range Organics (DRO)** 50.18 mg/Kg 10 50 0 120 Sample ID: LCSD-26825. LCSD Batch ID: 26825 Analysis Date: 5/17/2011 11:04:41 AM 97.3 **Diesel Range Organics (DRO)** 48.65 mg/Kg 10 50 0 66.2 120 3.10 14.3 Sample ID: 1105456-01AMS MS Batch ID: 26825 Analysis Date: 5/17/2011 12:13:00 PM **Diesel Range Organics (DRO)** 49.26 10 50 0 98.5 57.5 mg/Kg 128 EPA Method 8015B: Gasoline Range Method: Sample ID: 1105456-01AMSD MSD Batch ID: 26811 Analysis Date: 5/16/2011 1:39:49 PM Gasoline Range Organics (GRO) 27.71 mg/Kg 5.0 25 0 111 577 165 0.898 15.5 Sample ID: MB-26811 MBLK Batch ID: Analysis Date: 5/16/2011 4:04:22 PM 26811 Gasoline Range Organics (GRO) ND mg/Kg 5.0 Sample ID: LCS-26811 LCS Batch ID: 26811 Analysis Date: 5/16/2011 2:08:44 PM 0 115 mg/Kg 25 88.8 124 Gasoline Range Organics (GRO) 28.87 5.0 5/16/2011 1:10:49 PM Sample ID: 1105456-01AMS Batch ID: 26811 Analysis Date: MS 27.96 5.0 25 n 112 57.7 165 Gasoline Range Organics (GRO) mg/Kg

Qualifiers:

E Estimated value

J Analyte detected below quantitation limits

ND Not Detected at the Reporting Limit

- H Holding times for preparation or analysis exceeded
- NC Non-Chlorinated
 - R RPD outside accepted recovery limits

1105456

Work Order:

QA/QC SUMMARY REPORT

Client:	Blagg Engineering
Project:	Mudge A #58

٠

.

Analyte	Result	Units	PQL	SPK Va	a SPK ref	%Rec L	owLimit Hi	ghLimit	%RPD	RPDLimit	Qual
Method: EPA Method 8021B:	Volatiles										
Sample ID: 1105456-02AMSD		MSD				Batch ID:	26811	Analys	is Date:	5/16/2011	3:06:38 PN
Benzene	0.8702	mg/Kg	0.050	1	0.0144	85.6	67.2	113	4.14	14.3	
Toluene	0.9401	mg/Kg	0.050	1	0.0121	92.8	62.1	116	0.999	15.9	
Ethylbenzene	0.9731	mg/Kg	0.050	1	0	97.3	67.9	127	1.46	14.4	
Xylenes, Total	2.964	mg/Kg	0.10	3	0	98.8	60.6	134	2.29	12.6	
Sample ID: MB-26811		MBLK				Batch ID:	26811	Analys	is Date:	5/16/2011	4:04:22 PN
Benzene	ND	mg/Kg	0.050								
Toluene	ND	mg/Kg	0.050								
Ethylbenzene	ND	mg/Kg	0.050								
Xylenes, Total	ND	mg/Kg	0.10								
Sample ID: LCS-26811		LCS				Batch ID:	26811	Analys	is Date:	5/16/2011	3:35:31 PN
Benzene	0.9022	mg/Kg	0.050	1	0.0145	88.8	83.3	107			
Toluene	0.9496	mg/Kg	0.050	1	0.0132	93.6	74.3	115	•		
Ethylbenzene	0.9661	mg/Kg	0.050	1	0.0138	95.2	80.9	122			
Xylenes, Total	2.912	mg/Kg	0.10	3	0.0257	96.2	85.2	123			
Sample ID: 1105456-02AMS		MS				Batch ID:	26811	Analys	is Date:	5/16/2011	2:37:43 PN
Benzene	0.8349	mg/Kg	0.050	1	0.0144	82.0	67.2	113			
Toluene	0.9307	mg/Kg	0.050	1	0.0121	91.9	62.1	116			
Ethylbenzene	0.9590	mg/Kg	0.050	1	0	95.9	67.9	127			
Xylenes, Total	2.897	mg/Kg	0.10	3	0	96.6	60.6	134			

Qualifiers:

E Estimated value

J Analyte detected below quantitation limits

,

ND Not Detected at the Reporting Limit

- H Holding times for preparation or analysis exceeded
- NC Non-Chlorinated
- R RPD outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

•	Sample	e Receipt C	hecklist		
Client Name BLAGG			Date Receive	ed:	5/11/2011
Work Order Number 1105456			Received by	y: MMG	
	1 Cpari	<u>5/11</u> Date	Sample ID I	abels checked by	r: MAA
Matrix:	Carrier name:	<u>Greyhound</u>			
Shipping container/cooler in good condition?		Yes 🗹	No 🗍	Not Present	
Custody seals intact on shipping container/cool	er?	Yes 🗹	No 🗌	Not Present	Not Shipped
Custody seals intact on sample bottles?		Yes 🗌	No 🗌	N/A b	2
Chain of custody present?		Yes 🗹	No 🗌		
Chain of custody signed when relinquished and	received?	Yes 🗹	No 🗌		
Chain of custody agrees with sample labels?		Yes 🗹	Νο		
Samples in proper container/bottle?		Yes 🗹	No 🗌		
Sample containers intact?		Yes 🗹	No 🗌		
Sufficient sample volume for indicated test?		Yes 🗹	Νο		
All samples received within holding time?		Yes 🗹	No 🗌		Number of preserved
Water - VOA vials have zero headspace?	No VOA vials subr	nitted 🗹	Yes 🗌	No 🗌	bottles checked for pH:
Water - Preservation labels on bottle and cap m	atch?	Yes 🗌	No 🗌	N/A 🗹	
Water - pH acceptable upon receipt?		Yes 🗌	No 🗌	N/A 🗹	<2 >12 unless noted
Container/Temp Blank temperature?		2.5°	<6° C Acceptabl	le	below.
COMMENTS:			If given sufficient	time to cool.	
Client contacted	Date contacted:		Pers	on contacted	
Contacted by:	Regarding:				
Comments:					
			· · · · · · · · · · · · · · · · · · ·		
	·····				······
Corrective Action					
	······································				

