Form C-144 July 21, 2008

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

В

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and

the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Proposed Alternative Method Per	
☐ Modification to an existing permit	m, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individ	ual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability environment. Nor does approval relieve the operator of its responsibility to comply with the complete of the operator of the responsibility to comply with the complete of the complete of the operator of the responsibility to comply with the complete of the complete of the complete of the operator of the complete of the complete of the operator of the op	should operations result in pollution of surface water, ground water or the
Operator: BP AMERICA PRODUCTION COMPANY	OGRID #· 778
Address: 200 Energy Court, Farmington, NM 87401	
Facility or well name: MUDGE GAS COM D 001	
API Number: 3004528626 OCD	Permit Number:
U/L or Qtr/Qtr B Section 12.0 Township 31.0N	Range 11W County: San Juan County
Center of Proposed Design: Latitude 36.91731 Lon	
Surface Owner: X Federal State Private Tribal Trust or Indian Allotn	nent
2.	
Pit: Subsection F or G of 19.15.17.11 NMAC	OIL CONS. DIV DIST. 3
Temporary: Drilling Workover	_
Permanent Emergency Cavitation P&A	APR 3 0 2014
☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐	HDPE PVC Other
String-Reinforced	
Liner Seams: Welded Factory Other	Volume: bbl Dimensions: L x W x D
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC	
Type of Operation: P&A Drilling a new well Workover or Drilling (intent)	(Applies to activities which require prior approval of a permit or notice of
Drying Pad Above Ground Steel Tanks Haul-off Bins Other	
Lined Unlined Liner type: Thicknessmil LLDPE	HDPE PVC Other
Liner Seams: Welded Factory Other	
4.	
■ Below-grade tank: Subsection I of 19.15.17.11 NMAC Tank ID: A	
Volume: 95.0 bbl Type of fluid: Produced Water	
Tonk Construction material: Steel	

Alternative Method:

Liner type: Thickness _

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☒ Visible sidewalls only ☐ Other ☐ SINGLE WALLED DOUBLE BOTTOMED

mil HDPE PVC Other

22

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)	
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church)	hospital,
Four foot height, four strands of barbed wire evenly spaced between one and four feet	
X Alternate. Please specify 4' Hogwire with single barbed wire	
7. Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	
8. Signs: Subsection C of 19.15.17.11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
■ Signed in compliance with 19.15.16.8 NMAC	
9.	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	
Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau	office for
consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
10.	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable.	ntable souvee
material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appro	priate district
office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry	
above-grade tanks associated with a closed-loop system.	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes 🗷 No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	☐ Yes 🗷 No
- Topographic map; Visual inspection (certification) of the proposed site	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	☐ Yes 🗷 No ☐ NA
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□ Van□ Na
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits)	☐ Yes ☐ No ■ NA
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes 🗷 No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes 🗷 No
 adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality 	
Within 500 feet of a wetland.	☐ Yes 🗷 No
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine.	
- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes 🗷 No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ⊠ No
Within a 100-year floodplain FEMA map	☐ Yes 🗷 No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the docattached.	MAC cuments are
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC	15.17.9 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:	
12.	
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached.	uments are
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.1. Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NM/ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	5.17.9 AC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC	.15.17.9 NMAC
Previously Approved Design (attach copy of design) API Number:	
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system)	tem that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)	
13. Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc	uments are
attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
☐ Climatological Factors Assessment	
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC	
Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC	
Quality Control/Quality Assurance Construction and Installation Plan	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan	
Emergency Response Plan	
Oil Field Waste Stream Characterization	
☐ Monitoring and Inspection Plan ☐ Erosion Control Plan	
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
14.	
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop Syn	stem
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only)	
On-site Closure Method (Only for temporary pits and closed-loop systems)	
☐ In-place Burial ☐ On-site Trench Burial	
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for cons	ideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached a support of the following items must be attached as a support of the following items must be attached.	ched to the
closure plan. Please indicate, by a check mark in the box, that the documents are attached. X Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC	
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)	
 ⊠ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ⊋ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC 	
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	

Form C-144

15. Waste Removal Closure For Closed-loop Systems That Utilize Above Groun Instructions: Please indentify the facility or facilities for the disposal of liquids facilities are required.	d Steel Tanks or Haul-off Bins Only: (19.15.17.13.1 drilling fluids and drill cuttings. Use attachment if	D NMAC) more than two					
Disposal Facility Name:	Disposal Facility Permit Number:						
Disposal Facility Name:	Disposal Facility Permit Number:						
Will any of the proposed closed-loop system operations and associated activities of Yes (If yes, please provide the information below) No	-	vice and operations?					
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	te requirements of Subsection H of 19.15.17.13 NMA n I of 19.15.17.13 NMAC	С					
17. Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may request considered an exception which must be submitted to the Santa Fe Environment demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC	ire administrative approval from the appropriate dist al Bureau office for consideration of approval. Justi	rict office or may be					
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Da	ta obtained from nearby wells	☐ Yes ☐ No ☐ NA					
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Da	ta obtained from nearby wells	☐ Yes ☐ No ☐ NA					
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Database search; US	ta obtained from nearby wells	☐ Yes ☐ No ☐ NA					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other si lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	gnificant watercourse or lakebed, sinkhole, or playa	☐ Yes ☐ No					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image							
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site							
Within incorporated municipal boundaries or within a defined municipal fresh wa adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written appro	•	☐ Yes ☐ No					
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Vist	nal inspection (certification) of the proposed site	☐ Yes ☐ No					
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining	g and Mineral Division	☐ Yes ☐ No					
Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geolog Society; Topographic map	gy & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No					
Within a 100-year floodplain FEMA map		☐ Yes ☐ No					
18. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Construction/Design Plan of Burial Trench (if applicable) based upon the a Construction/Design Plan of Temporary Pit (for in-place burial of a drying Protocols and Procedures - based upon the appropriate requirements of 19.1 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and Soil Cover Design - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	quirements of 19.15.17.10 NMAC of Subsection F of 19.15.17.13 NMAC ppropriate requirements of 19.15.17.11 NMAC pad) - based upon the appropriate requirements of 19. 5.17.13 NMAC quirements of Subsection F of 19.15.17.13 NMAC of Subsection F of 19.15.17.13 NMAC drill cuttings or in case on-site closure standards cannot H of 19.15.17.13 NMAC	15.17.11 NMAC					

î

19,5
Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Jeffrey Peace Andrew Hank, BP Title: Field Environmental Advisor
Traine (Finit). Joiney (Factor) Advisor
Signature: Date:
e-mail address: Peace.Jeffery@bp.com Telephone: 505-326-9479
20.
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Approval Date: 12/10/13
[Compliance (Office)
Title: V OCB Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
☑ Closure Completion Date: 3-13-2014
72.
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
23. <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than
two facilities were utilized.
Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No
Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
14. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check
mark in the box, that the documents are attached.
✓ Proof of Closure Notice (surface owner and division)☐ Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (required for on-site closure)
☑ Disposal Facility Name and Permit Number ☑ Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude 36-91731 Longitude 107.938047 NAD: 1927 1983
25. Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and
belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Teff Peace Title: Area Environmental Advisor
Signature: Joff Passe Date: April 29, 2014 e-mail address: peace. jeffrey@bp.com Telephone: (505) 325-9479
X 11 U
e-mail address: Peace. jeffrey@ bp. com Telephone: (505) 326-9479

BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

Mudge Gas Com D 1 API No. 3004528626 Unit Letter B, Section 12, T31N, R11W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

- 1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.

 Notice is attached.
- 2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

Notice is attached.

- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)

- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported to a storage area for sale and re-use.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	95 bbl BGT	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	ND
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	ND
TPH	US EPA Method SW-846 418.1	100	330
Chlorides	US EPA Method 300.0 or 4500B	250 or background	85

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled and BTEX and chloride levels were below the stated limits. TPH was above the limit and the impacted soil below the BGT was excavated. Sampling data is attached.

7. BP shall notify the division District III office of its results on form C-141. C-141 is attached.

- 8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.
 - Sampling results indicate a minor release occurred and the soil was excavated under the spill and release guidelines. Sampling after excavation and treatment resulted in TPH of 68 ppm, which is below the limit. A separate C-141 for the excavation and treatment was submitted to NMOCD.
- 9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

The area under the BGT was backfilled with clean soil and will be reclaimed with the rest of the site since this well was plugged and abandoned.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area over the BGT was backfilled with clean soil and will be reclaimed with the rest of the site since this well was plugged and abandoned.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area over the BGT was backfilled with clean soil and will be reclaimed with the rest of the site since this well was plugged and abandoned.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area over the BGT was backfilled with clean soil and will be reclaimed with the rest of the site since this well was plugged and abandoned.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

BP will seed the area as part of final reclamation since the well has been plugged and abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

BP will notify NMOCD when re-vegetation is successful.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

Closure report on C-144 form is included.

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Release Notification and Corrective Action

Form C-141

Revised August 8, 2011

						OPERA	ГOR		☐ Initial Report ☐ Final Repo					
Name of Co						Contact: Jef	f Peace							
		Court, Farmi		M 87401		Telephone No.: 505-326-9479								
Facility Nar	ne: Mudge	Gas Com I) 1			Facility Type: Natural gas well								
Surface Ow	ner: Feder	al		Mineral C)wner:	Federal			API No. 3004528626					
				LOCA	ATIO	N OF RE	LEASE							
Unit Letter	Section	Township	Range	Feet from the		South Line	Feet from the	East/	West Line	County: Sa	an Juan			
В	12	31N 11W 920 Non					1,670	East						
	L	<u> </u>	<u> </u>			 -		<u></u>		<u> </u>				
		Lati	tude 36	5.91731	<u>-</u>	_ Longitude	107.938047_							
				NAT	URE	OF REL								
Type of Relea			05111				Release: N/A			Recovered: N				
Source of Rei	ease: belov	v grade tank –	- 95 bbl			Date and I-	Iour of Occurrenc	e:	Date and	Hour of Dis	covery:	: N/A		
Was Immedia	nte Notice C	Given?				If YES, To	Whom?		<u></u>					
			Yes [] No 🛛 Not Re	equired									
By Whom?						Date and I-	lour							
Was a Water	ourse Reac		_			If YES, Vo	olume Impacting t	he Wat	ercourse.					
			Yes 🗵] No										
If a Watercou	rse was Im	pacted, Descr	ibe Fully.	*		.1								
Danilla Car	- af Drahl	and Danie	dial Astis	. Talaa * Camari		! 1	d- DOT d-			4	a a 11 1			
							the BGT was doi nod 418.1 was 33							
results are att		esamed in D1	D7 Cana Ci	nonacs below sta	naaras.	ii ii by wied	10d +10.1 was 55	o mg/k	S, WIIICII 13	above the st	undana.	. Tillaly 515		
Describe Are	Affected :	and Cleanun /	Action Tal	ren * BGT was re	moved :	ınd the area u	nderneath the BG	T was	sampled S	ince TPH wa	s 330 r	ng/kg and		
							xcavated and hau					ng/kg und		
Approximate	y 147 cubi	c yards were r	emoved a	nd the exposed sa	ndstone	was treated v	vith hydrogen per	oxide.	Subsequent	soil samples	s resulte			
							The excavated are	ea was	backfilled a	and compacte	ed and	will be		
reclaimed wit	h the rest o	f the well site	since the	well has been plu	gged an	d abandoned.								
							knowledge and u							
							nd perform correc arked as "Final Re							
							on that pose a thre							
or the enviror	ment. In a	ddition, NMC	CD accep	tance of a C-141	report d	oes not reliev	e the operator of i	respons	ibility for c	ompliance w	ith any	other		
federal, state,	or local lay	ws and/or regu	ılations.				-							
^	- 00	\cap					OIL CONS	<u>SERV</u>	ATION	DIVISIO	<u>N</u>			
Signature:	1988	Kones	2											
Signature.	} #**	V -U				Annroved by	Environmental S	necialic	·t·					
Printed Name	: Jeff Peace	2				. тррготси оу	Environmentar o	r						
Title: Area E	nvironment	al Advisor				Approval Da	e:		Expiration	Date:				
			m			Conditions of Approval:								
E-mail Addre	ss: peace.je	лиеу <i>(а)</i> вр.сог	.11						Attached					
Date: April 2	9, 2014		Phone: 5	05-326-9479										
Attach Addit		ets If Necess	ary			-								

CLIENT: BP	P.O. BOX 87, B	NGINEERING, BLOOMFIELD, 05) 632-1199		API #: 300 TANK ID (if applicble):)4528626 A
FIELD REPORT:	(circle one): BGT CONFIRMATION	/ RELEASE INVESTIGATION	I / OTHER:	PAGE #:	1 of 1
1/4 -1/4/FOOTAGE: 920'N / 1,670	31N RNG: 11W PM	NM CNTY: STA	ATE / FEE / INDIAN	DATE STARTED: DATE FINISHED: ENVIRONMENTAL SPECIALIST(S):	03/03/14 NJV
1) 95 BGT (SW/DB) 2) 3)	WELL HEAD (W.H.) GPS GPS COORD:: GPS COORD::	S COORD.: 36.9 6.91731 X 107.9380	91761 X 107.9385 047 DISTANCE/B DISTANCE/B	EARING FROM W.H.:EARING FROM W.H.:EARING FROM W.H.:	180', S53E
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) # 0		HALL		OVM READING (ppm)
1) SAMPLE ID: 95 BGT 5-pt. @ 2) SAMPLE ID: 3) SAMPLE ID: 4) SAMPLE ID:	SAMPLE DATE: SAMPLE DATE:	SAMPLE TIME: SAMPLE TIME:	LAB ANALYSIS:		` '
SOIL DESCRIPTION SOIL COLOR: DARK Y COHESION (ALL OTHERS): NON COHESIVE SLIGHTLY CONSISTENCY (NON COHESIVE SOILS): LC MOISTURE: DRY / SLIGHTLY MOIST MOIST W SAMPLE TYPE: GRAB COMPOSITE # DISCOLORATION/STAINING OBSERVED: YES[IN] SITE OBSERVATION	COHESIVE COHESIVE / HIGHLY COHESIVE OOSE FIRM/ DENSE / VERY DENSE ET / SATURATED / SUPER SATURATED OF PTS. EXPLANATION -	PLASTICITY (CLAYS): NON PL DENSITY (COHESIVE CLA HC ODOR DETECTED: YES ANY AREAS DISPLAYING WE	LASTIC / SLIGHTLY PLASTIC / LYS & SILTS): SOFT / FIRM NO EXPLANATION - ETNESS: YES / NO EXPL	M / STIFF / VERY STIFF /	OUNT UNDER
APPARENT EVIDENCE OF A RELEASE OBSERVE EQUIPMENT SET OVER RECLAIMED AREA: OTHER: GAS WELL PRODUCED PAPAF GAS WELL RECENTLY PLUGGED AN SOIL IMPACT DIMENSION ESTIMATION:	DAND/OR OCCURRED: YES NO EXPL YES NO EXPLANATION - FIN TYPE HYDROCARBON - BOT DABANDONED (P & A).	ANATION:	SEL COATED WITH PA		
SITE SKETCH [BGT Located: off on sit		circle: attached 0\	M CALIB. READ. = 99. M CALIB. GAS = 10 ME: 11:32 ampm C	.7 _ ppm RF = 1.00 DATE:
MARKER SEPARATO	PBGTL T.B. ~ 6' B.G. X X X X	BERM WOODEN R.W.		MISCELL. WO: N153977 PO #: PK: ZFEIRK(PJ #: Permit date(s): OCD Appr. date(s): Tank OVM = Organic ppm = parts pe	741 0SJS 06/08/13 12/10/13 c Vapor Meter er million
NOTES: BGT > BELOW-GRADE TANK; E.D. = EXCAVATN T.B. = TANK BOTTOM; PBGTL > PREVIOUS BEL APPLICABLE OR NOT AVAILABLE; SW - SINGLI NOTES:	S DIF ON DEPRESSION; B.G. = BELOW GRADE; B = B OW-GRADE TANK LOCATION; SPD = SAMPLE	POINT DESIGNATION; R.W. = RETA TTOM; DB - DOUBLE BOTTOM.	X - S.P.D. PROX.; W.H. = WELL HEAD; AINING WALL; NA - NOT	BGT Sidewalls Visi BGT Sidewalls Visi BGT Sidewalls Visi Magnetic declinati	ible: Y / N

Analytical Report

Lab Order 1403242

Date Reported: 3/13/2014

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering

Client Sample 1D: 95 BGT 5-pt @ 6'

Project: Mudge GC D 1

Collection Date: 3/3/2014 11:28:00 AM

Lab ID: 1403242-001

Matrix: SOIL Received Date: 3/6/2014 10:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANG	E ORGANICS		·		Analyst	: JME
Diesel Range Organics (DRO)	340	10	mg/Kg	1	3/12/2014 9:45:33 AM	12071
Surr: DNOP	127	66-131	%REC	1	3/12/2014 9:45:33 AM	12071
EPA METHOD 8015D: GASOLINE RA	NGE				Analyst	:: JMP
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	3/10/2014 10:41:27 AM	12060
Surr: BFB	83.3	74.5-129	%REC	1	3/10/2014 10:41:27 AM	12060
EPA METHOD 8021B: VOLATILES					Analyst	: JMP
Benzene	ND	0.048	mg/Kg	1	3/10/2014 10:41:27 AM	12060
Toluene	ND	0.048	mg/Kg	1	3/10/2014 10:41:27 AM	12060
Ethylbenzene	ND	0.048	mg/Kg	1	3/10/2014 10:41:27 AM	12060
Xylenes, Total	ND	0.097	mg/Kg	1	3/10/2014 10:41:27 AM	12060
Surr: 4-Bromofluorobenzene	98.9	80-120	%REC	1	3/10/2014 10:41:27 AM	12060
EPA METHOD 300.0: ANIONS					Analyst	JRR
Chloride	85	30	mg/Kg	20	3/10/2014 10:23:47 AM	12097
EPA METHOD 418.1: TPH					Analyst	: JME
Petroleum Hydrocarbons, TR	330	20	mg/Kg	1	3/12/2014 10:02:00 AM	12076

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 1 of 6

- P Sample pH greater than 2.
- RL Reporting Detection Limit

Client:					X Standard □ Rush					_ 								ΓOR	
	BP America	1			Project Name	e:								llenvir					-
Mailing Addr	ess:	P.O. Box	x 87			Mudge GC D	1		49	01 H				Albu				7109	
	-	Bloomfie	eld, NM 87413		Project #:				Te	el. 50	05-34	5-3	975	Fa	ax 50	5-34!	5-410	7	
Phone #:		(505)320	0-1183									Δ	naly	sis R	eque	st			t.
email or Fax	#:				Project Mana	iger:													
QA/QC Packa	age:	-				Jeff Blagg				l									
			□ Level 4 (Full Val	dation	1)					Q						-			.
□ Other	_				Sampler:	Jeff Blagg] .		(GRO / DRO)									
□ EDD (Typ	oe))X(Yes	□ No			8									
					Sample Tem	perature:	$+ \epsilon(0)\rangle$] _											ځ
Date	Time	Matrix	Sample Reque	st ID	Container Type and #	Preservative Type	HEAL No. 1403242	BTEX (8021)		TPH 8015B	TPH 418.1							Chloride	Air Bubbles (Y or N)
03/03/2014	11:28	Soil	95 BGT 5-pt @ 6'		4oz x 1	cool	-001	х		х	х							х	\top
								-		-		-			+	+	+		+-
								┢								+	+	┟─┼	+
		 		-				┼								-	 	\vdash	
								-								—		 	
····								ļ											
										<u> </u>									
		-																	
										•									\top
																\top	+		+
 									╁						-	+	+-		+
				·		<u> </u>		-		_	\vdash				+	+	+	\vdash	+
			<u>. </u>					╁	┼							+	 -	\vdash	
Deter	Times	Polinguish	had bu:	·	Received by:		Date Time	Bo	205	C: 0	ill DE			<u>l</u> _					
Date: 5/2014	Time:	Relinquist	Blegs		Chart	عدا علا المت	74 (Pay	key:	ZF	ill BF EIRK Jeff	0SJ	S	Die				· 4	
Date: 3/, ///	Time:	Reifinquisi	ned by:		Received by:	A	Date Time 03 04 14	- PF			Jeπ /@bp			1 16	ease c	opy r	esuit	s 10:	
14/14	430	1 chr	Hall Environmental may be all		Mphu	Though	1020					1-4-	an k	1					
פוז זו	cessary, samples	s suppristed to I	Hall Environmental may be sub	J-CO1181 BC0	ed topolier addedite	a ianoiamies. Mus	serves as notice of this possil	лиц, А	ury sut	-contr	acted (rata W	KII DE C	iearly no	itated of	i the an	ıalytical	report.	

Hall Environmental Analysis Laboratory, Inc.

WO#:

1403242

13-Mar-14

Client:

Blagg Engineering

Project:

Mudge GC D 1

Sample ID MB-12097

SampType: MBLK

TestCode: EPA Method 300.0: Anions

Client ID: **PBS**

Batch ID: 12097

RunNo: 17219

Prep Date: 3/10/2014 Analysis Date: 3/10/2014

SeqNo: 495365

Units: mg/Kg

RPDLimit

Qual

Analyte Chloride

Result **PQL** ND

Sample ID LCS-12097

3/10/2014

SampType: LCS

TestCode: EPA Method 300.0: Anions

SPK value SPK Ref Val %REC LowLimit

HighLimit

%RPD

%RPD

1.5

LCSS

Batch ID: 12097

LowLimit

RunNo: 17219

Units: mg/Kg

Prep Date: Analyte

Client ID:

Analysis Date: 3/10/2014

SeqNo: 495366

RPDLimit Qual

Result **PQL**

90

SPK value SPK Ref Val %REC Chloride 14 1.5 15.00 0 93.1

HighLimit

110

Qualifiers:

Value exceeds Maximum Contaminant Level.

Е Value above quantitation range

Analyte detected below quantitation limits J

RSD is greater than RSDlimit О

R RPD outside accepted recovery limits

Spike Recovery outside accepted recovery limits

Analyte detected in the associated Method Blank

Н Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit ND

Sample pH greater than 2.

Reporting Detection Limit

Page 2 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#:

1403242

13-Mar-14

Client:

Blagg Engineering

Project:

Mudge GC D 1

Sample ID MB-12076

SampType: MBLK

TestCode: EPA Method 418.1: TPH

Client ID:

PBS

Batch ID: 12076

RunNo: 17241

Prep Date: 3/6/2014

Analysis Date: 3/12/2014

SeqNo: 496555

Units: mg/Kg

Analyte

Result

ND

SPK value SPK Ref Val %REC LowLimit

HighLimit

Petroleum Hydrocarbons, TR

Sample ID LCS-12076

Prep Date: 3/6/2014

SampType: LCS

20

TestCode: EPA Method 418.1: TPH

Client ID: LCSS

Batch ID: 12076

RunNo: 17241

Analysis Date: 3/12/2014

PQL

20

%REC

98.0

Units: mg/Kg

Analyte

Result

SeqNo: 496556

LowLimit HighLimit %RPD

Petroleum Hydrocarbons, TR

TestCode: EPA Method 418.1: TPH

120

RPDLimit

RPDLimit

Qual

Qual

Sample ID LCSD-12076

Client ID: LCSS02

SampType: LCSD

Batch ID: 12076

RunNo: 17241

Units: mg/Kg

HighLimit

Prep Date: 3/6/2014

Analysis Date: 3/12/2014

100.0

SPK value SPK Ref Val

SeqNo: 496557

%REC LowLimit

%RPD

· %RPD

RPDLimit

Qual

Analyte Petroleum Hydrocarbons, TR Result

SPK value SPK Ref Val 100.0 0

93.7

4.47

20

Qualifiers:

Value exceeds Maximum Contaminant Level.

Analyte detected below quantitation limits J

0 RSD is greater than RSDlimit

R RPD outside accepted recovery limits

Value above quantitation range Е

Spike Recovery outside accepted recovery limits

Analyte detected in the associated Method Blank

Holding times for preparation or analysis exceeded Н

Not Detected at the Reporting Limit ND

Sample pH greater than 2. Reporting Detection Limit Page 3 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#:

1403242

13-Mar-14

Client:

Blagg Engineering

Project:

Mudge GC D 1

Sample ID MB-12071	Samp	SampType: MBLK			TestCode: EPA Method 8015D: Diesel Range Organics						
Client ID: PBS	Batc	Batch ID: 12071			RunNo: 17227						
Prep Date: 3/6/2014	Analysis [Date: 3 /	11/2014	SeqNo: 495739			Units: mg/k	(g			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Diesel Range Organics (DRO)	ND	10									
Surr: DNOP	9.1		10.00		91.0	66	131				
Sample ID LCS-12071		Гуре: LC		Tes			8015D: Dies	el Range (Organics		

Sample ID LCS-12071	Samp	ype: LC	pe: LCS TestCode: EPA Method 8015D: Diesel Range Organics										
Client ID: LCSS	Batch	ı ID: 12	071	RunNo: 17227									
Prep Date: 3/6/2014	Analysis D	ate: 3/	11/2014	914 SeqNo: 495792				Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual			
Diesel Range Organics (DRO)	55	10	50.00	0	111	60.8	145						
Surr: DNOP	5.6		5.000		113	66	131						

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 4 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#:

1403242

13-Mar-14

Client:

Blagg Engineering

Project:

Mudge GC D 1

Sample ID MB-12060

SampType: MBLK

TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS

Batch ID: 12060

RunNo: 17170

Prep Date: 3/6/2014 Analysis Date: 3/7/2014

SeqNo: 494269

Units: mg/Kg

Analyte

Result **PQL**

ND 5.0 SPK value SPK Ref Val %REC LowLimit

HighLimit %RPD

RPDLimit Qual

Gasoline Range Organics (GRO)

850

84.8

129

Surr: BFB

Sample ID LCS-12060

SampType: LCS

Result

30

920

1000

TestCode: EPA Method 8015D: Gasoline Range

RunNo: 17170

Prep Date:

Client ID: LCSS

3/6/2014

Batch ID: 12060 Analysis Date: 3/7/2014

SeqNo: 494270

Units: mg/Kg

HighLimit

Qual

Page 5 of 6

Gasoline Range Organics (GRO)

PQL SPK value SPK Ref Val 5.0

118

71.7

74.5

134

Analyte

25.00

LowLimit

%RPD

RPDLimit

Surr: BFB

1000

92.1

%REC

74.5

129

Qualifiers:

Value exceeds Maximum Contaminant Level.

Е Value above quantitation range

Analyte detected below quantitation limits J

RPD outside accepted recovery limits R

Holding times for preparation or analysis exceeded Н Not Detected at the Reporting Limit ND

Analyte detected in the associated Method Blank

Р Sample pH greater than 2.

В

RLReporting Detection Limit

RSD is greater than RSDlimit O

Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

WO#: 1403242

13-Mar-14

Client: Project: Blagg Engineering

Mudge GC D 1

Sample ID MB-12060	12060 SampType: MBLK 、			Tes						
Client ID: PBS	Batc	tch ID: 12060		F	RunNo: 1	7170				
Prep Date: 3/6/2014	Analysis Date: 3/7/2014			SeqNo: 494292			Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.050								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.0		1.000		102	80	120			

Sample ID LCS-12060	SampType: LCS Batch ID: 12060 Analysis Date: 3/10/2014			TestCode: EPA Method 8021B: Volatiles							
Client ID: LCSS				RunNo: 17195							
Prep Date: 3/6/2014				SeqNo: 495211			Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	1.2	0.050	1.000	0	116	80	120				
Toluene	1.2	0.050	1.000	0	116	80	120				
Ethylbenzene	1.1	0.050	1.000	0	114	80	120				
Xylenes, Total	3.5	0.10	3.000	0	116	80	120				
Surr: 4-Bromofluorobenzene	1.1		1.000		108	80	120				

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Е Value above quantitation range
- Analyte detected below quantitation limits
- RSD is greater than RSDlimit О
- RPD outside accepted recovery limits R
- Spike Recovery outside accepted recovery limits
- Analyte detected in the associated Method Blank
- Holding times for preparation or analysis exceeded Н
- Not Detected at the Reporting Limit ND
- Sample pH greater than 2.
- RLReporting Detection Limit

Page 6 of 6



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

RcptNo: 1 Client Name: **BLAGG** Work Order Number: 1403242 Received by/date: **Ashley Gallegos** 3/6/2014 10:20:00 AM Logged By: **Ashley Gallegos** 3/6/2014 12:36:16 PM Completed By: Reviewed By: Chain of Custody Not Present No 🗔 Yes 🗌 1. Custody seals intact on sample bottles? No 🗌 Not Present Yes 🔽 2. Is Chain of Custody complete? :3. How was the sample delivered? Courier Log In No : NA . Yes 🗸 4. Was an attempt made to cool the samples? NA 🗔 No [5. Were all samples received at a temperature of >0° C to 6.0°C No 🗌 Sample(s) in proper container(s)? Yes 🗸 7. Sufficient sample volume for indicated test(s)? Yes 🗸 8. Are samples (except VOA and ONG) properly preserved? No V NA Yes 9. Was preservative added to bottles? Yes No No VOA Vials : 10.VOA vials have zero headspace? Yes -No 🗹 11. Were any sample containers received broken? # of preserved bottles checked for pH: No 🗔 Yes 🗹 12. Does paperwork match bottle labels? (<2 or >12 unless noted) (Note discrepancies on chain of custody) No 🗌 Adjusted? 13. Are matrices correctly identified on Chain of Custody? No 🛄 Yes 🗸 14 Is it clear what analyses were requested? Checked-by No ... Yes 15. Were all holding times able to be met? (If no, notify customer for authorization.) Special Handling (if applicable) NA 🗹 No 🗔 16, Was client notified of all discrepancies with this order? Yes 🗔 Date: Person Notified: eMail Phone Fax In Person By Whom: Regarding: Client Instructions: 17. Additional remarks: 18. Cooler Information Cooler No Temp ºC Condition Seal Intact Seal No Seal Date

bp



BP America Production Company 200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

March 7, 2014

Bureau of Land Management Mark Kelly 6251 College Blvd Suite A Farmington, NM 87402

VIA CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Re: Notification of plans to close/remove a below grade tank

Well Name: MUDGE GC D 001

API#: 3004528626

Dear Mr. Kelly,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about March 9, 2014. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

Unless you have questions about this notice, there is no need to respond to this letter. If you do have any questions or concerns, please contact me at 505-326-9214

Sincerely,

Jerry Van Riper

9 Dolaker

Surface Land Negotiator

BP America Production Company

BP America Production Company

200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

SENT VIA E-MAIL TO: BRANDON.POWELL@STATE.NM.US

March 7, 2014

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

MUDGE GAS COM D 001 API 30-045-28626 (J) Section 12 – T31N – R11W San Juan County, New Mexico

Dear Mr. Brandon Powell:

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 95 bbl BGT that will no longer be operational at this well site.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,

Jeff Peace

BP Field Environmental Advisor

(505) 326-9479



