Form C-144 July 21, 2008

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

	<u>Loop System, Below-Grade</u>	Tank, or
Proposed Alternative	e Method Permit or Closure	Plan Application
【☐ Closure of a pi ☐ Modification to		
Instructions: Please submit one application (For	m C-144) per individual pit, closed-loop sy	stem, below-grade tank or alternative request
Please be advised that approval of this request does not relieve to environment. Nor does approval relieve the operator of its response		
Operator: BP AMERICA PRODUCTION COMPAN	IY OGRID #:	778
Address: 200 Energy Court, Farmington, NM 8740	01	
Facility or well name: STATE GAS COM J 001A		
API Number: 3004522762		
U/L or Qtr/Qtr F Section 36.0 T		
Center of Proposed Design: Latitude 36.7714	Longitude <u>-107.73451</u>	NAD: □1927 🗷 1983
Surface Owner: ☐ Federal 🗷 State ☐ Private ☐ Tribal 7	rust or Indian Allotment	
2.		OIL COME DIVE
Pit: Subsection F or G of 19.15.17.11 NMAC		OIL CONS. DIV DIST. 3
Temporary: Drilling Workover		MAY 15 2014
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A		WAT 10 2014
Lined Unlined Liner type: Thickness	mil LLDPE HDPE PVC	Other
☐ String-Reinforced		
Liner Seams: Welded Factory Other	Volume:b	bl Dimensions: Lx Wx D
3.		
Closed-loop System: Subsection H of 19.15.17.11 N	MAC	
Type of Operation: P&A Drilling a new well W	orkover or Drilling (Applies to activities w	hich require prior approval of a permit or notice of
intent) Drying Pad Above Ground Steel Tanks Haul-	off Rine Other	
Lined Unlined Liner type: Thickness		
Liner Seams: Welded Factory Other		. Other
4. Subsection I of 19.15.17.11 NMA		
Volume: 95.0 bbl Type of fluid: Pro	('Tank II) · A	
Tank Construction material: Steel	oduced Water	overflow shot off
☐ Secondary containment with leak detection ☐ Visible	oduced Water e sidewalls, liner, 6-inch lift and automatic	
☐ Secondary containment with leak detection ☐ Visible ☐ Visible sidewalls and liner ☐ Visible sidewalls only	e sidewalls, liner, 6-inch lift and automatic Other DOUBLE WALLED DOUBLE E	OTTOMED SIDE WALLS NOT VISIBLE
Secondary containment with leak detection Visible	e sidewalls, liner, 6-inch lift and automatic Other DOUBLE WALLED DOUBLE E	OTTOMED SIDE WALLS NOT VISIBLE
Secondary containment with leak detection Visible Visible sidewalls and liner Visible sidewalls only Liner type: Thicknessmil HD	e sidewalls, liner, 6-inch lift and automatic Other DOUBLE WALLED DOUBLE E	OTTOMED SIDE WALLS NOT VISIBLE
Secondary containment with leak detection Visible Visible sidewalls and liner Visible sidewalls only Liner type: Thicknessmil HD	e sidewalls, liner, 6-inch lift and automatic Other DOUBLE WALLED DOUBLE E PE PVC Other	OTTOMED SIDE WALLS NOT VISIBLE

Form C-144

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify 4' Hogwire with single barbed wire	hospital,
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.16.8 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
10. Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	priate district pproval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	➤ Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes 🗷 No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes 🗷 No ☐ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ※ NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes 🗷 No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes 🗷 No
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes 🗷 No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes 🗷 No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes 🗷 No
Within a 100-year floodplain FEMA map	☐ Yes 🗷 No

Form C-144

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC Previously Approved Design (attach copy of design) API Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. ■ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC ■ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC ■ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ■ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ■ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if facilities are required.	D NMAC) more than two
Disposal Facility Name: Disposal Facility Permit Number:	
Disposal Facility Name: Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future ser Yes (If yes, please provide the information below) No	
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMA Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	С
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sou provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate dist considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justidemonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	trict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure ple by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cann Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	15.17.11 NMAC

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.	-
Name (Print): Jeffray Peace Title: Field Environmental Advisor	
Signature: Date: 06\14\2010	
e-mail address: Peace.Jeffrey@bp.com Telephone: 505-326-9479	
OCD Approval: Permit Application (including closure plant) Closure Plan (ont) OCD fonditions (see attachment) OCD Representative Signature: Title: Town Plante Chize OCD Permit Number:	1
21. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the clos The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complet section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date: 1-19-2012	
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop syste If different from approved plan, please explain.	ms only)
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Of Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment is two facilities were utilized. Disposal Facility Name: Disposal Facility Permit Number: Disposal Facility Permit Number: Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	f more than
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude 36.7714 Longitude NAD: 1927 1983	
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan. Name (Print): Signature: Title: Area Environmental Advisation Date: May 14, 2014 E-mail address: Peace jeffrey Obf. Com Telephone: (505) 326-9479	

BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

State Gas Com J 1A API No. 3004522762 Unit Letter F, Section 36, T30N, R9W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

- 1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.
 - Notice is attached.
- 2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.
 - Notice is attached.
- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)

- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported to a storage area for sale and re-use.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	95 bbl BGT	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	ND
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	ND
TPH	US EPA Method SW-846 418.1	100	ND
Chlorides	US EPA Method 300.0 or 4500B	250 or background	25

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled and TPH, BTEX and chloride levels were below the stated limits. Sampling data is attached.

7. BP shall notify the division District III office of its results on form C-141. **C-141 is attached.**

- 8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

 Sampling results indicate no release occurred.
- 9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

The area under the BGT was backfilled with clean soil and is still within the active well area.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

BP will seed the area when the well is plugged and abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

BP will notify NMOCD when re-vegetation is successful.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.
 - Closure report on C-144 form is included.
- 16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

			OPERA	ГOR	[Initia	al Report	\boxtimes	Fina	al Report	
Name of Company: BP	(Contact: Jeff Peace									
Address: 200 Energy Court, Farmington, NM 8	Telephone No.: 505-326-9479										
Facility Name: State Gas Com J 1A	F	Facility Type: Natural gas well									
Surface Owner: State	Mineral Ow	vner: S	State			API No	. 30045227	62			
	LOCA	ΓΙΟΝ	OF RE	LEASE							
	et from the		South Line	Feet from the 1,915	East/W West	est Line	County: Sa	ın Juan			
Latitude_36.7	714		Longitude	107.73451							
	NATU	JRE (OF REL	EASE							
Type of Release: none				Release: N/A		Volume R	Recovered: N	/A			
Source of Release: below grade tank – 95 bbl				Iour of Occurrence	e:	Date and	Hour of Disc	overy:			
Was Immediate Notice Given? ☐ Yes ☐ No	o 🛛 Not Req	uired	If YES, To	Whom?							
By Whom?			Date and I-	Iour							
Was a Watercourse Reached? ☐ Yes ☒ No	0		If YES, Vo	olume Impacting t	the Water	course.					
If a Watercourse was Impacted, Describe Fully.*			<u> </u>								
Describe Cause of Problem and Remedial Action Ta	ken.* Sampling	of the	soil beneath	the BGT was do	ne during	removal t	to ensure no	soil im	pacts	from	
the BGT. Soil analysis resulted in TPH, BTEX and									.p.u.vo		
Describe Area Affected and Cleanup Action Taken.*		oved ar	nd the area u	nderneath the BG	T was sai	mpled. Tl	he excavated	area v	vas		
backfilled and compacted and is still within the activ	ve well area.										
I hereby certify that the information given above is to											
regulations all operators are required to report and/or public health or the environment. The acceptance of											
should their operations have failed to adequately invo											
or the environment. In addition, NMOCD acceptance	ce of a C-141 re	port do	es not reliev	e the operator of	responsib	ility for co	ompliance w	ith any	othe	r	
federal, state, or local laws and/or regulations.				OH COM	CEDA	ATIONI	DIVICIO				
0.000				OIL CON	SEKVA	ATION	DIVISIO	<u>IN</u>			
Signature: Signature:											
Printed Name: Jeff Peace		A	Approved by	Environmental S	pecialist:						
Title: Area Environmental Advisor		A	Approval Da	te:	E	xpiration l	Date:				
E-mail Address: peace.jeffrey@bp.com			Conditions of	f Approval:			Attached				
Date: May 14, 2014 Phone: 505-32	26-9479										

^{*} Attach Additional Sheets If Necessary

CLIENT: BP		NEERING, INC. DMFIELD, NM 8741	3		
	(505) 6	32-1199			A
FIELD REPORT:	(circle one): BGT CONFIRMATION / RELE	ASE INVESTIGATION / OTHER:		TANK ID (if applicble): A PAGE #: 1 of	1 of1_
	I: SITE NAME: STATE GO	J#1A		DATE STARTED:	01/10/12
QUAD/UNIT: F SEC: 36 TWP:		M CNTY: SJ ST:	NM	DATE FINISHED: _	
1/4 -1/4/FOOTAGE: 1,450'N / 1,95	· · · · · · · · · · · · · · · · · · ·		M 87413 API#: JOUNTSZETT ANK ID (if applicble): A OTHER: PAGE #: 1 of DATE STARTED: 01/10/ DATE FINISHED: ENVIRONMENTAL SPECIALIST(S): JCE PAGE #: 153', NM DATE FINISHED: ENVIRONMENTAL SPECIALIST(S): JCE PAGE #: 1 of DATE STARTED: 01/10/ DATE FINISHED: ENVIRONMENTAL SPECIALIST(S): JCE PAGE #: 1 of DATE STARTED: 01/10/ DATE FINISHED: ENVIRONMENTAL SPECIALIST(S): JCE ENVIRONMENTAL SPECIALIST(S): JCE ENVIRONMENTAL SPECIALIST(S): JCE INTELLIBRANGE FROM W.H.: 153', NM DISTANCE/BEARING FROM W.H.: 155', NM DISTANC		
					v.: 5,656'
1)95 BGT (DW/DB)	GPS COORD.: 36.77 1	140 X 107.73451	ISTANCE/BEA	ARING FROM W.H.:	153', N10E
2)	GPS COORD.:	DI	ISTANCE/BEA	ARING FROM W.H.:	
3)					
4)	I TO THE STATE OF		STANCE/BEA	RING FROM W.H.:	
SAMPLING DATA:	J		-		READING (ppm)
		-			0.0 (CI) 0.0
2) SAMPLE ID:	SAMPLE DATE:	_ SAMPLE TIME: LAB ANALYSIS:	TANK ID (If applicable): R: PAGE #: 1 of 1 DATE STARTED: 01/10/12 BY NMM E/INDIAN ENVIRONMENTAL SPECIALIST(S): JCB 4 X 107.73458 GL ELEV: 5,656' DISTANCE/BEARING FROM WH: 153', N10E DISTANCE/BEARING FROM WH: DISTANCE/B		
		(\$0.5) 632-1199 (\$7.50.5)			
SOIL COLOR: DARK YE COHESION (ALL OTHERS): NON COHESIVE SLIG CONSISTENCY (NON COHESIVE SOILS): MOISTURE: DRY SLIGHTLY MOIST MOIST SAMPLE TYPE: GRAB COMPOSITE + DISCOLORATION/STAINING OBSERVED ANY AREAS DISPLAYING WETNESS: YES / NO ADDITIONAL COMMENTS: NO VISUAL	TLY COHESIVE / COHESIVE / HIGHLY COHESIVE LOOSE / FIRM DENSE / VERY DENSE / WET / SATURATED / SUPER SATURATED OF PTS,5 YES NO EXPLANATION	DENSITY (COHESIVE CLAYS & S	SILTS): SO	FT / FIRM / STIFF / VI	ERY STIFF / HARD
SOIL IMPACT DIMENSION ESTIMATION:			TION ESTI	IMATION (Cubic Yard	is): NA
DEPTH TO GROUNDWATER: <50' N	EAREST WATER SOURCE: >1,000' NEA	REST SURFACE WATER: <1,000	NMOC	D TPH CLOSURE STD:	100 ppm
SITE SKETCH 300 bbl PROD. TANK	T.B. ~ 5'	_	OVM (CALIB. GAS = 100 2:00 an(pm) D/ MISCELL. 1502851 CHWLLBGT	ppm NT = 0.32 NTE: 01/10/12
	WELL HEAD ⊕ ATION DEPRESSION; B.G. = BELOW GRADE; B = BI BELOW-GRADE TANK LOCATION; SPD = SAMPLE F SW-SINGLE WALL; DW-DOUBLE WALL; SB-SIN	POINT DESIGNATION; R.W. = RETAINING W	D. A	BGT Sidewalls Visib	ile: Y / N / NA

BEI1005E-3.SKF

Analytical Report

Lab Order 1201410

Date Reported: 1/19/2012

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering

Client Sample ID: 95 BGT 5-pt @ 5'

Project: State GCJ 1A

Collection Date: 1/10/2012 1:55:00 PM

Lab ID: 1201410-001

Matrix: SOIL Received Date: 1/12/2012 2:42:00 PM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015B: DIESEL RANG	GE ORGANICS				Analyst: JMP
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	1/18/2012 8:27:49 AM
Sum: DNOP	90.5	77.4-131	%REC	1	1/18/2012 8:27:49 AM
EPA METHOD 8015B: GASOLINE R	ANGE				Analyst: RAA
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	1/17/2012 2:48:45 PM
Surr: BFB	109	69.7-121	%REC	1	1/17/2012 2:48:45 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.050	mg/Kg	1	1/17/2012 2:48:45 PM
Toluene	ND	0.050	mg/Kg	1	1/17/2012 2:48:45 PM
Ethylbenzene	ND	0.050	mg/Kg	1	1/17/2012 2:48:45 PM
Xylenes, Total	ND	0.10	mg/Kg	1	1/17/2012 2:48:45 PM
Surr: 4-Bromofluorobenzene	110	85.3-139	%REC	1	1/17/2012 2:48:45 PM
EPA METHOD 300.0: ANIONS					Analyst: BRM
Chloride	25	7.5	mg/Kg	5	1/17/2012 3:24:56 PM
EPA METHOD 418.1: TPH					Analyst: JMP
Petroleum Hydrocarbons, TR	ND	20	mg/Kg	1	1/17/2012

Qualifiers:

- */X Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- RL Reporting Detection Limit

Page 1 of 6

C	<u>hain-</u>	of-Cu	stody Record	Turn-Around	Time:						1	ı AR. 1	6 Y				_	A I A	٧E	R.I.	ra'		
Client:	BLAG	= ENG1.	NEERNG INC.	Standard	□ Rush			-											R				
.	ZP A	MERIC	A	Project Name											ironr					807		6. R	
Mailing	Address:	PAT	A Box 87	STATE	GCJ	1A			491	11 H	awki								109				
	20010	1-UE	NM 87413	Project #:							5-34				-	•		410	!				
Phone #	t: 5	75-10	032-1199	1	•															1			
email or		<u> </u>	JC 1117	Project Mana	iger:	-		(A)			- 59	ist while	₹ 185 × 1			V. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.				28 Jan 188	2000	3,43,73	
QA/QC F	_		☐ Level 4 (Full Validation)	J	Beace			s (8021	+ TPH (Gas only)	(Gas/Diesel)					PO ₄ ,SC	PCB's					į		İ
Accredit		□ Othe	r	On Ice	T- BLACE	e⊠⊭No*		T MIR	+ TPH	015B (G	118.1)	504.1)	ЭАН)	"	O ₃ ,NO ₂	s / 8082		(Y)				=	or N)
□ EDD	(Type)_	· 		Sample Tem	oerature» 🔻			占	盟	ğ 9	od 4	g	ъ	etak	Z	cide	(A)	\. - -	ليا				≥,
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	JOSE L	ENIO	BTEX 七 <u>MLBE 士和</u> B's (8021)	BTEX + MTBE	TPH Method 8015B	TPH (Method 418.1)	EDB (Method 504.1)	8310 (PNA or PAH)	RCRA 8 Metals	Anions (F,CI,NO ₃ ,NO ₂ ,PO ₄ ,SO ₄)	8081 Pesticides / 8082	8260B (VOA)	8270 (Semi-VOA)	CHURIDE				Air Bubbles (Y or N)
10/2012	1355	SOIL	95 BGT 5-Pt @ 5	402 ×1	Cox	and the second	— (×		X	X	-			_			~	X				_
7																							
																							_
																						\Box	
													7										
	· · · ·												1	_									_
																			- :	$\neg \uparrow$			
																					\Box		
																						\sqcap	
													1										
Date:	Time:	Relinquish Relinquish	Bluey	Received by: Received by:	Liceta	Date	Time	N Z:	15 5CH	502 WL	180 180 186	51 T		o (יאכ	30	15	لــــــــــــــــــــــــــــــــــــ					
12/12	1642	Samples Suhi	mitted to Hall Environmental may be subc	contracted to other a		//2//2		J.	eft	F	Zeac	e		will bo	clear	v noto	tod on	the	nalidie	al mar			

Hall Environmental Analysis Laboratory, Inc.

WO#:

1201410

19-Jan-12

Client:

Blagg Engineering

Project:

State GCJ 1A

Sample ID MB-304

SampType: MBLK

TestCode: EPA Method 300.0: Anions

Client ID:

PBS

Batch ID: 304

PQL

RunNo: 426

Prep Date: 1/17/2012

Analysis Date: 1/17/2012

SeqNo: 12343

Units: mg/Kg

Analyte

HighLimit

RPDLimit

Qual

Chloride

ND

Sample ID LCS-304

SampType: LCS

TestCode: EPA Method 300.0: Anions

%RPD

%RPD

Client ID: LCS\$

Batch ID: 304

RunNo: 426

Prep Date: 1/17/2012

Analysis Date: 1/17/2012

SeqNo: 12344

Units: mg/Kg

Analyte

%REC

HighLimit

RPDLimit Qual

PQL

15.00

SPK value SPK Ref Val

SPK value SPK Ref Val %REC LowLimit

93.4

Chloride

14

Result

1.5

LowLimit

90

110

Qualifiers:

*/X Value exceeds Maximum Contaminant Level.

Value above quantitation range

Analyte detected below quantitation limits RPD outside accepted recovery limits

В Н

Analyte detected in the associated Method Blank Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit ND

Reporting Detection Limit RL

Page 2 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#:

1201410

19-Jan-12

Client:

Blagg Engineering

Project:

State GCJ 1A

Sample IE	MB-302
-----------	--------

SampType: MBLK

TestCode: EPA Method 418.1: TPH

Client ID: PBS

Batch ID: 302

RunNo: 408

Prep Date: 1/17/2012

Result

SeqNo: 12062

Units: mg/Kg

Analyte

Analysis Date: 1/17/2012 **PQL**

20

HighLimit

RPDLimit

Qual

Petroleum Hydrocarbons, TR

ND

SampType: LCS

TestCode: EPA Method 418.1: TPH

%RPD

Sample ID LCS-302 Client ID: LCSS

Batch ID: 302

RunNo: 408

Prep Date: 1/17/2012

Analysis Date: 1/17/2012

SeqNo: 12063

Units: mg/Kg

Analyte

Result PQL

20

SPK value SPK Ref Val %REC 104

SPK value SPK Ref Val %REC LowLimit

LowLimit 87.8 HighLimit %RPD 115

RPDLimit

Qual

Petroleum Hydrocarbons, TR

Sample ID LCSD-302

SampType: LCSD Batch ID: 302

TestCode: EPA Method 418.1: TPH RunNo: 408

Client ID:

LCSS02 Prep Date: 1/17/2012

Analysis Date: 1/17/2012

Result

110

100

SeqNo: 12064

Units: mg/Kg

RPDLimit

Qual

Analyte Petroleum Hydrocarbons, TR POL

SPK value SPK Ref Val

100.0

0

%REC LowLimit HighLimit 115 %RPD 2.21

20 100.0

106 87.8

8.04

Qualifiers:

R

Value exceeds Maximum Contaminant Level. */X

Value above quantitation range

Analyte detected below quantitation limits RPD outside accepted recovery limits

В

Н

Analyte detected in the associated Method Blank

Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit

Page 3 of 6

Reporting Detection Limit

Hall Environmental Analysis Laboratory, Inc.

Result

39

4.9

PQL

10

WO#:

1201410

19-Jan-12

Client:

Blagg Engineering

Project:

Analyte

Surr: DNOP

Diesel Range Organics (DRO)

State GCJ 1A

Sample ID MB-301	SampType: ME	3LK	Tes	tCode: El	PA Method	8015B: Dies	el Range (Organics	
Client ID: PBS	Batch ID: 30	1	F	lunNo: 4	23				
Prep Date: 1/17/2012	Analysis Date: 1/	18/2012	8	eqNo: 1	2313	Units: mg/h	(g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND 10								
Sun: DNOP	8.5	10.00		84.8	77.4	131			
Sample ID LCS-301	SampType: LC	s	Tes	Code: El	PA Method	8015B: Dies	el Range (Organics	
Client ID: LCSS	Batch ID: 30	1	R	unNo: 4	23				
Prep Date: 1/17/2012	Analysis Date: 1/	18/2012	S	eaNo: 1	2315	Units: mg/K	(a		

%REC

77.7

98.1

LowLimit

62.7

77.4

HighLimit

139

131

%RPD

RPDLimit

Qual

SPK value SPK Ref Val

50.00

5.000

Qual	ifi	ers	;
------	-----	-----	---

*/X Value exceeds Maximum Contaminant Level.

E Value above quantitation range

Analyte detected below quantitation limits

R RPD outside accepted recovery limits

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

RL Reporting Detection Limit

Page 4 of 6

Hall Environmental Analysis Laboratory, Inc.

28

1,200

5.0

25.00

1,000

WO#:

1201410 19-Jan-12

Client:

Blagg Engineering

Project:

Gasoline Range Organics (GRO)

Surr: BFB

State GCJ 1A

Sample ID MB-290	SampType: MBLI	TestCode: EPA Method 8015B; Gasoline Range							
Client ID: PBS	Batch ID: 290		RunNo: 429						
Prep Date: 1/16/2012	Analysis Date: 1/17	/2012	SeqNo: 12431			Units: mg/Kg			
Analyte	Result PQL S	PK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLImit	Qual
Gasoline Range Organics (GRO)	ND 5.0								
Surr: BFB	960	1,000		96.0	69.7	121			
Sample ID LCS-290	SampType: LCS		Tes	Code: El	PA Method	8015B: Gaso	line Rang	6	
Client ID: LCSS	Batch ID: 290		F	unNo: 4	29				
Prep Date: 1/16/2012	Analysis Date: 1/17	2012	8	eqNo: 1	2432	Units: mg/K	g		
Analyte	Result PQL S	PK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual

0

112

116

86.4

69.7

132

121

Qualifiers:

*/X Value exceeds Maximum Contaminant Level,

E Value above quantitation range

J Analyte detected below quantitation limits

R RPD outside accepted recovery limits

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

RL Reporting Detection Limit

Page 5 of 6

Hall Environmental Analysis Laboratory, Inc.

0.99

1.1

3.3

1.1

0.050

0.050

0.10

1.000

1.000

3.000

1.000

WO#:

1201410

19-Jan-12

Client:

Blagg Engineering

Project:

Toluene

Ethylbenzene

Xylenes, Total

Surr: 4-Bromofluorobenzene

State GCJ 1A

Sample ID MB-290	SampType: MBLK			TestCode: EPA Method 8021B: Volatiles						
Client ID: PB\$	Batch ID: 290			RunNo: 429						
Prep Date: 1/16/2012	Analysis Date: 1/17/2012			SeqNo: 12436			Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.050								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.0		1.000		104	85.3	139			
Sample ID LCS-290	Samp	ype: LC	s	TestCode: EPA Method 8021B: Volatiles						
Client ID: LCSS	Batcl	h ID: 29	0	F	RunNo: 4	29				
Prep Date: 1/16/2012	Analysis E)ate: 1/	17/2012	S	SeqNo: 1	2440	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.0	0.050	1.000	0	102	83.3	107		·	

0

0

98.8

106

110

112

74.3

80.9

85.2

85.3

115

122

123

139

Qualifiers:

RL Reporting Detection Limit

Page 6 of 6

^{*/}X Value exceeds Maximum Contaminant Level.

³ Value above quantitation range

J Analyte detected below quantitation limits

R RPD outside accepted recovery limits

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87105

TEL: 505-345-3975 FAX: 505-345-410', Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: BLAGG Work Order Number: 1201410 anne Am **Anne Thorne** Logged by: 1/12/2012 2:42:00 PM Completed By: **Anne Thorne** 1/16/2012 Reviewed By: 11/4/12 Chain of Custody Yes 🗌 No 🗌 Not Present 1 Were seals intact? 2. Is Chain of Custody complete? Yes V No ... Not Present 3. How was the sample delivered? Courler <u>Log In</u> Yes 🗹 No 🗌 NA 🗌 4. Coolers are present? (see 19. for cooler specific information) Yes 🗹 No 🗌 NA 🗌 5. Was an attempt made to cool the samples? Yes 🗹 No 🗌 NA 🗌 Were all samples received at a temperature of >0° C to 6.0°C 7. Sample(s) in proper container(s)? Yes V No Yes 🗹 No 🗌 8 Sufficient sample volume for indicated test(s)? 9. Are samples (except VOA and ONG) properly preserved? Yes 🗸 No 🗌 NA 🗌 10. Was preservative added to bottles? Yes 🗌 No 🗹 Yes 🗌 No 🔲 No VOA Vials 🗹 11. Is the headspace in the VOA vials less than 1/4 inch or 6 mm? Yes 🗌 No 🗹 12. Were any sample containers received broken? # of preserved Yes 🗹 No 🗌 13. Does paperwork match bottle labels? bottles checked (Note discrepancies on chain of custody) for pH: Yes 🗹 No 🗌 (<2 or >12 unless noted) 14. Are matrices correctly identified on Chain of Custody? Adjusted? Yes 🔽 No 🗌 15. Is it clear what analyses were requested? Yes 🗹 No 🗌 16. Were all holding times able to be met? (If no, notify customer for authorization.) Checked by: Special Handling (if applicable) Yes. No 🗆 NA 🗹 17. Was client notified of all discrepancies with this order? Person Notified: Date eMail Phone Fax In Person By Whom: Via: Regarding: Client Instructions: 18. Additional remarks: 19. Cooler Information Cooler No Temp °C Condition Seal Intact Seal No Seal Date Signed By 1,3





BP America Production Company 200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

January 5, 2012

New Mexico State Land Office Oil, Gas & Minerals Division PO Box 1148 Santa Fe, NM 87504

SENT VIA EMAIL

Re: Notification of plans to close/remove a below grade tank Well Name: STATE GAS COM J 001A-MV

Dear Scott Dawson and Jeff Albers,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about January 9, 2012. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

Unless you have questions about this notice, there is no need to respond to this letter. If you do have any questions or concerns, please contact me at 505-326-9214

Sincerely,

Jerry Van Riper

Jerry & Vaker

Surface Coordinator/Business Security Representative

BP America Production Company

BP America Production Company

200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

SENT VIA E-MAIL TO: BRANDON.POWELL@STATE.NM.US

January 5, 2012

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

STATE GAS COM J 001A API 30-045-22762 (M) Section 36 – T30N – R09W San Juan County, New Mexico

Dear Mr. Brandon Powell:

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 95 bbl. BGT that will no longer be operational at this well site.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,

Buddy Shaw BP Environmental Advisor

(505) 320-0401



