District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

183
//

: /4.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action:	Alternative Method Fer	int of Closure i	rian Applicant	<u>)11</u>
Type of action.	Permit of a pit, closed-loop syster Closure of a pit, closed-loop syste Modification to an existing permit Closure plan only submitted for a proposed alternative method	em, below-grade tank, t	or proposed alternat	tive method
Instructions: Please submit one	- application (Form C-144) per individ	lual pit, closed-loop syst	em, below-grade tank	or alternative request
Please be advised that approval of this request environment. Nor does approval relieve the op	does not relieve the operator of liability	should operations result i	n pollution of surface v	vater, ground water or the
i. Operator: BP AMERICA PRODUCT	ION COMPANY	OGRID #: 7	78	
Address: 200 Energy Court, Farming				
Facility or well name: STOREY D 001	M			
API Number: <u>3004529247</u>	OCD	Permit Number:		
U/L or Qtr/Qtr J Section	26.0 Township 28.0N	Range 08W	County: San Jua	n County
Center of Proposed Design: Latitude 36.	63024 Lon	gitude <u>-107.64648</u>		NAD: □1927 🗷 1983
Surface Owner: 🗷 Federal 🗌 State 🔲 Pr	ivate 🗌 Tribal Trust or Indian Allotr	ment		
2.				RCVD APR 11'14
Pit: Subsection F or G of 19.15.17.1	1 NMAC			OIL CONS. DIV.
Temporary: Drilling Workover	_			DIST. 3
Permanent Emergency Cavitation				
Lined Unlined Liner type: Thick	nessmil	HDPE ☐ PVC ☐ O	her	
String-Reinforced				
Liner Seams: Welded Factory	Other	Volume:bbl	Dimensions: L	_ x W x D
3. Closed-loop System: Subsection H o	f 19.15.17.11 NMAC			
Type of Operation: P&A Drilling a intent)			ich require prior appro	val of a permit or notice of
Drying Pad Above Ground Steel			١	!
Lined Unlined Liner type: Thickness			Other	
Liner Seams: Welded Factory	Otner			
4. Subsection I of I				
Volume: 95.0 bbl Ty	rpe of fluid: Produced Water			
Tank Construction material: Steel				
Secondary containment with leak detection	· -			
☐ Visible sidewalls and liner ▼ Visible	e sidewalls only Other SINGLE	WALLED DOUBLE BO	TTOMED	
Liner type: Thickness	mil	her		
5.	,			
Alternative Method:	:			
Submittal of an exception request is require	ed. Exceptions must be submitted to	the Santa Fe Environme	ntal Bureau office for	consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify 4' Hogwire with single barbed wire	hospital,
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
8. Signs: Subsection C of 19.15.17.11 NMAC □ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.16.8 NMAC	
9. Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
10. Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	priate district pproval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	× Yes □ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ➤ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes 🗷 No ☐ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits)	☐ Yes ☐ No ■ NA
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	☐ Yes 🗷 No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes 🗷 No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes 🗷 No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes 🗷 No
Within an unstable area - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes 🗷 No
Within a 100-year floodplain FEMA map	☐ Ycs 🗷 No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC
and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. ■ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC ■ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC ■ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ■ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ■ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.1 Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if facilities are required.	
Disposal Facility Name: Disposal Facility Permit Number:	
Disposal Facility Name: Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future ser Yes (If yes, please provide the information below) No	
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMA Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	С
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sou provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate dist considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Just demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cann Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	15.17.11 NMAC

Form C-144 Oil Conservation Division Page 4 of 5

Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Jeffrey Peace Title: Field Environmental Advisor
Signature: Date: 06\14\2010
e-mail address: Peace.Jeffrey@bp.com Telephone: 505-326-9479
20. OCD Approval: Permit Application (including closure plan) Closure Plan (only) CCD Conditions (see attachment)
OCD Representative Signature Signatu
Title: Title: OCD Permit Number:
21. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date: 2-18-2014
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
23. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
24. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check
mark in the box, that the documents are attached.
Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
 ✓ Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure)
☑ Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation) On-site Closure Location: Latitude 36.63024 Longitude —107.64648 NAD: 1927 🛛 1983
25.
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Teff leace Title: Area Environmental Advisor Signature: Date: April 11, 2014
\mathbf{I}
e-mail address: peace. jeffrey @ bf-com Telephone: (505) 326-9479

BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

Storey D 1M API No. 3004529247 Unit Letter J, Section 26, T28N, R8W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

- 1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.

 Notice is attached.
- 2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

Notice is attached.

- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)

- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported to a storage area for sale and re-use.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	95 bbl BGT	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	ND
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	ND
TPH	US EPA Method SW-846 418.1	100	ND
Chlorides	US EPA Method 300.0 or 4500B	250 or background	ND

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled and TPH, BTEX and chloride levels were below the stated limits. Sampling data is attached.

7. BP shall notify the division District III office of its results on form C-141. **C-141 is attached.**

8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results indicate no release occurred.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

The area under the BGT was backfilled with clean soil and is still within the active well area.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

BP will seed the area when the well is plugged and abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

BP will notify NMOCD when re-vegetation is successful.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

Closure report on C-144 form is included.

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Revised August 8, 2011

Form C-141

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

			Rele	ease Notific	catio	on and Co	orrective A	ction	1			
						OPERA'	TOR		☐ Initi	al Report	\boxtimes	Final Repor
						Contact: Jef						
			ington, N	M 87401		<u> </u>	No.: 505-326-94					<u> </u>
Unit Letter Section Township Range Seet from the 1,850 Latitude36.63024					Facility Typ	e: Natural gas v	vell					
Surface Ow	ner: Feder	al		Mineral (Owner	: Federal			API No	30045292	247	
				LOCA	ATIC	ON OF REI	LEASE					
Unit Letter	Section			Feet from the			Feet from the	East/\	West Line	County: S	an Juar	1
J	26	28N	8W	1,850	Sout	h	1,610	East				
	L	Lat	itude3	6.63024		Longitud	e107.64648_	!		<u> </u>		
				NAT	URI	E OF REL	EASE					
Type of Rele	ase: none								Volume I	Recovered: 1	V/A	
Source of Re	lease: belov	v grade tank –	- 95 bbl			Date and Hour of Occurrence: Date and Hour of Discovery: N/A						: N/A
Was Immedi	ate Notice (Given?					Whom?					
			Yes [] No 🛛 Not R	equired							
					_							
Was a Water	course Read		Yes ⊠	1 No		If YES, Vo	olume Impacting t	he Wate	ercourse.			
ii a Watercot	irse was im	pacted, Descr	ibe Fully.	•								
									g removal	to ensure no	soil im	npacts from
					moved	and the area u	nderneath the BG	T was s	ampled. Ti	ne excavated	l area v	vas
regulations a public health should their corthe environ	I operators or the envi- perations h nment. In a	are required to ronment. The lave failed to a ddition, NMC	o report ar acceptancadequately OCD accep	nd/or file certain reports of a C-141 report investigate and r	elease ort by t emedia	notifications ar he NMOCD mate contaminati	nd perform correctarked as "Final Recont that pose a three	tive acti eport" d eat to gr	ons for rele oes not reli ound water	eases which eve the oper , surface wa	may en ator of ter, hur	idanger Tiability man health
,						OIL CONSERVATION DIVISION						
Signature:	Jolf	Passe	-									
Printed Name	e: Jeff Peac	·				Approved by	Environmental Sp	pecialist	: 			
Title: Area E	nvironment	Facility Type: Natural gas well										
E-mail Addre	ss: peace.je	effrey@bp.cor	n			Conditions of	`Approval:			Attached		
Date: April Attach Addi		ets If Necess	_	05-326-9479								

CLIENT: BP		•		API#: 30045	29247						
CLIENT:	· ·	•	VI 87413	TANK ID (if applicble):	Α						
FIELD REPORT:	(circle one): BGT CONFIRMATION	RELEASE INVESTIGATION / (OTHER:	PAGE #: 1	of						
SITE INFORMATION				DATE STARTED: 0	2/18/14						
				DATE FINISHED:							
	EL KHODN										
		ONTRACTOR: MBF - B. S	SCHUMAN								
REFERENCE POINT	WELL HEAD (W.H.) GPS	COORD.: 36.6302									
i ' ' '											
The state of the s											
				RING FROM W.H.:	OVM						
· · · · · · · · · · · · · · · · · · ·	J				READING (ppm)						
					CI) 0.0						
1											
SOIL COLOR: DARK YELLO	MSH BROWN	PLASTICITY (CLAYS): NON PLASTI	C / SLIGHTLY PLASTIC / CO								
		HC ODOR DETECTED: YES NO	EXPLANATION -								
		ANY AREAS DISPLAYING WETNE	SS: YES (NO EXPLAN	IATION -							
,		THE TO SIGHT STATE OF THE STATE	06. 120 / 110 EXI D 11								
		anation:									
OTHER:	TES (NO) EXPLANATION -										
SOIL INADACT DINAENSIONI ESTIMATIONI	NA & Y NA	a Y NA a	EVC AVATION FOT	INANTION! (Oubin Vanda)	NIA						
				` ,	400						
		720111111 0110			111 - 1.00						
	^		[]								
W.H.	. CEDADATOD		171								
\oplus	SEPARATUR	BERM	W.		JILO						
				·····							
		$\left\langle \left\langle \left\langle \mathbf{x} \right\rangle \right\rangle \right\rangle$			T2						
	`		P	J#: Z2-006Q0							
	MOODE	PBGTL									
	R.W.	▼ T.B. ~ 7'									
		2.0.		ppm = parts per millio	on						
		TANK ID (If applicable): A TANK ID (If applicable): A TANK ID (If applicable): A PAGE #: 1 of 1 DATE STARTED: D2/18/14 DATE STARTED: D2/18/14 DATE FINSHED: ELICHORN PECALISTIS: JCB DISTANCEBEARING FROM WH: D									
NOTES: BGT = RELOWIGRADE TANK: ED = EXCAVATIO	DREPORT: (circle one): (BGT CONFRIBATION) / RELEASE MESTIGATION / OTHER DREPORT: (circle one): (BGT CONFRIBATION) / RELEASE MESTIGATION / OTHER DATE STARTED: 02/18/14 DATE STARTED: 02/18/18/18 DATE ST										
T.B. = TANK BOTTOM; PBGTL = PREVIOUS BELO	DW-GRADE TANK LOCATION; SPD = SAMPLE P	OINT DESIGNATION; R.W. = RETAINING		agnetic declination:	10°E						
APPLICABLE OR NOT AVAILABLE; SW - SINGLE NOTES:	WALL, DW - DOUBLE WALL, SB - SINGLE BOT	0011									
····											

Analytical Report Lab Order 1402A05

Date Reported: 3/5/2014

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering

Project:

Storey D#1M

Client Sample ID: 95 BGT 5-pt @ 7'

Collection Date: 2/18/2014 1:53:00 PM

Lab ID: 1402A05-001

Matrix: SOIL

Received Date: 2/26/2014 10:15:00 AM

Analyses	Result	RL Qual Units		DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANGE	ORGANICS				Analys	BCN
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	2/27/2014 6:48:31 PM	11903
Surr: DNOP	104	66-131	%REC	1	2/27/2014 6:48:31 PM	11903
EPA METHOD 8015D: GASOLINE RAI	NGE				Analyst	: JMP
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	2/27/2014 1:43:00 PM	11911
Surr: BFB	82.9	74.5-129	%REC	1	2/27/2014 1:43:00 PM	11911
EPA METHOD 8021B: VOLATILES					Analyst	: JMP
Benzene	ND	0.049	mg/Kg	1	2/27/2014 1:43:00 PM	11911
Toluene	ND	0.049	mg/Kg	1	2/27/2014 1:43:00 PM	11911
Ethylbenzene	ND	0.049	mg/Kg	1	2/27/2014 1:43:00 PM	11911
Xylenes, Total	ND	0.097	mg/Kg	1	2/27/2014 1:43:00 PM	11911
Surr: 4-Bromofluorobenzene	93.5	80-120	%REC	1	2/27/2014 1:43:00 PM	11911
EPA METHOD 300.0: ANIONS					Analyst	:: JRR
Chloride	ND	30	mg/Kg	20	3/3/2014 10:06:42 PM	11949
EPA METHOD 418.1: TPH					Analyst	BCN
Petroleum Hydrocarbons, TR	ND	20	mg/Kg	1	2/27/2014	11897

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Ε Value above quantitation range
- 1 Analyte detected below quantitation limits
- RSD is greater than RSDlimit О
- RPD outside accepted recovery limits R
- Spike Recovery outside accepted recovery limits
- Analyte detected in the associated Method Blank В
- Holding times for preparation or analysis exceeded Н
- ND Not Detected at the Reporting Limit

Page 1 of 6

- P Sample pH greater than 2.
- Reporting Detection Limit

Hall Environmental Analysis Laboratory, Inc.

WO#:

1402A05

05-Mar-14

Client:

Blagg Engineering

Project:

Storey D#1M

Sample ID MB-11949

SampType: MBLK

TestCode: EPA Method 300.0: Anions

Client ID:

PBS

Batch ID: 11949

PQL

RunNo: 17054

Prep Date: 2/28/2014

Analysis Date: 2/28/2014

SeqNo: 490414

%REC LowLimit

Units: mg/Kg

HighLimit

%RPD **RPDLimit**

Qual

Analyte Chloride

ND 1.5

Sample ID LCS-11949

SampType: LCS

Result

TestCode: EPA Method 300.0: Anions

Client ID: LCSS

Batch ID: 11949

RunNo: 17054

Prep Date: 2/28/2014

Analysis Date: 2/28/2014

Batch ID: 11949

Analysis Date: 3/3/2014

PQL

SeqNo: 490415

Units: mg/Kg

%RPD

Analyte Chloride

Client ID:

Prep Date:

Result 14

15.00

SPK value SPK Ref Val %REC 0 92.2

90

HighLimit

RPDLimit Qual

2/28/2014

1.5

LowLimit

110

Sample ID MB-11949 PBS

SampType: MBLK

TestCode: EPA Method 300.0: Anions RunNo: 17087

Units: mg/Kg

Analyte

Result **PQL**

SeqNo: 491347

HighLimit

Qual

Chloride

ND 1.5 SPK value SPK Ref Val %REC LowLimit

SPK value SPK Ref Val

RPDLimit %RPD

Sample ID LCS-11949

LCSS

SampType: LCS

TestCode: EPA Method 300.0: Anions

%REC

RunNo: 17087

Units: mg/Kg

Analyte

Client ID:

Prep Date: 2/28/2014

Batch ID: 11949 Analysis Date: 3/3/2014

0

SeqNo: 491348

LowLimit

HighLimit

%RPD

Qual

RPDLimit

Chloride

Result

14

1.5

SPK value SPK Ref Val 15.00

95.0

90

110

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Value above quantitation range Е
- Analyte detected below quantitation limits J
- RSD is greater than RSDlimit 0
- RPD outside accepted recovery limits R Spike Recovery outside accepted recovery limits S
- Analyte detected in the associated Method Blank
- Н Holding times for preparation or analysis exceeded
- Sample pH greater than 2
- Reporting Detection Limit RL

Not Detected at the Reporting Limit

Page 2 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#:

1402A05

05-Mar-14

Client:

Blagg Engineering

Project:

Storey D #1M

Sample ID MB-11897

SampType: MBLK

TestCode: EPA Method 418.1: TPH

Client ID:

PBS

Batch ID: 11897

RunNo: 16974

Prep Date: 2/25/2014 Analysis Date: 2/27/2014

SeqNo: 488444

Units: mg/Kg

PQL Result

SPK value SPK Ref Val

%REC LowLimit

HighLimit

%RPD **RPDLimit** Qual

Petroleum Hydrocarbons, TR

Prep Date:

Analyte

ND

Sample ID LCS-11897

Client ID: LCSS

2/25/2014

SampType: LCS Batch ID: 11897

PQL

TestCode: EPA Method 418.1: TPH RunNo: 16974

Result

Analysis Date: 2/27/2014

SeqNo: 488445

106

Units: mg/Kg

%RPD

Qual

Qual

Petroleum Hydrocarbons, TR

110 20

TestCode: EPA Method 418.1: TPH

80

HighLimit 120 **RPDLimit**

Sample ID LCSD-11897

SampType: LCSD

RunNo: 16974

Client ID: Prep Date: 2/25/2014

LCSS02

Batch ID: 11897

Analysis Date: 2/27/2014

SeqNo: 488446

Units: mg/Kg

RPDLimit

Analyte Petroleum Hydrocarbons, TR **PQL**

110

20

SPK value SPK Ref Val 100.0

100.0

%REC

SPK value SPK Ref Val %REC

109

LowLimit 80

LowLimit

HighLimit %RPD 120

2.69

20

Qualifiers:

S

Value exceeds Maximum Contaminant Level.

Spike Recovery outside accepted recovery limits

Value above quantitation range Е

Analyte detected below quantitation limits

RSD is greater than RSDlimit 0

RPD outside accepted recovery limits

Н

Analyte detected in the associated Method Blank

Holding times for preparation or analysis exceeded

P Sample pH greater than 2.

RLReporting Detection Limit

Not Detected at the Reporting Limit

Page 3 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#: 1402A05

05-Mar-14

Client:

Blagg Engineering

-	D#1M								
Sample ID MB-11903	SampType:	MBLK	Tes	tCode: EI	PA Method	8015D: Dies	el Range (Organics	<u> </u>
Client ID: PB\$	Batch ID:	Batch ID: 11903			RunNo: 16968				
Prep Date: 2/26/2014	Analysis Date:	2/26/2014	9	SeqNo: 4	88291	Units: mg/F	(g		
Analyte	Result PQ	L SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10					·		
Surr: DNOP	8.0	10.00		79.6	66	131			
Sample ID LCS-11903	SampType:	LCS	Tes	tCode: El	PA Method	8015D: Diese	el Range (Organics	· · · · · ·
Client ID: LCSS	Batch ID:	11903	F	RunNo: 1	6968				
Prep Date: 2/26/2014	Analysis Date:	2/26/2014	S	SeqNo: 4	88292	Units: mg/K	(g		
Analyte	Result PQ	L SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	46	10 50.00	0	92.6	60.8	145			
Surr: DNOP	4.0	5.000		80.8	66	131			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 4 of 6

Hall Environmental Analysis Laboratory, Inc.

880

WO#:

1402A05

05-Mar-14

Qual

Client:

Surr: BFB

Blagg Engineering

Project:

Storey D #1M

Sample ID MB-11911 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range Client ID: **PBS** Batch ID: 11911 RunNo: 17016 Prep Date: Analysis Date: 2/27/2014 2/26/2014 SeqNo: 489476 Units: mg/Kg Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** ND Gasoline Range Organics (GRO) 5.0 Surr: BFB 810 1000 81.3 74.5 129

1000

Sample ID LCS-11911 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range Client ID: LCSS Batch ID: 11911 RunNo: 17016 Prep Date: 2/26/2014 Analysis Date: 2/27/2014 SeqNo: 489477 Units: mg/Kg Result **PQL** SPK value SPK Ref Val %REC %RPD Analyte LowLimit HighLimit **RPDLimit** Qual Gasoline Range Organics (GRO) 24 5.0 25.00 0 96.2 71.7 134

74.5

129

87.5

Qualifiers:

* Value exceeds Maximum Contaminant Level.

E Value above quantitation range

J Analyte detected below quantitation limits

O RSD is greater than RSDlimit

R RPD outside accepted recovery limits

S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

P Sample pH greater than 2.

RL Reporting Detection Limit

Page 5 of 6

Hall Environmental Analysis Laboratory, Inc.

0.050

0.050

0.050

0.10

1.000

1.000

1.000

3.000

1.000

1.1

1.1

1.1

3.4

1.0

WO#: 14

1402A05 05-Mar-14

Client:

Blagg Engineering

Project:

Benzene

Toluene

Ethylbenzene

Xylenes, Total

Surr: 4-Bromofluorobenzene

Storey D#1M

Sample ID MB-11911 SampType: MBLK				Tes						
Client ID: PB\$	ID: PB\$ Batch ID: 11911			F	RunNo: 17016					
Prep Date: 2/26/2014	Analysis I	Date: 2 /	27/2014	8	SeqNo: 489490 Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.050	····							
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.92		1.000		92.0	80	120			
Sample ID LCS-11911	Samp	Type: LC	s	Tes	Code: El	PA Method	8021B: Vola	tiles		
Client ID: LCSS	Batcl	h ID: 11 !	911	F	lunNo: 1	7016				
Prep Date: 2/26/2014	Analysis [Date: 2/	27/2014	S	eqNo: 4	89491	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual

0

0

0

0

109

112

112

113

99.6

80

80

80

80

80

120

120

120

120

120

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 6 of 6

Client: Blagg Engineering, Inc.			Standard □ Rush							ANALYSIS LABORATORY										
F	BP America	3		Project Name:				ANALYSIS LABORATORY www.hallenvironmental.com												
Mailing Addre	ess:	P.O. Box	< 87	Storey D #1M Project #:				4901 Hawkins NE - Albuquerque, NM 87109												
		Bloomfie	eld, NM 87413					Tel. 505-345-3975 Fax 505-345-4107												
Phone #:		(505)320)-1183	·						e de la	at a	Α	naly	sis	Req	uest				
email or Fax#:				Project Manager:																
QA/QC Package:				Jeff Blagg						_									•	
Standard Level 4 (Full Validation))				╛		8										
☐ Other		·		Sampler: Jeff Blagg					3 (GRO / DRO)	Q/										15
☐ EDD (Type	e)			On ice				5 v 10 v		RO										5
		1	<u></u>	Sample Temperature: , 🖕				\mid \in		3 (G										≿
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEALN	lo うう	BTEX (8021)		TPH 8015B	TPH 418.1								Chloride	Air Bubbles (Y or N)
02/18/2014	1:53	Soil	95 BGT 5-pt @ 7'	4oz x 1	cool	-001	<u> </u>	X		×	х								x	+
				<u> </u>		<u> </u>													+	+
								-											\dashv	
		 						-					-				\vdash	\dashv		+
					,			-									\vdash		+	
																 -			\dashv	_
																	 		_	_
			·																\bot	
	<u> </u>							<u>i</u>												
																				\perp
3/25/2014	Time:	Relinquish Relinquish	1 Bycs	Received by: Received by:	pholos	2/25/14	Time SIO Time	Pay BP (leas	ease copy results to:							
2/25 H	749	submitted to H	all Environmental may be subcontracte	ed to other accredite	OZ diaboratories This		2/5_	peace.jeffrey@bp.com bility. Any sub-contracted data will be clearly notated on the analytical report.							<u>-</u>					



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name	BLAGG	2	Work Order Num	ber: 1402A	\05		Rcpt	No: 1
Received by	/date:	62	2/26/14					; ;
Logged By:	LindsayW	angin 2	/26/2014 10:15:00) AM		Jamely Hofe	D	•
Completed E	By: Lindsay M	angin 2	/26/2014 1:01:24	PM		Junky Hleng	Do	
Reviewed B	At	02/26/14						
Chain of C								
1. Custody	seals intact on s	ample bottles?		Yes		No 🗀	Not Present	✓.
2. Is Chain	of Custody comp	olete?		Yes	Y	No 🗌	Not Present	
3. How was	the sample deli	vered?		Couri	<u>er</u>			
<u>Log In</u>								
4. Was an	attempt made to	cool the samples?		Yes	V	No :	NA	: · ·
5. Were all	samples receive	d at a temperature o	f >0° C to 6.0°C	Yes	✓	No 🔝	NA :	·
6. Sample	(s) in proper cont	ainer(s)?		Yes	V	No 🗀		
7. Sufficien	t sample volume	for indicated test(s)?	•	Yes	✓	No 🗀		
8. Are sam	ples (except VOA	and ONG) properly	preserved?	Yes	Y	No 🗌		
9. Was pre	servative added	to bottles?		Yes		No 🔽	NA	•
10.VOA via	ls have zero head	ispace?		Yes	<u> </u>	No 🖂	No VOA Vials	√
11. Were ar	ny sample contair	ners received broken	7	Yes		No 🔽	# of preserved	
, 							bottles checked	I
	perwork match be screpancies on cl			Yes		No L.	for pH:	<2 or >12 unless noted)
		ntified on Chain of C	ustody?	Yes	V	No 🗌	Adjusted1	}
14. Is it clea	r what analyses v	vere requested?		Yes	¥	No 🗀	!	
	holding times ab tify customer for			Yes	V	No 🗌	Checked I	oy:
<u>Special Ha</u>	andling (if ap	plicable)				,		
16. Was clie	nt notified of all o	discrepancies with thi	s order?	Yes	!! 	No	NA :	Y :
Pe	rson Notified:		Date	e:]		A STATE OF THE PROPERTY OF THE	•	•
i	Whom:		: Via:	[] еМа	il []]	Phone 门 Fax	[] In Person	: ••• i
	egarding:					and the same of th		.
· ·	ent Instructions:	J	. ,,,,,	· · · · · · · · · · · · · · · · · · ·	·	·		
17. Addition	nal remarks:							
	Information	حان سنیمان		- ما	. 1		1	
Cool	er No Temp °C 1.6	Good Yes	I Intact Seal No	Seal Da	te	Signed By		
L'				J			I	





BP America Production Company 200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

November 21, 2013

Bureau of Land Management Mark Kelly 6251 College Blvd Suite A Farmington, NM 87402

VIA CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Re: Notification of plans to close/remove a below grade tank

Well Name: STOREY D 001M

Dear Mr. Kelly,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about December 20, 2013. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

Unless you have questions about this notice, there is no need to respond to this letter. If you do have any questions or concerns, please contact me at 505-326-9214

Sincerely,

Jerry Van Riper Surface Land Negotiator

BP America Production Company

BP America Production Company

200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

SENT VIA E-MAIL TO: BRANDON.POWELL@STATE.NM.US

November 21, 2013

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

STOREY D 001M API 30-045-29247 (G) Section 26- T28N - R08W San Juan County, New Mexico

Dear Mr. Brandon Powell:

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 95 bbl BGT that will no longer be operational at this well site.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,

Jeff Peace

BP Field Environmental Advisor

(505) 326-9479



