| District I |
|---|
| 1625 N. French Dr., Hobbs, NM 88240 |
| District II |
| 811 S. First St., Artesia, NM 88210 |
| District III |
| 1000 Rio Brazos Road, Aztec, NM 87410 |
| District IV |
| 1220 S. St. Francis Dr., Santa Fe, NM 87505 |

| State of New Mexico |
|---------------------------------------|
| Energy Minerals and Natural Resources |
| Department |
| Oil Conservation Division |
| 1220 South St. Francis Dr. |
| Santa Fe, NM 87505 |

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office. For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

| Proposed Alternative Method Permit or Closure Plan Application 1950 45-20811 Type of action: Below grade tank registration Permit of a pit or proposed alternative method Closure of a pit, below-grade tank, or proposed alternative method |
|--|
| 1950 "Type of action: Below grade tank registration |
| Hermit of a pit of proposed alternative method ☐ Closure of a pit, below-grade tank, or proposed alternative method ☐ Modification to an existing permit/or registration ☐ Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. |
| Decrator: BP America Production CompanyOGRID #:778 |
| Address:200 Energy Court, Farmington, NM 87401 |
| Facility or well name:Day A LS 10 |
| API Number: |
| U/L or Qtr/QtrJSection18Township29NRange8WCounty:San Juan |
| Center of Proposed Design: Latitude 36.72784 Longitude -107.72021 NAD: NAD: NAD: NAD: NAD: NAD: NAD: NAD: |
| 2 |
| Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Drilling Fluid yes no Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other String-Reinforced |
| Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other |
| □ Lined □ Unlined Liner type: Thicknessmil □ LLDPE □ HDPE □ PVC □ Other □ String-Reinforced Liner Seams: □ Welded □ Factory □ Other Volume:bbl Dimensions: L x W x D 3. 3. 3. 3. Below-grade tank: Subsection J of 19.15.17.11 NMAC Tank A Volume:45.0bbl Type of fluid:Produced water Tank Construction material:Steel □ Secondary containment with leak detection □ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off |
| □ Lined □ Unlined Liner type: Thickness mil □ LLDPE □ HDPE □ PVC □ Other □ String-Reinforced Liner Seams: □ Welded □ Factory □ Other |

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

.

22

| Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tan | Fencing: | Subsection D of 19.15.17.11 | NMAC (Applies to permanent p | pits, temporary pits, and below-grade t | anks) |
|---|----------|-----------------------------|------------------------------|---|-------|
|---|----------|-----------------------------|------------------------------|---|-------|

Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)

Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate. Please specify_

5

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)

Screen Netting Other_

Monthly inspections (If netting or screening is not physically feasible)

Signs: Subsection C of 19.15.17.11 NMAC

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

Variances and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.

| <u>General siting</u> | |
|---|--------------------|
| <u>Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.</u> - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | ☐ Yes ☐ No ☐ NA |
| Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | □ Yes □ No □ NA |
| Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) Written confirmation or verification from the municipality; Written approval obtained from the municipality | 🗋 Yes 🗌 No |
| Within the area overlying a subsurface mine. (Does not apply to below grade tanks) Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division | 🗌 Yes 🗌 No |
| Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map | 🗌 Yes 🗍 No |
| Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map | 🗋 Yes 🗌 No |
| Below Grade Tanks | |
| Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site | 🗌 Yes 🗌 No |
| Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site | 🗌 Yes 🗌 No |
| Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter) | |
| Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) Topographic map; Visual inspection (certification) of the proposed site | 🗌 Yes 🗌 No |

| Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial | Yes No |
|--|---------------|
| application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image | |
| | |
| Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site | 🗌 Yes 🗌 No |
| Within 100 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site | 🗍 Yes 🗌 No |
| <u>Temporary Pit Non-low chloride drilling fluid</u> | |
| Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, | |
| or playa lake (measured from the ordinary high-water mark). |] |
| - Topographic map; Visual inspection (certification) of the proposed site | 🗌 Yes 🗌 No |
| Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image | 🗌 Yes 🗌 No |
| Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock | |
| watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site | Yes No |
| Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site | 🗌 Yes 🗌 No |
| <u>Permanent Pit or Multi-Well Fluid Management Pit</u> | |
| Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa | |
| lake (measured from the ordinary high-water mark). | |
| - Topographic map; Visual inspection (certification) of the proposed site | Yes 🗌 No |
| Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image | 🗌 Yes 🗌 No |
| Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of | |
| initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site | 🗌 Yes 🗌 No |
| Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site | 🗌 Yes 🗌 No |
| 10. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N | IMAC |
| Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc | |
| <i>attached.</i> Use of the second | |
| Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 | NMAC |
| Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC | |
| Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. | 15.17.0 NMAC |
| and 19.15.17.13 NMAC | 15.17.9 NMAC |
| Previously Approved Design (attach copy of design) API Number: or Permit Number: | |
| 11. Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC | |
| Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc | cuments are |
| <i>attached.</i> Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC | |
| Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC | |
| A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 | .15.17.9 NMAC |
| and 19.15.17.13 NMAC | |
| Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC | |
| Previously Approved Design (attach copy of design) API Number: or Permit Number: | |

| 12. Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H₂S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan | documents are |
|---|---------------------|
| Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC | |
| 13. Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method On-site Trench Burial | luid Management Pit |
| 14. | |
| Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC | |
| 15. | ···· |
| Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. I 19.15.17.10 NMAC for guidance. | |
| Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | □ Yes □ No □ NA |
| Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | ☐ Yes ☐ No ☐ NA |
| Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | □ Yes □ No □ NA |
| Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site | 🗌 Yes 🗌 No |
| Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image | 🗌 Yes 🗌 No |
| Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site | 🗌 Yes 🗍 No |
| Written confirmation or verification from the municipality; Written approval obtained from the municipality | 🗋 Yes 🗌 No |
| Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site | |
| Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance | |
| | |

| adopted pursuant to NMSA 1978, Section 3-27-3, as amended. | |
|--|---|
| - Written confirmation or verification from the municipality; Written approval obtained from the municipality | 🔲 Yes 🗌 No |
| Within the area overlying a subsurface mine. | |
| - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division | 🔲 Yes 🗌 No |
| Within an unstable area. | |
| Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map | |
| | Yes 🗌 No |
| Within a 100-year floodplain. - FEMA map | 🗌 Yes 🗌 No |
| · | |
| Dn-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure p by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.1 Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards car Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC | 7.11 NMAC 9.15.17.11 NMAC |
| 17. Operator Application Certification: | |
| I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and be | lief. |
| | |
| Name (Print): Title: | |
| | |
| Signature: Date: | |
| Signature: e-mail address: Telephone: | |
| e-mail address: Telephone: | |
| e-mail address: | |
| e-mail address: Telephone: | |
| e-mail address: Telephone: | |
| e-mail address: | |
| c-mail address: | g the closure report. |
| e-mail address: | g the closure report. |
| c-mail address: | g the closure report. |
| e-mail address: | g the closure report. of complete this |
| c-mail address: | g the closure report. of complete this |
| c-mail address: | g the closure report. of complete this |
| e-mail address: | g the closure report. of complete this |
| e-mail address: Telephone: 0CD Approval: Permit Application (including closure plan) Closure Plan (onty) OCD Conditions (see attachment) OCD Representative Signature: | g the closure report. of complete this |
| c-mail address: | g the closure report. of complete this |
| e-mail address: | g the closure report. of complete this |
| e-mail address: | g the closure report. of complete this |

22. Operator Closure Certification:

| I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge a | nd |
|---|----|
| belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan. | |

| Name (Print):Jeff Peace | Title: Area Environmental Advisor |
|-------------------------------------|-----------------------------------|
| Signature: | Date:June 12, 2014 |
| e-mail address:peace.jeffrey@bp.com | Telephone:(505) 326-9479 |

BP AMERICA PRODUCTION COMPANY SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

<u>Day A_LS 10</u> <u>API No. 3004520811</u> <u>Unit Letter J, Section 18, T29N, R8W</u>

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B. D. or E of 19.15.17.17 NMAC.

General Closure Plan

- 1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement. **Notice is attached.**
- 2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number. Notice is attached.
- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)

- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported to a storage area for sale and re-use.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

| Constituents | Testing Method | Release Verification | Sample |
|--------------|-------------------------------------|----------------------|---------|
| | 45 bbl BGT | (mg/Kg) | results |
| Benzene | US EPA Method SW-846 8021B or 8260B | 0.2 | ND |
| Total BTEX | US EPA Method SW-846 8021B or 8260B | 50 | ND |
| TPH | US EPA Method SW-846 418.1 | 100 | ND |
| Chlorides | US EPA Method 300.0 or 4500B | 250 or background | ND |

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled and TPH, BTEX and chloride levels were below the stated limits. Sampling data is attached.

7. BP shall notify the division District III office of its results on form C-141. C-141 is attached.

- If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.
 Sampling results indicate no release occurred.
- 9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

The area under the BGT was backfilled with clean soil and will be reclaimed with the rest of the site since the well has been plugged and abandoned.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area over the BGT will be reclaimed with the rest of the site as part of final reclamation since the well has been plugged and abandoned.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area over the BGT will be reclaimed with the rest of the site as part of final reclamation since the well has been plugged and abandoned.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area over the BGT will be reclaimed with the rest of the site as part of final reclamation since the well has been plugged and abandoned.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

BP will seed the area as part of final reclamation since the well has been plugged and abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

BP will notify NMOCD when re-vegetation is successful.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation. Closure report on C-144 form is included.
- 16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

Form C-141 Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

| 1220 S. St. Fra | ncis Dr., Sant | a Fe, NM 8750: | 5 | Sa | | e, NM 875 | | | | | | |
|---|---|---|---|---|-----------------------------------|---|--|---|---|--|--|-------------------------------------|
| ····· | | | Rele | ase Notifi | catio | n and Co | orrective A | ction | | | | |
| | | D | | | | OPERA | | [| Initia | al Report | \square | Final Report |
| Name of C | | | | 4 97401 | | Contact: Jef | | 170 | | . <u> </u> | | |
| Facility Na | | Court, Farm | ington, N | VI 87401 | | | No.: 505-326-94 | | | | | |
| | | | | | | | | | | | | |
| Surface Ov | ner: Feder | al | | Mineral (| Owner: | Federal | | | API No | . 30045208 | 311 | |
| | | | | | ATIO | N OF RE | LEASE | | | | | |
| Unit Letter J | Section Township Range Feet from the North | | | | North South | /South Line | Feet from the 1,500 | East/W East | st/West Line County: San Juan | | | 1 |
| | | Lat | itude3 | 5.72784 | | _ Longitud | e107.72021_ | | | <u> </u> | | |
| | | | | NAT | URE | OF REL | EASE | | | | | |
| Type of Rela | | | | | | | Release: N/A | | | Recovered: N | | |
| Source of Re | elease: below | v grade tank – | - 45 bbl | | | Date and F | Iour of Occurrenc | be: | Date and | Hour of Dis | covery | : N/A |
| Was Immedi | ate Notice (| | | | | If YES, To | Whom? | L. | | | - | |
| | | | Yes | No 🛛 Not R | equired | | | | | | | |
| By Whom? | | | | | | Date and H | | | | | | |
| Was a Water | course Read | | Yes 🛛 | No | | If YES, Volume Impacting the Watercourse. | | | | | | |
| 10 11/ 1 | | pacted, Descr | | | | | | | | | | |
| | | | | | | | the BGT was don is results are attac | | removal | to ensure no | soil im | npacts from |
| | | | | | | | nderneath the BG as been plugged | | | ne excavated | l area v | vas |
| regulations a public health should their or the enviro | II operators or the envir operations h nment. In a | are required t ronment. The ave failed to a | o report an acceptanc adequately OCD accep | d/or file certain r e of a C-141 repo investigate and r | elease n ort by the emediat | otifications as e NMOCD m e contaminati | knowledge and u nd perform correc arked as "Final R on that pose a thr e the operator of p | ctive actio eport" do eat to gro responsib | ns for rele es not reli und water ility for co | eases which eve the oper , surface wa ompliance w | may er ator of ter, hu vith any | ndanger Fliability man health |
| (| 1.00 | 0 | | | | | OIL CON | SERVA | ATION | DIVISIC | <u>N</u> | |
| Signature: | VII- | Peace | | | | | | | | | | |
| Printed Nam | 0∦ ^V e: Jeff Peace | • 3 | | | | Approved by | Environmental S | pecialist: | | | | |
| Title: Area E | | | | | | Approval Dat | e: | E | xpiration l | Date: | | |
| E-mail Addr | ess: peace.je | effrey@bp.com | <u>n</u> | | | Conditions of Approval: | | | | | | |
| Date: June I | 2, 2014 | | Phone: 50 | 5-326-9479 | | | | | | | | |

* Attach Additional Sheets If Necessary

| CLIENT: BP | BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199 | API #: 3004520811 TANK ID (if applicble): A |
|--|--|---|
| FIELD REPORT: | (circle one): BGT CONFIRMATION / RELEASE INVESTIGATION / OTHER: | PAGE #: _1_ of _1_ |
| QUAD/UNIT: SEC: 18 TWP: 1/4 -1/4/FOOTAGE: 1,740'S / 1,50 | SITE NAME: DAY A LS # 10 29N RNG: 8W PM: NM CNTY: SJ ST: NM 0'E NW/SE LEASE TYPE: FEDERAL / STATE / FEE / INDIAN CROSSFIRE | DATE STARTED: 04/10/14 DATE FINISHED: ENVIRONMENTAL SPECIALIST(S): JCB |
| REFERENCE POINT 1) 95 BGT (SW/DB) 2) | GPS COORD.: 36.722703 X 107.712259 DISTANCE/B GPS COORD.: DISTANCE/B | 47 GL ELEV.: 6,466' EARING FROM W.H.: 20', S11W EARING FROM W.H.: |
| 2) SAMPLE ID: | CHAIN OF CUSTODY RECORD(S) # OR LAB USED: | |
| | COHESIVE COHESIVE / HIGHLY COHESIVE DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM IOSE FIRM/ DENSE / VERY DENSE HC ODOR DETECTED: YES (NO EXPLANATION | / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC // STIFF / VERY STIFF / HARD |
| APPARENT EVIDENCE OF A RELEASE OBSERVE EQUIPMENT SET OVER RECLAIMED AREA: OTHER: GAS WELL RECENTLY PLUGGE LINER. OBTAINED SAMPLE BELOW SOIL IMPACT DIMENSION ESTIMATION: | D & ABANDONED (P & A). LOWER PORTION OF SIDEWALLS PARTIALLY BUR INER MITH BACKHOE. INITIAL GPS COORDINATE ERRONEOUS FOR BOTH NA | |
| SITE SKETCH | BGT Located : off on site PLOT PLAN circle: attached | $\begin{array}{c c} \mbox{MCALIB. READ. $$z$} & 100.4 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$ |
| T.B. = TANK BOTTOM; PBGTL = PREVIOUS BEL | WALL, DW - DOUBLE WALL, 3B - SINGLE BOTTOW, DB - DOUBLE BOTTOW: | BGT Sidewalls Visible: Y / N Magnetic declination: 10 ° E |

Analytical Report

Lab Order 1404597

Date Reported: 4/22/2014

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering Client Sample ID: 45 BGT 5-pt @ 6' Project: Day A LS 10 Collection Date: 4/10/2014 11:45:00 AM Lab ID: 1404597-001 Matrix: SOIL Received Date: 4/12/2014 12:00:00 PM Analyses Result RL Qual Linits DF Date Analyzed F

| Analyses | Result | RL Qu | al Units | DF | Date Analyzed | Batch |
|---|--------|----------|----------|----|----------------------|--------|
| EPA METHOD 8015D: DIESEL RANGE ORGANICS | | | | | Analys | t: BCN |
| Diesel Range Organics (DRO) | ND | 9.8 | mg/Kg | 1 | 4/15/2014 6:11:48 PM | 12686 |
| Surr: DNOP | 76.9 | 66-131 | %REC | 1 | 4/15/2014 6:11:48 PM | 12686 |
| EPA METHOD 8015D: GASOLINE RA | NGE | | | | Analys | t: RAA |
| Gasoline Range Organics (GRO) | ND | 4.7 | mg/Kg | 1 | 4/16/2014 3:19:44 PM | 12692 |
| Surr: BFB | 89.0 | 74.5-129 | %REC | 1 | 4/16/2014 3:19:44 PM | 12692 |
| EPA METHOD 8021B: VOLATILES | | | | | Analys | t: RAA |
| Benzene | ND | 0.047 | mg/Kg | 1 | 4/16/2014 3:19:44 PM | 12692 |
| Toluene | ND | 0.047 | mg/Kg | 1 | 4/16/2014 3:19:44 PM | 12692 |
| Ethylbenzene | ND | 0.047 | mg/Kg | 1 | 4/16/2014 3:19:44 PM | 12692 |
| Xylenes, Total | ND | 0.094 | mg/Kg | 1 | 4/16/2014 3:19:44 PM | 12692 |
| Surr: 4-Bromofluorobenzene | 104 | 80-120 | %REC | 1 | 4/16/2014 3:19:44 PM | 12692 |
| EPA METHOD 300.0: ANIONS | | | | | Analys | t: JRR |
| Chloride | ND | 30 | mg/Kg | 20 | 4/15/2014 2:53:10 PM | 12716 |
| EPA METHOD 418.1: TPH | | | | | Analys | t: BCN |
| Petroleum Hydrocarbons, TR | ND | 20 | mg/Kg | 1 | 4/15/2014 | 12673 |
| | | | | | | |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

| Qualifiers: * | | Value exceeds Maximum Contaminant Level. | В | Analyte detected in the associated Metho | od Blank | | | |
|---------------|---|---|---|--|-------------|--|--|--|
| I | Е | Value above quantitation range | Holding times for preparation or analysis | tion or analysis exceeded | | | | |
| | 1 | Analyte detected below quantitation limits | ND | Not Detected at the Reporting Limit | Page 1 of 5 | | | |
| | 0 | RSD is greater than RSDlimit | Р | Sample pH greater than 2. | ruge rors | | | |
| | R | RPD outside accepted recovery limits | RL | Reporting Detection Limit | | | | |
| | S | Spike Recovery outside accepted recovery limits | | | | | | |

Client:Blagg EngineeringProject:Day A LS 10

Ξ

| Sample ID MB-12673 | SampType: MBLK | TestCode: EPA Method | 418.1: TPH | |
|----------------------------|--------------------------|---------------------------|---------------------|---------------|
| Client ID: PBS | Batch ID: 12673 | RunNo: 17999 | | |
| Prep Date: 4/11/2014 | Analysis Date: 4/15/2014 | SeqNo: 519327 | Units: mg/Kg | |
| Analyte | Result PQL SPK value | SPK Ref Val %REC LowLimit | HighLimit %RPD | RPDLimit Qual |
| Petroleum Hydrocarbons, TR | ND 20 | | | |
| Sample ID LCS-12673 | SampType: LCS | TestCode: EPA Method | 418.1: TPH | |
| Client ID: LCSS | Batch ID: 12673 | RunNo: 17999 | | |
| Prep Date: 4/11/2014 | Analysis Date: 4/15/2014 | SeqNo: 519328 | Units: mg/Kg | |
| Analyte | Result PQL SPK value | SPK Ref Val %REC LowLimit | HighLimit %RPD | RPDLimit Qual |
| Petroleum Hydrocarbons, TR | 96 20 100.0 | 0 96.4 80 | 120 | |
| Sample ID LCSD-12673 | SampType: LCSD | TestCode: EPA Method | 418.1: TPH | |
| Client ID: LCSS02 | Batch ID: 12673 | RunNo: 17999 | | |
| Prep Date: 4/11/2014 | Analysis Date: 4/15/2014 | SeqNo: 519329 | Units: mg/Kg | |
| Analyte | Result PQL SPK value | SPK Ref Val %REC LowLimit | HighLimit %RPD | RPDLimit Qual |
| Petroleum Hydrocarbons, TR | 98 20 100.0 | 0 97.8 80 | 120 1.42 | 20 |

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

WO#: 1404597

22-Apr-14

Page 2 of 5

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

Client: Blagg Engineering

_

Project: Day A LS 10

| Sample ID MB-12686 | SampType: MBLK | 8015D: Diesel Range Organics | | | | | | |
|-----------------------------|--------------------------|------------------------------|------------------------------|--|--|--|--|--|
| Client ID: PBS | Batch ID: 12686 | RunNo: 17962 | | | | | | |
| Prep Date: 4/14/2014 | Analysis Date: 4/14/2014 | SeqNo: 518408 | Units: mg/Kg | | | | | |
| Analyte | Result PQL SPK value | SPK Ref Val %REC LowLimit | HighLimit %RPD RPDLimit Qual | | | | | |
| Diesel Range Organics (DRO) | ND 10 | | | | | | | |
| Surr: DNOP | 10 10.00 | 101 66 | 131 | | | | | |
| Sample ID LCS-12686 | SampType: LCS | TestCode: EPA Method | 8015D: Diesel Range Organics | | | | | |
| Client ID: LCSS | Batch ID: 12686 | RunNo: 17962 | | | | | | |
| Prep Date: 4/14/2014 | Analysis Date: 4/14/2014 | SeqNo: 518409 | Units: mg/Kg | | | | | |
| Analyte | Result PQL SPK value | SPK Ref Val %REC LowLimit | HighLimit %RPD RPDLimit Qual | | | | | |
| Diesel Range Organics (DRO) | 51 10 50.00 | 0 102 60.8 | 145 | | | | | |
| Surr: DNOP | 4.5 5.000 | 90.3 66 | 131 | | | | | |
| Sample ID MB-12726 | SampType: MBLK | TestCode: EPA Method | 8015D: Diesel Range Organics | | | | | |
| Client ID: PBS | Batch ID: 12726 | RunNo: 18017 | | | | | | |
| Prep Date: 4/15/2014 | Analysis Date: 4/17/2014 | SeqNo: 521794 | Units: %REC | | | | | |
| Analyte | Result PQL SPK value | SPK Ref Val %REC LowLimit | HighLimit %RPD RPDLimit Qual | | | | | |
| Surr: DNOP | 8.4 10.00 | 84.4 57.9 | 140 | | | | | |
| Sampie ID LCS-12726 | SampType: LCS | TestCode: EPA Method | 8015D: Diesel Range Organics | | | | | |
| Client ID: LCSS | Batch ID: 12726 | RunNo: 18017 | | | | | | |
| Prep Date: 4/15/2014 | Analysis Date: 4/17/2014 | SeqNo: 521795 | Units: %REC | | | | | |
| Analyte | Result PQL SPK value | SPK Ref Val %REC LowLimit | HighLimit %RPD RPDLimit Qual | | | | | |
| Surr: DNOP | 4.3 5.000 | 86.4 57.9 | 140 | | | | | |

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
 - P Sample pH greater than 2.
 - RL Reporting Detection Limit

Page 3 of 5

1404597 22-Apr-14

WO#:

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

Client:Blagg EngineeringProject:Day A LS 10

| Sample ID MB-12692 | SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range | | | | | | | | | |
|--|---|-------------------------------------|---------------------|---------------|-----------------------------------|----------------------------|----------------------------|------------|---------------|----------|
| Client ID: PBS | Batch ID: 12692 RunNo: 17997 | | | | | | | | | |
| Prep Date: 4/14/2014 | Analysis D |)ate: 4/ | 15/2014 | SeqNo: 519538 | | | Units: mg/M | | | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Gasoline Range Organics (GRO) | ND | 5.0 | | | | | 400 | | | |
| Surr: BFB | 870 | | 1000 | | 86.9 | 74.5 | 129 | | | |
| Surr: BFB | | ype: LC | | Tes | | | 129 8015D: Gaso | line Rang | e | <u> </u> |
| | SampT | ype: LC | :S | | | PA Method | | oline Rang | e | |
| Sample ID LCS-12692 | SampT | n ID: 12 | S 692 | F | tCode: El | PA Method 7997 | | Ū | e | |
| Sample ID LCS-12692 Client ID: LCSS | SampT Batch | n ID: 12 | S 692 15/2014 | F | tCode: El | PA Method 7997 | 8015D: Gasc | Ū | e RPDLimit | Qual |
| Sample ID LCS-12692 Client ID: LCSS Prep Date: 4/14/2014 | SampT Batch Analysis D | n ID: 12 Date: 4 / | S 692 15/2014 | F S | tCode: El RunNo: 1 SeqNo: 5 | PA Method 7997 19539 | 8015D: Gasc Units: mg/M | (g | | Qual |

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
 - P Sample pH greater than 2.
 - RL Reporting Detection Limit

WO#: 1404597

22-Apr-14

Page 4 of 5

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

Client: Blagg Engineering

Project: Day A LS 10

| | Camp | | Таа | 00040-1/-1- | | | | | | |
|--|---|---|--|---------------------------------|---|--|--|-------|----------|------|
| Sample ID MB-12692 | Samp | SampType: MBLK TestCode: EPA Method | | | | | 8021B: Vola | llies | | |
| Client ID: PBS | Batc | h ID: 12 | 692 | F | RunNo: 17997 | | | | | |
| Prep Date: 4/14/2014 | Analysis [| Date: 4/ | 15/2014 | S | SeqNo: 519613 | | Units: mg/K | ζg | | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Benzene | ND | 0.050 | | | | | | | | |
| Toluene | ND | 0.050 | | | | | | | | |
| Ethylbenzene | ND | 0.050 | | | | | | | | |
| Xylenes, Total | ND | 0.10 | | | | | | | | |
| Surr: 4-Bromofluorobenzene | 1.0 | | 1.000 | | 104 | 80 | 120 | | | |
| | | | | | | | 120 | | | |
| Sample ID LCS-12692 | | ype: LC | | Tes | | ·· ·· ·· | 8021B: Volat | iles | | |
| Sample ID LCS-12692 Client ID: LCSS | Samp | ype: LC | S | | | PA Method | | iles | | |
| • | Samp | n ID: 12 | S 692 | F | tCode: El | PA Method 7997 | | | | |
| Client ID: LCSS | Samp] Batcl | n ID: 12 | S 692 15/2014 | F | tCode: El RunNo: 1 | PA Method 7997 | 8021B: Volat | | RPDLimit | Qual |
| Client ID: LCSS Prep Date: 4/14/2014 | Samp⊺ Batcl Analysis [| n ID: 12 Date: 4 / | S 692 15/2014 | ਜ 2 | tCode: El RunNo: 1 SeqNo: 5 | PA Method 7997 19614 | 8021B: Volat Units: mg/K | g | RPDLimit | Qual |
| Client ID: LCSS Prep Date: 4/14/2014 Analyte | Samp Batcl Analysis E Result | n ID: 12 Date: 4 / | S 692 15/2014 SPK value | R S SPK Ref Val | tCode: El RunNo: 1 SeqNo: 5 %REC | PA Method 7997 19614 LowLimit | 8021B: Volat Units: mg/K HighLimit | g | RPDLimit | Qual |
| Client ID: LCSS Prep Date: 4/14/2014 Analyte Benzene | SampT Batcl Analysis E Result 1.1 | n ID: 12 Date: 4 / <u>PQL</u> 0.050 | S 692 15/2014 SPK value 1.000 | F S SPK Ref Val 0 | tCode: El RunNo: 1 SeqNo: 5 %REC 110 | PA Method 7997 19614 LowLimit 80 | 8021B: Volat Units: mg/K HighLimit 120 | g | RPDLimit | Qual |
| Client ID: LCSS Prep Date: 4/14/2014 Analyte Benzene Toluene | SampT Batcl Analysis E <u>Result</u> 1.1 1.0 | n ID: 12 Date: 4 <u>PQL</u> 0.050 0.050 | S 692 15/2014 SPK value 1.000 1.000 | F S SPK Ref Val 0 0 | tCode: El RunNo: 1 SeqNo: 5 %REC 110 102 | PA Method 7997 19614 LowLimit 80 80 | 8021B: Volat Units: mg/K HighLimit 120 120 | g | RPDLimit | Qual |

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 5 of 5

WO#: 1404597 22-Apr-14

HALL ENVIRONMENTAL ANALYSIS LABORATORY

Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

| Website: | www.nallenvironmental. | com | | |
|--|------------------------|-------------|--------------------------------|-------------|
| Client Name: BLAGG Work Order N | Number: 1404597 | | RcptNo: 1 | |
| Received by/date: AF 04/12/14 | | | | |
| Logged By: Lindsay Mangin 4/12/2014 12:0 | 0:00 PM | Junky Hongo | | |
| Completed By: Lindsax Mangin 4/14/2014 8:48 | :44 AM | And Happ | | |
| Reviewed By: DY | IIUliu | U | | |
| Chain of Custody | | | | |
| 1. Custody seals intact on sample bottles? | Yes . | No . | Not Present 🗸 | |
| 2. Is Chain of Custody complete? | Yes Ϋ | No | Not Present | |
| 3. How was the sample delivered? | Courier | | | |
| <u>Log In</u> | | | | |
| 4. Was an attempt made to cool the samples? | Yes 🗸 | No | NA | |
| 5. Were all samples received at a temperature of >0° C to 6.0° | C Yes 🗸 | Νο | NA | |
| 6. Sample(s) in proper container(s)? | Yes 🗸 | No | | |
| 7. Sufficient sample volume for indicated test(s)? | Yes 🗸 | No | | |
| 8. Are samples (except VOA and ONG) properly preserved? | Yes 🗸 | No | | |
| 9. Was preservative added to bottles? | Yes | No 🗸 | NA | |
| 10.VOA vials have zero headspace? | Yes | No | No VOA Vials 🗸 | |
| ⁱ 11. Were any sample containers received broken? | Yes | No 🗸 | # of preserved bottles checked | |
| 12. Does paperwork match bottle labels? | Yes 🗸 | No | for pH: | |
| (Note discrepancies on chain of custody) | | | (<2 or >12 un Adjunted2 | less noted) |
| 13. Are matrices correctly identified on Chain of Custody? | Yes 🖌 | No | Adjusted? | |
| 14. Is it clear what analyses were requested? | Yes 🖌 | No . No | Checked by: | |
| 15. Were all holding times able to be met? (If no, notify customer for authorization.) | Yes 🗸 | NO | | |
| Special Handling (if applicable) | | | | |
| 16. Was client notified of all discrepancies with this order? | Yes | No | NA 🗸 | |
| Person Notified: | Date: | | | |
| Construction of the Constr | • | hone Fax | in Person | |
| Regarding: | | | с. | |

.

Client Instructions:

Cooler Information Cooler No Temp °C Condition Seal Intact Seal No Seal Date Signed By 1 4.1 Good Yes

Page 1 of 1

| | Blagg.Engineering. Inc. | | Standard | | | | | AN | AL | /SI | 5 L | AB | DR | AȚ (| OR' | , Y | | | | |
|--|---------------------------------------|-------------|---------------------------------------|---------------------------------------|----------------------|---------------------------------------|-------------|---|-----------------------|-----------|---------------|---------|---------|-------|--------|---------------|-------------|----------------------|--|--|
| | BP America | | | | | | | | | | | 'n, | ŵww;h | allen | viranr | nenta | al.cor | n | | |
| Mailing Adda | e\$5: | P.O. Box 87 | | - | Day À LS 10 | | | 49 | 1871 | | | | | | | | | | | |
| | | Bloomne | ld, NM=87413 | Project #:: | | | ·**. | 4901 Hawkins NE - Albuquerque, NM Tel.:505-345-3975 Fax: 505-345-4 | | | | | | | 345-4 | 107 | | | | |
| Phone'#: | | (505)320 | -1183- | | | | | | | <u> </u> | Ana | lysis | Req | uest. | | ید . جد رو | | | | |
| email or Fax | #::- | | | Project Mana | iger: | | | | | 2 | I | | | | | 1 | | | | |
| QA/QC Packa | , . | | ELevel (4 (Full Validation | 1 | Jeff Blagg | - | | | RÒ) | | | 2 | 1 | • | i | - | | | | |
| | | | | Sampler | Jeff Blagg | | | | Ō | | | | | | | | | 5 | | |
| Other EDD (Typ) |); | | · | | S Yes | | 1 | | BO | | | | | | | | 1 | ŏ | | |
| | | | P | Sample Tem | perature: 7 | 7 | - 20 | | 0 | | | | | 1 | | | | <mark>≿</mark> | | |
| 'Date | Time | 'Matrix' | Sample Request ID | Container Type and # | Preservative Type | HEALNO, | BTEX (8021) | | TPH 8015B (GRO / DRO) | TPH 418.1 | | | | | | | Chloride | Air Bubbles (Y or N) | | |
| 04/10/2014 | 11:45 | Soil | 45 BGT-5-pt @ 6 | 1x 4oz | cool | -001 | : x | | \mathbf{x}_{i} | X | | | | - | | | x `' | | | |
| | | , | · · · · · · · · · · · · · · · · · · · | | | - | | | | - 1 | | | | | | ļ | | ŀ | | |
| | · · · · · · · · · · · | i : | | | | | | | | Ľ | | 1 | | 1 | | , | · | | | |
| | • | - · . | } | | | | - | | i | | | | | | 1 | 1 | | | | |
| ······································ | - | , , , , | , | , | | | | | | | - | | | | | | | | | |
| | · · · · · · · · · · · · · · · · · · · | | | | | | | | | | | | | | | | | | | |
| · | · . | | | | | | | | | | | | | | | _ | | | | |
| | <u></u> | | | | | · | 1 | · · · · | | <u> </u> | ' | | | | | | | | | |
| r <u>ia</u> | | - | | | | · · · · · · · · · · · · · · · · · · · | | | - e | | • | | • | | | | <u> </u> | ╉ | | |
| · · · · · · · · | *** **** | - | | | · · · | · | | - | · · · · · | | | | | | 2 | | + | | | |
| . <u></u> | | · · - ·- | | · · · · · · · · · · · · · · · · · · · | <u> </u> | | | <u> </u> | • | 4 | | - | i . | | | | | | | |
| | | <u> </u> | | | | | <u> </u> | • 1 | | | | - | | · | • • | | | | | |
| Date: | Time: 93D Time: | Relinguish | 1 Blege | Received by: | c Walter | Date Time 9/11/14 935 | Pay BF | Cont | ŻFE act | Jeff |)SJS Péace | <u></u> | ilees | e cop | y rés | suits | <u></u> | <u>-11 .</u> 1. | | |
| | | | stu libelus | fiteceived by | Q.C. | 112/19 (Zas | pea | ice.je | ffrey | @bp | com | | | | | | | 1 | | |

"If necessary samples submitted to Hall Environmental may be subcontracted to other accredited Sporatories." This bery samples submitted to Hall Environmental may be subcontracted to other accredited Sporatories. This bery samples submitted to Hall Environmental may be subcontracted to other accredited Sporatories. This bery samples submitted to Hall Environmental may be subcontracted to other accredited Sporatories. This bery samples as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

bp



IBP America Production Company 200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

April 9, 2014

Bureau of Land Management Mark Kelly 6251 College Blvd Suite A Farmington, NM 87402

VIA CERTIFIED MAIL – RETURN RECEIPT REQUESTED

Re: Notification of plans to close/remove a below grade tank Well Name: DAY A LS 010 API #: 3004520811

Dear Mr. Kelly,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about April 13, 2014. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

Unless you have questions about this notice, there is no need to respond to this letter. If you do have any questions or concerns, please contact me at 505-326-9214

Sincerely,

Jerry Van Riper Surface Land Negotiator BP America Production Company

BP America Production Company 200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

SENT VIA E-MAIL TO: BRANDON.POWELL@STATE.NM.US

May 7, 2014

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

DAY A LS 010 API 30-045-20811 (G) Section 18 – T29N – R08W San Juan County, New Mexico

Dear Mr. Brandon Powell:

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 45 bbl BGT that will no longer be operational at this well site.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,

- Pesee

Jeff Peace BP Field Environmental Advisor

(505) 326-9479

