Submit I Copy To Appropriate District Office	State of New Mexico		Form C-103
<u>District 1</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natural Resources		Revised July 18, 2013 WELL API NO.
<u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION		30-045-35482
<u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis Dr.		5. Indicate Type of Lease STATE FEE □
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	Santa Fe, NM 87505		6. State Oil & Gas Lease No. LG 5686
87505 SUNDRY NOT	TICES AND REPORTS ON WELLS		7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)			
1. Type of Well: Oil Well			8. Well Number Good Times P36-2410 02H
2. Name of Operator Encana Oil & Gas (USA) Inc.		9. OGRID Number	
3. Address of Operator	Address of Operator		282327 10. Pool name or Wildcat
370 17 th Street, Suite 1700, Denve	er, Colorado 80202		South Bisti Gallup
4. Well Location SHL: Unit Letter: P 1311 feet from the SOUTH line and 255 feet from the EAST line			
DITE THE A SHOWN MOVE CALL OF THE CONTINUE AND A SHOWN AS A SHOWN AS A WEST IN			
Section: 36 Township 24N Range 10W NMPM San Juan County			
11. Elevation (Show whether DR, RKB, RT, GR, etc.)			
6874' GR			
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data			
1			
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING			
TEMPORARILY ABANDON			
PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB			
DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM	1		
OTHER:		OTHER:	
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of the time of time of the time of the time of the time of time of the time of tim			
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.			
Set 20" 94# conductor at 60' on 5/22/14. 100sks Type I Neat cement, 16.6ppg. Cement to surface. Well spudded 5/24/14			
Set surface casing string 5/24/14. Gelled freshwater mud system.			
Hole diameter: 12.25", casing diameter: 9.625", casing weight and grade: 36ppf J55 LTC. Depth of 12.25" hole from 0-515'TVD/MD. Casing set from surface to 513'TVD/MD.			
Pumped 320 sacks of Type III Halcem Cement + 2% bwoc CaCl + 0.125 lbs/sk Poly-E-Flake, yield 1.17 cuft/sk, mixed at 15.8 ppg on			
5/24/14. Circulated 33bbls to surface. WOC 9.5 hours for surface casing.			
Float collar at 467'. TOC at surface and BOC at 513'. Tested BOP 5/25/14 to 3000# for 30minutes. No pressure drop. Tested casing 5/25/14 to 1500# for 30 minutes. No pressure drop.			
Started drilling out cement on 5/25/		casing 3/23/14 to 130	50# for 30 minutes. No pressure drop.
Spud Date: 5/24/14	Pia Pa	elease Date:	
Spud Date: 5/24/14	Kig Ke	nease Date.	
I hereby certify that the information above is true and complete to the best of my knowledge and belief.			
10 21. 21.			
SIGNATURE CRIST BAUFR TITLE Operations Technologist DATE 5/29/14			
Type or print name <u>Cristi Bauer</u> E-mail address: <u>cristi.bauer@encana.com</u> PHONE: <u>720-876-5867</u> For State Use Only			
APPROVED BY: Brangfun	Depu	ty Oil & Gas In District #3	DATE 6-4-14
Conditions of Approval (if any):	TITLE	DISTRICT #3	υΑΙΕ Ψ- Ι-Ι Ι