

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.
For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application

OIL CONS. DIV DIST. 3

AUG 19 2014

- Type of action:
- ☐ Below grade tank registration
 - ☐ Permit of a pit or proposed alternative method
 - ☒ Closure of a pit, below-grade tank, or proposed alternative method
 - ☐ Modification to an existing permit/or registration
 - ☐ Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.
Operator: WPX Energy Production, LLC OGRID #: 120782
Address: PO Box 640 / 721 S Main Aztec, NM 87410
Facility or well name: Chaco 2206-16I #224H
API Number: 30-043-21161 OCD Permit Number: 11308
U/L or Qtr/Qtr I Section 16 Township 22N Range 6W County: Sandoval
Center of Proposed Design: Latitude 36.13524N Longitude -107.46621W NAD: ☐ 1927 ☒ 1983
Surface Owner: ☐ Federal ☒ State ☐ Private ☐ Tribal Trust or Indian Allotment

2.
☒ **Pit:** Subsection F, G or J of 19.15.17.11 NMAC
Temporary: ☒ Drilling ☐ Workover
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A ☐ Multi-Well Fluid Management Low Chloride Drilling Fluid ☐ yes ☐ no
☒ Lined ☐ Unlined Liner type: Thickness 20 mil ☒ LLDPE ☐ HDPE ☐ PVC ☐ Other _____
☒ String-Reinforced
Liner Seams: ☒ Welded ☒ Factory ☐ Other _____ Volume: 20,037 bbl Dimensions: L 150' x W 50' x D 15'

3.
☐ **Below-grade tank:** Subsection I of 19.15.17.11 NMAC
Volume: _____ bbl Type of fluid: _____
Tank Construction material: _____
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other _____
Liner type: Thickness _____ mil ☐ HDPE ☐ PVC ☐ Other _____

4.
☐ **Alternative Method:**
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

5.
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)
☐ Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)
☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet
☒ Alternate. Please specify As per BLM specifications

6.

Netting: Subsection E of 19.15.17.11 NMAC (*Applies to permanent pits and permanent open top tanks*)

☐ Screen ☐ Netting ☐ Other _____

☐ Monthly inspections (If netting or screening is not physically feasible)

7.

Signs: Subsection C of 19.15.17.11 NMAC

☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

☒ Signed in compliance with 19.15.16.8 NMAC

8.

Variances and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

☐ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.

☐ Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

9.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: *The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.*

General siting

Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.

- ☒ NM Office of the State Engineer - iWATERS database search; ☐ USGS; ☐ Data obtained from nearby wells

☐ Yes ☒ No
☐ NA

Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit.

NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☐ Yes ☒ No
☐ NA

Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. **(Does not apply to below grade tanks)**

- Written confirmation or verification from the municipality; Written approval obtained from the municipality

☐ Yes ☒ No

Within the area overlying a subsurface mine. **(Does not apply to below grade tanks)**

- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division

☐ Yes ☒ No

Within an unstable area. **(Does not apply to below grade tanks)**

- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map

☐ Yes ☒ No

Within a 100-year floodplain. **(Does not apply to below grade tanks)**

- FEMA map

☐ Yes ☒ No

Below Grade Tanks

Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark).

- Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;

- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)

Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.)

- Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☒ No

Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.

- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image

☐ Yes ☒ No

Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application.

NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

☐ Yes ☒ No

Within 100 feet of a wetland.

- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Temporary Pit Non-low chloride drilling fluid

Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).

- Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.

- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image

☐ Yes ☐ No

Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application;

- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within 300 feet of a wetland.

- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Permanent Pit or Multi-Well Fluid Management Pit

Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).

- Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.

- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image

☐ Yes ☐ No

Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.

- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within 500 feet of a wetland.

- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

10.

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☒ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
- ☒ Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC
- ☒ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- ☒ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☒ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- ☒ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

☐ Previously Approved Design (attach copy of design) API Number: 30-043-21161 or Permit Number: _____

11.

Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- ☐ A List of wells with approved application for permit to drill associated with the pit.
- ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
- ☐ Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
- ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC

☐ Previously Approved Design (attach copy of design) API Number: _____ or Permit Number: _____

12.

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
☐ Climatological Factors Assessment
☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Quality Control/Quality Assurance Construction and Installation Plan
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Nuisance or Hazardous Odors, including H₂S, Prevention Plan
☐ Emergency Response Plan
☐ Oil Field Waste Stream Characterization
☐ Monitoring and Inspection Plan
☐ Erosion Control Plan
☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

13.

Proposed Closure: 19.15.17.13 NMAC

Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.

- Type: ☒ Drilling ☐ Workover ☐ Emergency ☐ Cavitation ☐ P&A ☐ Permanent Pit ☐ Below-grade Tank ☐ Multi-well Fluid Management Pit
☐ Alternative
- Proposed Closure Method: ☐ Waste Excavation and Removal
☐ Waste Removal (Closed-loop systems only)
☒ On-site Closure Method (Only for temporary pits and closed-loop systems)
☒ In-place Burial ☐ On-site Trench Burial
☐ Alternative Closure Method

14.

Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

15.

Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC

Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. Please refer to 19.15.17.10 NMAC for guidance.

Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

adopted pursuant to NMSA 1978, Section 3-27-3, as amended.

- Written confirmation or verification from the municipality; Written approval obtained from the municipality

☐ Yes ☒ No

Within the area overlying a subsurface mine.

- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division

☐ Yes ☒ No

Within an unstable area.

- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map

☐ Yes ☒ No

Within a 100-year floodplain.

- FEMA map

☐ Yes ☒ No

16.

On-Site Closure Plan Checklist: (19.15.17.13 NMAC) *Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.*

- ☒ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
☒ Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC
☐ Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC
☒ Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC
☒ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
☒ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC
☒ Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC
☒ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)
☒ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
☒ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
☒ Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

17.

Operator Application Certification:

I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Name (Print): _____ Title: _____

Signature: _____ Date: _____

e-mail address: _____ Telephone: _____

18.

OCD Approval: ☐ Permit Application (including closure plan) ☒ ~~Closure Plan (only)~~ ☐ OCD Conditions (see attachment)

OCD Representative Signature: Jonathan D. Kelly Approval Date: 8/21/2014

Title: Compliance Officer OCD Permit Number: _____

19.

Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC

Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.

☒ Closure Completion Date: 4/13/2014

20.

Closure Method:

- ☐ Waste Excavation and Removal ☒ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-loop systems only)
☐ If different from approved plan, please explain.

21.

Closure Report Attachment Checklist: *Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.*


- ☒ Proof of Closure Notice (surface owner and division)
☐ Proof of Deed Notice (required for on-site closure for private land only)
☒ Plot Plan (for on-site closures and temporary pits)
☒ Confirmation Sampling Analytical Results (if applicable)
☒ Waste Material Sampling Analytical Results (required for on-site closure)
☒ Disposal Facility Name and Permit Number
☒ Soil Backfilling and Cover Installation
☒ Re-vegetation Application Rates and Seeding Technique
☒ Site Reclamation (Photo Documentation)

On-site Closure Location: Latitude 36.13524 Longitude -107.46621 NAD: ☐ 1927 ☒ 1983

Operator Closure Certification:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): Mark Heil Title: Regulatory Specialist

Signature:  Date: 8/18/2014

e-mail address: mark.heil@wpenergy.com Telephone: 505-333-1806

WPX Energy Production, LLC
San Juan Basin: New Mexico Assets
Temporary Pit In-place Closure Report
Drilling/Completion and Workover
(Groundwater >100 feet bgs)

Well: Chaco 2206-161 #224H
API No: 30-043-21161
Location: I-S02-T22N-R06W, NMPM

In accordance with Rule 19.15.17.13 NMAC, the following plan describes the general in-place closure requirements of temporary pits on WPX Energy Production, LLC (WPX) locations in the San Juan Basin of New Mexico. This is WPX's standard procedure for all temporary pits to be utilized for the drilling, completion and/or workovers of oil and gas wells operated by WPX. For those temporary pits which do not conform to this standard closure plan, a separate well/pit specific closure plan will be developed and utilized.

All closure activities will include proper documentation and will be submitted to OCD within 60 days of the pit closure on a Closure Report using Division Form C-144. The Report will include the following:

- Details on Capping and Covering, where applicable
- Plot Plan (Pit Diagram)
- Inspection reports
- Sampling Results
- Division Form C-105: *WELL COMPLETION OR RECOMPLETION REPORT AND LOG*
- Copy of Deed Notice filed with the County Clerk (format to meet County requirements)
A deed notice is not required on state, federal or tribal land according to NMOCD FAQ dated October 30, 2008 and posted on the NMOCD website.

General Plan Requirements:

1. All free standing liquids will be removed from the pit at the start of the closure process. Liquids will be removed in a manner that the appropriate District Office approves including; recycled, reused, reclaimed, evaporated, and/or disposed of in a Division-approved facility. Once all free liquids are removed, the sludge will be stabilized by one of the following methods depending on equipment availability: blending with clean stockpiled soils or dewatering using a Bowl Decanter Centrifuge then blending with clean stockpiles soils.

Free liquids were not present at the reserve pit following the completion rigoff. Therefore, no liquids were hauled.

2. The preferred method of closure for all temporary pits will be on-site closure by in-place burial, provided all the criteria in 19.15.17.13.B are met.

On-site burial plan for this location was approved by the Aztec District Office on (6/27/2013)

3. The surface owner shall be notified of WPX's proposed closure plan using a means that provides proof of notice (i.e. certified mail/return receipt requested)

WPX notified the SMA of its intent to use a temporary pit and onsite burial in the Surface Use Plan in the well APD. The SMA was notified by email see attached. No return receipt required per BLM:FFO/NMOCD MOU dated 5/4/09.

4. Within six months of the "rig-off" status occurring WPX will ensure that the temporary pit is covered, recontoured and reseeding in progress.

Drill rig-off (8/27/2013). Completion Rig-off (10/20/2013) Pit covered (2/20/2014). Pit area along with unused portions of well pad to be interim reclaimed in accordance with Surface Management Agency requirements in APD-COAs and per BLM:FFO/NMOCD MOU dated 5/4/09.

5. Notice of Closure will be given to the Aztec District office between 72 hours and one week of the scheduled closure via email or phone. The notification of closure will include the following:

- a. Operators Name (WPX)
- b. Well Name and API Number
- c. Location (USTR)

The Aztec District Office of NMOCD was notified by email using a format acceptable to the District. Copies of the notification from Abode Contractors on (2/06/2014) is attached.

6. The pit liner shall be removed above “mud level” after stabilization. Removal of the liner will consist of manually or mechanically cutting the liner at the mud level and removing all remaining liner. Care will be taken to remove “all” of the liner (i.e. anchored material). All excessive liner will be disposed of at a licensed disposal facility (probably San Juan Regional Landfill operated by Waste Management under NMED Permit SWM-052426).

The liner to the temporary pit was removed above the “mud level” once stabilized. Removal of the liner consisted of manually cutting the liner and removing all remaining liner material above the “mud level” including the anchor material. All excessive liner was disposed of at the San Juan Regional Landfill operated by Waste Management under NMED Permit SWM-052426.

7. Solidification of the remaining pit contents shall be achieved by mixing non-waste containing, earthen material. The solidification process will be accomplished use a combination of natural drying and mechanical mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed safe and stable. The mixing ratio shall not exceed 3 parts non-waste to 1 part pit contents.

The pit contents were mixed with non-waste containing, earthen material in order to achieve appropriate solidification and a consistency that was deemed safe and stable. The solidification process was accomplished using a combination of natural drying, and mechanically mixing using a dozer and trackhoe. The mixing ration was approximately 2.5-3 parts native soil to 1 part pit contents. Solidification was completed (2/24/2014).

8. A five-point composite sample will be taken of the pit using sampling tools and all samples tested per 19.15.17.13(B)(1)(b) NMAC. In the event that the criteria are not met (See Table 1), all contents will be handled per 19.15.17.13(B)(1)(a) (i.e. dig and haul to a Division-approved facility). Approval to haul will be requested of the Aztec District office prior to initiation.

A five-point composite sampling was taken of the pit area using sampling tools and the sample was tested per 19.15.17.13(B)(1)(b) NMAC. Results are shown in Table 1 and lab reports are attached.

Table 1: Closure Criteria for Temporary Pits in Non-sensitive Areas with Groundwater >100 bgs.

Components	Testing Methods	Limits (mg/Kg)	Pit (mg/Kg)
Benzene	EPA SW-846 Method 8021B or 8260B	0.2	ND
BTEX	EPA SW-846 Method 8021B or 8260B	50	ND
TPH	EPA SW-846 Method 418.1	2500	248
GRO/DRO	EPA SW-846 Method 8015M (GRO/DRO)	500	ND/142
Chlorides	EPA SW-846 Method 300.1	500	184

9. Upon completion of solidification and testing, the pit area will be backfilled with non-waste earthen material compacted to native conditions to enable effective revegetation for successful evapotranspiration. A minimum of four feet of cover including replacement of one foot of suitable material to establish vegetation, or the background thickness of topsoil, whichever is greater.

Upon completion of solidification and testing, the pit area was backfilled with non-waste earthen material compacted to native conditions. A minimum of four feet of cover to the extent practical was achieved and the cover included just over a foot of topsoil suitable to establish vegetation.

10. Following cover, the site will be recontoured to meet the Surface Management Agency or surface owner requirements. Re-contouring will attempt to match fit, shape, line form, and texture of the surrounding geography. Re-shaping will include drainage control, prevent ponding, and minimize erosion. Natural drainages will be unimpeded and stormwater Best Management Practices (BMPs) will be used to aid in soil stabilization and protection surface water quality.

Following cover, WPX reestablished drainage and contours to approximately match previous topography meeting the Conditions of Approval in the APD and the direction offered by a BLM/USFS inspector. Cover and re-contouring were completed (2/20/2014).

11. Notification will be sent to the Aztec District office when the reclaimed area is seeded.

WPX will comply with Surface Management Agency reseeding requirements in the COAs of the APD for the referenced well, per BLM:FFQ/NMOCD MOU dated 5/4/09.


12. WPX shall seed the disturbed areas the first growing season after the pit is covered. Seeding will be accomplished via drilling on the contour whenever practical, or by other Division-approved methods. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintained that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs. Note: WPX assumes the seeding stipulations including mix and seeding methods specified by the Surface Management Agency (BLM, BOR, USFS, Tribal, etc.) or Land owner as part of a surface use agreement or APD are Division-approved methods unless notified by the Division of their unacceptability.

WPX will comply with Surface Management Agency reseeding requirements in the COAs of the APD for the referenced well, per BLM:FFQ/NMOCD MOU dated 5/4/09.

13. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the on site burial upon the abandonment of all wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the on site burial of the temporary pit. The plate will be easily removable and a four-foot tall riser will be threaded into the top of the collar marker and welded around the base with the operations information at the time of all wells on the pad abandoned. The information will include Operator Name, Lease Name, Well Name, and number, USTR, and an indicator that the marker is an onsite pit burial location.

The temporary pit was located with a steel marker meeting the above listed specifications. The marker has the following information welded for future reference WPX ENERGY S26-T31N-R05W-F, "Pit Burial" (photo attached). Steel marker set (4/13/2014).

WPX ENERGY PRODUCTION, LLC CHACO 2206-16I #224H
 1458' FSL & 290' FEL, SECTION 16, T22N, R6W, NMPM
 SANDOVAL COUNTY, NEW MEXICO ELEVATION: 7194'
 LAT: 36.13476°N LONG: 107.46609°W DATUM: NAD1983



Steel T-Pests have been set to define the Edge of Disturbance limits which are 50' offset from the edge of the staked wellpad.



Analytical Report

Report Summary

Client: WPX Energy, Inc.
Chain Of Custody Number: 16656
Samples Received: 2/25/2014 9:15:00AM
Job Number: 04108-0006
Work Order: P402063
Project Name/Location: Chaco 2206-161 #224H

Entire Report Reviewed By:

A handwritten signature in black ink, appearing to read "Tim Cain", is written over a horizontal line.

Tim Cain, Laboratory Manager

Date: 3/5/14

Supplement to analytical report generated on: 3/5/14 9:54 am

The results in this report apply to the samples submitted to Envirotech's Analytical Laboratory and were analyzed in accordance with the chain of custody document supplied by you, the client, and as such are for your exclusive use only. The results in this report are based on the sample as received unless otherwise noted. Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc. If you have any questions regarding this analytical report, please don't hesitate to contact Envirotech's Laboratory Staff.

5796 US Highway 64, Farmington, NM 87401

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com
laboratory@envirotech-inc.com

Page 1 of 10



WPX Energy, Inc.
PO Box 21218
Tulsa OK, 74121-1358

Project Name: Chaco 2206-161 #224H
Project Number: 04108-0006
Project Manager: Buddy Shaw

Reported:
05-Mar-14 09:56

Analytical Report for Samples

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
Cuttings Pit	P402063-01A	Soil	02/24/14	02/25/14	Glass Jar, 4 oz.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs - 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879





WPX Energy, Inc.
PO Box 21218
Tulsa OK, 74121-1358

Project Name: Chaco 2206-161 #224H
Project Number: 04108-0006
Project Manager: Buddy Shaw

Reported:
05-Mar-14 09:56

Cuttings Pit
P402063-01 (Solid)

Analyte	Result	Reporting		Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit	Units						
Volatile Organics by EPA 8021									
Benzene	ND	0.05	mg/kg	1	1409012	02/26/14	03/03/14	EPA 8021B	
Toluene	ND	0.05	mg/kg	1	1409012	02/26/14	03/03/14	EPA 8021B	
Ethylbenzene	ND	0.05	mg/kg	1	1409012	02/26/14	03/03/14	EPA 8021B	
p,m-Xylene	ND	0.05	mg/kg	1	1409012	02/26/14	03/03/14	EPA 8021B	
o-Xylene	ND	0.05	mg/kg	1	1409012	02/26/14	03/03/14	EPA 8021B	
Total Xylenes	ND	0.05	mg/kg	1	1409012	02/26/14	03/03/14	EPA 8021B	
Total BTEX	ND	0.05	mg/kg	1	1409012	02/26/14	03/03/14	EPA 8021B	
Surrogate: Bromochlorobenzene		114 %	80-120		1409012	02/26/14	03/03/14	EPA 8021B	
Surrogate: 1,3-Dichlorobenzene		104 %	80-120		1409012	02/26/14	03/03/14	EPA 8021B	
Nonhalogenated Organics by 8015									
Gasoline Range Organics (C6-C10)	ND	4.99	mg/kg	1	1409012	02/26/14	03/03/14	EPA 8015D	
Diesel Range Organics (C10-C28)	142	29.9	mg/kg	1	1409013	02/26/14	02/27/14	EPA 8015D	
Total Petroleum Hydrocarbons by 418.1									
Total Petroleum Hydrocarbons	248	20.0	mg/kg	1	1410010	03/04/14	03/04/14	EPA 418.1	
Cation/Anion Analysis									
Chloride	184	9.83	mg/kg	1	1410009	03/04/14	03/04/14	EPA 300.0	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Three Springs - 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879





WPX Energy, Inc.
PO Box 21218
Tulsa OK, 74121-1358

Project Name: Chaco 2206-161 #224H
Project Number: 04108-0006
Project Manager: Buddy Shaw

Reported:
05-Mar-14 09:56

Volatile Organics by EPA 8021 - Quality Control
Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1409012 - Purge and Trap EPA 5030A										
Blank (1409012-BLK1)				Prepared: 26-Feb-14 Analyzed: 27-Feb-14						
Benzene	ND	0.05	mg/kg							
Toluene	ND	0.05	"							
Ethylbenzene	ND	0.05	"							
p,m-Xylene	ND	0.05	"							
o-Xylene	ND	0.05	"							
Total Xylenes	ND	0.05	"							
Total BTEX	ND	0.05	"							
Surrogate: 1,3-Dichlorobenzene	50.0		ug/L	50.0		99.9	80-120			
Surrogate: Bromochlorobenzene	51.7		"	50.0		103	80-120			
Duplicate (1409012-DUP1)				Source: P402091-01 Prepared: 26-Feb-14 Analyzed: 27-Feb-14						
Benzene	ND	0.05	mg/kg		ND				30	
Toluene	ND	0.05	"		ND				30	
Ethylbenzene	ND	0.05	"		ND				30	
p,m-Xylene	ND	0.05	"		ND				30	
o-Xylene	ND	0.05	"		ND				30	
Surrogate: 1,3-Dichlorobenzene	52.8		ug/L	50.0		106	80-120			
Surrogate: Bromochlorobenzene	56.8		"	50.0		114	80-120			
Matrix Spike (1409012-MS1)				Source: P402091-01 Prepared: 26-Feb-14 Analyzed: 27-Feb-14						
Benzene	49.0		ug/L	50.0	ND	97.9	39-150			
Toluene	48.7		"	50.0	ND	97.5	46-148			
Ethylbenzene	49.0		"	50.0	ND	98.0	32-160			
p,m-Xylene	98.5		"	100	ND	98.5	46-148			
o-Xylene	49.7		"	50.0	ND	99.4	46-148			
Surrogate: 1,3-Dichlorobenzene	50.0		"	50.0		100	80-120			
Surrogate: Bromochlorobenzene	53.9		"	50.0		108	80-120			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879





WPX Energy, Inc. PO Box 21218 Tulsa OK, 74121-1358	Project Name: Chaco 2206-161 #224H Project Number: 04108-0006 Project Manager: Buddy Shaw	Reported: 05-Mar-14 09:56
--	---	------------------------------

Nonhalogenated Organics by 8015 - Quality Control

Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Batch 1409012 - Purge and Trap EPA 5030A									
Blank (1409012-BLK1)					Prepared: 26-Feb-14 Analyzed: 27-Feb-14				
Gasoline Range Organics (C6-C10)	ND	4.98	mg/kg						
Duplicate (1409012-DUP1)					Source: P402091-01 Prepared: 26-Feb-14 Analyzed: 27-Feb-14				
Gasoline Range Organics (C6-C10)	ND	4.99	mg/kg		ND			30	
Matrix Spike (1409012-MS1)					Source: P402091-01 Prepared: 26-Feb-14 Analyzed: 27-Feb-14				
Gasoline Range Organics (C6-C10)	0.45		mg/L	0.450	ND	99.1	75-125		

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs - 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879





WPX Energy, Inc.
PO Box 21218
Tulsa OK, 74121-1358

Project Name: Chaco 2206-161 #224H
Project Number: 04108-0006
Project Manager: Buddy Shaw

Reported:
05-Mar-14 09:56

Nonhalogenated Organics by 8015 - Quality Control

Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1409013 - DRO Extraction EPA 3550C										
Blank (1409013-BLK1)				Prepared & Analyzed: 26-Feb-14						
Diesel Range Organics (C10-C28)	ND	30.0	mg/kg							
Duplicate (1409013-DUP1)				Source: P402091-01 Prepared & Analyzed: 26-Feb-14						
Diesel Range Organics (C10-C28)	75.1	30.0	mg/kg		97.9			26.4	30	
Matrix Spike (1409013-MS1)				Source: P402091-01 Prepared & Analyzed: 26-Feb-14						
Diesel Range Organics (C10-C28)	178	31.6	mg/kg	263	97.9	30.3	75-125			SPK1

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Three Springs - 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879





WPX Energy, Inc.
PO Box 21218
Tulsa OK, 74121-1358

Project Name: Chaco 2206-16I #224H
Project Number: 04108-0006
Project Manager: Buddy Shaw

Reported:
05-Mar-14 09:56

Total Petroleum Hydrocarbons by 418.1 - Quality Control
Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD Limit	Notes
Batch 1410010 - 418 Freon Extraction								
Blank (1410010-BLK1)			Prepared & Analyzed: 04-Mar-14					
Total Petroleum Hydrocarbons	ND	20.0	mg/kg					
Duplicate (1410010-DUP1)			Source: P402063-01 Prepared & Analyzed: 04-Mar-14					
Total Petroleum Hydrocarbons	240	20.0	mg/kg		248		3.29	30
Matrix Spike (1410010-MS1)			Source: P402063-01 Prepared & Analyzed: 04-Mar-14					
Total Petroleum Hydrocarbons	2170	20.0	mg/kg	2000	248	96.4	80-120	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879





WPX Energy, Inc. PO Box 21218 Tulsa OK, 74121-1358	Project Name: Chaco 2206-161 #224H Project Number: 04108-0006 Project Manager: Buddy Shaw	Reported: 05-Mar-14 09:56
--	---	------------------------------

Cation/Anion Analysis - Quality Control
Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1410009 - Anion Extraction EPA 300.0										
Blank (1410009-BLK1) Prepared & Analyzed: 04-Mar-14										
Chloride	ND	9.87	mg/kg							
LCS (1410009-BS1) Prepared & Analyzed: 04-Mar-14										
Chloride	473	9.91	mg/kg	496		95.4	90-110			
Matrix Spike (1410009-MS1) Source: P402063-01 Prepared & Analyzed: 04-Mar-14										
Chloride	633	9.95	mg/kg	498	184	90.3	80-120			
Matrix Spike Dup (1410009-MSD1) Source: P402063-01 Prepared & Analyzed: 04-Mar-14										
Chloride	655	9.90	mg/kg	495	184	95.0	80-120	3.33	20	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879





WPX Energy, Inc.
PO Box 21218
Tulsa OK, 74121-1358

Project Name: Chaco 2206-161 #224H
Project Number: 04108-0006
Project Manager: Buddy Shaw

Reported:
05-Mar-14 09:56

Notes and Definitions

SPK1 The spike recovery for this QC sample is outside of control limits.
DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 Fx (505) 632-1865


Ph (970) 259-0615 Fr (800) 362-1879



Page 9 of 10

NOTE: The Chaco 2206-02P #227H pit is missing inspection records for the following periods of time:

9/12/2013 to 10/20/2013

		TEMPORARY PIT INSPECTION REPORT						
Well Name	CHACO 2206-16I #224H	Field Name	Lybrook	API #		Report #	1	
Location		County	Sandoval	State	NM	Rpt Date	8/9/2013	
Date	Report Type	Liner Intact Y/N	Fenced Y/N	Slopes Intact Y/N	Adequate Freeboard Y/N	Oil Free Y/N	Flare Pit Liquid Free Y/N	Comment
8/9/13	Daily	Y	Y	Y	Y	Y	Y	TEMPORARY PIT/NO LEAKS, NO SPILLS
8/10/13	Daily	Y	Y	Y	Y	Y	Y	TEMPORARY PIT/NO LEAKS, NO SPILLS
8/11/13	Daily	Y	Y	Y	Y	Y	Y	TEMPORARY PIT/NO LEAKS, NO SPILLS
8/12/13	Daily	Y	Y	Y	Y	Y	Y	TEMPORARY PIT/NO LEAKS, NO SPILLS
8/13/13	Daily	Y	Y	Y	Y	Y	Y	TEMPORARY PIT/NO LEAKS, NO SPILLS
8/14/13	Daily	Y	Y	Y	Y	Y	Y	TEMPORARY PIT/NO LEAKS, NO SPILLS
8/15/13	Daily	Y	Y	Y	Y	Y	Y	TEMPORARY PIT/NO LEAKS, NO SPILLS
8/16/13	Daily	Y	Y	Y	Y	Y	Y	TEMPORARY PIT/NO LEAKS, NO SPILLS
8/17/13	Daily	Y	Y	Y	Y	Y	Y	TEMPORARY PIT/NO LEAKS, NO SPILLS
8/18/13	Daily	Y	Y	Y	Y	Y	Y	TEMPORARY PIT/NO LEAKS, NO SPILLS
8/19/13	Daily	Y	Y	Y	Y	Y	Y	TEMPORARY PIT/NO LEAKS, NO SPILLS
8/20/13	Daily	Y	Y	Y	Y	Y	Y	TEMPORARY PIT/NO LEAKS, NO SPILLS
8/21/13	Daily	Y	Y	Y	Y	Y	Y	TEMPORARY PIT/NO LEAKS, NO SPILLS
8/22/13	Daily	Y	Y	Y	Y	Y	Y	TEMPORARY PIT/NO LEAKS, NO SPILLS
8/23/13	Daily	Y	Y	Y	Y	Y	Y	TEMPORARY PIT/NO LEAKS, NO SPILLS
8/24/13	Daily	Y	Y	Y	Y	Y	Y	TEMPORARY PIT/NO LEAKS, NO SPILLS
8/25/13	Daily	Y	Y	Y	Y	Y	Y	TEMPORARY PIT/NO LEAKS, NO SPILLS
8/26/13	Daily	Y	Y	Y	Y	Y	Y	TEMPORARY PIT/NO LEAKS, NO SPILLS
8/27/13	Daily	Y	Y	Y	Y	Y	Y	TEMPORARY PIT/NO LEAKS, NO SPILLS
8/28/13	Daily	Y	Y	Y	Y	Y	Y	TEMPORARY PIT/NO LEAKS, NO SPILLS

2001-2009 WellEz Information Management, LLC. All rights reserved ver. 11/7/09jc

WPX Energy Production
San Juan Basin Operations
720 So. Main / PO Box 640
Aztec, NM 87410
505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION

Facility Name: CHACO 2206-161 #224H	API #: 30-043-21161
-------------------------------------	---------------------

Pit Type: <input checked="" type="checkbox"/> Drilling <input type="checkbox"/> Workover <input type="checkbox"/> Cavitation	Inspection: <input type="checkbox"/> Daily (Rig) <input checked="" type="checkbox"/> Weekly (Tech)
--	--

Pit Liner intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	Date / Time Reported:
Pit Properly Fenced	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required (if site fully fenced) If No, Report to EH&S immediately	
Pit Slopes intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	
Adequate freeboard	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Free oil or sheen present on pit	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Report to EH&S immediately	
Flare Pit free of liquids	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Date liquids pulled	<input type="checkbox"/> Drill Rig <input type="checkbox"/> Completion Rig	
(Liquids must be pulled within 30 days of rig off date)	Date Liquids Pulled:	
Comments: Rain water 2 to 5bbls		
Inspector Signature: <i>Art L. Alsup</i>		
Printed Name: Art L. Alsup		
Title: Senior Technician Rosa South		
Date: 9/6/2013 Phone: (505)947-9276		

Record Retention: Submit with Closure

WPX_NM_Temp_Pit_Inspection_Form(V2).doc
Rev: April 24, 2012

WPX Energy Production
San Juan Basin Operations
720 So. Main / PO Box 640
Aztec, NM 87410
505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION

Facility Name: CHACO 2206-161 #224H	API #: 30-043-21161
-------------------------------------	---------------------

Pit Type: <input checked="" type="checkbox"/> Drilling <input type="checkbox"/> Workover <input type="checkbox"/> Cavitation	Inspection: <input type="checkbox"/> Daily (Rig) <input checked="" type="checkbox"/> Weekly (Tech)
--	--

Pit Liner intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	Date / Time Reported:
Pit Properly Fenced	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required (if site fully fenced)	
Pit Slopes intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	
Adequate freeboard	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Free oil or sheen present on pit	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Report to EH&S immediately	
Flare Pit free of liquids	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Date liquids pulled	<input type="checkbox"/> Drill Rig <input type="checkbox"/> Completion Rig	
(Liquids must be pulled within 30 days of rig off date)	Date Liquids Pulled:	
Comments: Rain water 5 to 8bbls		
Inspector Signature: <i>Art L. Alsup</i>		
Printed Name: Art L. Alsup		
Title: Senior Technician Rosa South		
Date: 9/9/2013	Phone: (505)947-9276	

Record Retention: Submit with Closure

WPX_NM_Temp_Pit_Inspection_Form(V2).doc
Rev: April 24, 2012

WPX Energy Production
San Juan Basin Operations
720 So. Main / PO Box 640
Aztec, NM 87410
505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION

Facility Name: CHACO 2206-161 #224H	API #: 30-043-21161
-------------------------------------	---------------------

Pit Type: <input checked="" type="checkbox"/> Drilling <input type="checkbox"/> Workover <input type="checkbox"/> Cavitation	Inspection: <input type="checkbox"/> Daily (Rig) <input checked="" type="checkbox"/> Weekly (Tech)
--	--

Pit Liner intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	Date / Time Reported:
Pit Properly Fenced	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required (if site fully fenced) If No, Report to EH&S immediately	
Pit Slopes intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	
Adequate freeboard	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Free oil or sheen present on pit	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Report to EH&S immediately	
Flare Pit free of liquids	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Date liquids pulled (Liquids must be pulled within 30 days of rig off date)	<input type="checkbox"/> Drill Rig <input type="checkbox"/> Completion Rig	Date Liquids Pulled:
Comments: Rain water 15 to 20bbls		
Inspector Signature: <i>Art L. Alsup</i>		
Printed Name: Art L. Alsup		
Title: Senior Technician Rosa South		
Date: 9/17/2013 Phone: (505)947-9276		

Record Retention: Submit with Closure

WPX_NM_Temp_Pit_Inspection_Form(V2).doc
Rev: April 24, 2012

WPX Energy Production
San Juan Basin Operations
720 So. Main / PO Box 640
Aztec, NM 87410
505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION

Facility Name: CHACO 2206-161 #224H	API #:30-043-21161
-------------------------------------	--------------------

Pit Type: <input checked="" type="checkbox"/> Drilling <input type="checkbox"/> Workover <input type="checkbox"/> Cavitation	Inspection: <input type="checkbox"/> Daily (Rig) <input checked="" type="checkbox"/> Weekly (Tech)
--	--

Pit Liner intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	Date / Time Reported:
Pit Properly Fenced	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required (if site fully fenced) If No, Report to EH&S immediately	
Pit Slopes intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	
Adequate freeboard	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Free oil or sheen present on pit	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Report to EH&S immediately	
Flare Pit free of liquids	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Date liquids pulled	<input type="checkbox"/> Drill Rig <input type="checkbox"/> Completion Rig	
(Liquids must be pulled within 30 days of rig off date)	Date Liquids Pulled:	
Comments: Liquid in pit possible rain water.		
Inspector Signature: <i>Cody Boyd</i>		
Printed Name: Cody Boyd		
Title: Field Technician Rosa South		
Date: 11/4/2013 Phone: (505)386-8672		

Record Retention: Submit with Closure

WPX_NM_Temp_Pit_Inspection_Form(V2).doc
Rev: April 24, 2012

WPX Energy Production
San Juan Basin Operations
720 So. Main / PO Box 640
Aztec, NM 87410
505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION

Facility Name: CHACO 2206-161 #224H	API #: 30-043-21161
-------------------------------------	---------------------

Pit Type: <input checked="" type="checkbox"/> Drilling <input type="checkbox"/> Workover <input type="checkbox"/> Cavitation	Inspection: <input type="checkbox"/> Daily (Rig) <input checked="" type="checkbox"/> Weekly (Tech)
--	--

Pit Liner intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	Date / Time Reported:
Pit Properly Fenced	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required (if site fully fenced) If No, Report to EH&S immediately	
Pit Slopes intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	
Adequate freeboard	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Free oil or sheen present on pit	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Report to EH&S immediately	
Flare Pit free of liquids	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Date liquids pulled	<input type="checkbox"/> Drill Rig <input type="checkbox"/> Completion Rig	
(Liquids must be pulled within 30 days of rig off date)	Date Liquids Pulled:	
Comments: Liquid in pit possible rain water.		
Inspector Signature: <i>Cody Boyd</i>		
Printed Name: Cody Boyd		
Title: Field Technician Rosa South		
Date: 11/9/2013 Phone: (505)386-8672		

Record Retention: Submit with Closure

WPX_NM_Temp_Pit_Inspection_Form(V2).doc
Rev: April 24, 2012

WPX Energy Production
San Juan Basin Operations
720 So. Main / PO Box 640
Aztec, NM 87410
505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION

Facility Name: CHACO 2206-161 #224H	API #: 30-043-21161
-------------------------------------	---------------------

Pit Type: <input checked="" type="checkbox"/> Drilling <input type="checkbox"/> Workover <input type="checkbox"/> Cavitation	Inspection: <input type="checkbox"/> Daily (Rig) <input checked="" type="checkbox"/> Weekly (Tech)
--	--

Pit Liner intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	Date / Time Reported:
Pit Properly Fenced	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required (if site fully fenced) If No, Report to EH&S immediately	
Pit Slopes intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	
Adequate freeboard	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Free oil or sheen present on pit	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Report to EH&S immediately	
Flare Pit free of liquids	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Date liquids pulled	<input type="checkbox"/> Drill Rig <input type="checkbox"/> Completion Rig	
(Liquids must be pulled within 30 days of rig off date)	Date Liquids Pulled:	
Comments: Liquid in pit possible rain water.		
Inspector Signature: <i>Cody Boyd</i>		
Printed Name: Cody Boyd		
Title: Field Technician Rosa South		
Date: 11/13/2013 Phone: (505)386-8672		

Record Retention: Submit with Closure

WPX_NM_Temp_Pit_Inspection_Form(V2).doc
Rev: April 24, 2012

WPX Energy Production
San Juan Basin Operations
720 So. Main / PO Box 640
Aztec, NM 87410
505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION

Facility Name: CHACO 2206-161 #224H	API #: 30-043-21161
-------------------------------------	---------------------

Pit Type: <input checked="" type="checkbox"/> Drilling <input type="checkbox"/> Workover <input type="checkbox"/> Cavitation	Inspection: <input type="checkbox"/> Daily (Rig) <input checked="" type="checkbox"/> Weekly (Tech)
--	--

Pit Liner intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	Date / Time Reported:
Pit Properly Fenced	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required (if site fully fenced) If No, Report to EH&S immediately	
Pit Slopes intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	
Adequate freeboard	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Free oil or sheen present on pit	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Report to EH&S immediately	
Flare Pit free of liquids	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Date liquids pulled (Liquids must be pulled within 30 days of rig off date)	<input type="checkbox"/> Drill Rig <input type="checkbox"/> Completion Rig	Date Liquids Pulled:
Comments: Liquid in pit possible rain water.		
Inspector Signature: <i>William Van Huss</i>		
Printed Name: William Van Huss		
Title: Field Technician Chaco		
Date: 11/22/2013 Phone: (505)386-8133		

Record Retention: Submit with Closure

WPX_NM_Temp_Pit_Inspection_Form(V2).doc
Rev: April 24, 2012

WPX Energy Production
San Juan Basin Operations
720 So. Main / PO Box 640
Aztec, NM 87410
505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION

Facility Name: CHACO 2206-161 #224H

API #: 30-043-21161

Pit Type: ☒ Drilling ☐ Workover ☐ Cavitation Inspection: ☐ Daily (Rig) ☒ Weekly (Tech)

Pit Liner intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	Date / Time Reported:
Pit Properly Fenced	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required (if site fully fenced) If No, Report to EH&S immediately	
Pit Slopes intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	
Adequate freeboard	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Free oil or sheen present on pit	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Report to EH&S immediately	
Flare Pit free of liquids	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Date liquids pulled (Liquids must be pulled within 30 days of rig off date)	<input type="checkbox"/> Drill Rig <input type="checkbox"/> Completion Rig Date Liquids Pulled:	
Comments: Liquid in pit possible rain water.		
Inspector Signature: <i>Cody Boyd</i>		
Printed Name: Cody Boyd		
Title: Field Technician Rosa South		
Date: 11/29/2013 Phone: (505)386-8672		

Record Retention: Submit with Closure

WPX_NM_Temp_Pit_Inspection_Form(V2).doc
Rev: April 24, 2012

WPX Energy Production
San Juan Basin Operations
720 So. Main / PO Box 640
Aztec, NM 87410
505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION

Facility Name: CHACO 2206-161 #224H	API #: 30-043-21161
-------------------------------------	---------------------

Pit Type: <input checked="" type="checkbox"/> Drilling <input type="checkbox"/> Workover <input type="checkbox"/> Cavitation	Inspection: <input type="checkbox"/> Daily (Rig) <input checked="" type="checkbox"/> Weekly (Tech)
--	--

Pit Liner intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	Date / Time Reported:
Pit Properly Fenced	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required (if site fully fenced) If No, Report to EH&S immediately	
Pit Slopes intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	
Adequate freeboard	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Free oil or sheen present on pit	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Report to EH&S immediately	
Flare Pit free of liquids	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Date liquids pulled (Liquids must be pulled within 30 days of rig off date)	<input type="checkbox"/> Drill Rig <input type="checkbox"/> Completion Rig	Date Liquids Pulled:
Comments: Liquid in pit possible rain water.		
Inspector Signature: <i>William Van Huss</i>		
Printed Name: William Van Huss		
Title: Field Technician Chaco		
Date: 12/04/2013 Phone: (505)386-8133		

Record Retention: Submit with Closure

WPX_NM_Temp_Pit_Inspection_Form(V2).doc
Rev: April 24, 2012

WPX Energy Production
San Juan Basin Operations
720 So. Main / PO Box 640
Aztec, NM 87410
505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION

Facility Name: CHACO 2206-161 #224H	API #:30-043-21161
-------------------------------------	--------------------

Pit Type: <input checked="" type="checkbox"/> Drilling <input type="checkbox"/> Workover <input type="checkbox"/> Cavitation	Inspection: <input type="checkbox"/> Daily (Rig) <input checked="" type="checkbox"/> Weekly (Tech)
--	--

Pit Liner intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	Date / Time Reported:
Pit Properly Fenced	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required (if site fully fenced) If No, Report to EH&S immediately	
Pit Slopes intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	
Adequate freeboard	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Free oil or sheen present on pit	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Report to EH&S immediately	
Flare Pit free of liquids	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Date liquids pulled (Liquids must be pulled within 30 days of rig off date)	<input type="checkbox"/> Drill Rig <input type="checkbox"/> Completion Rig Date Liquids Pulled:	
Comments: Liquid in pit possible rain water and snow.		
Inspector Signature: <i>Cody Boyd</i>		
Printed Name: Cody Boyd		
Title: Field Technician Rosa South		
Date: 12/12/2013	Phone: (505)386-8672	

Record Retention: Submit with Closure

WPX_NM_Temp_Pit_Inspection_Form(V2).doc
Rev: April 24, 2012

WPX Energy Production
San Juan Basin Operations
720 So. Main / PO Box 640
Aztec, NM 87410
505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION

Facility Name: CHACO 2206-161 #224H	API #: 30-043-21161
-------------------------------------	---------------------

Pit Type: <input checked="" type="checkbox"/> Drilling <input type="checkbox"/> Workover <input type="checkbox"/> Cavitation	Inspection: <input type="checkbox"/> Daily (Rig) <input checked="" type="checkbox"/> Weekly (Tech)
--	--

Pit Liner intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	Date / Time Reported:
Pit Properly Fenced	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required (if site fully fenced) If No, Report to EH&S immediately	
Pit Slopes intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	
Adequate freeboard	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Free oil or sheen present on pit	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Report to EH&S immediately	
Flare Pit free of liquids	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Date liquids pulled	<input type="checkbox"/> Drill Rig <input type="checkbox"/> Completion Rig	
(Liquids must be pulled within 30 days of rig off date)	Date Liquids Pulled:	
Comments: Liquid in pit possible rain water and snow.		
Inspector Signature: <i>Cody Boyd</i>		
Printed Name: Cody Boyd		
Title: Field Technician Rosa South		
Date: 12/28/2013 Phone: (505)386-8672		

Record Retention: Submit with Closure

WPX_NM_Temp_Pit_Inspection_Form(V2).doc
Rev: April 24, 2012

WPX Energy Production
San Juan Basin Operations
720 So. Main / PO Box 640
Aztec, NM 87410
505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION

Facility Name: CHACO 2206-161 #224H	API #: 30-043-21161
-------------------------------------	---------------------

Pit Type: <input checked="" type="checkbox"/> Drilling <input type="checkbox"/> Workover <input type="checkbox"/> Cavitation	Inspection: <input type="checkbox"/> Daily (Rig) <input checked="" type="checkbox"/> Weekly (Tech)
--	--

Pit Liner intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	Date / Time Reported:
Pit Properly Fenced	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required (if site fully fenced) If No, Report to EH&S immediately	
Pit Slopes intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	
Adequate freeboard	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Free oil or sheen present on pit	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Report to EH&S immediately	
Flare Pit free of liquids	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Date liquids pulled (Liquids must be pulled within 30 days of rig off date)	<input type="checkbox"/> Drill Rig <input type="checkbox"/> Completion Rig Date Liquids Pulled:	
Comments: Liquid in pit possible rain water and snow.		
Inspector Signature: <i>Cody Boyd</i>		
Printed Name: Cody Boyd		
Title: Field Technician Rosa South		
Date: 1/4/2014 Phone: (505)386-8672		

Record Retention: Submit with Closure

WPX_NM_Temp_Pit_Inspection_Form(V2).doc
Rev: April 24, 2012

WPX Energy Production
San Juan Basin Operations
720 So. Main / PO Box 640
Aztec, NM 87410
505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION

Facility Name: CHACO 2206-161 #224H

API #: 30-043-21161

Pit Type: ☒ Drilling ☐ Workover ☐ Cavitation Inspection: ☐ Daily (Rig) ☒ Weekly (Tech)

Pit Liner intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	Date / Time Reported:
Pit Properly Fenced	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required (if site fully fenced) If No, Report to EH&S immediately	
Pit Slopes intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	
Adequate freeboard	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Free oil or sheen present on pit	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Report to EH&S immediately	
Flare Pit free of liquids	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Date liquids pulled (Liquids must be pulled within 30 days of rig off date)	<input type="checkbox"/> Drill Rig <input type="checkbox"/> Completion Rig Date Liquids Pulled:	
Comments: Liquid in pit possible rain water.		
Inspector Signature: <i>Cody Boyd</i>		
Printed Name: Cody Boyd		
Title: Field Technician Rosa South		
Date: 1/9/2014 Phone: (505)386-8672		

Record Retention: Submit with Closure

WPX_NM_Temp_Pit_Inspection_Form(V2).doc
Rev: April 24, 2012

WPX Energy Production
San Juan Basin Operations
720 So. Main / PO Box 640
Aztec, NM 87410
505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION

Facility Name: CHACO 2206-161 #224H	API #: 30-043-21161
-------------------------------------	---------------------

Pit Type: <input checked="" type="checkbox"/> Drilling <input type="checkbox"/> Workover <input type="checkbox"/> Cavitation	Inspection: <input type="checkbox"/> Daily (Rig) <input checked="" type="checkbox"/> Weekly (Tech)
--	--

Pit Liner intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	Date / Time Reported:
Pit Properly Fenced	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required (if site fully fenced) If No, Report to EH&S immediately	
Pit Slopes intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	
Adequate freeboard	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Free oil or sheen present on pit	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Report to EH&S immediately	
Flare Pit free of liquids	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Date liquids pulled (Liquids must be pulled within 30 days of rig off date)	<input type="checkbox"/> Drill Rig <input type="checkbox"/> Completion Rig Date Liquids Pulled:	
Comments: Liquid in pit possible rain water.		
Inspector Signature: <i>Cody Boyd</i>		
Printed Name: Cody Boyd		
Title: Field Technician Rosa South		
Date: 1/18/2014 Phone: (505)386-8672		

Record Retention: Submit with Closure

WPX_NM_Temp_Pit_Inspection_Form(V2).doc
Rev: April 24, 2012

WPX Energy Production
San Juan Basin Operations
720 So. Main / PO Box 640
Aztec, NM 87410
505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION

Facility Name: CHACO 2206-161 #224H	API #: 30-043-21161
-------------------------------------	---------------------

Pit Type: <input checked="" type="checkbox"/> Drilling <input type="checkbox"/> Workover <input type="checkbox"/> Cavitation	Inspection: <input type="checkbox"/> Daily (Rig) <input checked="" type="checkbox"/> Weekly (Tech)
--	--

Pit Liner intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	Date / Time Reported:
Pit Properly Fenced	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required (if site fully fenced) If No, Report to EH&S immediately	
Pit Slopes intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	
Adequate freeboard	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Free oil or sheen present on pit	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Report to EH&S immediately	
Flare Pit free of liquids	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Date liquids pulled	<input type="checkbox"/> Drill Rig <input type="checkbox"/> Completion Rig	
(Liquids must be pulled within 30 days of rig off date)	Date Liquids Pulled:	
Comments: Liquid in pit possible rain water.		
Inspector Signature: <i>Cody Boyd</i>		
Printed Name: Cody Boyd		
Title: Field Technician Rosa South		
Date: 1/25/2014 Phone: (505)386-8672		

Record Retention: Submit with Closure

WPX_NM_Temp_Pit_Inspection_Form(V2).doc
Rev: April 24, 2012

WPX Energy Production
San Juan Basin Operations
720 So. Main / PO Box 640
Aztec, NM 87410
505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION

Facility Name: CHACO 2206-161 #224H	API #:30-043-21161
-------------------------------------	--------------------

Pit Type: <input checked="" type="checkbox"/> Drilling <input type="checkbox"/> Workover <input type="checkbox"/> Cavitation	Inspection: <input type="checkbox"/> Daily (Rig) <input checked="" type="checkbox"/> Weekly (Tech)
--	--

Pit Liner intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	Date / Time Reported:
Pit Properly Fenced	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required (if site fully fenced) If No, Report to EH&S immediately	
Pit Slopes intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	
Adequate freeboard	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Free oil or sheen present on pit	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Report to EH&S immediately	
Flare Pit free of liquids	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Date liquids pulled (Liquids must be pulled within 30 days of rig off date)	<input type="checkbox"/> Drill Rig <input type="checkbox"/> Completion Rig	Date Liquids Pulled:
Comments: Liquid in pit possible rain water and snow.		
Inspector Signature: <i>Cody Boyd</i>		
Printed Name: Cody Boyd		
Title: Field Technician Chaco Slope		
Date: 2/1/2014 Phone: (505)386-8672		

Record Retention: Submit with Closure

WPX_NM_Temp_Pit_Inspection_Form(V2).doc
Rev: April 24, 2012

WPX Energy Production
San Juan Basin Operations
720 So. Main / PO Box 640
Aztec, NM 87410
505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION

Facility Name: CHACO 2206-161 #224H	API #: 30-043-21161
-------------------------------------	---------------------

Pit Type: <input checked="" type="checkbox"/> Drilling <input type="checkbox"/> Workover <input type="checkbox"/> Cavitation	Inspection: <input type="checkbox"/> Daily (Rig) <input checked="" type="checkbox"/> Weekly (Tech)
--	--

Pit Liner intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	Date / Time Reported:
Pit Properly Fenced	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required (if site fully fenced) If No, Report to EH&S immediately	
Pit Slopes intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	
Adequate freeboard	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Free oil or sheen present on pit	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Report to EH&S immediately	
Flare Pit free of liquids	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Date liquids pulled (Liquids must be pulled within 30 days of rig off date)	<input type="checkbox"/> Drill Rig <input type="checkbox"/> Completion Rig Date Liquids Pulled:	
Comments: Liquid in pit possible rain water and snow.		
Inspector Signature: <i>Cody Boyd</i>		
Printed Name: Cody Boyd		
Title: Field Technician Chaco Slope		
Date: 2/8/2014 Phone: (505)386-8672		

Record Retention: Submit with Closure

WPX_NM_Temp_Pit_Inspection_Form(V2).doc
Rev: April 24, 2012

WPX Energy Production
San Juan Basin Operations
720 So. Main / PO Box 640
Aztec, NM 87410
505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION

Facility Name: CHACO 2206-161 #224H	API #:30-043-21161
-------------------------------------	--------------------

Pit Type: <input checked="" type="checkbox"/> Drilling <input type="checkbox"/> Workover <input type="checkbox"/> Cavitation	Inspection: <input type="checkbox"/> Daily (Rig) <input checked="" type="checkbox"/> Weekly (Tech)
--	--

Pit Liner intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	Date / Time Reported:
Pit Properly Fenced	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required (if site fully fenced) If No, Report to EH&S immediately	
Pit Slopes intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Report to EH&S immediately	
Adequate freeboard	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Free oil or sheen present on pit	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Report to EH&S immediately	
Flare Pit free of liquids	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable If No, Report to EH&S immediately	
Date liquids pulled (Liquids must be pulled within 30 days of rig off date)	<input type="checkbox"/> Drill Rig <input type="checkbox"/> Completion Rig Date Liquids Pulled:	
Comments: Liquid in pit possible rain water and snow.		
Inspector Signature: <i>Cody Boyd</i>		
Printed Name: Cody Boyd		
Title: Field Technician Chaco Slope		
Date: 2/15/2014 Phone: (505)386-8672		

Record Retention: Submit with Closure

WPX_NM_Temp_Pit_Inspection_Form(V2).doc
Rev: April 24, 2012

From: Johnny [johnny@adobecontractorsinc.com]
Sent: Thursday, February 06, 2014 8:43 AM
To: Brandon Powell
Cc: Granillo, Lacey; Riley, Heather; Heil, Mark; Shaw, Buddy; Fields, Vanessa
Subject: Notice of pit closure for WPX Energy Chaco 2206-16I #224H

Brandon, we will be closing this pit early next week. Please let me know if you have any questions.

Thank you,

Johnny R. Stinson
General Manager
Adobe Contractors Inc.
Office: 505-632-1486
Fax: 505-632-9807
Mobile: 505-320-6076
johnny@adobecontractorsinc.com

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-105 Revised August 1, 2011								
		1. WELL API NO. 30-043-21161								
		2. Type of Lease <input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN								
		3. State Oil & Gas Lease No. V092100000								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: <input type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input checked="" type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)		5. Lease Name or Unit Agreement Name Chaco 2206-161 6. Well Number: #224H.								
7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER										
8. Name of Operator WPX Energy Production, LLC		9. OGRID 120782								
10. Address of Operator PO Box 640 / 721 South Main Aztec, NM 87410		11. Pool name or Wildcat Lybrook/Gallup								
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:										
BH:										
13. Date Spudded	14. Date T.D. Reached	15. Date Rig Released 10/20/2013		16. Date Completed (Ready to Produce)			17. Elevations (DF and RKB, RT, GR, etc.)			
18. Total Measured Depth of Well		19. Plug Back Measured Depth		20. Was Directional Survey Made?			21. Type Electric and Other Logs Run			
22. Producing Interval(s), of this completion - Top, Bottom, Name										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number)					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
28. PRODUCTION										
Date First Production		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>)					Well Status (<i>Prod. or Shut-in</i>)			
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (<i>Corr.</i>)				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>)								30. Test Witnessed By		
31. List Attachments										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude 36.13524 N				Longitude 107.46621 W				NAD 1983		
<i>I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.</i> Signature:  Printed Name: Mark Heil Title: Regulatory Specialist Date: 8/18/2014 E-mail Address: mark.heil@wpxenergy.com										

