District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

· Form C-144 Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

0

11814	Dron	agad Altamat	Pit, Below			Off COME DIVIDIOT 6
11011					Closure Plan Ap	<u>policeone</u> . DIV DIST. 3
		☐ Below grade	e tank registration pit or proposed al		and	AUG 19 2014
	or proposed alte	Closure of a	pit, below-grade	tank, or prop	osed alternative method	
monded, ref	placed	☐ Modificatio	n to an existing p	ermit/or regist	ration	aleta di sala la la constanta de sulla
riginal receiv	or proposed alte	rnative method	i only submitted	ioi an existing	, permitted or non-perm	nitted pit, below-grade tank,
121/2014	Instructions: Ple	ase submit one app	olication (Form C-	l 44) per individ	ual pit, below-grade tank	t or alternative request
r lease be advised	mat approvar of this r	equest does not refle	ve the operator of lia	bility should ope	erations result in pollution	of surface water, ground water or the
environment. Nor	r does approval relieve	the operator of its re	esponsibility to com	ply with any othe	er applicable governmental	authority's rules, regulations or ordinances
	WPX Ene	ergy Production, LL	<u>C</u>		OGRID#:	120782
1						
						Sandoval
						NAD: □1927 ⊠ 1983
Surface Owner:	☐ Federal ⊠ State	Private Trib	oal Trust or Indian	Allotment		
Temporary: ⊠ ☐ Permanent [☐ Lined ☐ U ☐ String-Reinf	Jnlined Liner type: forced	ver avitation P&A Thickness 20	mil 🛛 LLDF	E HDPE	PVC Other	e Drilling Fluid yes no ons: L_150'_ x W_50'_ x D_15'_
3. Relow-grad	e tank: Subsection	L of 19 15 17 11 N	MAC			
	Subsection					•
	ion material:					,
☐ Secondary	containment with lea	k detection Vi	sible sidewalls, line	er, 6-inch lift an	d automatic overflow shu	t-off
☐ Visible side	ewalls and liner	Visible sidewalls o	nly 🗌 Other			
Liner type: Thi	ckness	mil 🗀	HDPE ☐ PVC [Other	•	
4.		-				
Alternative						
Submittal of an	exception request is	required. Exception	ons must be submit	ted to the Santa	Fe Environmental Bureau	a office for consideration of approval.
5.		11 NIMAC (Amplia	. 40	townovani nita	and halow anada tanka)	
					, and below-grade tanks) hin 1000 feet of a perma	nent residence, school, hospital,
institution or ch	-	, strailes of Darbett	wite at top (negun)	ла у госинса та	iiii 1000 jeet oj u permar	iem residence, schoot, hospital,
Four foot he	eight, four strands of	barbed wire evenly	spaced between on	e and four feet		
Alternate. P	lease specify As per	BLM specification	S			

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
Screen Netting Other_	
Monthly inspections (If netting or screening is not physically feasible)	
7.	
Signs: Subsection C of 19.15.17.11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
Signed in compliance with 19.15.16.8 NMAC	
8. Variances and Eventions	
<u>Variances and Exceptions:</u> Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	
Please check a box if one or more of the following is requested, if not leave blank:	
☐ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. ☐ Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
Exception(s). Requests must be submitted to the Santa Le Environmental Buleau office for consideration of approval.	
9. Sixty C. (4. 11. 12. 12. 10. 10. 15. 17. 10. 10. 16. 17. 10. 10. 10. 10. 10. 10. 10. 10. 10. 10	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accematerial are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	ptable source
General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.	
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☑ No☐ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit.	☐ Yes ⊠ No
NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ NA
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☑ No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality	
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ⊠ No
Within an unstable area. (Does not apply to below grade tanks)	
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☑ No
Within a 100-year floodplain. (Does not apply to below grade tanks)	☐ Yes ☑ No
- FEMA map	
Below Grade Tanks	
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured	Yes No
from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	
	□ Vag □ Na
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole,	
or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes No
application.	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ⊠ No

Within 100 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☑ No
Temporary Pit Non-low chloride drilling fluid	
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Permanent Pit or Multi-Well Fluid Management Pit	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
10. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N	IMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the docattached. ☐ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC ☐ Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC ☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC ☐ Previously Approved Design (attach copy of design) API Number:	NMAC
II. Multi Wall Fluid Managament Dit Chapklist. Subsection D of 10 15 17 0 NMAC	
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number: or Permit Number:	
The violatity Approved Design (attach copy of design) The Francisco.	

7 X					
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached.	documents are				
 ☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC ☐ Climatological Factors Assessment 					
 ☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC 					
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan					
☐ Oil Field Waste Stream Characterization ☐ Monitoring and Inspection Plan					
Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
Type: ☑ Drilling ☐ Workover ☐ Emergency ☐ Cavitation ☐ P&A ☐ Permanent Pit ☐ Below-grade Tank ☐ Multi-well F ☐ Alternative	luid Management Pit				
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only)					
 ✓ On-site Closure Method (Only for temporary pits and closed-loop systems) ✓ In-place Burial ☐ On-site Trench Burial ☐ Alternative Closure Method 					
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. I 19.15.17.10 NMAC for guidance.					
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☑ No ☐ NA				
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☑ No ☐ NA				
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No				
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☑ No				
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☑ No				
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☑ No				
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☑ No				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance					

V 8	
adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☑ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☑ No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	
Within a 100-year floodplain.	☐ Yes ☑ No
- FEMA map	☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17. Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	II NMAC 15.17.11 NMAC
17. Operator Application Cartification.	
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believes.	ef.
Name (Print): Title:	
Signature: Date:	
e-mail address: Telephone:	
18. OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)	
OCD Representative Signature: Approval Date: 8/21/	2014
Title: Compliance October OCD Permit Number:	
19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date: 3/20/2014	
20. Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-lo If different from approved plan, please explain.	op systems only)
21. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please incommark in the box, that the documents are attached. □ Proof of Closure Notice (surface owner and division) □ Proof of Deed Notice (required for on-site closure for private land only) □ Plot Plan (for on-site closures and temporary pits) □ Confirmation Sampling Analytical Results (if applicable) □ Waste Material Sampling Analytical Results (required for on-site closure) □ Disposal Facility Name and Permit Number □ Soil Backfilling and Cover Installation □ Re-vegetation Application Rates and Seeding Technique	dicate, by a check

22. Operator Closure Certification:	
l hereby certify that the information and attachments submitted with this closure rebelief. I also certify that the closure complies with all applicable closure requirements	
Name (Print): Mark Heil	Title: Regulatory Specialist
Signature:	Date: 8/19/2015
e-mail address:mark.heil@wpxenergy.com	Telephone: 505-333-1806

WPX Energy Production, LLC San Juan Basin: New Mexico Assets

Temporary Pit In-place Closure Report Drilling/Completion and Workover (Groundwater >100 feet bgs)

Well: <u>Chaco 2206-02H #225H</u>

API No: 30-043-21149

Location: H-S02-T22N-R06W, NMPM

In accordance with Rule 19.15.17.13 NMAC, the following plan describes the general in-place closure requirements of temporary pits on WPX Energy Production, LLC (WPX) locations in the San Juan Basin of New Mexico. This is WPX's standard procedure for all temporary pits to be utilized for the drilling, completion and/or workovers of oil and gas wells operated by WPX. For those temporary pits which do not conform to this standard closure plan, a separate well/pit specific closure plan will be developed and utilized.

All closure activities will include proper documentation and will be submitted to OCD within 60 days of the pit closure on a Closure Report using Division Form C-144. The Report will include the following:

- Details on Capping and Covering, where applicable
- Plot Plan (Pit Diagram)
- Inspection reports
- Sampling Results
- Division Form C-105: WELL COMPLETION OR RECOMPLETION REPORT AND LOG
- Copy of Deed Notice filed with the County Clerk (format to meet County requirements)
 A deed notice is not required on state, federal or tribal land according to NMOCD FAQ dated October 30, 2008 and posted on the NMOCD website.

General Plan Requirements:

1. All free standing liquids will be removed from the pit at the start of the closure process. Liquids will be removed in a manner that the appropriate District Office approves including; recycled, reused, reclaimed, evaporated, and/or disposed of in a Division-approved facility. Once all free liquids are removed, the sludge will be stabilized by one of the following methods depending on equipment availability: blending with clean stockpiled soils or dewatering using a Bowl Decanter Centrifuge then blending with clean stockpiles soils.

Free liquids were not present at the reserve pit following the completion rigoff. Therefore, no liquids were hauled.

2. The preferred method of closure for all temporary pits will be on-site closure by in-place burial, provided all the criteria in 19.15.17.13.B are met.

On-site burial plan for this location was approved by the Aztec District Office on (5/28/2013)

3. The surface owner shall be notified of WPX's proposed closure plan using a means that provides proof of notice (i.e. certified mail/return receipt requested)

WPX notified the SMA of its intent to use a temporary pit and onsite burial in the Surface Use Plan in the well APD. The SMA was notified by email see attached. No return receipt required per BLM:FFO/NMOCD MOU dated 5/4/09.

4. Within six months of the "rig-off" status occurring WPX will ensure that the temporary pit is covered, recontoured and reseeding in progress.

<u>Drill rig-off (7/21/2013).</u> Completion Rig-off (9/6/2013) Pit covered (1/28/2014). Pit area along with unused portions of well pad to be interim reclaimed in accordance with Surface Management Agency requirements in APD-COAs and per <u>BLM:FFO/NMOCD MOU dated 5/4/09.</u>

- 5. Notice of Closure will be given to the Aztec District office between 72 hours and one week of the scheduled closure via email or phone. The notification of closure will include the following:
 - a. Operators Name (WPX)
 - b. Well Name and API Number
 - c. Location (USTR)

The Aztec District Office of NMOCD was notified by email using a format acceptable to the District. Copies of the notification from Abode Contractors on (1/24/2014) is attached.

6. The pit liner shall be removed above "mud level" after stabilization. Removal of the liner will consist of manually or mechanically cutting the liner at the mud level and removing all remaining liner. Care will be taken to remove "all" of the liner (I.e. anchored material). All excessive liner will be disposed of at a licensed disposal facility (probably San Juan Regional Landfill operated by Waste Management under NMED Permit SWM-052426).

The liner to the temporary pit was removed above the "mud level" once stabilized. Removal of the liner consisted of manually cutting the liner and removing all remaining liner material above the "mud level" including the anchor material. All excessive liner was disposed of at the San Juan Regional Landfill operated by Waste Management under NMED Permit SWM-052426.

7. Solidification of the remaining pit contents shall be achieved by mixing non-waste containing, earthen material. The solidification process will be accomplished use a combination of natural drying and mechanical mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed safe and stable. The mixing ratio shall not exceed 3 parts non-waste to 1 part pit contents.

The pit contents were mixed with non-waste containing, earthen material in order to achieve appropriate solidification and a consistency that was deemed safe and stable. The solidification process was accomplished using a combination of natural drying, and mechanically mixing using a dozer and trackhoe. The mixing ration was approximately 2.5-3 parts native soil to 1 part pit contents. Solidification was completed (1/28/2014).

8. A five-point composite sample will be taken of the pit using sampling tools and all samples tested per 19.15.17.13(B)(1)(b) NMAC. In the event that the criteria are not met (See Table 1), all contents will be handled per 19.15.17.13(B)(1)(a) (i.e. dig and haul to a Division-approved facility). Approval to haul will be requested of the Aztec District office prior to initiation.

A five-point composite sampling was taken of the pit area using sampling tools and the sample was tested per 19.15.17.13(B)(I)(b) NMAC. Results are shown in Table 1 and lab reports are attached.

Table 1: Closure Criteria for Temporary Pits in Non-sensitive Areas with Groundwater >100 bgs.

Components	Testing Methods	Limits (mg/Kg)	Pit (mg/Kg)
Benzene	EPA SW-846 Method 8021B or 8260B	0.2	ND
BTEX	EPA SW-846 Method 8021B or 8260B	50	0.11
TPH	EPA SW-846 Method 418.1	2500	454
GRO/DRO	EPA SW-846 Method 8015M (GRO/DRO)	500	10.8/245
Chlorides	EPA SW-846 Method 300.1	500	159

9. Upon completion of solidification and testing, the pit area will be backfilled with non-waste earthen material compacted to native conditions to enable effective revegetation for successful evapotranspiration. A minimum of four feet of cover including replacement of one foot of suitable material to establish vegetation, or the background thickness of topsoil, whichever is greater.

Upon completion of solidification and testing, the pit area was backfilled with non-waste earthen material compacted to native conditions. A minimum of four feet of cover to the extent practical was achieved and the cover included just over a foot of topsoil suitable to establish vegetation.

10. Following cover, the site will be recontoured to meet the Surface Management Agency or surface owner requirements. Recontouring will attempt to match fit, shape, line form, and texture of the surrounding geography. Re-shaping will include drainage control, prevent ponding, and minimize erosion. Natural drainages will be unimpeded and stormwater Best Management Practices (BMPs) will be used to aid in soil stabilization and protection surface water quality.

Following cover, WPX reestablished drainage and contours to approximately match previous topography meeting the Conditions of Approval in the APD and the direction offered by a BLM/USFS inspector. Cover and re-contouring were completed (1/28/2014).


- 11. Notification will be sent to the Aztec District office when the reclaimed area is seeded. WPX will comply with Surface Management Agency reseeding requirements in the COAs of the APD for the referenced well, per BLM; FFO/NMOCD MOU dated 5/4/09.
- 12. WPX shall seed the disturbed areas the first growing season after the pit is covered. Seeding will be accomplished via drilling on the contour whenever practical, or by other Division-approved methods. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintained that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs. Note: WPX assumes the seeding stipulations including mix and seeding methods specified by the Surface Management Agency (BLM, BOR, USFS, Tribal, etc.) or Land owner as part of a surface use agreement or APD are Division-approved methods unless notified by the Division of their unacceptability.

WPX will comply with Surface Management Agency reseeding requirements in the COAs of the APD for the referenced well, per BLM: FFO/NMOCD MOU dated 5/4/09.

13. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the on site burial upon the abandonment of all wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the on site burial of the temporary pit. The plate will be easily removable and a four-foot tall riser will be threaded into the top of the collar marker and welded around the base with the operations information at the time of all wells on the pad abandoned. The information will include Operator Name, Lease Name, Well Name, and number, USTR, and an indicator that the marker is an onsite pit burial location.

The temporary pit was located with a steel marker meeting the above listed specifications. The marker has the following information welded for future reference WPX ENERGY S26-T31N-R05W-F, "Pit Burial" (photo attached). Steel marker set (3/20/2014).

WPX ENERGY PRODUCTION, LLC CHACO 2206-02H #225H 1666' FNL & 278' FEL, SECTION 2, T22N, R6W, NMPM SANDOVAL COUNTY, NEW MEXICO ELEVATION: 6949' LAT: 36.16973'N LONG: 107.42988'W DATUM: NAD1983





Analytical Report

Report Summary

Client: WPX Energy, Inc.
Chain Of Custody Number: 16584
Samples Received: 1/31/2014 9:05:00AM

Job Number: 04108-0006 Work Order: P401093

Project Name/Location: Chaco 2206-2H #225H

Entire Report Reviewed By:

Date: 2/6/14

Tim Cain, Laboratory Manager

Supplement to analytical report generated on: 2/6/14 10:53 am

The results in this report apply to the samples submitted to Envirotech's Analytical Laboratory and were analyzed in accordance with the chain of custody document supplied by you, the client, and as such are for your exclusive use only. The results in this report are based on the sample as received unless otherwise noted. Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc. If you have any questions regarding this analytical report, please don't hesitate to contact Envirotech's Laboratory Staff.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com laboratory@envirotech-inc.com

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879

Page 1 of 10



WPX Energy, Inc. PO Box 21218 Project Name:

Chaco 2206-2H #225H

Tulsa OK, 74121-1358

Project Number: 04103 Project Manager: Myke

04108-0006 Myke Lane Reported: 06-Feb-14 10:56

Analyical Report for Samples

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
Reserve Pit	P401093-01A	Soil	01/28/14	01/31/14	Glass Jar, 4 oz.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879



Page 2 of 10



WPX Energy, Inc. PO Box 21218

Tulsa OK, 74121-1358

Project Name:

Chaco 2206-2H #225H

Project Number: Project Manager: 04108-0006 Myke Lane Reported: 06-Feb-14 10:56

Reserve Pit P401093-01 (Solid)

		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.05	mg/kg	1	1405022	01/31/14	02/05/14	EPA 8021B	
Toluene	ND	0.05	mg/kg	1	1405022	01/31/14	02/05/14	EPA 8021B	
Ethylbenzene	ND	0.05	mg/kg	1	1405022	01/31/14	02/05/14	EPA 8021B	
p,m-Xylene	0.11	0.05	mg/kg	1	1405022	01/31/14	02/05/14	EPA 8021B	
o-Xylene	ND	0.05	mg/kg	1	1405022	01/31/14	02/05/14	EPA 8021B	
Total Xylenes	0.11	0.05	mg/kg	1	1405022	01/31/14	02/05/14	EPA 8021B	
Total BTEX	0.11	0.05	mg/kg	1	1405022	01/31/14	02/05/14	EPA 8021B	
Surrogata: Bromochlorobanzena		100 %	80	-120	1405022	01/31/14	02/05/14	EPA 8021B	
Surrogate: 1,3-Dichlorobenzene		91.1%	80	-120	1405022	01/31/14	02/05/14	EPA 8021B	
Nonhalogenated Organics by 8015									_
Gasoline Range Organics (C6-C10)	10.8	4.99	mg/kg	1	1405022	01/31/14	02/05/14	EPA 8015D	
Diesel Range Organics (C10-C28)	245	30.0	mg/kg	·1	1405021	01/31/14	02/03/14	EPA 8015D	
Total Petroleum Hydrocarbons by 418,1									
Total Petroleum Hydrocarbons	454	19.9	mg/kg	1	1405024	01/31/14	01/31/14	EPA 418.1	
Cation/Anion Analysis			–						
Chloride	159	9.92	mg/kg	1	1405020	01/31/14	01/31/14	EPA 300.0	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879



Page 3 of 10



WPX Energy, Inc.
PO Box 21218
Tulsa OK, 74121-1358

Project Name: Project Number: Project Manager: Chaco 2206-2H #225H

04108-0006 Myke Lane

Reported: 06-Feb-14 10:56

Volatile Organics by EPA 8021 - Quality Control

Envirotech Analytical Laboratory

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes

D -4-L	1 405000	D	and Trap	TOTAL A	E0204

Blank (1405022-BLK1)				Prepared: 3	1-Jan-14	Analyzed: (05-Feb-14		
Benzene	ND	0.05	mg/kg						
Toluene	ND	0.05	•						
Ethylbenzene	И́D	0.05	•						
p,m-Xylene	ND	0.05	•						
o-Xylene	ND	0.05	•						
Total Xylenes	ND	0.05	•						
Total BTEX	ND	0.05	•						
Surrogate: 1,3-Dichlorobenzene	46.3		ug/L	50.0		92.6	80-120		
Surrogaté: Bromochlorobenzene	47.3		r	50.0		94.7	80-120		
Duplicate (1405022-DUP1)	Source	e: P401091-	01	Prepared: 3	1-Jan-14 A	Analyzed: (5-Feb-14		
Benzene	И́D	0.05	mg/kg		ND			30	
Toluene	ND	0.05	•		ND			30	
Ethylbenzene	ND	0.05			ND			30	
p,m-Xylene	ND	0.05	•		ND			30	
o-Xylene	ND	0.05			ND			30	•
Surrogata: 1,3-Dichlorobenzene	45.6		ug/L	50.0		91.1	80-120		
Surrogate: Bromochlorobenzene	47.5		"	50.0		94.9	80-120		
Matrix Spike (1405022-MS1)	Source	e: P401091-	01	Prepared: 3	1-Jan-14 A	Analyzed: 0	5-Feb-14		
Benzene	49.3		ug/L	50.0	ND	98.7	39-150		
Toluene	49.4		•	50.0	ND	98.8	46-148		
Ethylbenzene	49.3		•	50.0	ND	98.7	32-160		
o,m-Xylene	98.6		•	100	ND	98.6	46-148		
o-Xylene	49.1		•	50.0	ND	98.2	46-148		
Surrogate: 1,3-Dichlorobenzene	45.4		"	50.0		90.7	80-120		
Surrogate: Bromochlorobenzene	47.2		"	50.0		94.5	80-120		

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879



Page 4 of 10



WPX Energy, Inc.

Diesel Range Organics (C10-C28)

Project Name:

Chaco 2206-2H #225H

PO Box 21218 Tulsa OK, 74121-1358

Project Number: Project Manager: 04108-0006 Myke Lane Reported: 06-Feb-14 10:56

Nonhalogenated Organics by 8015 - Quality Control

Envirotech Analytical Laboratory

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 1405021 - DRO Extraction EPA 3550C										
Blank (1405021-BLK1)				Prepared: 3	31-Jan-14 A	Analyzed: 0	3-Feb-14			
Diesel Range Organics (C10-C28)	ND	29.9	mg/kg							
Duplicate (1405021-DUP1)	Som	rce: P401091-	01	Prepared: 3	1-Jan-14	Analyzed: 0	3-Fcb-14			
Diesel Range Organics (C10-C28)	348	29.9	mg/kg		382			9.33	30	
Matrix Spike (1405021-MS1)	Som	rce: P401091-	01	Prepared: 3	1-Jan-14 A	Analyzed: 0	3-Feb-14			

31.5 mg/kg

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879



Page 5 of 10



WPX Energy, Inc. PO Box 21218 Tulsa OK, 74121-1358

Matrix Spike (1405022-MS1)

Gasoline Range Organics (C6-C10)

Project Name:

Chaco 2206-2H #225H

Project Number:

Reporting

04108-0006

Spike

0.450

Source

Prepared: 31-Jan-14 Analyzed: 05-Feb-14

0.009

%REC

Project Manager:

0.46

Myke Lane

Reported: 06-Feb-14 10:56

RPD

Nonhalogenated Organics by 8015 - Quality Control

Envirotech Analytical Laboratory

Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 1405022 - Purge and Trap EPA 5030A										
Blank (1405022-BLK1)				Prepared: 3	1-Jan-14 A	Analyzed: 0	5-Feb-14			
Gasoline Range Organics (C6-C10)	ND	4.99	mg/kg							
Duplicate (1405022-DUP1)	Sou	rce: P401091-	01	Prepared: 3	11-Jan-14 A	Analyzed: 0	5-Feb-14			
Gasoline Range Organics (C6-C10)	ND	4.99	mg/kg		ND				30	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com

Page 6 of 10



WPX Energy, Inc. PO Box 21218 Tulsa OK, 74121-1358

Project Name: Project Number: Project Manager: Chaco 2206-2H #225H

04108-0006 Myke Lane

Reported: 06-Feb-14 10:56

Total Petroleum Hydrocarbons by 418.1 - Quality Control

Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1405024 - 418 Freon Extraction			-							
Blank (1405024-BLK1)				Prepared &	z Analyzed:	31-Jan-14				
Total Petroleum Hydrocarbons	67.8	19.9	mg/kg							
Duplicate (1405024-DUP1)	Sou	rce: P401093-	01	Prepared &	Analyzed:	31-Jan-14				
Total Petroleum Hydrocarbons	403	19.9	mg/kg		454			12.0	30	В
Matrix Spike (1405024-MS1)	Source: P401093-01 Pro			Prepared &	Analyzed:	31-Jan-14				
Total Petroleum Hydrocarbons	686		mg/L	500	114	114	80-120			В

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879



Page 7 of 10



WPX Energy, Inc.

Project Name:

Chaco 2206-2H #225H

PO Box 21218 Tulsa OK, 74121-1358 Project Number: Project Manager: 04108-0006 Myke Lane Reported: 06-Feb-14 10:56

Cation/Anion Analysis - Quality Control

Envirotech Analytical Laboratory

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 1405020 - Anion Extraction EPA 300.0										
Blank (1405020-BLK1)				Prepared &	Analyzed	31-Jan-14				
Chloride	ND	9.93	mg/kg							
LCS (1405020-BS1)				Prepared &	Analyzed:	31-Jan-14				
Chloride	511	9.99	mg/kg	500		102	90-110			
Matrix Spike (1405020-MS1)	Som	rce: P401091-	01	Prepared &	Analyzed:	31-Jan-14				
Chloride	606	9.99	mg/kg	500	111	99.2	80-120			
Matrix Spike Dup (1405020-MSD1)	Sou	rce: P401091-	01	Prepared &	Analyzed:	31-Jan-14				
Chloride	605	9.93	mg/kg	497	111	99.5	80-120	0. 175	20	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs - 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879



Page 8 of 10



WPX Energy, Inc.

Project Name:

Chaco 2206-2H #225H

PO Box 21218 Tulsa OK, 74121-1358 Project Number: Project Manager: 04108-0006 Myke Lane

Reported: 06-Fcb-14 10:56

Notes and Definitions

SPK1 The spike recovery for this QC sample is outside of control limits.

B Analyte is found in the associated blank.

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis

RPD Relative Percent Difference

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879



Page 9 of 10

		CH	IAIN O	FC	US	TC	D	Y	R	E() F	${\mathbb R}$				1	65	84			
Client: WPX Formy		Pro	oject Name / Locati	on:	2:11 #	2:	7=	H					Α	NAL	/\$IS	/ PAI	RAMI	ETER	s			
Client: WPX Energy Email results to: Mike Lane Client Phone No.:		Sa	mpler Name:	Le.	e-		<u>.,, /</u>		od 8015)	BTEX (Method 8021)	lod 8260)	etals	iion		H/P	1-016	<u> </u>				7	\ <u>\</u>
Sample No./ Identification	Sample	Sample	04108- Lab No.	No	./Volume	_	eservat	live	TPH (Method 8015)	TEX (Met	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	CO Table 910-1	TPH (418.1)	CHLORIDE			Sample Cool	Sample Intact
Reserva Pit	1/23/ ₁₄	Time	P4:01:093-01	<u> </u>	40Z	HNO ₃	HCI		-	я У	^	æ	0	В	<u>.</u> ⊢	0	<u> </u>	0			Y	
		<u></u> .						1				_									+	
								,														
													_									-
							-					٠,				·					ate	Time
Relinquished by: (Signature)	Tully	/		Date //3//5	Time 9:05	Recei	ved b	iy: (Si	ignat	ure)		_	- ^_							- 1		1:05
Relinquished by: (Signature)						Recei	ved b	y: (Si	ignat	ure)												
Sample Matrix Soil ☐ Solid ☒ Sludge ☐																						
☐ Sample(s) dropped off.after	hours to sec	cure drop of	f area.	3	env Ana	ir () Î (e (ator	Ì		1	14.	99	<						·	
5795 US Highway 6	4 • Farmingto	on, NM 8740	1 • 505-632-0615 • 1	hree Sp	rings • 65 <i>l</i>	Merca	do Stre	eet, S	uite 1	15, D	urang	30, C	0-813	301 •	labo	raton	/@en	virote			productio	n 578-129

NOTE: The Chaco 2206-02P #225H pit is missing inspection records for the following periods of time:

7/16/2013 to 9/6/2013 10/6/2013 to 10/12/2014

	Williams.			TEMP	ORARY	PIT I	NSP	ECT	ION REPO	RT	
Well Name	CHA CO 2206-02	H#225H	Field Name		Lybrook		API#			Report #	1
Location			County		Sandoval		State		NM	Rpt Date	7/6/2013
Date	Report Type	Liner Intact Y/N	Fenced Y/N	Slopes Intact Y/N	Adequate Freeboard Y/N	Oil Free Y/N	Flar Liquid Y		G	omment	
7/6/13	Daily	Υ	Υ	Υ	Υ	Υ	`	1	TEMPORARY PIT / I	VOLEAKS, NO	SPILLS
7/7/13	Daily	Υ	Y	Υ	Y	Υ	\	1	TEMPORARY PIT / I	VOLEAKS, NO	SPILLS
7/8/13	Daily	Υ	Υ	Υ	Υ	Υ	١	1	TEMPORARY PIT / I	VOLEAKS, NO	SPILLS
7/9/13	Daily	Υ	Υ	Υ	Y	Υ	,	1	TEMPORARY PIT / I	VOLEAKS, NO	SPILLS
7/10/13	Daily .	Υ	Y	Υ	Υ	Υ	١	1	TEMPORARY PIT / I	NO LEAKS, NO	SPILLS
7/11/13	Daily	Υ	Y	Υ	Y	Υ	١	1	TEMPORARY PIT / I	VO LEAKS, NO	SPILLS
7/12/13	Daily	Y.	Υ	Υ	Y	Υ	١	,	TEMPORARY PIT / N	NO LEAKS, NO	SPILLS
7/13/13	Daily	Υ	Υ	Υ	Y	Υ	\	,	TEMPORARY PIT / N	NO LEAKS, NO	SPILLS
7/14/13	Daily	Υ	Υ	Υ	Y	Υ	\	,	TEMPORARY PIT/I	NO LEAKS, NO	SPILLS
7/15/13	Daily	Υ	Υ	Υ	Y	Y	\	,	TEMPORARY PIT / N	NO LEAKS, NO	SPILLS
7/16/13	Daily	Υ	Υ	Y	Y	Υ	١	,	TEMPORARY PIT / I	VO LEAKS, NO	SPILLS
7/17/13	Daily	Υ	Υ	Υ	Y	Υ	١	,	TEMPORARY PIT / I	NO LEAKS, NO	SPILLS
7/18/13	Daily	Y	Υ	Υ	Υ	Υ	١	′	TEMPORARY PIT / I	NO LEAKS, NO	SPILLS
7/19/13	Daily	Υ	Y	Υ	Y	Y	١	′	TEMPORARY PIT / I	VO LEAKS, NO	SPILLS
7/20/13	Daily	Υ	Y	Υ	Y	Y	١	<i>'</i>	TEMPORARY PIT/I	VOLEAKS, NO	SPILLS
7/21/13	Daily	Υ	Y	Y	Υ.	Y	١	,	TEMPORARY PIT/I	NO LEAKS, NO	SPILLS
7/22/13	Daily	Υ	Y	Υ	Y	Y	\ \ \	,	TEMPORARY PIT / N	NO LEAKS, NO	SPILLS
			2001-2009 W	eilEz Informati	on Management, LLC	C. All rights	reserved	ver. 111709j	ic		

720 So. Main / PO Box 640 Aztec, NM 87410 505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION Facility Name: CHACO 2206-02P #227H API #:30-043-21147 Pit Type: ☑ Drilling ☐ Workover ☐ Cavitation Inspection: ☐ Daily (Rig) ☒ Weekly (Tech) Yes No If No, Pit Liner intact Date / Time Reported: Report to EH&S immediately Yes No Not Required (if site fully fenced) If No, Report to EH&S immediately Pit Properly Fenced Pit Slopes intact Yes □ No If No, Report to EH&S immediately Yes No Not Applicable If No, Report to EH&S immediately Adequate freeboard Free oil or sheen present on pit Yes □ No If Yes, Report to EH&S immediately Flare Pit free of liquids ☐ Yes ☐ No ☒ Not Applicable If No, Report to EH&S immediately ☐ Drill Rig ☐ Completion Rig Date liquids pulled (Liquids must be pulled within 30 days of rig off date) Date Liquids Pulled: Comments: Liquid in pit possible rain water Inspector Signature: Cody Boyd Printed Name: Cody Boyd Title: Field Technician Rosa South

Phone: (505)386-8672

Record Retention: Submit with Closure

11/29/2013

Date:

720 So. Main / PO Box 640 Aztec, NM 87410 505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION Facility Name: CHACO 2206-02P #227H API #:30-043-21147 Pit Type: ☐ Drilling ☐ Workover ☐ Cavitation | Inspection: ☐ Daily (Rig) ☐ Weekly (Tech) Pit Liner intact Yes No If No, Date / Time Reported: Report to EH&\$ immediately Yes No Not Required (if site fully fenced) If No, Report to EH&S immediately Pit Properly Fenced Pit Slopes intact Yes No If 'No, Report to EH&S immediately Adequate freeboard Yes No Not Applicable If No, Report to EH&S immediately Free oil or sheen present on pit Yes □ No If Yes, Report to EH&S immediately Flare Pit free of liquids ☐ Yes ☐ No ☒ Not Applicable If No, Report to EH&S immediately Date liquids pulled ☐ Drill Rig ☐ Completion Rig (Liquids must be pulled within 30 days of rig off date) Date Liquids Pulled: Liquid in pit possible rain water and snow. Inspector Signature: Cody Boyd Printed Name: Cody Boyd Title: Field Technician Rosa South Date: 12/9/2013 Phone: (505)386-8672

Record Retention: Submit with Closure

720 So. Main / PO Box 640 Aztec, NM 87410 505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION Facility Name: CHACO 2206-02P #227H API #:30-043-21147 Pit Type: ☑ Drilling ☐ Workover ☐ Cavitation Inspection: ☐ Daily (Rig) ☒ Weekly (Tech) Pit Liner intact Yes No If No. Date / Time Reported: Report to EH&S immediately Yes No Not Required (if site fully fenced) If No, Report to EH&S immediately Pit Properly Fenced Pit Slopes intact Yes □ No If No, Report to EH&S immediately Adequate freeboard Yes No Not Applicable If No, Report to EH&S immediately Free oil or sheen present on pit Yes □ No If Yes, Report to EH&S immediately Flare Pit free of liquids ☐ Yes ☐ No ☒ Not Applicable If No, Report to EH&S immediately Date liquids pulled ☐ Drill Rig ☐ Completion Rig (Liquids must be pulled within 30 days of rig off date) Date Liquids Pulléd: Comments: Liquid in pit possible rain water and snow. Inspector Signature: Cody Boyd Printed Name: Cody Boyd Title: Field Technician Rosa South

Phone: (505)386-8672

Record Retention: Submit with Closure

Date:

12/12/2013

720 So. Main / PO Box 640 Aztec, NM 87410 505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION Facility Name: CHACO 2206-02P #227H API #:30-043-21147 Pit Type: ☐ Drilling ☐ Workover ☐ Cavitation Inspection: Daily (Rig) Weekly (Tech) Pit Liner intact Yes No If No. Date / Time Reported: Report to EH&S immediately Pit Properly Fenced Yes No Not Required (if site fully fenced) If No, Report to EH&S immediately Pit Slopes intact Yes No If. No, Report to EH&S immediately Adequate freeboard If No, Report to EH&S immediately Free oil or sheen present on pit Yes □ No If Yes, Report to EH&S immediately Flare Pit free of liquids ☐ Yes ☐ No ☒ Not Applicable If No, Report to EH&S immediately Date liquids pulled ☐ Drill Rig ☐ Completion Rig (Liquids must be pulled within 30 days of rig off date) Date Liquids Pulled: Comments: Liquid in pit possible rain water and snow. Inspector Signature: Cody Boyd Printed Name: Cody Boyd Title: Field Technician Rosa South

Phone: (505)386-8672

Record Retention: Submit with Closure

Date:

1/18/2014

720 So. Main / PO Box 640 Aztec, NM 87410 505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION Facility Name: CHACO 2206-02P #227H API #:30-043-21147 Pit Type: ☑ Drilling ☐ Workover ☐ Cavitation Inspection: ☐ Daily (Rig) ☒ Weekly (Tech) Pit Liner intact Yes No If No. Date / Time Reported: Report to EH&S immediately Pit Properly Fenced Yes No Not Required (if site fully fenced) If No, Report to EH&S immediately Pit Slopes intact Yes □ No If No, Report to EH&S immediately Adequate freeboard If No, Report to EH&S immediately Free oil or sheen present on pit Yes □ No If Yes, Report to EH&S immediately Flare Pit free of liquids Yes No Not Applicable If No, Report to EH&S immediately Date liquids pulled ☐ Drill Rig ☐ Completion Rig (Liquids must be pulled within 30 days of rig off date) Date Liquids Pulled: Comments: Liquid in pit possible rain water and snow. Inspector Signature: Cody Boyd Printed Name: Cody Boyd

Phone: (505)386-8672

Record Retention: Submit with Closure

Date:

Title: Field Technician Rosa South

1/25/2014

720 So. Main / PO Box 640 Aztec, NM 87410 505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION Facility Name: CHACO 2206-02P #227H API #:30-043-21147 Pit Type: ☑ Drilling ☐ Workover ☐ Cavitation Inspection: ☐ Daily (Rig) ☒ Weekly (Tech) Pit Liner intact Yes No If No. Date / Time Reported: Report to EH&S immediately Yes No Not Required (if site fully fenced) If No, Report to EH&S immediately Pit Properly Fenced Pit Slopes intact Yes No If No, Report to EH&S immediately Adequate freeboard If No, Report to EH&S immediately Free oil or sheen present on pit Yes □ No If Yes, Report to EH&S immediately Flare Pit free of liquids ☐ Yes ☐ No ☒ Not Applicable If No, Report to EH&S immediately Date liquids pulled ☐ Drill Rig ☐ Completion Rig (Liquids must be pulled within 30 days of rig off date) Date Liquids Pulled: Comments: Liquid in pit possible rain water and snow. Inspector Signature: Cody Boyd Printed Name: Cody Boyd Title: Field Technician Chaco Slope 2/1/2014 Date: Phone: (505)386-8672

Record Retention: Submit with Closure

720 So. Main / PO Box 640 Aztec, NM 87410 505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION Facility Name: CHACO 2206-02P #227H API #:30-043-21147 Pit Type: ☐ Drilling ☐ Workover ☐ Cavitation Inspection: Daily (Rig) Weekly (Tech) Pit Liner intact Yes No If No. Date / Time Reported: Report to EH&S immediately Pit Properly Fenced Yes No Not Required (if site fully fenced) If No, Report to EH&S immediately Pit Slopes intact Yes □ No If No, Report to EH&S immediately Adequate freeboard If No, Report to EH&S immediately Free oil or sheen present on pit Yes □ No If Yes, Report to EH&S immediately ☐ Yes ☐ No ☒ Not Applicable Flare Pit free of liquids If No, Report to EH&S immediately Date liquids pulled ☐ Drill Rig ☐ Completion Rig (Liquids must be pulled within 30 days of rig off date) Date Liquids Pulled: Comments: Liquid in pit possible rain water and snow. Inspector Signature: Cody Boyd Printed Name: Cody Boyd Title: Field Technician Chaco Slope Date: 2/8/2014 Phone: (505)386-8672

Record Retention: Submit with Closure

720 So. Main / PO Box 640 Aztec, NM 87410 505-333-1806 / 505-333-1805 fax

Temporary Pit Inspection

FACILITY INFORMATION Facility Name: CHACO 2206-02P #227H API #:30-043-21147 Pit Type: ☐ Drilling ☐ Workover ☐ Cavitation Inspection: Daily (Rig) Weekly (Tech) Pit Liner intact Yes No If No, Date / Time Reported: Report to EH&S immediately Pit Properly Fenced Yes No Not Required (if site fully fenced) If No, Report to EH&S immediately Yes □ No Pit Slopes intact If No, Report to EH&S immediately Adequate freeboard If No, Report to EH&S immediately Free oil or sheen present on pit Yes □ No If Yes, Report to EH&S immediately ☐ Yes ☐ No ☒ Not Applicable If No, Report to EH&S immediately Flare Pit free of liquids ☐ Drill Rig ☐ Completion Rig Date liquids pulled (Liquids must be pulled within 30 days of rig off date) Date Liquids Pulled: Liquid in pit possible rain water and snow. Inspector Signature: Cody Boyd Printed Name: Cody Boyd

Phone: (505)386-8672

Record Retention: Submit with Closure

Date:

Title: Field Technician Chaco Slope

2/15/2014

District II 811 S. First Street, Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

District IV 1220 S. St. Francis Drive, Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department

Submit one copy to Appropriate District Office

OIL CONSERVATION DIVISION 1220 South St. Francis Drive Santa Fe. NM 87505

AMENDED REPORT

Form C-102 Revised August 1. 2011

WELL	LOCATION	ΔNID	ACREAGE	DEDICATION	DI AT
71LLL	LOCA LIUN	AINU	AUNLAUL	DEDICALION	TI AI

17	API Numbe	r		Pool Coc	le	Pool Name									
						1	WILDCAT (G.	ALLUP)							
⁴ Property	Code				Property CHACO 22			e M	ell Number 225H						
'OGRID I	'OGRID No. 'Operator Name 'Elevation														
12078	5			WPX	ENERGY PR	ODUCTION, LL	3		6949						
					¹⁰ Surface	Location									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County						
Н	2	55N	6W		1666	NORTH	278	EAST	SANDOVAL						
			¹ Botto	m Hole	Location I	f Different f	rom Surfac	e							
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County						
D	2	55N	6W		340	NORTH	340 WEST SANDO								
¹² Dedicated Acres		Acres	- (N/2	N/2)	¹³ Joint or Infill	Infill ³⁴ Consolidation Code ¹⁵ Order No.									

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

N88 *52 W 5239.08 (RECORD) N88 *08 *46 *W 5237.30 (MEASURED) 17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom-hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. 340 340 N88°08.8'W 4556.0 340 946 2700.06 '(RECORD) 2703.60 '(MEASURED) rυ'σ΄ Σ LOT LOT 2 LOT LOT NI 07. 1327. 4 3 1 19991 Signature Date END OF LATERAL LAT: 36.17362 N LONG: 107.44485 W POINT OF ENTRY LAT: 36.17337 N LONG: 107.42942 W SURFACE LOCATION LAT: 36.16972 N LONG: 107.42928 W NO 39 E 2 1 20 29 E Printed Name 278' DATUM: NAD1927 DATUM: NAD1927 DATUM: NAD1927 (RECORD) NO '55 E 2704 68 N1 '33 38 'E 2703 95 (MEASURED) E-mail Address LAT: 36.17363 N LONG: 107.44545 W DATUM: NAD1983 LAT: 36.16973 N LONG: 107.42988 W DATUM: NAD1983 LAT: 36.17338 N LONG: 107.43002 W DATUM: NAD1983 *SURVEYOR CERTIFICATION 801 I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or undury supervision, and that the same is true and correct to the best of my belief. Date Revised: FEBRUARY 14, 2013 Date of Survey: JUNE 8, 2012 · (RECORD) · (MEASURED) 2676.30'(RECORD) 2677.70'(MEASURED) Signature and Seal of Professional Surveyor SON C. EDWARDS MEXICO **EW** 2681.58°(2680.86° AND ESSIONAL I SPINETOR .55 E 3.01.2Z NO .39 E 33 N01 701 ASON **DWARDS** N88 *51 W 2609.64 ' (RECORD) N88 *51 W 2609.64 (RECORD) N88 '08'57"W 2609.82 (MEASURED) N88 *03 '47 'W 2608.21' (MEASURED) Certificate Number 15269

From:

Johnny [johnny@adobecontractorsinc.com]

Sent:

Friday, January 24, 2014 8:35 AM

To:

Brandon Powell

Cc:

Granillo, Lacey

Subject:

Notice of pit closure for WPX Chaco 2206-2H #225H

Brandon, we will be closing this pit by the middle of next week. Please let me know if you have any questions.

Thank you,

Johnny R. Stinson General Manager Adobe Contractors Inc.

Office: 505-632-1486 Fax: 505-632-9807 Mobile: 505-320-6076

johnny@adobecontractorsinc.com

	Subject To Sppropri Two Copies	iate Distric	t Offic	e				State of No			Form C-105													
	District I					Ene	ergy, l	Minerals an	d Na	tural F	Res	sources						Rev		ugust 1, 20				
	1625 N. French Dr., District II	Hobbs, Ni	M 8824	40										1. WELL		NO.								
	811 S. First St., Arte	esia, NM 8	8210		1			Dil Conserva						30-043-21										
	<u>District III</u> 1000 Rio Brazos Rd	l., Aztec, N	IM 874	110			l	220 South S			r.			2. Type of L	Lease	☐ F	200	П г	ED/IND	IANI				
	District IV 1220 S. St. Francis I	Dr. Canta I	Ča NINA	1 07505	ŀ			Santa Fe, 1	NM 8	7505				3. State Oil					CUIINU	IAIN				
-														V092090000										
ŀ			<u>-EII</u>	ION O	<u>R R</u>	ECC	MPL	ETION RE	POF	RT AN	1D	LOG												
l	4. Reason for filir	ng:												5. Lease Nan Chaco 2206-0		Unit A	green	nent Na	me					
l	☐ COMPLETION	ON REP	ORT ((Fill in bo	xes#	l throu	gh #31	for State and Fe	e wells	only)				6. Well Num		#225H		P-4-		<u>-</u>				
														r										
L	#33; attach this an	d the plat	to the	e C-144 cl	losure	report	in accor	dance with 19.1	15.17.1	3.K NM	ia IAC	ina #32 ana C)	/01											
	7. Type of Compl		1 11101	DUOUEE) EED			🗀															
ŀ	8. Name of Operat	☑ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR													IR ☐ OTHER									
L	WPX Energy Prod	luction, L	LC										ĺ	9. OGRID 120782										
ı	10. Address of Op		A.	-ton NIM	0741	^								11. Pool name or Wildcat										
ŀ	PO Box 640 / 721 12.Location	Unit Ltr		Section		U Townsl	hin	Range	Lot		Т	Feet from t	he	Lybrook/Gall N/S Line	-,*	et from	the	e E/W Line Cou						
ŀ	Surface:		+		-			- Tungo	100		+			140 Ellic	100		THE LATTERIE			County				
ŀ	BH:		+		-+				<u> </u>	·	+													
ŀ	13. Date Spudded	14 Do	to T.D	D. Reache		15 0	ata Dia	Dalassad				D-4- C1		(Dardata Dar				7. Elevations (DF and RKB,						
	13. Date Spudded	14. Da	ile I.D). Reache	a	15. Date Rig Released 9/6/2013						Jate Compi	leted	(Ready to Pro	duce)			. Elevati I, GR, et		and KKB,				
ľ	18. Total Measure	d Depth c	of Wel	11		19. P	lug Bac	k Measured Dep	pth	2	0.	Was Direct	iona	l Survey Made	?	21.				ner Logs R	un			
ŀ	22. Producing Inte	rval(s), o	f this c	completio	n - To	p, Bott	tom, Na	me										•••						
ŀ	23.					ASTN	IC RE	CORD (Rep	ort a	11 etrine	O.C.	set in we	1115											
ŀ	CASING SIZ	W	B./FT			DEPTH SET	1			LE SIZE	11)	CEMENTIN	IG RE	CORD	\top	AM	IOUNT I	PULLED						
Ī																	\top							
					_																			
L								,									\perp		****					
L						\longrightarrow			_								\perp							
ŀ	24						LDI	TD DECORD							G1 115 1	210 p								
ь.	SIZE	TOP			BOTT	OM	LINE	ER RECORD SACKS CEM	FNT	SCREE	-N		25. SIZ		TUBING REG									
ŀ	SIZE.	101			<u> </u>	Olvi		JACKS CLIVI	LIVI	SCICLI	214		312	<i></i>	+	LI III	361		IACKL	IK SE I				
r																					\neg			
r	26. Perforation r	ecord (in	terval,	, size, and	numb	oer)		<u> </u>		27. A	CII	O, SHOT,	FRA	ACTURE, CE	EMEI	NT, SO	QUE	EZE, F	ETC.		\neg			
l										DEPTI	ΗD	NTERVAL		AMOUNT A	AND I	KINDI	TAN	ERIAL	USED					
l														1										
l														<u> </u>										
ŀ	20			······································					DDA	DUCT	TC	NT.		<u></u>										
ŀ	28. Date First Product	ion		Pro	ductio	n Meth	od (Flo	wing, gas lift, p					}	Well Status	s (Pro	nd or S	hut-i	in)						
							(- 10			5 5.40		VP - P P)			. (.,,						
L	Date of Test	Hours	Tostac	<u> </u>	Chole	e Size	-	Prod'n For		Oil - B	hl		Cos	s - MCF	11	√ater - l	ohi -		Gos. O	il Ratio				
	Date of Test	Flouis	restet	u	CHUK	C SIZE		Test Period			UI	1	Gas	S - IVICI	Ι,	valei ~ i	3 01.		Gas - O	ii Kauo				
L		<u> </u>			-		I																	
	Flow Tubing Press.	Casing	; Press	sure	Calcu Hour	lated 2	:4-	Oil - Bbl.		Ga:	S -	MCF	,	Water - Bbl.		Oil	Grav	ity - AP	I <i>- (Cori</i>	·.)				
		1					1																	
	29. Disposition of	Gas (Solo	d, usea	d for fuel,	vented	d, etc.)									30.	Test W	itnes	ssed By						
r	31. List Attachmer	nts																			-			
L	32. If a temporary	pit was u	sed at	the well,	attach	a plat	with the	location of the	tempo	rary pit.														
1	33. If an on-site bu	irial was i	used a	nt the well	, repoi	rt the e	xact loc	ation of the on-s	site bu	rial:			_			····								
								Latitude		36.17011				Longitude		107.43			NAD 19					
	I hereby certify Signature:	that th	e inf	formatio	n sh	F	Printed	l Name: Ma	ırk H	eil	Τi	tle: Reg	gula	to the best of tory Special	of my ist		vledą Date		l belief.	514)				
ĺ	1 V.	b. J 1		,		Е	E-mail	Address: ma	ark.h	eil@wr	pxe	energy.co	m					0//	1/4	-17				

From:

Johnny [johnny@adobecontractorsinc.com]

Sent:

Friday, January 24, 2014 8:35 AM

To:

Brandon Powell

Cc:

Granillo, Lacey

Subject:

Notice of pit closure for WPX Chaco 2206-2H #225H

Brandon, we will be closing this pit by the middle of next week. Please let me know if you have any questions.

Thank you,

Johnny R. Stinson General Manager Adobe Contractors Inc. Office: 505-632-1486

Fax: 505-632-9807 Mobile: 505-320-6076

johnny@adobecontractorsinc.com

