SUNDRY Do not use this	UNITED STATES PARTMENT OF THE INTITE	S ON WELLS drill or reenter Lan 2	21 2014	5. Lease Serial	071 ottee or Tribe Name
SUBMIT IN TRIPLI	CATE – Other instru	ctions on réverse	side ,	7. If Unit or CA	/Agreement, Name and/or No.
1.  Oil Well  Gas Well  2. Name of Operator  Elm Ridge Exploration Compan	Other			8. Well Name a Buena Suert 9. API Well No	e 30 <b>¢</b> #1
3a. Address PO Box 156 Bloomfield, NM 87 4. Location of Well (Footage, Sec., T., F	3b. Phone No. (include area code) 505-632-3476 ext. 201		30-045-29024  10. Field and Pool, or Exploratory Area  Basin Fruitland Coal		
2395' FNL X 1842' FEL "G" Sec.30-T26N-R11W				11. County or Pa	,
12. CHECK APPROPRIATE BOX(E	S) TO INDICATE NATURE	OF NOTICE, REPORT,	OR OTHER DA	TA	
TYPE OF SUBMISSION	TYPE OF ACTION				
Notice of Intent  Subsequent Report	Acidize Alter Casing Casing Repair Change Plans	Deepen Fracture Treat New Construction Plug and Abandon	Reclamation Recomplete Temporarily	Other Other	
Final Abandonment Notice	Convert to Injection	Plug Back	☐ Water Dispo	sal	
13. Describe Proposed or Completed Operation If the proposal is to deepen directionally Attach the Bond under which the work of Following completion of the involved operation has been completed. Final Abardetermined that the site is ready for final inspection.  Elm Ridge Exploration Co.,	or recomplete horizontally, give s will be performed or provide the I rations. If the operation results in indonment Notices shall be filed of tion.)	ubsurface locations and measur 30nd No. on file with BLM/E a multiple completion or reco only after all requirements, inc	red and true vertica BIA. Required subsompletion in a new cluding reclamation,	depths of all per equent reports shall interval, a Form 3 have been complete	tinent markers and zones be filed within 30 days 160-4 shall be filed once ed, and the operator has
attached procedure.	ELO requesta permissio	in to plug and aband	on the following		CONS.DIV.

BLM'S APPROVAL OR ACCEPTANCE OF THIS ACTION DOES NOT RELIEVE THE LESSEE AND

OPERATOR FROM OBTAINING ANY OTHER
AUTHORIZATION REQUIRED FOR OPERATIONS
ON FEDERAL AND INDIAN LANDS

ON FEDERAL AND INDIAN LANDS

Notify NMOCD 24 hrs prior to beginning operations SEE ATTACHED FOR CONDITIONS OF APPROVAL

DIST.3

14. I hereby certify that the foregoing is true and correct								
	tle Sr. Regulatory Supervisor							
Signature	August 18, 2014							
THIS SPACE FOR FEDERAL OR STATE USE								
Approved by Troy Salvers	Title Petroleum Eng. Date 8 28 2014							
Conditions of approval if any, are attached. Approval of this notice does not warrant certify that the applicant holds legal or equitable title to those rights in the subject least which would entitle the applicant to conduct operations thereon.	or Office							
Title 1811 S.C. Section 1001, makes it a crime for any nerson knowingly and willfully to make to any department or agency of the United States any false fictitious or								

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

### Elm Ridge Resources

### **Pertinent Data Sheet**

Well Name:

Buena Suerte 30G #1

Footage:

2395' FNL and 1842' FEL

Location:

SWNE Section 30, T26N, R11W

County:

San Juan County, NM

API#:

30-045-29024

Field:

Basin Fruitland Coal

Elevation: 6085' KB

**TD**: 1340' KB

Completed: 02/14/1994

#### **Casing Record:**

Hole Size	Casing Size	Wt.	Grade	Depth Set	Cement
8-3/4"	7"	20#	J-55	129'	89 cu. ft. (Circ. to surface)
7-7/8"	4-1/2"	10.5#	J-55	1343'	275.4 cu. ft. (Circ. to surface)

**Tubing:** 2-3/8" tubing set at 1276'

#### **Formation Tops:**

Nacimiento

Surface

Fruitland

998'

Pictured Cliffs

1206'

#### Perforations:

Fruitland perforations: 1170'-1188'

Notes:

#### Wellbore Diagram Buena Suerte 30G #1 SWNE Sec. 30, T26N, R11W San Juan County, NM API #30-045-29024

#### Before

8-3/4" OH 7" 20# J-55 set @ 129' Circulated cmt to surface Nacimiento - surface Fruitland - 998' 2-3/8" tbg set at 1170' Fruitland perforations: 1170'-1188' Pictured Cliffs - 1206' 6-1/4" OH 4-1/2" 10.5# J-55 set @ 1343' Circulated cmt to surface TD: 1340'

#### Wellbore Diagram Buena Suerte 30G #1 SWNE Sec. 30, T26N, R11W San Juan County, NM API #30-045-29024

After

Nacimiento - surface

8-3/4" OH 7" 20# J-55 set @ 129' Circulated cmt to surface

Fruitland - 998'

Pictured Cliffs - 1206'

Fruitland perforations: 1170'-1188'

6-1/4" OH 4-1/2" 10.5# J-55 set @ 1343' Circulated cmt to surface TD: 1340'

# Buena Suente. Plugging Program for Bisti 30G #1

- 1) MOL RU. TOOH with 2-3/8" tubing.
- 2) PU and TIH with 4-1/2" retainer to 1165'. Squeeze below retainer with 11 sx cmt.
- 3) Sting out, mix and pump 90 sx, or sufficient volume, to bring cement to surface inside 4-1/2" casing.
- 4) Cut off well head 4 feet below surface and remediate location in accordance with regulatory agencies' conditions of approval.

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT FARMINGTON DISTRICT OFFICE

6251 COLLEGE BLVD. FARMINGTON, NEW MEXICO 87402

Attachment to notice of Intention to Abandon:

Re: Permanent Abandonment Well: Buena Suerte 30G #1

#### **CONDITIONS OF APPROVAL**

- 1. Plugging operations authorized are subject to the attached "General Requirements for Permanent Abandonment of Wells on Federal and Indian Lease."
- 2. Farmington Office is to be notified at least 24 hours before the plugging operations commence (505) 564-7750.

You are also required to place cement excesses per 4.2 and 4.4 of the attached General Requirements.

Office Hours: 7:45 a.m. to 4:30 p.m.