Form 3160-5 (November 1994)	DEI	UNITED STA PARTMENT OF TH			ا بەر يا ئارىكى	-1-1-1	· \ 0	ORM APPROVED MB No. 1004-0135 spires July 31, 1996
<i>t</i> :	SUNDRY	IREAU OF LAND MA NOTICES AND REF	PORTS ON W	,,,	AUG 2	9 2014	5. Lease Serial	20-3603
		s form for proposa Use Form 3160-3 (reenter an	.00	Carto	6. If Indian, Al	lottee or Tribe Name
SUBI	MIT IN TRIPLI	ICATE – Other in	nstructions	on revers	e side		7. If Unit or Ca	A/Agreement, Name and/or No.
1.								
Oil Well X Gas Well Other							8. Well Name	
2. Name of Operato								te 5 Com 1T
Elm Ridge Expl	oration Compar	ny, LLC			· · · ·		9. API Well No	
3a. Address		7440		ione No. (include		de)	30-045-3200	
PO Box 156 Blo				505-632-3476 ext. 201				ool, or Exploratory Area
4. Location of Well	I (Footage, Sec., T., F	R., M., or Survey Descript	ion)				Basin Fruitla	
1280' FSL X 1930' FEL "J" Sec.5-T25N-R11W						San Juan Co		
12. CHECK APPR	OPRIATE BOX(E	S) TO INDICATE NA	TURE OF NOT	TCE, REPORT,	, OR O	THER DA	ТА	
TYPE OF SUBI	MISSION	TYPE OF ACT	ION					
Notice of Intent	}	☐ Acidize ☐ Alter Casing		cture Treat	F	Reclamation	Start/Resume)	Water Shut-Off Well Integrity
Subsequent Rep	oort	Casing Repair		v Construction		Recomplete	.1 1	Other
Final Abandonn	nent Notice	☐ Change Plans ☐ Convert to Inject		g and Abandon g Back		remporarily Water Dispos		
If the proposal is to Attach the Bond un Following completion Testing has been completed.	to deepen directionally ider which the work v in of the involved open	ns (clearly state all pertine or recomplete horizontally, will be performed or provic rations. If the operation re indonment Notices shall be tion.)	give subsurface le the Bond No. of sults in a multiple	ocations and measure on file with BLM/I completion or rec	ured and /BIA. R completion	true vertical equired subse in a new	depths of all per equent reports shall interval, a Form 3	tinent markers and zones be filed within 30 days 160-4 shall be filed once
Elm Ridge F	Exploration Co	LLC requests perr	nission to alı	in and ahand	ion the	- followin	a well accord	ling to the
attached pro		LLO requeette peri	modion to pic	ig and abana	2011 (110	. 1011011111	-	=
attached pro	300ddi 0.						-	CVD SEP 9'14
							0	IL COMS. DIV.
ACTION OPERAT AUTHOR	DOES NOT RELI	CEPTANCE OF THIS EVE THE LESSEE AN NING ANY OTHER RED FOR OPERATION	Oj	NMOCD 24 hre to beginning perations	¥Š			DIST. 3 CHED FOR OF APPROVAL
14. I hereby certify t Name (Printed/I	that the foregoing is t	rue and correct	Titl	e	<u></u>	ir Regula	atory Supervi	sor
Signature		Citalitia	Dat	<u> </u>		r toguie	acory Oupervi	

(Instructions on reverse)

Approved by

THIS SPACE FOR FEDERAL OR STATE USE

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

August 22, 2014

4/2014

Elm Ridge Resources

Pertinent Data Sheet

Well Name:

Buena Suerte 5 Com #1T

Footage:

1280' FSL and 1930' FEL

Location:

NWSE Section 5, T25N, R11W

County:

San Juan County, NM

API#:

30-045-32006

Field: Basin Fruitland Coal

Elevation: 6371' KB

TD: 1457' KB

PBTD: 1393' KB

Completed: 01/11/2005

Casing Record:

Hole Size	Casing Size	Wt.	Grade	Depth Set	Cement
8-3/4"	7"	23#	J-55	134'	65 sx (Circ. to surface)
6-1/4"	4-1/2"	11.6#	J-55	1439'	220 sx (Circ. to surface)

Tubing: 2-3/8" tubing set at 1262'

Formation Tops:

Nacimiento

Surface

Fruitland

Pictured Cliffs

1313' 1348'

Perforations:

Fruitland perforations: 1218'-1232'

Notes:

Wellbore Diagram Buena Suerte 5 Com #1T NWSE Sec. 5, T25N, R11W San Juan County, NM API #30-045-32006

Before

Nacimiento - surface

8-3/4" OH 7" 23# J-55 set @ 134' Circulated cmt to surface

Fruitland - 1313'

Pictured Cliffs - 1346'

Fruitland perforations: 1218'-1232'

2-3/8" tbg set at 1262'


6-1/4" OH 4-1/2" 11.6# J-55 set @ 1439' Circulated cmt to surface TD: 1457'

Buena Suerte 4G Com #1 WBD 8/22/2014

Wellbore Diagram Buena Suerte 5 Com #1T NWSE Sec. 5, T25N, R11W San Juan County, NM API #30-045-32006

After

Nacimiento - surface



8-3/4" OH 7" 23# J-55 set @ 134' Circulated cmt to surface

Fruitland perforations: 1218'-1232'

Fruitland - 1313'

Pictured Cliffs - 1346'

6-1/4" OH 4-1/2" 11.6# J-55 set @ 1439' Circulated cmt to surface TD: 1457'

Plugging Program for Buena Suerte 5 Com #1T

- 1) MOL RU. TOOH with 2-3/8" tubing.
- 2) PU and TIH with 4-1/2" retainer to 1215'. Squeeze below retainer with 18 sx cmt.
- 3) Sting out, mix and pump 93 sx, or sufficient volume, to bring cement to surface inside 4-1/2" casing.
- 4) Cut off well head 4 feet below surface and remediate location in accordance with regulatory agencies' conditions of approval.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT FARMINGTON DISTRICT OFFICE

6251 COLLEGE BLVD. FARMINGTON, NEW MEXICO 87402

Attachment	to	notice	of
Intention to	Αb	andon	:

Re: Permanent Abandonment Well: Buena Suerte 5 Com #1T

CONDITIONS OF APPROVAL

- 1. Plugging operations authorized are subject to the attached "General Requirements for Permanent Abandonment of Wells on Federal and Indian Lease."
- 2. Farmington Office is to be notified at least 24 hours before the plugging operations commence (505) 564-7750.

You are also required to place cement excesses per 4.2 and 4.4 of the attached General Requirements.

Office Hours: 7:45 a.m. to 4:30 p.m.