

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Department  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-144  
July 21, 2008

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.  
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

OIL CONS. DIV DIST. 3

12170  
45-20942  
Pit, Closed-Loop System, Below-Grade Tank, or  
Proposed Alternative Method Permit or Closure Plan Application

AUG 22 2014

- Type of action: ☐ Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  
☒ Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  
☐ Modification to an existing permit  
☐ Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

**Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank, or alternative request**

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations, or ordinances.

Operator: <u>XTO Energy, Inc.</u>	OGRID #: <u>5380</u>
Address: <u>382 Road 3100, Aztec, New Mexico 87410</u>	
Facility or well name: <u>Ute Mtn Tribal D # 3</u>	
API Number: <u>30-045-20942</u>	OCD Permit Number: _____
U/L or Qtr/Qtr <u>F</u> Section <u>10</u> Township <u>31N</u> Range <u>14W</u> County: <u>San Juan</u>	
Center of Proposed Design: Latitude <u>36.91844</u> Longitude <u>-108.29800</u> NAD: <input type="checkbox"/> 1927 <input checked="" type="checkbox"/> 1983	
Surface Owner: <input checked="" type="checkbox"/> Federal <input type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Tribal Trust or Indian Allotment	

2.  
☐ **Pit:** Subsection F or G of 19.15.17.11 NMAC  
Temporary: ☐ Drilling ☐ Workover  
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A  
☐ Lined ☐ Unlined Liner type: Thickness \_\_\_\_\_ mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other \_\_\_\_\_  
☐ String-Reinforced  
Liner Seams: ☐ Welded ☐ Factory ☐ Other \_\_\_\_\_ Volume: \_\_\_\_\_ bbl Dimensions: L \_\_\_\_\_ x W \_\_\_\_\_ x D \_\_\_\_\_

3.  
☐ **Closed-loop System:** Subsection H of 19.15.17.11 NMAC  
Type of Operation: ☐ P&A ☐ Drilling a new well ☐ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)  
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other \_\_\_\_\_  
☐ Lined ☐ Unlined Liner type: Thickness \_\_\_\_\_ mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other \_\_\_\_\_  
Liner Seams: ☐ Welded ☐ Factory ☐ Other \_\_\_\_\_

4.  
☒ **Below-grade tank:** Subsection I of 19.15.17.11 NMAC  
Volume: 120 bbl Type of fluid: Produced Water  
Tank Construction material: Steel  
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☒ Other Visible sidewalls, vaulted, automatic high-level shut off, no liner  
Liner type: Thickness \_\_\_\_\_ mil ☐ HDPE ☐ PVC ☐ Other \_\_\_\_\_

5.  
☐ **Alternative Method:**  
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

6.

**Fencing:** Subsection D of 19.15.17.11 NMAC (*Applies to permanent pits, temporary pits, and below-grade tanks*)

- ☐ Chain link, six feet in height, two strands of barbed wire at top (*Required if located within 1000 feet of a permanent residence, school, hospital, institution or church*)
- ☒ Four foot height, four strands of barbed wire evenly spaced between one and four feet
- ☐ Alternate. Please specify: \_\_\_\_\_

7.

**Netting:** Subsection E of 19.15.17.11 NMAC (*Applies to permanent pits and permanent open top tanks*)

- ☐ Screen ☐ Netting ☒ Other: Expanded metal or solid vaulted top
- ☐ Monthly inspections (If netting or screening is not physically feasible)

8.

**Signs:** Subsection C of 19.15.17.11 NMAC

- ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
- ☒ Signed in compliance with 19.15.3.103 NMAC

9.

**Administrative Approvals and Exceptions:**

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

**Please check a box if one or more of the following is requested, if not leave blank:**

- ☐ Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.
- ☐ Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

10.

**Siting Criteria (regarding permitting):** 19.15.17.10 NMAC

**Instructions:** *The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.*

Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 500 feet of a wetland.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within a 100-year floodplain. FEMA map	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

11.

**Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist:** Subsection B of 19.15.17.9 NMAC**Instructions:** Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☒ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
- ☐ Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC
- ☒ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- ☒ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☒ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- ☒ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
- ☐ Previously Approved Design (attach copy of design) API Number: \_\_\_\_\_ or Permit Number: \_\_\_\_\_

12.

**Closed-loop Systems Permit Application Attachment Checklist:** Subsection B of 19.15.17.9 NMAC**Instructions:** Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
- ☐ Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
- ☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
- ☐ Previously Approved Design (attach copy of design) API Number: \_\_\_\_\_
- ☐ Previously Approved Operating and Maintenance Plan API Number: \_\_\_\_\_ (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

13.

**Permanent Pits Permit Application Checklist:** Subsection B of 19.15.17.9 NMAC**Instructions:** Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
- ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- ☐ Climatological Factors Assessment
- ☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Quality Control/Quality Assurance Construction and Installation Plan
- ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- ☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Nuisance or Hazardous Odors, including H<sub>2</sub>S, Prevention Plan
- ☐ Emergency Response Plan
- ☐ Oil Field Waste Stream Characterization
- ☐ Monitoring and Inspection Plan
- ☐ Erosion Control Plan
- ☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

14.

**Proposed Closure:** 19.15.17.13 NMAC**Instructions:** Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.

- Type: ☐ Drilling ☐ Workover ☐ Emergency ☐ Cavitation ☐ P&A ☐ Permanent Pit ☒ Below-grade Tank ☐ Closed-loop System
- ☐ Alternative
- Proposed Closure Method: ☒ Waste Excavation and Removal
- ☐ Waste Removal (Closed-loop systems only)
- ☐ On-site Closure Method (Only for temporary pits and closed-loop systems)
- ☐ In-place Burial ☐ On-site Trench Burial
- ☐ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)

15.

**Waste Excavation and Removal Closure Plan Checklist:** (19.15.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

- ☒ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
- ☒ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
- ☒ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
- ☒ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- ☒ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
- ☒ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16.

**Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:** (19.15.17.13.D NMAC)**Instructions:** Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.

Disposal Facility Name: \_\_\_\_\_ Disposal Facility Permit Number: \_\_\_\_\_

Disposal Facility Name: \_\_\_\_\_ Disposal Facility Permit Number: \_\_\_\_\_

Will any of the proposed closed-loop system operations and associated activities occur on or in areas that *will not* be used for future service and operations?☐ Yes (If yes, please provide the information below) ☐ No*Required for impacted areas which will not be used for future service and operations:*☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

17.

**Siting Criteria (regarding on-site closure methods only):** 19.15.17.10 NMAC**Instructions:** Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.

Ground water is less than 50 feet below the bottom of the buried waste.

- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☐ Yes ☐ No☐ NA

Ground water is between 50 and 100 feet below the bottom of the buried waste

- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☐ Yes ☐ No☐ NA

Ground water is more than 100 feet below the bottom of the buried waste.

- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☐ Yes ☐ No☐ NA

Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).

- Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.

- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image

☐ Yes ☐ No

Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.

- NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.

- Written confirmation or verification from the municipality; Written approval obtained from the municipality

☐ Yes ☐ No

Within 500 feet of a wetland.

- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within the area overlying a subsurface mine.

- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division

☐ Yes ☐ No

Within an unstable area.

- Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map

☐ Yes ☐ No

Within a 100-year floodplain.

- FEMA map

☐ Yes ☐ No

18.

**On-Site Closure Plan Checklist:** (19.15.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC☐ Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC☐ Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC☐ Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC☐ Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)☐ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19.

**Operator Application Certification:**

I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Name (Print): Kurt HoekstraTitle: EHS CoordinatorSignature: Date: 8-21-2014E-mail address: Kurt.Hoekstra@xtoenergy.comTelephone: 505-333-3100

20.

**OCD Approval:** ☐ Permit Application (including closure plan) ☒ ~~Closure Plan (only)~~ ☐ OCD Conditions (see attachment)

OCD Representative Signature:  Approval Date: 9/19/2014Title: Compliance Officer

OCD Permit Number: \_\_\_\_\_

21.

**Closure Report (required within 60 days of closure completion):** Subsection K of 19.15.17.13 NMAC

*Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.*

☒ Closure Completion Date: 3-27-2014

22.

**Closure Method:**

☒ Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-loop systems only)  
☐ If different from approved plan, please explain.

23.

**Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:**

*Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.*

Disposal Facility Name: \_\_\_\_\_ Disposal Facility Permit Number: \_\_\_\_\_

Disposal Facility Name: \_\_\_\_\_ Disposal Facility Permit Number: \_\_\_\_\_

Were the closed-loop system operations and associated activities performed on or in areas that *will not* be used for future service and operations?

☐ Yes (If yes, please demonstrate compliance to the items below) ☐ No

*Required for impacted areas which will not be used for future service and operations:*

- ☐ Site Reclamation (Photo Documentation)  
☐ Soil Backfilling and Cover Installation  
☐ Re-vegetation Application Rates and Seeding Technique

24.

**Closure Report Attachment Checklist:** *Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.*

- ☒ Proof of Closure Notice (surface owner and division)  
☐ Proof of Deed Notice (required for on-site closure)  
☐ Plot Plan (for on-site closures and temporary pits)  
☒ Confirmation Sampling Analytical Results (if applicable)  
☐ Waste Material Sampling Analytical Results (required for on-site closure)  
☒ Disposal Facility Name and Permit Number  
☒ Soil Backfilling and Cover Installation  
☒ Re-vegetation Application Rates and Seeding Technique  
☒ Site Reclamation (Photo Documentation)

On-site Closure Location: Latitude \_\_\_\_\_ Longitude \_\_\_\_\_ NAD: ☐ 1927 ☐ 1983

25.

**Operator Closure Certification:**

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print) Kurt Hoekstra Title: EHS CoordinatorSignature: Date: 8-21-2014E-mail address Kurt.Hoekstra@xtoenergy.com Telephone: 505-333-3100

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-141  
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in  
accordance with 19.15.29 NMAC.

**Release Notification and Corrective Action**

**OPERATOR**

☒ Initial Report ☐ Final Report

Name of Company: XTO Energy, Inc.	Contact: Kurt Hoekstra	
Address: 382 Road 3100, Aztec, New Mexico 87410	Telephone No.: (505) 333-3100	
Facility Name: Ute Mountain Tribal D # 3	Facility Type: Gas Well (Ute Dome Dakota)	
Surface Owner: Tribal	Mineral Owner	API No.: 30-045-20942

**LOCATION OF RELEASE**

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
F	10	31N	14W	1530	FNL	1980	FWL	San Juan

Latitude 36.91844 Longitude -108.29800

**NATURE OF RELEASE**


Type of Release: Produced Water	Volume of Release: Unknown	Volume Recovered: None
Source of Release: Below Grade Tank	Date and Hour of Occurrence: Unknown	Date and Hour of Discovery: 3-27-2014
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.\*

Describe Cause of Problem and Remedial Action Taken.\* The below grade tank was removed at the Ute Mountain Tribal D # 3 well site due to P & A of the location. The soil beneath the BGT was sampled for TPH via USEPA Method 8015 and 418.1, for BTEX via USEPA Method 8021, and for total chlorides. The sample returned results below the 'Pit Rule' spill confirmation standards for benzene, total BTEX, and TPH, but above the Chloride Standard of 250 ppm at 460 ppm via USEPA Method 9056, confirming that a release has occurred at this location. The site was then ranked according to the NMOCD Guidelines for the Remediation of Leaks, Spills and Releases. The site was ranked a 0 due to an estimated depth to groundwater of greater than 100 feet, distance to a water well greater than 1000 feet, and distance to surface water greater than 1000 feet. This set the closure standard to 5000 ppm TPH, 10 ppm benzene, and 50 ppm total BTEX.

Describe Area Affected and Cleanup Action Taken.\* Based on chloride results of 460 ppm via USEPA Method 9056 a release has been confirmed at this location.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 		<b>OIL CONSERVATION DIVISION</b>	
Printed Name: Kurt Hoekstra		Approved by Environmental Specialist:	
Title: EHS Coordinator	Approval Date:	Expiration Date:	
E-mail Address: Kurt.Hoekstra@xtoenergy.com	Conditions of Approval:		Attached <input type="checkbox"/>
Date: 8-21-14	Phone: 505-333-3100		

\* Attach Additional Sheets If Necessary



## Analytical Report

### Report Summary

Client: XTO Energy Inc.

Chain Of Custody Number: 0448

Samples Received: 3/21/2014 1:35:00PM

Job Number: 98031-0528

Work Order: P403072

Project Name/Location: Ute Mtn Tribal D #3

Entire Report Reviewed By:

A handwritten signature in black ink, appearing to read 'Tim Cain', is written over a horizontal line.

Date: 3/27/14

Tim Cain, Laboratory Manager

The results in this report apply to the samples submitted to Envirotech's Analytical Laboratory and were analyzed in accordance with the chain of custody document supplied by you, the client, and as such are for your exclusive use only. The results in this report are based on the sample as received unless otherwise noted. Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc. If you have any questions regarding this analytical report, please don't hesitate to contact Envirotech's Laboratory Staff.



XTO Energy Inc.  
382 CR 3100  
Aztec NM, 87410

Project Name: Ute Mtn Tribal D #3  
Project Number: 98031-0528  
Project Manager: James McDaniel

**Reported:**  
27-Mar-14 10:42

### Analytical Report for Samples

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
BGT Cellar	P403072-01A	Soil	03/21/14	03/21/14	Glass Jar, 4 oz.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com  
laboratory@envirotech-inc.com





XTO Energy Inc.	Project Name:	Ute Mtn Tribal D #3	
382 CR 3100	Project Number:	98031-0528	Reported:
Aztec NM, 87410	Project Manager:	James McDaniel	27-Mar-14 10:42

**BGT Cellar**  
**P403072-01 (Solid)**

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								

**Total Petroleum Hydrocarbons by 418.1**

Total Petroleum Hydrocarbons	32.0	20.0	mg/kg	1	1413011	03/25/14	03/25/14	EPA 418.1		
------------------------------	------	------	-------	---	---------	----------	----------	-----------	--	--

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com  
laboratory@envirotech-inc.com



XTO Energy Inc. 382 CR 3100 Aztec NM, 87410	Project Name: Ute Mtn Tribal D #3 Project Number: 98031-0528 Project Manager: James McDaniel	Reported: 27-Mar-14 10:42
---	--	------------------------------

### Total Petroleum Hydrocarbons by 418.1 - Quality Control

#### Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

#### Batch 1413011 - 418 Freon Extraction

<b>Blank (1413011-BLK1)</b>				Prepared & Analyzed: 25-Mar-14						
Total Petroleum Hydrocarbons	ND	20.0	mg/kg							
<b>Duplicate (1413011-DUP1)</b>				Source: P403072-01 Prepared & Analyzed: 25-Mar-14						
Total Petroleum Hydrocarbons	23.9	20.0	mg/kg		32.0			28.7	30	
<b>Matrix Spike (1413011-MS1)</b>				Source: P403072-01 Prepared & Analyzed: 25-Mar-14						
Total Petroleum Hydrocarbons	1810	20.0	mg/kg	2000	32.0	89.0	80-120			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com

laboratory@envirotech-inc.com



XTO Energy Inc.  
382 CR 3100  
Aztec NM, 87410

Project Name: Ute Mtn Tribal D #3  
Project Number: 98031-0528  
Project Manager: James McDaniel

**Reported:**  
27-Mar-14 10:42

#### Notes and Definitions

DET Analyte DETECTED  
ND Analyte NOT DETECTED at or above the reporting limit  
NR Not Reported  
dry Sample results reported on a dry weight basis  
RPD Relative Percent Difference

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com  
laboratory@envirotech-inc.com

\* Sample ID will be the office and sampler-date-military time FARJM-MMDDYY-1200

Page 6 of 6



12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
(615) 758-5858  
1-800-767-5859  
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Kurt Hoekstra  
XTO Energy - San Juan Division  
382 County Road 3100  
Aztec, NM 87410

### Report Summary

Thursday March 27, 2014

Report Number: L689644

Samples Received: 03/22/14

Client Project: 30-045-20942

Description: Ute Mtn Tribal D#3

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

Daphne Richards, ESC Representative

### Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - 01157CA, CT - PH-0197,  
FL - E87487, GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016,  
NC - ENV375/DW21704/BIO041, ND - R-140, NJ - TN002, NJ NELAP - TN002,  
SC - 84004, TN - 2006, VA - 460132, WV - 233, AZ - 0612,  
MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032011-1,  
TX - T104704245-11-3, OK - 9915, PA - 68-02979, IA Lab #364, EPA - TN002

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
(615) 758-5858  
1-800-767-5859  
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

# REPORT OF ANALYSIS

Kurt Hoekstra  
XTO Energy - San Juan Division  
382 County Road 3100  
Aztec, NM 87410

March 27, 2014

Date Received : March 22, 2014  
Description : Ute Mtn Tribal D#3  
Sample ID : FARKH-032114-0930 BGT CELLAR  
Collected By : Kurt  
Collection Date : 03/21/14 09:30

ESC Sample # : L689644-01

Site ID : UTE MTN TRIBAL D #3

Project # : 30-045-20942

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	460	11.	mg/kg	9056	03/26/14	1
Total Solids	90.0		%	2540 G-2011	03/26/14	1
Benzene	BDL	0.0028	mg/kg	8021/8015	03/23/14	5
Toluene	BDL	0.028	mg/kg	8021/8015	03/23/14	5
Ethylbenzene	BDL	0.0028	mg/kg	8021/8015	03/23/14	5
Total Xylene	BDL	0.0083	mg/kg	8021/8015	03/23/14	5
TPH (GC/FID) Low Fraction	BDL	0.56	mg/kg	GRO	03/23/14	5
Surrogate Recovery-%						
a,a,a-Trifluorotoluene(FID)	97.3		% Rec.	8021/8015	03/23/14	5
a,a,a-Trifluorotoluene(PID)	102.		% Rec.	8021/8015	03/23/14	5
TPH (GC/FID) High Fraction	12.	4.4	mg/kg	3546/DRO	03/25/14	1
Surrogate recovery(%)						
o-Terphenyl	89.7		% Rec.	3546/DRO	03/25/14	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 03/27/14 12:29 Printed: 03/27/14 12:30

Summary of Remarks For Samples Printed  
03/27/14 at 12:30:21

TSR Signing Reports: 288  
R5 - Desired TAT

Domestic Water Well Sampling-see L609759 Lobato for tests EDD's on ALL projects email James,  
Kurt and Logan all reports

Sample: L689644-01 Account: XTORNM Received: 03/22/14 09:30 Due Date: 03/28/14 00:00 RPT Date: 03/27/14 12:29



YOUR LAB OF CHOICE

XTO Energy - San Juan Division  
Kurt Hoekstra  
382 County Road 3100

Aztec, NM 87410

Quality Assurance Report  
Level II

L689644

12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
(615) 758-5858  
1-800-767-5859  
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 27, 2014

Analyte	Result	Laboratory Blank Units	% Rec	Limit	Batch	Date Analyzed
Benzene	< .0005	mg/kg			WG712336	03/22/14 21:15
Ethylbenzene	< .0005	mg/kg			WG712336	03/22/14 21:15
Toluene	< .005	mg/kg			WG712336	03/22/14 21:15
TPH (GC/FID) Low Fraction	< .1	mg/kg			WG712336	03/22/14 21:15
Total Xylene	< .0015	mg/kg			WG712336	03/22/14 21:15
a,a,a-Trifluorotoluene(FID)		% Rec.	98.50	59-128	WG712336	03/22/14 21:15
a,a,a-Trifluorotoluene(PID)		% Rec.	103.0	54-144	WG712336	03/22/14 21:15
TPH (GC/FID) High Fraction	< 4	mg/kg			WG712420	03/24/14 09:31
o-Terphenyl		% Rec.	106.0	50-150	WG712420	03/24/14 09:31
Total Solids	< .1	%			WG712690	03/26/14 08:00
Chloride	< 10	mg/kg			WG712605	03/25/14 21:05

Analyte	Units	Result	Duplicate Duplicate	RPD	Limit	Ref Samp	Batch
Total Solids	%	82.9	82.8	0.104	5	L689645-09	WG712690
Chloride	mg/kg	53.0	57.0	7.27	20	L689601-02	WG712605
Chloride	mg/kg	680.	630.	7.63	20	L689601-05	WG712605

Analyte	Units	Laboratory Control Sample Known Val	Result	% Rec	Limit	Batch
Benzene	mg/kg	.05	0.0501	100.	70-130	WG712336
Ethylbenzene	mg/kg	.05	0.0510	102.	70-130	WG712336
Toluene	mg/kg	.05	0.0507	101.	70-130	WG712336
Total Xylene	mg/kg	.15	0.156	104.	70-130	WG712336
a,a,a-Trifluorotoluene(PID)				103.0	54-144	WG712336
TPH (GC/FID) Low Fraction	mg/kg	5.5	4.59	83.5	63.5-137	WG712336
a,a,a-Trifluorotoluene(FID)				99.20	59-128	WG712336
TPH (GC/FID) High Fraction	mg/kg	60	56.2	93.7	50-150	WG712420
o-Terphenyl				107.0	50-150	WG712420
Total Solids	%	50	50.0	100.	85-115	WG712690
Chloride	mg/kg	200	206.	103.	80-120	WG712605

Analyte	Units	Result	Ref	%Rec	Limit	RPD	Limit	Batch
Benzene	mg/kg	0.0487	0.0501	97.0	70-130	2.84	20	WG712336
Ethylbenzene	mg/kg	0.0494	0.0510	99.0	70-130	3.20	20	WG712336
Toluene	mg/kg	0.0490	0.0507	98.0	70-130	3.50	20	WG712336
Total Xylene	mg/kg	0.151	0.156	100.	70-130	3.44	20	WG712336
a,a,a-Trifluorotoluene(PID)				102.0	54-144			WG712336
TPH (GC/FID) Low Fraction	mg/kg	4.32	4.59	78.0	63.5-137	6.06	20	WG712336
a,a,a-Trifluorotoluene(FID)				98.40	59-128			WG712336

\* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'





12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
(615) 758-5858  
1-800-767-5859  
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

XTO Energy - San Juan Division  
Kurt Hoekstra  
382 County Road 3100

Quality Assurance Report  
Level II

Aztec, NM 87410

March 27, 2014

L689644

Analyte	Laboratory Control			Sample Duplicate		Limit	RPD	Limit	Batch
	Units	Result	Ref	%Rec					
TPH (GC/FID) High Fraction	mg/kg	60.2	56.2	100.		50-150	6.80	20	WG712420
o-Terphenyl				114.0		50-150			WG712420
Chloride	mg/kg	229.	206.	114.		80-120	10.6	20	WG712605

Analyte	Units	Matrix Spike			% Rec	Limit	Ref Samp	Batch
		MS Res	Ref Res	TV				
Benzene	mg/kg	0.241	0.000440	.05	96.0	49.7-127	L689336-01	WG712336
Ethylbenzene	mg/kg	0.238	0.000597	.05	95.0	40.8-141	L689336-01	WG712336
Toluene	mg/kg	0.243	0.000845	.05	97.0	49.8-132	L689336-01	WG712336
Total Xylene	mg/kg	0.726	0.00161	.15	97.0	41.2-140	L689336-01	WG712336
a,a,a-Trifluorotoluene(PID)					101.0	54-144		WG712336
TPH (GC/FID) Low Fraction	mg/kg	17.8	0.0	5.5	65.0	28.5-138	L689336-01	WG712336
a,a,a-Trifluorotoluene(FID)					98.60	59-128		WG712336
TPH (GC/FID) High Fraction	mg/kg	62.3	1.26	60	100.	50-150	L689653-02	WG712420
o-Terphenyl					104.0	50-150		WG712420
Chloride	mg/kg	565.	51.0	500	100.	80-120	L689596-05	WG712605

Analyte	Units	Matrix Spike Duplicate			Limit	RPD	Limit	Ref Samp	Batch
		MSD	Ref	%Rec					
Benzene	mg/kg	0.243	0.241	97.0	49.7-127	0.880	23.5	L689336-01	WG712336
Ethylbenzene	mg/kg	0.232	0.238	92.5	40.8-141	2.59	23.8	L689336-01	WG712336
Toluene	mg/kg	0.240	0.243	95.6	49.8-132	1.23	23.5	L689336-01	WG712336
Total Xylene	mg/kg	0.706	0.726	93.9	41.2-140	2.78	23.7	L689336-01	WG712336
a,a,a-Trifluorotoluene(PID)				101.0	54-144				WG712336
TPH (GC/FID) Low Fraction	mg/kg	18.5	17.8	67.3	28.5-138	3.83	23.6	L689336-01	WG712336
a,a,a-Trifluorotoluene(FID)				99.00	59-128				WG712336
TPH (GC/FID) High Fraction	mg/kg	49.5	62.3	80.4	50-150	22.9*	20	L689653-02	WG712420
o-Terphenyl				85.10	50-150				WG712420
Chloride	mg/kg	571.	565.	104.	80-120	1.06	20	L689596-05	WG712605

Batch number /Run number / Sample number cross reference

WG712336: R2896922: L689644-01  
WG712420: R2896989 R2897525: L689644-01  
WG712690: R2897646: L689644-01  
WG712605: R2898022: L689644-01

\* \* Calculations are performed prior to rounding of reported values.

\* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



**YOUR LAB. OF CHOICE**

XTO Energy - San Juan Division  
Kurt Hoekstra  
382 County Road 3100

Aztec, NM 87410

Quality Assurance Report  
Level II

L689644

12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
(615) 758-5858  
1-800-767-5859  
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 27, 2014

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.

# **XTO Energy Inc. San Juan Basin Below Grade Tank Closure Report**

**Lease Name: Ute Mountain Tribal D#3**

**API No.: 30-045-20942**

**Description: Unit F, Section 10, Township 31N, Range 14W, San Juan County**

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure requirements of below-grade tanks on XTO Energy Inc. (XTO) locations. This is XTO's standard procedure for all below-grade tanks. A separate plan will be submitted for any below-grade tank which does not conform to this plan.

## **General Plan**

1. XTO will close below-grade tanks within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the division requires because of imminent danger to fresh water, public health or the environment.  
**Closure Date is March 27<sup>th</sup>, 2014**
2. XTO will close a below-grade tank that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC.  
**Closure Date is March 27<sup>th</sup>, 2014**
3. XTO will close a permitted below-grade tank within 60 days of cessation of the below-grade tank's operation or as required by the transitional provisions of Subsection B of 19.15.17.17 NMAC in accordance with a closure plan that the appropriate division district office approves. The closure report will be filed on form C-144.  
**Required C-144 Form is attached to this document.**
4. XTO will remove liquids and sludge from below-grade tanks prior to implementing a closure method and will dispose of the liquids and sludge in a division-approved facility. Approved facilities and waste streams include:
  - Envirotech Permit No. NM01-0011 and IEI Permit No. NM 01-0010B
  - Soil contaminated by exempt petroleum hydrocarbons
  - Produced sand, pit sludge and contaminated bottoms from storage of exempt wastes
  - Basin Disposal Permit No. NM01-005
  - Produced water**All liquids and sludge were removed from the tank prior to closure activities.**
5. XTO will remove the below-grade tank and dispose of it in a division approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.  
**XTO has removed the below grade tank, and will dispose of it at a division approved facility, or recycle, reclaim or reuse it in a manner that is approved by the division.**

6. XTO will remove any on-site equipment associated with a below-grade tank unless the equipment is required for some other purpose.

**All Equipment will be removed due to the plugging and abandoning of Ute Mountain Tribal D # 3 well.**

7. XTO will test the soils beneath the below-grade tank to determine whether a release has occurred. At a minimum 5 point composite sample will be collected along with individual grab samples from any area that is wet, discolored or showing other evidence of a release. Samples will be analyzed for BTEX, TPH and chlorides to demonstrate that the benzene concentration, as determined by EPA SW-846 methods 8021B or 8260B or EPA method that the division approves, does not exceed 0.2 mg/kg; total BTEX concentration, as determined by EPA SW-846 methods 8021B or 8260B or other EPA method that the division approves, does not exceed 50 mg/kg; the TPH concentration, as determined by EPA method 418.1 or other EPA method that the division approves, does not exceed 100mg/kg; and the chloride concentration, as determined by EPA method 300.1 or other EPA method that the division approves, does not exceed 250 mg/kg, or the background concentration, whichever is greater. XTO will notify the division of its results on form C-141.

**A composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).**

Components	Test Method	Limit (mg/Kg)	Results (mg/Kg)
Benzene	EPA SW-846 8021B or 8260B	0.2	< 0.0028 mg/kg
BTEX	EPA SW-846 8021B or 8260B	50	< 0.0419 mg/kg
TPH	EPA SW-846 418.1	100	32 mg/kg
Chlorides	EPA 9056	250 or background	460 mg/kg

8. If XTO or the division determines that a release has occurred, XTO will comply with 19.15.3.116 NMAC and 19.15.1.19NMAC as appropriate.

**Due to Chloride results of 460 PPM, a release has been confirmed for this location. A C-141 Release Notification form will be sent outlining any remediation activities taken regarding this release**

9. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Paragraph (4) of Subsection E of 19.15.17.13 NMAC, XTO will backfill the excavation with compacted, non-waste containing, earthen material; construct a division prescribed soil cover; recontour and re-vegetate the site.

**The pit cellar was backfilled using compacted, non-waste containing earthen material, with a division prescribed soil cover.**

10. Notice of Closure operations will be given to the Aztec Division District III office between 72 hours and one week prior to the start of closure activities via email or verbally.

The notification will include the following:

- i. Operator's name
- ii. Well Name and API Number

iii. Location by Unit Letter, Section, Township, and Range  
**Notification was provided to Mr. Brandon Powell with the Aztec office of the OCD via email on March 21<sup>st</sup>, 2014; see attached email printout.**

The surface owner shall be notified of XTO's proposal to close the BGT as per the approved closure plan using certified mail, return receipt requested.

**The surface owner was notified on March 21<sup>st</sup>, 2014 via email. Email has been approved as a means of surface owner notification to the Ute Mountain Ute Tribe by Brandon Powell, NMOCD Aztec Office.**

11. Re-contouring of location will match fit, shape, line, form and texture of the surrounding area. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be placed in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.  
**The location will be recontoured to match the above specifications after the well has been P & A'd.**
12. A minimum of 4 feet of cover shall be achieved and the cover shall include 1 foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.  
**The site has been backfilled to match these specifications.**
13. XTO will seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will be used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.  
**The location will be reclaimed pursuant to the BIA, BLM MOU**
14. All closure activities will include proper documentation and be available for review upon request and will be submitted in closure report form to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on form C-144 and incorporate the following:
  - i. Proof of closure notice to division and surface owner; **attached**
  - ii. Details on capping and covering, where applicable; **per OCD Specifications**
  - iii. Inspection reports; **attached**
  - iv. Confirmation sampling analytical results; **attached**
  - v. Disposal facility name(s) and permit number(s); **see above**
  - vi. Soil backfilling and cover installation; **per OCD Specifications**
  - vii. Re-vegetation application rates and seeding techniques, (or approved alternative to re-vegetation requirements if applicable); **Per BIA, BLM MOU**
  - viii. Photo documentation of the site reclamation. **attached**
15. This closure report is being submitted after the 60 day deadline required by the 'Pit Rule' due to a delay of final reclamation of this well site.

## Hoekstra, Kurt

---

**From:** Hoekstra, Kurt  
**Sent:** Friday, March 21, 2014 3:15 PM  
**To:** Brandon Powell (brandon.powell@state.nm.us)  
**Subject:** BGT Closure Notification Ute Mountain Tribal D # 3

Please accept this email as the required notification for BGT closure activities at the Ute Mountain Tribal D # 3 well site (API # 30-045-20942) located in Unit F, Section 10, Township 31N, Range 14W, San Juan County, New Mexico.

This below grade tank is being closed due to the P & A of this well.

Thank you for your time in regards to this matter .

Kurt Hoekstra  
EHS Coordinator  
XTO Energy  
505-333-3202 Office  
505-486-9543 Cell  
[Kurt\\_Hoekstra@xtoenergy.com](mailto:Kurt_Hoekstra@xtoenergy.com)

## Hoekstra, Kurt

---

**From:** Hoekstra, Kurt  
**Sent:** Friday, March 21, 2014 3:14 PM  
**To:** 'ghammond@utemountain.org'  
**Subject:** BGT Closure Notification Ute Mountain Tribal D # 3

Mr. Hammond,

Please accept this email as the required notification for BGT closure activities at the Ute Mountain Tribal D # 3 well site (API # 30-045-20942) located in Unit F, Section 10, Township 31N, Range 14W, San Juan County, New Mexico. This below grade tank is being closed due to the P & A of this well. Thank you for your time in regards to this matter .

Kurt Hoekstra  
EHS Coordinator  
XTO Energy  
505-333-3202 Office  
505-486-9543 Cell  
[Kurt\\_Hoekstra@xtoenergy.com](mailto:Kurt_Hoekstra@xtoenergy.com)



Division Denver  
Dates -  
06/01/2008 - 04/01/2014  
Type Route Stop  
Type Value U

RouteName	StopName	Pumper	Foreman	WellName	APIWellNumber	Section	Range	Township
Below Grade Pit Forms (Temp.)	Ute mtn tribal D 03	Steier, Russell	Unassigned	UTE MTN TRIBAL D 03 (PA)	3004520942	10	14W	31N

InspectorName	Inspection Date	Inspection Time	Visible LinerTears	VisibleTankLeak Overflow	Collection OfSurfaceRun	Visible LayerOil	Visible Leak	Freeboard	PitLocation	PitType	Notes
dr	02/21/2009	11:32	No	No	No	Yes	No	EstFT 6	Well Water P low Ground		
dr	03/20/2009	09:00	No	No	No	Yes	No	6	Well Water P low Ground		
dr	04/21/2009	11:25	No	No	No	Yes	No	6	Well Water P low Ground		
dr	05/14/2009	01:13	No	No	No	Yes	No	6	Well Water P low Ground		
dr	06/15/2009	01:08	No	No	No	Yes	No	6	Well Water P low Ground		
dr	07/20/2009	09:45	No	No	No	Yes	No	6	Well Water P low Ground		
dr	08/16/2009	02:00	No	No	No	Yes	No	6	Well Water P low Ground		
dr	11/07/2009	11:47	No	No	No	Yes	No	6	Well Water P ove Ground		
mth	12/21/2009	02:10	No	No	No	Yes	No	6	Well Water P ove Ground		
mth	01/10/2010	12:47	No	No	No	Yes	No	6	Well Water P ove Ground		
mth	02/13/2010	03:00	No	No	No	Yes	No	6	Well Water P ove Ground		
mth	03/16/2010	01:19	No	No	No	Yes	No	6	Well Water P ove Ground		
mth	04/27/2010	01:01	No	No	No	Yes	No	6	Well Water P ove Ground		
mth	05/28/2010	01:15	No	No	No	No	No	6	Well Water P ove Ground		
mth	06/30/2010	03:41	No	No	No	No	No	6	Well Water P ove Ground		
mth	07/27/2010	14:09	No	No	No	No	No	6	Well Water P ove Ground		
mth	08/21/2010	14:34	No	No	No	No	No	6	Well Water P ove Ground		
mth	09/30/2010	15:32	No	No	No	No	No	6	Well Water P ove Ground		
mth	10/19/2010	13:26	No	No	No	No	No	6	Well Water P ove Ground		
mth	11/24/2010	13:37	No	No	No	No	No	6	Well Water P ove Ground		
mth	12/22/2010	12:21	No	No	No	No	No	6	Well Water P ove Ground		
mth	01/22/2011	13:10	No	No	No	No	No	6	Well Water P ove Ground		
mth	02/16/2011	12:01	No	No	No	No	No	6	Well Water P ove Ground		
mth	03/25/2011	10:22	No	No	No	No	No	6	Well Water P ove Ground		
mth	04/29/2011	14:30	No	No	No	No	No	6	Well Water P ove Ground		
mth	05/16/2011	14:13	No	No	No	No	No	6	Well Water P ove Ground		
mth	6/17/2011	13:00	No	No	No	No	No	6	Well Water P ove Ground		
mth	7/14/2011	12:29	No	No	No	No	No	6	Well Water P ove Ground		
mth	8/18/2011	11:52	No	No	No	No	No	6	Well Water P ove Ground		
mth	9/13/2011	12:46	No	No	No	No	No	6	Well Water P ove Ground		
mth	10/12/2011	12:40	No	No	No	No	No	6	Well Water P ove Ground		
mth	11/8/2011	12:27	No	No	No	No	No	6	Well Water P ove Ground		
mth	12/2/2011	9:47	No	No	No	No	No	6	Well Water P ove Ground		
mth	1/20/2012	10:15	No	No	No	No	No	6	Well Water P ove Ground		
mth	2/10/2012	11:36	No	No	No	No	No	6	Well Water P ove Ground		
mth	3/9/2012	11:24	No	No	No	No	No	6	Well Water P ove Ground		
mth	4/2/2012	14:03	No	No	No	No	No	6	Well Water P ove Ground		



