
Form 3160-5 (August 2007)

UNITED STATES

FORM APPROVED
OMB No. 1004-0137


BUREAU OF LAND MANAGEMENT SEP					Expires: July 31, 2010		
					5. Lease, Serial No. NM12874 & NMNM 90843		
SUNDRY NOTICES AND REPORTS ON WELLS					6. If Indian, Allottee	or Tribe Nar	ne
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.					N/A ~P~	g é	CVD SEP 24'14
abandoned well.	Use Form 3160-3 (A	PD) for suc	n proposal	م الايمر . S.	mat i lamon men men	م المد	OVD GLI Z'I Z'I
SUBMIT IN TRIPLICATE – Other instructions on page 2.					7. If Unit of CA/Ag		
I. Type of Well							DIL CONS. DIV.
☑ Oil Well ☐ Gas Well ☐ Other					8. Well Name and No. Nageezi Unit D34-2409 01H		
Name of Operator Encana Oil & Gas (USA) Inc.					9. API Well No. 30-045-35440		DIST. 3
3a. Address 370 17th Street, Suite 1700	3b. Phone No. (include area coi	de)	10. Field and Pool o			
Denver, CO 80202 720-876-5867					Basin Mancos Ga		ti Lower-Gallup
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SHL: 1109 FNL and 509' FWL Section 34, T24N, R9W BHL: 585' FNL and 330' FWL Section 33, T24N, R9W					11. Country or Parish, State San Juan, New Mexico		
12. CHEC	CK THE APPROPRIATE BO	X(ES) TO INDI	CATE NATURI	E OF NOTIC	E, REPORT OR OT	HER DATA	
TYPE OF SUBMISSION TYPE OF ACT					ON		Wh
Notice of Intent	Notice of Intent Acidize Deeper			Produ	oction (Start/Resume)		ter Shut-Off
Trouce of Intell	Alter Casing	Fracture Treat		Recla	mation	☐ We	Il Integrity
Subsequent Report	Casing Repair	☐ New C	Construction	Recor	nplete	✓ Oth	er Installation of
Subsequent report	Change Plans	Plug a	nd Abandon	Temp	orarily Abandon		Gas Lift
Final Abandonment Notice	Convert to Injection	Plug B	ack	☐ Water	Disposal		
Encana Oil & Gas (USA) Inc. is required lift and the gas allocation procedure							and of the pad will gas
			ntagnez Ens of A	FPFOVA	Ł		;
 I hereby certify that the foregoing is to Name (Printed/Typed) Cristi Bauer 	ue and correct.		Title Operatio	ns Technicia	an		
Signature CREST: BAUER Date 9/8/					4		
THIS SPACE FOR FEDERAL OR STATE OFFICE USE							
Approved by Conditions of approval, if any, are attached that the applicant holds legal or equitable entitle the applicant to conduct operations Title 18 U.S.C. Section 1001 and Title 43	itle to those rights in the subject therean.	et lease which wou	old Office	et . E	make to any departm	Date 9	of the United States any folso
fictitious or fraudulent statements or repre				wiiiruny (0	make to any ocpania	and in agency	or the Office Oraces any rulec,

(Instructions on page 2)



Attachment No. 5 Encana Oil & Gas (USA) Inc. Escrito Trunk #1 San Juan County, New Mexico

Gas Measurement Allocation Procedure for Multi-Well Pads



Attachment No. 5 Encana Oil & Gas (USA) Inc. Escrito Trunk #1 San Juan County, New Mexico

Base Data:

V = Gas Volume (MCF) from Custody Transfer Meter during allocation period (Enterprise)

X_x = Gas Volume (MCF) from Pad Allocation Meter during allocation period. (Encana)

R_x = Gas Volume (MCF) from Gas Return Meter at Well Pad (Encana)*

 $(X_x - R_x)$ = Gas Volume (MCF) for total Well Pad Production (Encana)

 W_x = Gas Volume (MCF) from Wellhead Allocation Meter at individual wells during allocation period. (Encana)

WI_x = Gas Volume (MCF) from Well Injection Meter at individual wells during allocation period. (Encana)*

Y = Heating Value (BTU/scf) from Custody Transfer Meter during allocation period. (Enterprise)

Z = Heating Value (BTU/scf) from individual Wellhead Allocation Meter and Well Injection Meter. (Encana)

Allocation Period is typically a calendar month and will be the same for all Well Pads and individual wells.

Well Pad Gas Production = A + B + C + D + E

A = Allocated Gas production off lease for Well Pad, MCF: $[(X_1-R_1)/((X_1-R_1)+(X_2-R_2)+(X_n-R_n))]*(V)$

Please note, gas production (MCF) for individual wells on a Well Pad is calculated using the formula: $[(W_1-WI_1)/((W_1-WI_1)+(W_2-WI_2)+(W_n-WI_n))]*(X_1-R_1)$

B = On lease fuel usage, MCF. Determined from equipment specification and operating conditions. This includes, but is not limited to, compression, vapor recovery unit (VRU) compression, burners, and pump jacks.

C = Lost and/or vented gas from well and/or lease equipment, MCF. Calculated using equipment and piping specifications and operating pressures.

D = Allocated fuel from gathering system equipment, MCF. The total fuel required to operate gathering system equipment will be allocated to the Well Pads benefiting from the equipment using allocation factors determined by $[(X_1-R_1)/((X_1-R_1)+(X_2-R_2)+(X_n-R_n))]$ and for individual wells using allocation factors determined by $[(W_1-WI_1)/((W_1-WI_1)+(W_2-WI_2)+(W_n-WI_n))]$.

Attachment No. 5 Encana Oil & Gas (USA) Inc. Escrito Trunk #1 San Juan County, New Mexico

E = Allocated volume of gas lost and/or vented from the gathering system, gathering system equipment, condensate collection, and water collection in MCF. The total volume will be determined using industry accepted procedures the time of the loss. The total volumes lost and/or vented will be allocated to the Well Pads affected using factors determined by $[(X_1-R_1)/((X_1-R_1)+(X_2-R_2)+(X_n-R_n))]$, and for individual wells using factors determined by $[(W_1-W_1)/((W_1-W_1)+(W_2-W_1)+(W_n-W_1))]$.

<u>Individual Well BTU's</u> = $[((W_n-WI_n)*Z_n)/SUM((W_n-WI_n)*Z_n)]*Y$ Individual well gas heating values to be determined in accordance with BLM regulations.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Farmington Field Office 6252 College Blvd., Suite A Farmington, New Mexico 87402

IN REPLY REFER TO:

CONDITIONS OF APPROVAL FOR GAS LIFT & BUY BACK METER INSTALLATIONS:

• The buy-back meter isolation valve, either up or down stream of the buy-back meter must be effectively sealed in the closed position to prevent produced gas from potentially by-passing the measurement and sales meter. In lieu of the seal requirement at least two check valves can be installed in line with the buy-back meter to prevent produced gas from potentially by-passing the measurement and sales meter.

Contact this office so a BLM witness verify installation of either the seal or check valves.

- If seals are installed, seal records must be maintained and made available upon request.
 - Post a Facility sign that Clearly identifies <u>both</u> the sales and byback meters.