Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR RUREALLOF LAND MANAGEMENT

CONFIDENTIAL

FORM APPROVED OMB No.F1004-0137 Expires: July 31, 2010

5. Lease Serial No NMNM12374 **BUREAU OF LAND MANAGEMENT** 6. If Indian, Allottee or Tribe Name SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals. PCIN SEP 94 '14 7. If Unit of CA/Agreement, Name and/or No SUBMIT IN TRIPLICATE - Other instructions on page 2. 1. Type of Well 8. Well Name and No. Nageezi Unit L27-2409 01H Oil Well Gas Well Other 2. Name of Operator Encana Oil & Gas (USA) Inc. 9. API Well No. 30-045-35478 3a. Address 3b. Phone No. (include area code) 10. Field and Pool or Exploratory Area 370 17th Street, Suite 1700 Denver, CO 80202 Basin Mancos Gas and Bisti Lower - Gallup 720-876-5867 4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SHL: 2399 FSL and 333 FWL, Sec 27, T24N, R9W BHL: 2400 FNL and 330 FWL, Sec 28, T24N, R9W 11. Country or Parish, State San Juan County, NM 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Deepen Acidize Production (Start/Resume) Water Shut-Off ✓ Notice of Intent Alter Casing Fracture Treat Reclamation ■ Well Integrity Other Casing Repair New Construction Recomplete Subsequent Report Installation of Change Plans Plug and Abandon Temporarily Abandon Gas Lift Final Abandonment Notice Convert to Injection Plug Back Water Disposal 13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.) Encana Oil & Gas (USA) Inc. is requesting authorization to install gas lift at the Nageezi Unit L27-2409 01H well. Attached is a schematic of the pad with gas lift and the gas allocation procedure. COMPITIONS OF APPROVAL 14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed) Title Operations Technician Cristi Bauer Signature THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.


MMOCDA

Office

entitle the applicant to conduct operations thereon.


Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equilable title to those rights in the subject lease which would

Approved by



Attachment No. 5
Encana Oil & Gas (USA) Inc.
Escrito Trunk #1
San Juan County, New Mexico

Gas Measurement Allocation Procedure for Multi-Well Pads



Attachment No. 5 Encana Oil & Gas (USA) Inc. Escrito Trunk #1 San Juan County, New Mexico

Base Data:

V = Gas Volume (MCF) from Custody Transfer Meter during allocation period (Enterprise)

 X_x = Gas Volume (MCF) from Pad Allocation Meter during allocation period. (Encana)

R_x = Gas Volume (MCF) from Gas Return Meter at Well Pad (Encana)*

 $(X_x - R_x) = Gas Volume (MCF)$ for total Well Pad Production (Encana)

 W_x = Gas Volume (MCF) from Wellhead Allocation Meter at individual wells during allocation period. (Encana)

WI_x = Gas Volume (MCF) from Well Injection Meter at individual wells during allocation period. (Encana)*

Y = Heating Value (BTU/scf) from Custody Transfer Meter during allocation period. (Enterprise)

Z = Heating Value (BTU/scf) from individual Wellhead Allocation Meter and Well Injection Meter. (Encana)

Allocation Period is typically a calendar month and will be the same for all Well Pads and individual wells.

Well Pad Gas Production = A + B + C + D + E

A = Allocated Gas production off lease for Well Pad, MCF: $[(X_1-R_1)/((X_1-R_1)+(X_2-R_2)+(X_n-R_n))]*(V)$

Please note, gas production (MCF) for individual wells on a Well Pad is calculated using the formula: $[(W_1-WI_1)/((W_1-WI_1)+(W_2-WI_2)+(W_n-WI_n))]*(X_1-R_1)$

B = On lease fuel usage, MCF. Determined from equipment specification and operating conditions. This includes, but is not limited to, compression, vapor recovery unit (VRU) compression, burners, and pump jacks.

C = Lost and/or vented gas from well and/or lease equipment, MCF. Calculated using equipment and piping specifications and operating pressures.

D = Allocated fuel from gathering system equipment, MCF. The total fuel required to operate gathering system equipment will be allocated to the Well Pads benefiting from the equipment using allocation factors determined by $[(X_1-R_1)/((X_1-R_1)+(X_2-R_2)+(X_n-R_n))]$ and for individual wells using allocation factors determined by $[(W_1-WI_1)/((W_1-WI_1)+(W_2-WI_2)+(W_n-WI_n))]$.

Attachment No. 5
Encana Oil & Gas (USA) Inc.
Escrito Trunk #1
San Juan County, New Mexico

E = Allocated volume of gas lost and/or vented from the gathering system, gathering system equipment, condensate collection, and water collection in MCF. The total volume will be determined using industry accepted procedures the time of the loss. The total volumes lost and/or vented will be allocated to the Well Pads affected using factors determined by $[(X_1-R_1)/((X_1-R_1)+(X_2-R_2)+(X_n-R_n))]$, and for individual wells using factors determined by $[(W_1-W_1)/((W_1-W_1)+(W_2-W_1)+(W_n-W_1))]$.

<u>Individual Well BTU's</u> = $[((W_n-WI_n)*Z_n)/SUM((W_n-WI_n)*Z_n)]*Y$ Individual well gas heating values to be determined in accordance with BLM regulations.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Farmington Field Office 6252 College Blvd., Suite A Farmington, New Mexico 87402

IN REPLY REFER TO:

CONDITIONS OF APPROVAL FOR GAS LIFT & BUY BACK METER INSTALLATIONS:

• The buy-back meter isolation valve, either up or down stream of the buy-back meter must be effectively sealed in the closed position to prevent produced gas from potentially by-passing the measurement and sales meter. In lieu of the seal requirement at least two check valves can be installed in line with the buy-back meter to prevent produced gas from potentially by-passing the measurement and sales meter.

Contact this office so a BLM witness verify installation of either the seal or check valves.

- If seals are installed, seal records must be maintained and made available upon request.
 - Post a Facility sign that Clearly identifies <u>both</u> the sales and byback meters.