District 1
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade Tank, or

Proposed Alternative Method Permit or Closure Plan Application ONS. DIV DIST. 3
Type of action: Below grade tank registration Permit of a pit or proposed alternative method Closure of a pit, below-grade tank, or proposed alternative method Modification to an existing permit/or registration Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: BP America Production CompanyOGRID #:778
Address:200 Energy Court, Farmington, NM 87401
Facility or well name:Elliott Gas Com B 1
API Number:3004508247OCD Permit Number:
U/L or Qtr/QtrKSection13 Township29N Range9W County:San Juan
Center of Proposed Design: Latitude36.72288 Longitude107.73516 NAD: ☐1927 ☒ 1983
Surface Owner: Federal State Private Tribal Trust or Indian Allotment
Pit: Subsection F, G or J of 19.15.17.11 NMAC Temporary:
3. Below-grade tank: Subsection I of 19.15.17.11 NMAC Tank A Volume: 95.0 bbl Type of fluid: Produced water
Tank Construction material:Steel
 □ Secondary containment with leak detection □ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off □ Visible sidewalls and liner □ Visible sidewalls only □ Other □ Double walled/double bottomed; side walls not visible □ Liner type: Thickness □ MDPE □ PVC □ Other □ Other
4. Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Page 1 of 6

5.							
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)							
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school institution or church)	, hospital,						
Four foot height, four strands of barbed wire evenly spaced between one and four feet							
Alternate. Please specify							
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)							
Screen Netting Other							
Monthly inspections (If netting or screening is not physically feasible)							
7. Signs: Subsection C of 19.15.17.11 NMAC							
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers							
Signed in compliance with 19.15.16.8 NMAC							
8. Variances and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.							
Please check a box if one or more of the following is requested, if not leave blank: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.							
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accematerial are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	ptable source						
General siting							
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No						
<u>Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit.</u> NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No						
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No						
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No						
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No						
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map							
Below Grade Tanks							
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No						
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site							
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)							
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No						
	I .						

Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes No							
application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image								
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site								
Within 100 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Temporary Pit Non-low chloride drilling fluid								
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No							
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No							
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Within 300 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Permanent Pit or Multi-Well Fluid Management Pit								
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No							
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.	_							
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No							
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached.								
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC								
Previously Approved Design (attach copy of design) API Number: or Permit Number:	·							
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the docattached.	cuments are							
 □ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC □ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC □ A List of wells with approved application for permit to drill associated with the pit. □ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC □ Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC 	15.17.9 NMAC							
☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC ☐ Previously Approved Design (attach copy of design) API Number: or Permit Number:								

12.	
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the	documents are
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H₂S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method	luid Management Pit
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. In 19.15.17.10 NMAC for guidance.	
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes No

adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area.	·
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
16.	
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. □ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC □ Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC □ Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.1 □ Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.1 □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC □ Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	II NMAC 5.17.11 NMAC
17.	
Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believed.	ef.
Name (Print): Title:	
Signature: Date:	
e-mail address: Telephone:	
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 12/1/6 Title: OCD Permit Number:	2014
19.	
Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting at the closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not a section of the form until an approved closure plan has been obtained and the closure activities have been completed.	the closure report. complete this
M. Clauma Completion Dates W15/2014	
☐ Closure Completion Date:9/15/2014	
20. Closure Method: Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-loc ☐ If different from approved plan, please explain.	pp systems only)

Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this closure rebelief. I also certify that the closure complies with all applicable closure requirements.	
Name (Print):Jeff Peace	Title: Field Environmental Coordinator
Signature: Signature:	Date:November 17, 2014
e-mail address:peace.jeffrey@bp.com	Telephone:(505) 326-9479

BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

Elliott Gas Com B 1 API No. 3004508247 Unit Letter K, Section 13, T29N, R9W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

- 1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.

 Notice is attached.
- 2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

Notice is attached.

- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)

- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported to a storage area for sale and re-use.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	95 bbl BGT	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	ND
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	ND
TPH	US EPA Method SW-846 418.1	100	68
Chlorides	US EPA Method 300.0 or 4500B	250 or background	ND

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled and TPH, BTEX and chloride levels were below the stated limits. Sampling data is attached.

7. BP shall notify the division District III office of its results on form C-141. C-141 is attached.

8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results indicate no release occurred.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

The area under the BGT was backfilled with clean soil and is still within the active well area.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

BP will seed the area when the well is plugged and abandoned as part of final reclamation.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

BP will notify NMOCD when re-vegetation is successful.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

Closure report on C-144 form is included.

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

			Rele	ease Notific	cation	and Co	orrective A	ction				
						OPERA	ГOR		☐ Initi	al Report	\boxtimes	Final Report
Name of Co						Contact: Jef	f Peace					
		Court, Farm		M 87401			No.: 505-326 - 94					
Facility Nar	ne: Elliott	Gas Com B	1			Facility Typ	e: Natural gas v	well				
Surface Ow	ner: Feder	al		Mineral ()wner: I	ederal			API No	. 30045082	247	
				LOCA	ATION	OF RE	LEASE					
Unit Letter K	Section 13	Township 29N	Range 9W	Feet from the 1,650	North/ South	South Line	Feet from the 1,550	East/W West	Vest Line	County: Sa	an Juan	
		Lat	itude3	6.72288		Longitud	e107.73516_					
				NAT	URE	OF REL	EASE					
Type of Rele							Release: N/A			Recovered: N		
Source of Re	lease: belov	w grade tank –	95 bbl			1	lour of Occurrenc	e:	Date and	Hour of Dis	covery:	N/A
Was Immedia	ate Notice (Given?				N/A If YES, To	Whom?		·-·			
was minicula	ite ronce (Yes [No 🛛 Not Ro	equired	11 1123, 10	WHOIII:					
By Whom?		·				Date and I-	lour					
Was a Water	course Read	ched?	Yes 🗵	No		If YES, Vo	lume Impacting t	he Wate	rcourse.			
If a Watercou	irse was Im	pacted, Descr	ibe Fully.*	•		I						
							the BGT was don		g removal 1	to ensure no	soil imp	pacts from
the BG1. So	ii anaiysis i	esuited in TP	H, BIEX	and enfortees bere	ow standa	ards. Anaiys	is results are attac	enea.				
Dosariba Ara	A ffected	and Cleanup /	Action Tak	en * DCT was ra	moved o	nd the area u	nderneath the BG	T was se	mpled Ti	ha araa unda	r the D(GT was
				etive well area.	moveu a	na ine area u	nderneam the BO	1 was sa	impied. Ti	ne area unde	i iiie be	Ji was ,
	•											
												:
l hereby certi	fy that the i	information gi	ven above	is true and comp	lete to th	e best of my	knowledge and u	nderstan	d that purs	uant to NM	OCD ru	les and
regulations al	l operators	are required to	o report an	id/or file certain r	elease no	tifications ar	nd perform correc	tive action	ons for rele	eases which	may end	danger
							arked as "Final Re					
should their of	perations h	lave latted to a	idequately	investigate and re	emediate report de	contaminati	on that pose a three e the operator of r	eat to gro	ound water	, surface wa	ter, nun	nan nealth
		ws and/or regu		tance of a C-141	report de	ics not renev	e the operator of i	съронъц	Jility IOI C	лирианес w	Itti aliy	Ollici
							OIL CONS	SERV	ATION	DIVISIO	N	1
Ciamatuus	North	Peace	_									
Signature:	810	o gase				\	Carrier and al Co	ma aialiat				:
Printed Name	: Jeff Peac	e				Approved by	Environmental Sp	peciansi:				
Title: Field E	nvironment	tal Coordinato	r		A	Approval Dat	e:	E	expiration I	Date:		
E-mail Addre	ss: peace.je	effrey@bp.cor	n			Conditions of	Approval:			Attached	П	
Date: N	hor 17 20	N1 /	DI-	one: 505 206 047	o					- Ittaoned		
Date: Novem	1001 17, 20	114	rne	one: 505-326-947	/					1		

^{*} Attach Additional Sheets If Necessary

CLIENT:	BP	P.O. BOX 87, BL			API#: 3004	_
		(505	6) 632-1199	<u>=</u> :	(if applicble):	<u> </u>
FIELD	REPORT:	(circle one): BGT CONFIRMATION	RELEASE INVESTIGATION /	OTHER:	PAGE#:	of <u>1</u>
SITE I	NFORMATION	SITE NAME: ELLIOTT	GC B #1		DATE STARTED:	09/11/14
I		29N RNG: 9W PM:	NM CNTY: SJ		DATE FINISHED:	
<u>1/4 -1/4/FOO</u>	TAGE: 1,650'S / 1,5		PE: FEDERAL/STATE		ENVIRONMENTAL	
LEASE #:	NM073159	PROD. FORMATION: MV COM	TRACTOR: MBF - B.	SCHURMAN	SPECIALIST(S):	NJV
REFEF	RENCE POINT					
1)9	5 BGT (DW/DB)	GPS COORD.: 36.	72288 X 107.73 <u>5</u> 16	DISTANCE/BEA	ARING FROM W.H.:	159', N66W
2)		GPS COORD.:		DISTANCE/BEA	ARING FROM W.H.:	· · · · · · · · · · · · · · · · · · ·
3)		GPS COORD.:			ARING FROM W.H.:	
4)		GPS COORD.:			ARING FROM W.H.:	l ovi
	LING DATA:	CHAIN OF CUSTODY RECORD(S) # OR				READING (ppm)
	_	(95) SAMPLE DATE: 09/11/14				CI) NA
		SAMPLE DATE:				
· ·		SAMPLE DATE:				
	**************************************	SOIL TYPE: SAND (SILTY SAND) SIL				
CONSISTENCY MOISTURE: DRY SAMPLE TYPE DISCOLORATION SITE C APPARENT EVIDIO	(NON COHESIVE SOILS): LOT SLIGHTLY MOIST / WEET GRAB COMPOSITE # 1/5TAINING OBSERVED: YES NOT THE PROPERTY OF	OSE (FIRM) DENSE / VERY DENSE HET / SATURATED / SUPER SATURATED A O EXPLANATION - LOST INTEGRITY OF EQUIPMENT: YOU AND/OR OCCURRED: YES NO EXPLAN	DENSITY (COHESIVE CLAYS & CODOR DETECTED: YES NO NY AREAS DISPLAYING WETNING W	ESS: YES NO EXPLA	NATION -	
	DIMENSION ESTIMATION: UNDWATER: >100' NI	NA ft. X NA EAREST WATER SOURCE: >1,000'	ft. X <u>NA</u> ft. NEAREST SURFACE WATER		TIMATION (Cubic Yard	400
SITE SH		BGT Located : off on site			CD TPH CLOSURE STD: _	100ppm
OITE OF	(LIOII	BOT Located. Oil I oil site	PLOT PLAN ci	. 1	I CALIB. READ. = NA	ppm RF =0.52
]]	I CALIB. GAS = <u>NA</u> E: <u>NA</u> am/pm DAT	ppm
	PROD. TANK	STEEL CONTAINMENT		N TIME		
		RING			MISCELL.	
				_	vo: N1550936 Po#:	04
·	PBGTL /	→ BERM		_	rk: ZEVH01E	BGT2
ı	T.B. ~ 5' (x × x) B.G.			1 -	J#: Z2-006Q0	
то				P		6/03/10
EPHEMERAL)7/18/14
WASH (~60')	<u></u>		W . H .		D ppm = parts per r	million
	SEPARATOR ——	COMPRESSOR		<i> A</i>	BGT Sidewalls Visibl	
	OULOB OF THE STATE	WIDEDDEGOON BO PELONIONIDE D. PELO		X - S.P.D.	BGT Sidewalls Visible	
T.B. = TANH	(BOTTOM; PBGTL = PREVIOUS BELC	N DEPRESSION; B.G. = BELOW GRADE; B = BELO DW-GRADE TANK LOCATION; SPD = SAMPLE POIL	NT DESIGNATION; R.W. = RETAININ		Magnetic declination	
APPLICAB	LE OR NOT AVAILABLE; SW - SINGLE	WALL; DW - DOUBLE WALL; SB - SINGLE BOTTO	M; DB - DOUBLE BOTTOM.			
NOTES:			ONSITE: <u>09/</u>	11/14		

Analytical Report

Lab Order 1409573

Date Reported: 9/15/2014

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering

Client Sample ID: 5PC - TB @ 5' (95)
Collection Date: 9/11/2014 11:40:00 AM

Project: ELLIOTT GC B # 1 **Lab ID:** 1409573-001

Matrix: MEOH (SOIL) Received Date: 9/12/2014 6:30:00 AM

Analyses	Result	RL Qu	ıal Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANGE	ORGANICS				Analyst:	BCN
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	9/12/2014 3:03:04 PM	15253
Surr: DNOP	90.6	57.9-140	%REC	1	9/12/2014 3:03:04 PM	15253
EPA METHOD 8015D: GASOLINE RAN	GE				Analyst:	DJF
Gasoline Range Organics (GRO)	ND	3.8	mg/Kg	1	9/13/2014 10:18:37 PM	R21187
Surr: BFB	91.6	80-120	%REC	1	9/13/2014 10:18:37 PM	R21187
EPA METHOD 8021B: VOLATILES					Analyst:	DJF
Benzene	ND	0.038	mg/Kg	1	9/13/2014 10:18:37 PM	R21187
Toluene	ND	0.038	mg/Kg	1	9/13/2014 10:18:37 PM	R21187
Ethylbenzene	ND	0.038	mg/Kg	1	9/13/2014 10:18:37 PM	R21187
Xylenes, Total	ND	0.076	mg/Kg	1	9/13/2014 10:18:37 PM	R21187
Surr: 4-Bromofluorobenzene	97.3	80-120	%REC	1	9/13/2014 10:18:37 PM	R21187
EPA METHOD 300.0: ANIONS					Analyst:	LGP
Chloride	ND	30	mg/Kg	20	9/12/2014 10:39:39 AM	15257
EPA METHOD 418.1: TPH					Analyst:	JME
Petroleum Hydrocarbons, TR	68	20	mg/Kg	1	9/12/2014 12:00:00 PM	15252

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 1 of 6

- P Sample pH greater than 2.
- RL Reporting Detection Limit

Hall Environmental Analysis Laboratory, Inc.

WO#:

1409573

15-Sep-14

Client:

Blagg Engineering

Project:

ELLIOTT GC B # 1

Sample ID MB-15257

SampType: MBLK

TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 15257

RunNo: 21193

Prep Date: 9/12/2014

Analyte

Analysis Date: 9/12/2014

SeqNo: 617097

Units: mg/Kg

HighLimit

RPDLimit Qual

Chloride

ND 1.5

Sample ID LCS-15257

SampType: LCS

Client ID: LCSS Batch ID: 15257

RunNo: 21193

TestCode: EPA Method 300.0: Anions

SeqNo: 617098

Units: mg/Kg

Qual

Analyte

Prep Date: 9/12/2014 Analysis Date: 9/12/2014

SPK value SPK Ref Val

90.2

HighLimit

%RPD

%RPD

RPDLimit

15.00

110

Page 2 of 6

SPK value SPK Ref Val %REC LowLimit

Chloride

1.5

%REC

LowLimit

Qualifiers:

Е

S

Value exceeds Maximum Contaminant Level.

Spike Recovery outside accepted recovery limits

Analyte detected below quantitation limits

RSD is greater than RSDlimit 0 R RPD outside accepted recovery limits

Value above quantitation range

Analyte detected in the associated Method Blank В

RL

Н

Sample pH greater than 2.

Not Detected at the Reporting Limit

Reporting Detection Limit

Holding times for preparation or analysis exceeded

Hall Environmental Analysis Laboratory, Inc.

WO#: 1409573 15-Sep-14

Client:

Blagg Engineering

Project:

ELLIOTT GC B # 1

Sample ID MB-15252

SampType: MBLK

TestCode: EPA Method 418.1: TPH

Client ID: PBS

Batch ID: 15252

RunNo: 21159

Units: mg/Kg

Prep Date: 9/12/2014

Analysis Date: 9/12/2014

SeqNo: 616310

Qual

Analyte

SPK value SPK Ref Val PQL

%REC LowLimit

HighLimit

RPDLimit %RPD

Petroleum Hydrocarbons, TR

ND

100

100

Result

20 SampType: LCS

TestCode: EPA Method 418.1: TPH

LCSS Client ID:

Sample ID LCS-15252

Batch ID: 15252

RunNo: 21159

SeqNo: 616311

Units: mg/Kg

Analyte

Prep Date: 9/12/2014 Analysis Date: 9/12/2014

%REC 103

LowLimit 80

TestCode: EPA Method 418.1: TPH

RPDLimit

Qual

Qual

Petroleum Hydrocarbons, TR

Result PQL

SPK value SPK Ref Val 100.0

HighLimit 120 %RPD

Sample ID LCSD-15252

Client ID: LCSS02

SampType: LCSD

Batch ID: 15252

20

20

0

RunNo: 21159 SeqNo: 616312

HighLimit

Units: mg/Kg

120

0

RPDLimit

Analyte Petroleum Hydrocarbons, TR

Prep Date: 9/12/2014 Analysis Date: 9/12/2014 PQL Result

SPK value SPK Ref Val

100.0

%REC 103

LowLimit 80 %RPD

20

Qualifiers:

S

Value exceeds Maximum Contaminant Level.

Spike Recovery outside accepted recovery limits

Е Value above quantitation range

Analyte detected below quantitation limits

RSD is greater than RSDlimit 0

RPD outside accepted recovery limits R

Analyte detected in the associated Method Blank Н Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit ND

Sample pH greater than 2.

RL Reporting Detection Limit

Page 3 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#: 1409573

15-Sep-14

Client:

Blagg Engineering

Project:

ELLIOTT GC B # 1

Sample ID LCS-15253	SampT	ype: LC	s	TestCode: EPA Method 8015D: Diesel Range Organics						
Client ID: LCSS	Batch ID: 15253			RunNo: 21164						
Prep Date: 9/12/2014	Analysis Date: 9/12/2014			SeqNo: 616189			Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	47	10	50.00	0	94.1	68.6	130			
Surr: DNOP	3.8		5.000		76.7	57.9	140			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 4 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#: 1409573

15-Sep-14

Client: Project: Blagg Engineering

Sample ID MB-15236

ELLIOTT GC B # 1

SampType: MBLK

TestCode: EPA Method 8015D: Gasoline Range

Client ID:

PBS

Batch ID: 15236

RunNo: 21187

Prep Date: 9/11/2014 Analysis Date: 9/13/2014

SeqNo: 616826

Units: %REC

Analyte Surr: BFB Result 910 SPK value SPK Ref Val 1000

%REC LowLimit HighLimit

120

Qual

Sample ID LCS-15236

SampType: LCS

TestCode: EPA Method 8015D: Gasoline Range

91.3

RPDLimit

LCSS Client ID:

9/11/2014

Batch ID: 15236

PQL

RunNo: 21187

80

Units: %REC

Analyte

Prep Date:

Analysis Date: 9/13/2014

SeqNo: 616827

%RPD

%RPD

Surr: BFB

Result PQL 970

Result

ND

25

970

SPK value SPK Ref Val %REC LowLimit 1000

97.4

HighLimit 120 **RPDLimit**

Qual

Sample ID MB-15236 MK

SampType: MBLK

TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS

Batch ID: R21187 Analysis Date: 9/13/2014

RunNo: 21187

LowLimit

Units: mg/Kg

Analyte

Prep Date:

PQL 5.0

1000

%REC

RPDLimit

Qual

Gasoline Range Organics (GRO)

910

SPK value SPK Ref Val

91.3

SeqNo: 616829

120

HighLimit

%RPD

Surr: BFB

Client ID:

Sample ID LCS-15236 MK LCSS

SampType: LCS Batch ID: R21187

TestCode: EPA Method 8015D: Gasoline Range

RunNo: 21187

80

Prep Date: Analyte

Analysis Date: 9/13/2014 **PQL**

5.0

SPK value SPK Ref Val

SegNo: 616830

%REC LowLimit Units: mg/Kg HighLimit

%RPD

RPDLimit

Qual

Gasoline Range Organics (GRO) Surr: BFB

Result

25.00 1000

0 99.6 97.4

65.8 80

139 120

Qualifiers:

E

- Value exceeds Maximum Contaminant Level.
- RSD is greater than RSDlimit 0 RPD outside accepted recovery limits R
- Value above quantitation range Analyte detected below quantitation limits
- Spike Recovery outside accepted recovery limits S
- В Analyte detected in the associated Method Blank
- Holding times for preparation or analysis exceeded Н Not Detected at the Reporting Limit
- Sample pH greater than 2.
- Reporting Detection Limit

Page 5 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#: 1409573

15-Sep-14

Client:

Blagg Engineering

Project:

ELLIOTT GC B # 1

Sample ID MB-15236	SampT	ype: MI	BLK	Tes	tCode: E	PA Method	8021B: Vola	tiles		
Client ID: PBS	Batch	n ID: 15	236	F	RunNo: 2	1187				
Prep Date: 9/11/2014	Analysis D	ate: 9	/13/2014		SeqNo: 6	16854	Units: %RE	C		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	0.99		1 000		99.3	80	120			

Sample ID LCS-15236 SampType: LCS TestCode: EPA Method 8021B: Volatiles Batch ID: 15236 Client ID: LCSS RunNo: 21187 Prep Date: 9/11/2014 Analysis Date: 9/13/2014 SeqNo: 616855 Units: %REC PQL %REC Result SPK value SPK Ref Val HighLimit %RPD **RPDLimit** Qual Analyte LowLimit 1.0 1.000 102 Surr: 4-Bromofluorobenzene 80 120

Sample ID MB-15236 MK	Samp`	SampType: MBLK			TestCode: EPA Method 8021B: Volatiles										
Client ID: PBS	Batch ID: R21187 Analysis Date: 9/13/2014			F	RunNo: 2	1187									
Prep Date:				\$	SeqNo: 6	16858	Units: mg/F	(g							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit %RPD		RPDLimit	Qual					
Benzene	ND	0.050													
Toluene	ND	0.050													
Ethylbenzene	ND	0.050													
Xylenes, Total	ND	0.10													
Surr: 4-Bromofluorobenzene	0.99		1.000		99.3	80	120								

Sample ID LCS-15236 MK	Samp ⁻	SampType: LCS			TestCode: EPA Method 8021B: Volatiles											
Client ID: LCSS	Batc	h ID: R2	1187	F												
Prep Date:	Analysis Date: 9/13/2014			5	SeqNo: 6	16859	Units: mg/F	(g								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit %RPD		RPDLimit	Qual						
Benzene	1.0	0.050	1.000	0	100	80	120									
Toluene	1.0	0.050	1.000	0	100	80	120									
Ethylbenzene	1.0	0.050	1.000	0	102	80	120									
Xylenes, Total	3.1	0.10	3.000	0	102	80	120									
Surr: 4-Bromofluorobenzene	1.0		1.000		102	80	120									

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Value above quantitation range E
- Analyte detected below quantitation limits
- 0 RSD is greater than RSDlimit
- RPD outside accepted recovery limits R
- Spike Recovery outside accepted recovery limits
- В Analyte detected in the associated Method Blank
- Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- Sample pH greater than 2.
- Reporting Detection Limit

Page 6 of 6



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87105

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: **BLAGG** Work Order Number: 1409573 RcptNo: 1 Received by/date: Lindsay Mangin Logged By: 9/12/2014 6:30:00 AM Completed By: Lindsay Mangin 9/12/2014 7:12:55 AM A 09/12/14 Reviewed By: Chain of Custody Yes 🗌 No 🔲 Not Present 1. Custody seals intact on sample bottles? Yes 🗸 No 🗌 Not Present 2. Is Chain of Custody complete? 3. How was the sample delivered? Courier Log In No □ NA 🗌 Yes 🔽 4. Was an attempt made to cool the samples? 5. Were all samples received at a temperature of >0° C to 6.0°C Yes 🔽 NA 🗌 6. Sample(s) in proper container(s)? Yes 🗸 No 🗌 No 🗆 7. Sufficient sample volume for indicated test(s)? No 🗌 V 8. Are samples (except VOA and ONG) properly preserved? NA 🗆 Yes No 🗹 9. Was preservative added to bottles? No 🗆 No VOA Vials Yes 10.VOA vials have zero headspace? Yes 🗆 No 🗹 11. Were any sample containers received broken? # of preserved bottles checked No 🗌 for pH: 12. Does paperwork match bottle labels? (<2 or >12 unless noted) (Note discrepancies on chain of custody) No 🗆 Adjusted? Yes 🗹 13. Are matrices correctly identified on Chain of Custody? No 🗆 Yes 🗸 14. Is it clear what analyses were requested? Yes 🗹 No 🗌 Checked by: 15. Were all holding times able to be met? (If no, notify customer for authorization.) Special Handling (if applicable) Yes 🗌 No 🗌 NA 🗹 16. Was client notified of all discrepancies with this order? Person Notified: Date: eMail Phone Fax In Person By Whom: Via: Regarding: Client Instructions: 17. Additional remarks: 18. Cooler Information Cooler No Temp C Condition Seal Intact Seal No Seal Date Signed By Good Yes 2.1

Client: BLAGG ENGR. / BP AMERICA Standard Rush Day	VI	IGHT	パーシロラ	iouy Recolu	1		SAME	١.			E	AL			M	/TE	20	MI	ae'	MT	CAI	í
Mailing Address: P.O. BOX 87 BLOOMFIELD, NM 87413 Project #: Project #: Project Manager: OAVQC Package: Standard Level 4 (Full Validation) Accorditation: NELAP Date Time Matrix Sample Request ID Container Type Date Time Matrix Sample Request ID Container Type and # Project Manager: OAVQC Package: Project Manager: NELSON VELEZ Project Manager: NELSON VELEZ				<u> </u>		•																
Project #: Tel. 505-345-3107 Fax 505-345-4107					Project Name:		The state of the s					ww	w.ha	allen	viro	nme	ntal	.com	,			
Phone 8: (505) 632-1199 email or Fax#: OA/OC Package: OA/OC	Mailing Ad	dress:	P.O. BO	(87	ELLIOTT GC B # 1																	
### Project Manager: OAIC Package: OSTORY CAPPAGE STREET DATE Time Matrix Sample Request ID Date Time Matrix Sample Request ID OSTORY CAPPAGE STREET Type and # Type	BLOOMFIELD, NM 87413			FIELD, NM 87413	Project #:				Tel. 505-345-3975 Fax 505-345-4107													
Date Time Matrix Sample Request ID Date Time Matrix Sample Request ID Date Time Reinquished by Cool Time Reinquished by Cool Time Received by	Phone #:		(505) 63	2-1199					Analysis Request													
Sample Evere 4 (Full Validation) Sampler: NELSON VELEZ NELSON VELEZ Sampler: NELSO				Project Manag	jer.			70												\Box	丌	
9/11/14 1140 SOIL SPC - TB @ 5' (95) 4 oz 1 Cool - Ol V V V V V V V V V V V V V V V V V V	~		NELSON VELEZ				onfy)	جه ا			S		04,50	PCB's			,					
9/11/14 1140 SOIL SPC - TB @ 5' (95) 4 oz 1 Cool - Ol V V V V V V V V V V V V V V V V V V					Sampler: NELSON VELEZ 900			% k	(Gas	_	(1)	न	OSIM		VO2,P	8082			/ wate			mple
9/11/14 1140 SOIL SPC - TB @ 5' (95) 4 oz 1 Cool - Ol V V V V V V V V V V V V V V V V V V			☐ Other_				E NG	I	F	~	418	8	827	S	O ₃ ,	/ se		8	000			ie se
9/11/14 1140 SOIL SPC - TB @ 5' (95) 4 oz 1 Cool - Ol V V V V V V V V V V V V V V V V V V	□ EDD (T	ype)	1		Sample Temp	erature 🔏 👢		1	##	8	pou	pou	ö	eta	C,N	icide	(A)	اجِ ا	- 		흥	osit
9/11/14 1140 SOIL SPC - TB @ 5' (95) 4 oz 1 Cool - Ol V V V V V V V V V V V V V V V V V V	Date	Time	Matrix	Sample Request ID		i		BTEX + NAT	BTEX + MT	IPH 8015B	TPH (Met	EDB (Met	PAH (8310	RCRA 8 M	Anions (F,	3081 Pest	3260B (VC	3270 (Sen	Chloride (sc		Srab sam	pt. comp
Date: Time: Relinquished by: Time: Relinquished by: Received by: Date Time Remarks: BILL DIRECTLY TO BP: Date Time Relinquished by: Received by: Date Time Date Time	9/11/14	1140	SOIL	5PC - TB @ 5' (95)	4 oz 1	Cool		-							Ť				_			
Date: Time: Relinquished by: Time: Relinquished by: Date Time Remarks:																			十	+	+	十
Date: Time: Relinquished by: Time: Relinquished by: Date Time Remarks:																			+	-	十	+
Date: Time: Relinquished by: Received by: Date Time Work Order: N15509364 Paykey: ZEVH01BGT2					:			-	-	-									十	+	\dashv	+
Date: Time: Relinquished by: Received by: Date Time Work Order: N15509364 Paykey: ZEVH01BGT2				· · · · · · · · · · · · · · · · · · ·						_									\dashv	十	\dashv	十
Date: Time: Relinquished by: Received by: Date Time Work Order: N15509364 Paykey: ZEVH01BGT2									 -									-	\dashv	\dashv	\dashv	+
Date: Time: Relinquished by: Received by: Date Time Work Order: N15509364 Paykey: ZEVH01BGT2				·					-	-							\dashv		-	\dashv	+	+
Date: Time: Relinquished by: Received by: Date Time Work Order: N15509364 Paykey: ZEVH01BGT2		·						<u> </u>	├─										+	-+	+	+
Date: Time: Relinquished by: Received by: Date Time Work Order: N15509364 Paykey: ZEVH01BGT2										 									\dashv	-	+	+
Date: Time: Relinquished by: Received by: Date Time Work Order: N15509364 Paykey: ZEVH01BGT2										<u> </u>	 						\dashv		十	\dashv	\dashv	+
Date: Time: Relinquished by: Received by: Date Time Work Order: N15509364 Paykey: ZEVH01BGT2								-	-		-								\dashv	╅	+	+
Date: Time: Relinquished by: Received by: Date Time Work Order: N15509364 Paykey: ZEVH01BGT2								-		-							-		\dashv	+	+	+
Date: Time: Relinquished by: Received by: Date Time Work Order: N15509364 Paykey: ZEVH01BGT2	Date: 2	Time:	Relinguishe	ed by:	Received by:	<u> </u>	Date Time	Ren	nark	<u>L</u>	l			<u>.</u>				l				
11/14 1850 Mintu Walte 91/2/14 0630 Work Order: N15509364 Paykey: ZEVHO1BGT2	111/14 1735 Then Uf		$\langle A_1, A_2, A_3 \rangle = Q_{12}$			BILL DIRECTLY TO BP:																
	Date:	Pate: Time: Relinquished by:		111													_					
	4411		aty, samples si	ubmitted to Hall Environmental may be s	subcontracted to other	accredited laboratorie	es. This serves as notice of	this p	ossiķi	lity. A	ny sub	-contr	acted	data w	vill be	clearly	notate	ed on t	ne anal	lytical ı	report	





BP America Production Company 200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

September 4, 2014

Bureau of Land Management Mark Kelly 6251 College Blvd Suite A Farmington, NM 87402

VIA CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Re: Notification of plans to close/remove a below grade tank

Well Name: ELLIOTT GAS COM B 001

API#: 3004408247

Dear Mr. Kelly,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about September 9, 2014. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

Unless you have questions about this notice, there is no need to respond to this letter. If you do have any questions or concerns, please contact me at 505-326-9214

Sincerely,

Jerry Van Riper

97 Valle

Surface Land Negotiator

BP America Production Company

BP America Production Company

200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

SENT VIA E-MAIL TO: CORY.SMITH@STATE.NM.US

September 4, 2014

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

ELLIOTT GC B 001 API 30-045-08247 (K) Section 13 – T29N – R09W San Juan County, New Mexico

Dear Mr. Cory Smith:

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 95 bbl BGT that will no longer be operational at this well site. We anticipate this work to start on or around September 9, 2014.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,

Jeff Peace

BP Field Environmental Advisor

(505) 326-9479



