<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

### State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Revised June 6, 2013

Form C-144

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

# Pit, Below-Grade Tank, or

12349 Proposed Alternative Method Permit or Closure Plan Application	
Type of action: Below grade tank registration OIL CONS. DIV DIST. 3	
Permit of a pit or proposed alternative method	
45-094/4 ☐ Closure of a pit, below-grade tank, or proposed alternative method ☐ Modification to an existing permit/or registration	
Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank,	
or proposed alternative method	
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request	
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the	
environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinance.	es.
Operator: BP America Production Company OGRID #:778	
Address:200 Energy Court, Farmington, NM 87401	
Facility or well name:Cornell B 1	
API Number:3004508414OCD Permit Number:	
U/L or Qtr/Qtr         D         Section         14         Township         29N         Range         12W         County:         San Juan	
Center of Proposed Design: Latitude36.73164 Longitude108.07334 NAD: ☐1927 ☒ 1983	
Surface Owner:  Federal State Private Tribal Trust or Indian Allotment	
2.	
Pit: Subsection F, G or J of 19.15.17.11 NMAC	
Temporary: Drilling Workover	
Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Drilling Fluid yes no	
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other	
String-Reinforced	
Liner Seams: Welded Factory Other Volume: bbl Dimensions: Lx Wx D	
3.	
Below-grade tank: Subsection I of 19.15.17.11 NMAC Tank A	
Volume:21.0bbl Type of fluid:Produced water	
Tank Construction material:Steel	
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	
☐ Visible sidewalls and liner ☑ Visible sidewalls only ☐ Other _Single walled/double bottomed	
Liner type: Thicknessmil	
4.	
Alternative Method:	
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	

5.  Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)	
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, he	nospital,
institution or church)  I Four foot height, four strands of barbed wire evenly spaced between one and four feet	
Alternate. Please specify	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	
7.	
Signs: Subsection C of 19.15.17.11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
☐ Signed in compliance with 19.15.16.8 NMAC	
8.	
<u>Variances and Exceptions:</u> Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	
Please check a box if one or more of the following is requested, if not leave blank:  Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.	
□ Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
9. Stiling Cuitania (assauding paymitting), 10.15.17.10 NMAC	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept	table source
material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	
General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
	_
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks)	☐ Yes ☐ No
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	
Within the area overlying a subsurface mine. (Does not apply to below grade tanks)  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. (Does not apply to below grade tanks)	☐ Yes ☐ No
Society; Topographic map	
FEMA man	☐ Yes ☐ No
Below Grade Tanks	
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark).	☐ Yes ☐ No
- Topographic map; Visual inspection (certification) of the proposed site	
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;.  NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole,	
or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.)  - Topographic map; Visual inspection (certification) of the proposed site	Yes No

Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes No
application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application.  NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 100 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit Non-low chloride drilling fluid	
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application;  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Permanent Pit or Multi-Well Fluid Management Pit	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached.	
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.1 and 19.15.17.13 NMAC	
Previously Approved Design (attach copy of design) API Number: or Permit Number:	
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached.	uments are
<ul> <li>□ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC</li> <li>□ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC</li> <li>□ A List of wells with approved application for permit to drill associated with the pit.</li> <li>□ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.</li> <li>and 19.15.17.13 NMAC</li> <li>□ Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC</li> </ul>	15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Previously Approved Design (attach copy of design) API Number: or Permit Number:	

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the	documents are
### Attached.    Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC   Climatological Factors Assessment   Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC   Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC   Quality Control/Quality Assurance Construction and Installation Plan   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC   Nuisance or Hazardous Odors, including H₂S, Prevention Plan   Emergency Response Plan   Oil Field Waste Stream Characterization   Monitoring and Inspection Plan   Erosion Control Plan   Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F Alternative	luid Management Pit
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method	
14.	
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached.  □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC  □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  □ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sout provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. In 19.15.17.10 NMAC for guidance.	
Ground water is less than 25 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	□ Vas □ Na
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☐ No

	☐ Yes ☐ No
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	
Within a 100-year floodplain FEMA map	☐ Yes ☐ No ☐ Yes ☐ No
- PENIA Map	No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure place by a check mark in the box, that the documents are attached.  □ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC □ Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC □ Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.1 □ Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC □ Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	II NMAC 15.17.11 NMAC
Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believed.	ef.
Name (Print): Title:	
Signature: Date:	
e-mail address:Telephone:	
18.  OCD Approval:   Descript Application (including along to along to along the control of the	
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)  OCD Representative Signature:  Approval Date: 11/1  Title: OCD Permit Number:	12014
OCD Representative Signature: Approval Date: 13/1/	the closure report.
OCD Representative Signature:  Title:  OCD Permit Number:  OCD Permit Number:  19.  Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC  Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed.	the closure report. complete this

Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this closure rebelief. I also certify that the closure complies with all applicable closure requirements.	
Name (Print):Jeff Peace	Title: Field Environmental Coordinator
Signature: Jff Posee	Date:November 13, 2014
e-mail address:peace.jeffrey@bp.com	Telephone:(505) 326-9479

### BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

#### BELOW-GRADE TANK CLOSURE PLAN

# Cornell B 1 BGT Tank A (21 bbl) API No. 3004508414 Unit Letter D, Section 14, T29N, R12W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

### **General Closure Plan**

- 1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.
  - No notice was made due to misunderstanding of the BGT notice requirements at that time.
- 2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.
  - No notice was made due to misunderstanding of the BGT notice requirements at that time.
- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
  - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
  - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
  - c. Basin Disposal, Permit NM-01-0005 (Liquids)

- d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
- e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)
- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- i. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported to a storage area for sale and re-use.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	21 bbl BGT, Tank A	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	ND
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	ND
TPH	US EPA Method SW-846 418.1	100	ND
Chlorides	US EPA Method 300.0 or 4500B	250 or background	ND

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled and TPH, BTEX and chloride levels were below the stated limits. Sampling data is attached.

- 7. BP shall notify the division District III office of its results on form C-141. **C-141 is attached.**
- 8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.
  - Sampling results indicate no release occurred.
- 9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

The area under the BGT was backfilled with clean soil and the well site was left in its current condition at the landowner's request. A copy of the agreement is attached.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area over the BGT was left in its current condition at the landowner's request. A copy of the agreement is attached.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area over the BGT was left in its current condition at the landowner's request. A copy of the agreement is attached.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area over the BGT was left in its current condition at the landowner's request. A copy of the agreement is attached.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

BP left the area in its current condition at the landowner's request. A copy of the agreement is attached.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

No re-vegetation will be done since the landowner requested the area be left in its current condition. A copy of the agreement is attached.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
  - a. proof of closure notification (surface owner and NMOCD)
  - b. sampling analytical reports; information required by 19.15.17 NMAC;
  - c. disposal facility name and permit number
  - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
  - e. site reclamation, photo documentation.

    Closure report on C-144 form is included.
  - P shall certify that all information in the report and attachments is ac

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.



BP America Production Company 200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

August 22, 2013

RE:

Landowner - abandonment acceptance approval

Well Name: Cornell B#1

Legals: NWNW Section 14- T29N- R12W

Property: 77A Road 5580, Farmington, NM 87401

Dear Mr. Allen,

The above mentioned well site, on your property, was plugged & abandoned by BP America on 02/02/12. BP and the Landowner acknowledge and agree that BP may leave the property in its current condition with the well site and lease road unrestored and unrevegetated so that Landowner may have the use thereof in its current state and condition.

BP is required to inform the NMOCD that the location and lease road have been left to the landowner's satisfaction. If the property meets your expectations, would you please sign and return this letter to me?

I (James Allen) personally have inspected the well site and lease road and find the property in good order and to my satisfaction.

Thank you,

Jerry Van Riper

Land - Surface Negotiator

**BP America Production Company** 

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

### State of New Mexico Energy Minerals and Natural Resources

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Form C-141

Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

			Rel	ease Notifi	catio	n and Co	orrective A	ction				
						OPERA'	TOR		] Initi	al Report	$\boxtimes$	Final Report
Name of Co	ompany: B	P				Contact: Jef	f Peace					
		Court, Farmi	ngton, N	M 87401			No.: 505-326-94					
Facility Na	me: Cornel	1 B 1				Facility Typ	e: Natural gas	well				
Surface Ow	ner: Privat	e		Mineral (	Owner:	Federal			API No	30045084	114	
				LOC	ATIO	N OF RE	LEASE					
Unit Letter	Section	Township	Range	Feet from the	_	/South Line	Feet from the	East/We	st Line	County: S	an Juan	
D	14	29N	12W	790	North		1,130	West				
		Lati	tude 3	6.73164		Longitud	e 108.07334					
						OF REL						
Type of Rele	ease: none			IVA	UKE		Release: N/A		Volume I	Recovered: N	J/A	
		grade tank –	21 bbl, ta	nk A			lour of Occurrence			Hour of Dis		
Was Immedi	ate Notice C					If YES, To	Whom?					
			Yes _	No Not R	equired							
By Whom?						Date and I-						
Was a Water	course Reac		Yes 🗵	] No		If YES, Vo	olume Impacting (	the Watero	course.			
If a Watercon	urse was Imi	pacted, Descri	be Fully.	*								
		, ,	- · · · · · · · · · · · · · · · · · · ·									
Dagarika Car	of Proble	m and Damas	lial Astic	n Takan * Campli	na of th	a gail banaath	the DCT was do	a a dunin a		to anguno ma		na ata Grana
							the BGT was do s results are attack		removai	to ensure no	son im	pacts from
life BGT. Se	m anarysis r	osanca in 111	, DIL.	and emoriae oero	W Starrat	ards. Tillarysi	s results are attack	nea.				
												ļ
Dec 1 A	A CC at ad a	and Classics A	otion Tal	* DCT		1 41	d	- VT	11 m	1	41 D.	OTT
							nderneath the BG owner. The well					GI was
Dackinica an	u compacice	a and was for	m its carr	chi condition at t	ne reque	of the land	owner. The wen	nas occii p	nuggeu z	ard abandon	Ju.	
77 1	C 414 41 1.				1-4- 4- 41		111	1			000	11
							knowledge and und perform correct					
							arked as "Final R					
							on that pose a thre					
or the environ	nment. In ac	ddition, NMO	CD accep	tance of a C-141	report d	oes not reliev	e the operator of	responsibi	lity for c	ompliance w	ith any	other
rederal, state,	or local law	vs and/or regu	iations.				OIL CON	CEDVA	TION	DIVISIO		
	1.00	0.					OIL CON	<u>oriz a w</u>	11011	DIVISIC	<u>'11</u>	
Signature:	VIII	posee										
Printed Name	OIV	-				Approved by	Environmental S	pecialist:				
Printed Name	e: Jen reace	·										
Title: Field E	nvironmenta	al Coordinator				Approval Dat	e:	Ex	piration l	Date:		
		rc 01				O att						
E-mail Addre	ess: peace.je	ffrey@bp.com	1			Conditions of	Approval:			Attached		
Date: Noven	nber 13 2014	4	Pho	ne: 505-326-9479	,							

<sup>\*</sup> Attach Additional Sheets If Necessary

CHENT BP	BLAGG ENGINEERING, INC.	- · · · · · · · · · · · · · · · · · · ·	API#: 300	4508414	<u> </u>
CLIENT:	P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199		TANK ID (if applicble):	A & B	
FIELD REPORT:	(circle one): BGT CONFIRMATION / RELEASE INVESTIGATION / OTHER: 21 & 95 BGT\$		PAGE #:	<b>1</b> of	1
SITE INFORMATION	: SITE NAME: CORNELL B # 1		DATE STARTED:	07/06/12	2
QUAD/UNIT: D SEC: 14 TWP:	29N RNG: 12W PM: NM CNTY: SJ ST: N	M	DATE FINISHED:		
1/4-1/4/FOOTAGE: 790'N / 1130'	EI KHORN		ENVIRONMENTAL SPECIALIST(S):	NV	
REFERENCE POINT	MOI C. TECHNINO				
1) 21 BBL BGT (SW/DB) - A	2C 724C4 V 400 07224		ARING FROM W.H.:	:v: <u>563</u> 99', N 79E	
2) 95 BBL BGT (SW/SB) - B			ARING FROM W.H.:	113'- S50.5	: 5E-
3)			ARING FROM W.H.:	110, 50,0	
4)			ARING FROM W.H.:		
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) # OR LAB USED: HALL			OV! READ	
1) SAMPLE ID: 5PC-TB @ 6', (21 B		418	8.1 8015 8021 300.0 <i>(</i>	(ppn	m)
2) SAMPLE ID:					
	SAMPLE DATE: SAMPLE TIME: LAB ANALYSIS:			Onion, 10	
	SAMPLE DATE: SAMPLE TIME: LAB ANALYSIS:			-	
SOIL DESCRIPTION					=
SOIL COLOR: MOSTLY DARK YELLOWS		EL/OTI	HER BEDROCK - (S	SILTSTONE/SHA	(LE)
COHESION (ALL OTHERS): NON COHESIVE / SLIGHTL		PLASTIC/ (	COHESIVE / MEDIUM PLASTI	C / HIGHLY PLASTIC	
CONSISTENCY (NON COHESIVE SOILS): LC	· · · · · · · · · · · · · · · · · · ·				
MOISTURE: DRY (SLIGHTLY MOIST / MOIST) W	110 000 (NBL 120 128 1120) 110	EXPL	anation - <b>Within</b>	DISCOLORED	
SAMPLE TYPE: GRAB / COMPOSITE - #	OF PTS. 5  BEDROCK ONLY.  YES VIOLENTIAL TO MEDIUM LIGHT TO MEDIUM DARK GRAY WITHIN	BEDBO	CK STIBEACE ONLY		—
	TEST TO EACH THE TO MEDICAL DATA CHAIR WITHIN	BLDINO	CR SORT ACE ONE!		_
ANY AREAS DISPLAYING WETNESS: YES / NO					
	BSERVED AND/OR OCCURRED : YES VNO EXPLANATION :	0.4450.5	IMPACTO DENEATI	LDOT ADDEAD	
ADDITIONAL COMMENTS: BEDROCK - N HISTORICAL BASED ON DISCOLORATION	<u>ERY HARD, COMPETENT, SCRAPPED SURFACE WITH BACKHOE &amp; COLLECTED S</u>	SAMPLE	. IMPACTS BENEATH	IBGI APPEAR	
SOIL IMPACT DIMENSION ESTIMATION:	NA ft. X NA ft. X NA ft. EXCAVATION	ON EST	IMATION (Cubic Yar	rds): <b>NA</b>	
DEPTH TO GROUNDWATER: >100' N	EAREST WATER SOURCE: >1,000' NEAREST SURFACE WATER: >1,000'	_ NMOC	D TPH CLOSURE STD	: <u>5,000</u> ppm	n
SITE SKETCH	PLOT PLAN circle: attached	MVO	CALIB. READ. = N	A ppm RF = 0	0.50
		<b>♦</b> ow	CALIB. GAS = N		0.32
$\oplus$	PBGTL (21) T.B. ~ 6' WOODEN	TIME:	: <b>NA</b> am/pm [	ATE: NA	
P & A	B.G. R.W.	\ <u>-</u>	MISCELL.	NOTES	<u> </u>
MARKER	FENCE	Ιw	o: N150584		
			0#: 4300049		
!		Pi			
		P.	J#:		~~
		Pe	ermit date(s): 06	3/14/10	
	•	Or Tan	CD Appr. date(s): (	05/10/11 Vanor Moter	
		<u>ID</u>	ppm = parts pe	r million	
	¥ 455	A	BGT Sidewalls Visi	$\widetilde{}$	
	X - S.P.D.	_  -	BGT Sidewalls Visi		
	IN DEPRESSION; B.G. = BELOW GRADE; B = BELOW; T.H. = TEST HOLE; ~ = APPROX.; W.H. = WELL HEAI DW-GRADE TANK LOCATION; SPD = SAMPLE POINT DESIGNATION; R.W. = RETAINING WALL; NA - NOT	ND;	lagnetic declinati		
APPLICABLE OR NOT AVAILABLE; SW - SINGL	WALL; DW - DOUBLE WALL; SB - SINGLE BOTTOM; DB - DOUBLE BOTTOM.	1	iagnetic decimati	OH. 10 L	
TRAVEL NOTES: CALLOUT:	ONSITE: 07/24/12				

#### **Analytical Report**

Lab Order 1207347

Date Reported: 7/23/2012

### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Blagg Engineering

Client Sample ID: 5PC-TB @6' (21 BGT)

Project: Cornell B #1

**Collection Date:** 7/6/2012 9:15:00 AM

**Lab ID:** 1207347-001

Matrix: SOIL Received Date: 7/10/2012 9:50:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015B: DIESEL RANGE	ORGANICS				Analyst: SCC
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	7/12/2012 9:33:56 AM
Surr: DNOP	106	77.6-140	%REC	1	7/12/2012 9:33:56 AM
EPA METHOD 300.0: ANIONS					Analyst: BRM
Chloride	ND	1.5	mg/Kg	1	7/12/2012 3:33:30 PM
EPA METHOD 8260B: VOLATILES SH	ORT LIST				Analyst: <b>RAA</b>
Benzene	ND	0.048	mg/Kg	1	7/16/2012 7:34:00 PM
Toluene	ND	0.048	mg/Kg	1	7/16/2012 7:34:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	7/16/2012 7:34:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	7/16/2012 7:34:00 PM
Surr: 1,2-Dichloroethane-d4	99.5	70-130	%REC	1	7/16/2012 7:34:00 PM
Surr: 4-Bromofluorobenzene	80.4	70-130	%REC	1	7/16/2012 7:34:00 PM
Surr: Dibromofluoromethane	86.8	70-130	%REC	1	7/16/2012 7:34:00 PM
Surr: Toluene-d8	87.9	70-130	%REC	1	7/16/2012 7:34:00 PM
EPA METHOD 8015B MOD: GASOLINI	ERANGE				Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	7/16/2012 7:34:00 PM
Surr: BFB	80.4	70-130	%REC	1	7/16/2012 7:34:00 PM
EPA METHOD 418.1: TPH					Analyst: <b>JMP</b>
Petroleum Hydrocarbons, TR	ND	20	mg/Kg	1	7/17/2012

### Qualifiers:

- \*/X Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- RL Reporting Detection Limit
- U Samples with CalcVal < MDL

### Hall Environmental Analysis Laboratory, Inc.

WO#:

1207347

23-Jul-12

Client:

Blagg Engineering

Project:

Cornell B #1

Sample ID MB-2797

SampType: MBLK

TestCode: EPA Method 300.0: Anions

Client ID:

**PBS** 

Batch ID: 2797

**PQL** 

RunNo: 4007

Prep Date: 7/12/2012

Analysis Date: 7/12/2012

Result

Result

15

SeqNo: 114674

Units: mg/Kg HighLimit

%RPD **RPDLimit** 

Qual

Analyte Chloride

ND

Sample ID LCS-2797

SampType: LCS

TestCode: EPA Method 300.0: Anions

SPK value SPK Ref Val %REC LowLimit

Client ID: LCSS

Batch ID: 2797

RunNo: 4007

Prep Date: 7/12/2012

SeqNo: 114675

Units: mg/Kg

110

Analyte

Analysis Date: 7/12/2012

%RPD

Chloride

**PQL** 

1.5

SPK value SPK Ref Val

15.00

15.00

15.00

%REC 99.6

LowLimit HighLimit **RPDLimit** 

Qual

Qual

Sample ID 1207452-001AMS

SampType: MS

TestCode: EPA Method 300.0: Anions

Client ID: **BatchQC** 

Batch ID: 2797

RunNo: 4007

Prep Date: 7/12/2012 Analysis Date: 7/12/2012

SeqNo: 114688

Units: mg/Kg

Analyte

Result **PQL** 7.5

SPK value SPK Ref Val %REC 11.47 89.2

LowLimit HighLimit 64.4 117 **RPDLimit** Qual

Chloride

SampType: MSD

TestCode: EPA Method 300.0: Anions

Client ID: BatchQC Prep Date:

Batch ID: 2797

7.5

RunNo: 4007 SeqNo: 114689

Units: mg/Kg

Analyte Chloride

7/12/2012

Sample ID 1207452-001AMSD

Result

28

25

Analysis Date: 7/12/2012

SPK value SPK Ref Val

11.47

%REC 108

LowLimit 64.4

HighLimit 117 %RPD

10.9

%RPD

**RPDLimit** 

20

#### Qualifiers:

Value exceeds Maximum Contaminant Level. \*/X

Value above quantitation range Analyte detected below quantitation limits Analyte detected in the associated Method Blank

Н Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit

Page 3 of 8

RPD outside accepted recovery limits R

Reporting Detection Limit

### Hall Environmental Analysis Laboratory, Inc.

WO#:

1207347

23-Jul-12

Client:

Blagg Engineering

Project:

Cornell B #1

Sample ID ME	-2839
--------------	-------

SampType: MBLK

TestCode: EPA Method 418.1: TPH

Client ID:

PBS

Batch ID: 2839

RunNo: 4076

Prep Date: 7/16/2012

Analysis Date: 7/17/2012

SeqNo: 116753

Units: mg/Kg

HighLimit

%RPD

**RPDLimit** 

Qual

Analyte Petroleum Hydrocarbons, TR Result

ND 20

Sample ID LCS-2839

SampType: LCS

TestCode: EPA Method 418.1: TPH

Client ID: LCSS

Prep Date:

Analyte

Batch ID: 2839

SPK value SPK Ref Val %REC LowLimit

RunNo: 4076

Analysis Date: 7/17/2012

SeqNo: 116754

107

Units: mg/Kg

120

Petroleum Hydrocarbons, TR

Result 110

**PQL** SPK value SPK Ref Val. %REC

20

LowLimit

HighLimit

%RPD **RPDLimit** 

Qual

Qual

SampType: LCSD

TestCode: EPA Method 418.1: TPH

Sample ID LCSD-2839

LCSS02

7/16/2012

Batch ID: 2839

Result

100

RunNo: 4076

Prep Date: 7/16/2012

Analysis Date: 7/17/2012

SeqNo: 116755

Units: mg/Kg

**RPDLimit** 

Client ID:

**PQL** 

SPK value SPK Ref Val

100.0

%REC 100

80

HighLimit 120 %RPD

Petroleum Hydrocarbons, TR

20 100.0

5.99

20

Qualifiers:

\*/X Value exceeds Maximum Contaminant Level.

Value above quantitation range

Analyte detected below quantitation limits

В

Analyte detected in the associated Method Blank

Holding times for preparation or analysis exceeded Н

Not Detected at the Reporting Limit

Page 4 of 8

RPD outside accepted recovery limits

Reporting Detection Limit

# Hall Environmental Analysis Laboratory, Inc.

WO#:

1207347 23-Jul-12

Client:

Blagg Engineering

Project:	Cornell	B #1									
Sample ID	MB-2786	SampT	ype: ME	BLK	Tes	tCode: El	PA Method	8015B: Dies	el Range (	Organics	
Client ID:	PBS	Batch	ID: <b>27</b>	86	F	RunNo: 3	976				
Prep Date:	7/11/2012	Analysis D	ate: 7/	12/2012	8	SeqNo: 1	13960	Units: mg/l	<b>∢</b> g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
iesel Range (	Organics (DRO)	ND	10								· · · · · · · · ·
Surr: DNOP		11		10.00		113	77.6	140			
Sample ID	LCS-2786	SampT	ype: LC	s	Tes	tCode: El	PA Method	8015B: Dies	el Range (	Organics	
Client ID:	LCSS	Batch	ID: <b>27</b>	86	F	RunNo: 3	976				
Prep Date:	7/11/2012	Analysis D	ate: 7/	12/2012	S	SeqNo: 1	13961	Units: mg/l	<b>K</b> g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
iesel Range (	Organics (DRO)	39	10	50.00	0	78.6	52.6	130			
Surr: DNOP		5.0		5.000		99.1	77.6	140			
Sample ID	1207347-001AMS	SampT	уре: МS	3	Tes	tCode: Ef	PA Method	8015B: Dies	el Range (	Organics	
Client ID:	5PC-TB @6' (21	<b>BG</b> Batch	ID: <b>27</b>	86	F	RunNo: 3!	976				
Prep Date:	7/11/2012	Analysis D	ate: 7/	12/2012	5	SeqNo: 1	14238	Units: mg/l	<b>〈</b> g		
Analyte	<u> </u>	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
iesel Range (	Organics (DRO)	35	10	50.25	0	70.5	57.2	146			
Surr: DNOP		4.3		5.025		85.9	77.6	140			
Sample ID	1207347-001AMS	SD SampT	уре: МS	SD	Tes	tCode: <b>E</b>	A Method	8015B: Dies	el Range (	Organics	
Client ID:	5PC-TB @6' (21	<b>BG</b> Batch	ID: <b>27</b>	86	F	RunNo: 39	976				
Prep Date:	7/11/2012	Analysis D	ate: 7/	12/2012	S	SeqNo: 1	14239	Units: mg/l	<b>(</b> g		
Analyte		Result	PQL		SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
_	Organics (DRO)	35	10	49.90	0	69.8	57.2	146	1.73	24.5	
Surr: DNOP		4.3		4.990		86.1	77.6	140	0	0	

#### Qualifiers:

RL

<sup>\*/</sup>X Value exceeds Maximum Contaminant Level.

Value above quantitation range

Analyte detected below quantitation limits J

RPD outside accepted recovery limits R

Н Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit ND Reporting Detection Limit

### Hall Environmental Analysis Laboratory, Inc.

WO#: 1207347

23-Jul-12

Client:

Blagg Engineering

Sample ID mb-2778	Samp	Гуре: МЕ	BLK	TestCode: EPA Method 8260B: Volatiles Short List										
Client ID: PBS	Batc	h ID: <b>27</b>	78	F	RunNo: 4	074								
Prep Date: 7/11/2012	Analysis [	Date: 7/	16/2012	\$	SeqNo: 1	16681	Units: mg/K	ζg						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual				
Benzene	ND	0.050			·		<u> </u>							
Toluene	ND	0.050												
Ethylbenzene	ND	0.050												
Xylenes, Total	ND	0.10												
Surr: 1,2-Dichloroethane-d4	0.50		0.5000		99.2	70	130							
Surr: 4-Bromofluorobenzene	0.40		0.5000		80.8	70	130							
Surr: Dibromofluoromethane	0.45		0.5000		89.0	70	130							
Surr: Toluene-d8	0.46		0.5000		91.4	70	130							
Sample ID Ics-2778	Samo	туре: <b>LC</b>	s	Tes	tCode: El	PA Method	8260B: Volat	tiles Short	List					
Client ID: LCSS	-	h ID: <b>27</b>		F	· <b>-</b> •									
Prep Date: 7/11/2012	Analysis [				SeqNo: 1		Units: mg/K	ίg						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual				
Benzene	1.2	0.050	1.000	0	118	70.7	123	701(11)	TO DEITH	Quai				
Toluene	0.91	0.050	1.000	0	91.0	80	120							
Surr: 1,2-Dichloroethane-d4	0.50	0.000	0.5000	O	99.6	70	130							
Surr: 4-Bromofluorobenzene	0.42		0.5000		84.5	70	130							
Surr: Dibromofluoromethane	0.44		0.5000		87.6	70	130							
Surr: Toluene-d8	0.43		0.5000		86.3	70 	130							
Sample ID 1207347-002AM	S Samp	Гуре: <b>М</b> .S	3	Tes	tCode: EF	PA Method	8260B: Volat	tiles Short	List					
Client ID: 5PC-TB @6' (95	BG Batc	h ID: <b>27</b> 1	78	RunNo: <b>4093</b>										
Prep Date: 7/11/2012	Analysis [	)ate: <b>7</b> /	17/2012	S	SeqNo: 1	17256	Units: mg/K	(g						
Analyte	Result	PQL		SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual				
Benzene	1.0	0.049	0.9737	0	107	81.3	119							
Toluene	0.95	0.049	0.9737	0	97.9	75	121							
Surr: 1,2-Dichloroethane-d4	0.48		0.4869		98.1	70	130							
Surr: 4-Bromofluorobenzene	0.45		0.4869		92.8	70	130							
Surr: Dibromofluoromethane	0.45		0.4869		93.0	70	130							
Surr: Toluene-d8	0.44		0.4869		89.8	70	130							
Sample ID 1207347-002AM	SD Samp	ype: <b>M</b> S	SD	Tes	tCode: <b>E</b>	PA Method	8260B: Volat	tiles Short	List					
Client ID: 5PC-TB @6' (95	BG Batc	n ID: <b>27</b>	78	F	RunNo: 4	093								
Prep Date: 7/11/2012	Analysis [	Date: <b>7</b> /	17/2012	S	SeqNo: 1	17257	Units: mg/K	(g						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual				
Benzene	1.1	0.050	0.9921	0	116	81.3	119	9.90	15.7					
Tal	0.99	0.050	0.9921	0	99.4	75	121	3.42	16.2					
Toluene	0.00													
Toluene Surr: 1,2-Dichloroethane-d4	0.49		0.4960		98.5	70	130	0	0					

#### Qualifiers:

Page 6 of 8

<sup>\*/</sup>X Value exceeds Maximum Contaminant Level.

Value above quantitation range

Analyte detected below quantitation limits

RPD outside accepted recovery limits

Analyte detected in the associated Method Blank

Holding times for preparation or analysis exceeded Н

ND Not Detected at the Reporting Limit

Reporting Detection Limit RL

# Hall Environmental Analysis Laboratory, Inc.

WO#:

1207347 23-Jul-12

Qual

Client:

Blagg Engineering

Project:

Cornell B #1

Sample ID 1207347-002AMSD

TestCode: EPA Method 8260B: Volatiles Short List

Client ID: 5PC

5PC-TB @6' (95 BG

SampType: MSD
Batch ID: 2778

RunNo: 4093

Prep Date: 7/11/2012

Analysis Date: 7/17/2012

SeqNo: **117257** 

7 Units: mg/Kg

Analyte	Result	PQL	QL SPK value SPK Ref Val		%REC	LowLimit	HighLimit	%RPD	RPDLimit	
Surr: Dibromofluoromethane	0.51		0.4960		104	70	130	0	0	
Surr: Toluene-d8	0.46		0.4960		93.5	70	130	0	0	

### Qualifiers:

\*/X Value exceeds Maximum Contaminant Level.

E Value above quantitation range

J Analyte detected below quantitation limits

R RPD outside accepted recovery limits

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

RL Reporting Detection Limit

Page 7 of 8

### Hall Environmental Analysis Laboratory, Inc.

WO#:

1207347

23-Jul-12

Client:

Blagg Engineering

Project:

Cornell B #1

Sample ID mb-2778	Samp	SampType: MBLK TestCode: EPA Method						Gasoline	Range				
Client ID: PBS	Batcl	h ID: <b>27</b>	78	F	lunNo: 4	074							
Prep Date: 7/11/2012	Analysis D	Date: <b>7</b> 1	16/2012	SeqNo: <b>116688</b>			Units: mg/Kg						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual			
Gasoline Range Organics (GRO)	ND	5.0											
Surr: BFB	400		500.0		80.8	70	130						

Sample ID LCS-2778	SampType: LCS TestCode: EPA Method 8015B Mod: Gasoline Range											
Client ID: LCSS	Batch	1D: <b>27</b>	78	F	RunNo: 4							
Prep Date: 7/11/2012	Analysis D	ate: 7/	16/2012	SeqNo: <b>116690</b>			Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Gasoline Range Organics (GRO)	29	5.0	25.00	0	118	85	115			S		
Surr: BFB	440		500.0		87.3	70	130					

Sample ID 1207347-001ams	Samp	lype: MIS	S	lestCode: EPA Method 8015B Mod: Gasoline Range											
Client ID: 5PC-TB @6' (21	BG Batcl	h ID: <b>27</b>	78	F	RunNo: 4	074									
Prep Date: 7/11/2012	Analysis [	Date: 7/	16/2012	9	SeqNo: 116691			Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual					
Gasoline Range Organics (GRO)	22	4.9	24.73	0	90.9	70	130								
Surr RER	400		494 6		81.6	70	130								

Sample ID 1207347-001ams	sd Samp	SampType: MSD			TestCode: EPA Method 8015B Mod: Gasoline Range								
Client ID: 5PC-TB @6' (21	BG Batc	h ID: <b>27</b>	78	F	RunNo: 4								
Prep Date: 7/11/2012	Analysis Date: 7/16/2012			SeqNo: 116692			Units: mg/k						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual			
Gasoline Range Organics (GRO)	21	4.7	23.32	0	89.0	70	130	7.94	20				
Surr: BFB	380		466.4		81.8	. 70	130	0	0				

### Qualifiers:

- \*/X Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- R RPD outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- RL Reporting Detection Limit

Page 8 of 8



Hall Environmental Analysis Laborator) 4901 Hawkins NE Albuquergue, NM 87105

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

### Sample Log-In Check List

Client Name: BLAGG Work Order Number: 1207347 Received by/date: 7/10/2012 9:50:00 AM Logged By: **Ashley Gallegos** Completed By: **Ashley Gallegos** 7/10/2012 4:31:41 PM 07/11/12 Reviewed By: Chain of Custody 1 Were seals intact? Not Present ✓ Not Present 2. Is Chain of Custody complete? No Yes 🟏 3 How was the sample delivered? Courier Log In 4. Coolers are present? (see 19. for cooler specific information) Yes V No 5. Was an attempt made to cool the samples? NA 🗀 6 Were all samples received at a temperature of >0° C to 6.0°C ✓ No 7 Sample(s) in proper container(s)? **✓** No 8 Sufficient sample volume for indicated test(s)? 9 Are samples (except VOA and ONG) properly preserved? ✓ No 10. Was preservative added to bottles? No V NA No VOA Vials 🗸 11 VOA vials have zero headspace? No ⊹ 12. Were any sample containers received broken? No 🗸 # of preserved 13. Does paperwork match bottle labels? Νo bottles checked (Note discrepancies on chain of custody) for pH: 14. Are matrices correctly identified on Chain of Custody? (<2 or >12 unless noted) Adjusted? No 15. Is it clear what analyses were requested? No 16 Were all holding times able to be met? (If no, notify customer for authorization.) Checked by: Special Handling (if applicable) No 17. Was client notified of all discrepancies with this order? NA 🗸 Date: Person Notified: By Whom: Via: · eMail Phone . Fax In Person Regarding: Client Instructions: 18. Additional remarks: 19. Cooler Information Cooler No Temp °C Condition Seal Intact Seal No Seal Date

Chain-Oi-Custody Record		urn-Around	Time:					L	AL			ni.	et e	20	AL	ME	ni-	FA.	•		
Client:	BLAG	G ENGR.	/ BP AMERICA	☑ Standard	Rush			3,42										RA		_	
				Project Name:					دسې	-											
Mailing A	ddress:	S: P.O. BOX 87 CORNELL B #1 490							01 F	www.hallenvironmental.com  I Hawkins NE - Albuquerque, NM 87109											
***************************************	<del></del>	BLOOM	FIELD, NM 87413	Project #:			1				45-3			-	-		-410				
Phone #:		(505) 63	2-1199							erry.	i i		Anal					W 28 3		1 4 4 5 1 4 5	
email or f	ax#:			Project Manag	ger:									SO4)							
QA/QC Pa	-		Level 4 (Full Validation)	NELSON VELEZ			\$ (8021B)	+ TPH (Gas only)	/Diesel)					PO4, SC	CB's						·
Accredita	tion:			Sampler: NELSON VELEZ gw			}	(Gas	(Gas					NO2,	/ 8082 PCB's				İ		d
□ NELAF		□ Other		On ice:	)X∦/es		<b>₩</b>	F	15B	18.1	04.1	Ŧ		33, 1	/ 80		<b>₽</b>			ĺ	e sa
	Гуре)	<del></del>		Sample Temp	erature: 名, 식			# <del>#</del>	d 80	d 4.	, D	yr P	sle	Ž	ides	-	70	0.0		ايو	osit
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEAL No. 1207347	BTEX +- WITE	BTEX + MTBE	TPH Method 8015B (Gas/Diesel)	TPH (Method 418.1)	EDB (Method 504.1)	8310 (PNA or PAH)	RCRA 8 Metals	Anions (F, Cl, NO3,	8081 Pesticides	8260B (VOA)	8270 (Semi-VOA)	Chloride (300.0)		Grab sample	5 pt. composite sample
7/6/12	0915	SOIL	5PC-TB @ 6' (21 BGT)	4 oz 2	Cool	-001	٧		٧	٧								٧			٧
7/6/13	-0905	SOIL-	5PC TB @ 6' (95 BGT)	4-62-2	Cool	002	₩		*	¥								<b>V</b>	$\dashv$	<del> </del>	<b>V</b>
							1												$\neg$	$\neg$	
																					一
																			$\neg$		
<del> </del>																			寸		
																			$\neg$	$\dashv$	$\Box$
															-			$\Box$			
						<del></del>	<del>                                     </del>						┝┷					$\Box$		_	
<del></del>		<u> </u>					<del>-</del>														$\exists$
Date:	Time:	Relinquish	ed by:	Received by:		Date Time	Rer	nark	L 5:	TPI	1 (8)	015	B) -	GRO	8	DRC	ON	ILY.			1
7/9/12	1100	M	en V f	Mustin	wester	7/9/12 1100	Se	nd ir	voîc		:										
Date:	Time:	Relinquish	ed by:	Received by:		Date Time	Blagg Engineering, Inc. P.O. Box 87														
7/9/12	1751	M	uhmitted to Hall Environmental may be	Thul	MEX	© 1/0 120950 Bloomfield, NM 87413								NM							



