District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fe, NM 87505

Alternative Method:

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office. For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application Type of action: Below grade tank registration Permit of a pit or proposed alternative method Closure of a pit, below-grade tank, or proposed alternative method Modification to an existing permit/or registration Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank,
or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: BP America Production CompanyOGRID#:778
Address:200 Energy Court, Farmington, NM 87401
Facility or well name:Gallegos Canyon Unit 317
API Number:3004524656OCD Permit Number:
U/L or Qtr/QtrFSection27Township28NRange12WCounty:San Juan
Center of Proposed Design: Latitude36.63582Longitude108.10264NAD: ☐1927 ☒ 1983
Surface Owner: Federal State Private Tribal Trust or Indian Allotment
2. Pit: Subsection F, G or J of 19.15.17.11 NMAC Temporary: Drilling Workover Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Drilling Fluid yes no
Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other
☐ String-Reinforced
Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D
3. Below-grade tank: Subsection I of 19.15.17.11 NMAC Tank A
Volume:45.0bbl Type of fluid:Produced water
Tank Construction material:Fiberglass
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other _Single walled/single bottomed
Liner type: Thicknessmil

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

·	
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)	
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church)	hospital,
Four foot height, four strands of barbed wire evenly spaced between one and four feet	
Alternate. Please specify	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	
7.	
Signs: Subsection C of 19.15.17.11 NMAC	
☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers ☐ Signed in compliance with 19.15.16.8 NMAC	
8. Variances and Exceptions:	
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank:	
☐ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. ☐ Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
9. Siting Criteria (regarding permitting): 19.15.17.10 NMAC	
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptance of the compliance for each siting criteria below in the application.	otable source
material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	
General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks)	☐ Yes ☐ No
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	☐ Yes ☐ No
Below Grade Tanks	
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	Yes No

Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial	☐ Yes ☐ No
 application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 100 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit Non-low chloride drilling fluid	
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	
	│ □ Yes □ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Permanent Pit or Multi-Well Fluid Management Pit	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of	
initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the docattached.	
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC	
Previously Approved Design (attach copy of design) API Number: or Permit Number:	
11. Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc	cuments are
attached. □ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC □ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC □ A List of wells with approved application for permit to drill associated with the pit. □ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC □ Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC □ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Previously Approved Design (attach copy of design) API Number: or Permit Number:	

<u> </u>	
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan	documents are
☐ Oil Field Waste Stream Characterization ☐ Monitoring and Inspection Plan	
☐ Erosion Control Plan ☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F. Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method	luid Management Pit
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be a closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	attached to the
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. P 19.15.17.10 NMAC for guidance.	ce material are llease refer to
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	
	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	
Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
16.	
Dn-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. □ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC □ Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC □ Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.13 □ Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC □ Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	11 NMAC 15.17.11 NMAC
Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief	ef.
Name (Print): Title:	
Signature: Date:	
e-mail address: Telephone:	
e-mail address:	1 the closure report.
e-mail address: Telephone:	1/2014 the closure report. complete this

Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure rebelief. I also certify that the closure complies with all applicable closure requirements.	
Name (Print):Jeff Peace	Title: Field Environmental Coordinator Date: November 20, 2014
e-mail address:peace.jeffrey@bp.com	Telephone:(505) 326-9479

Oil Conservation Division

BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

Gallegos Canyon Unit 317 API No. 3004524656 Unit Letter F, Section 27, T28N, R12W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

- 1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.
 - Notice is attached.
- 2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

Notice is attached.

- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)

- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported to a storage area for sale and re-use.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	45 bbl BGT	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	ND
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	ND
TPH	US EPA Method SW-846 418.1	100	ND
Chlorides	US EPA Method 300.0 or 4500B	250 or background	ND

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled and TPH, BTEX and chloride levels were below the stated limits. Sampling data is attached.

7. BP shall notify the division District III office of its results on form C-141. **C-141 is attached.**

8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results indicate no release occurred.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

The area under the BGT was backfilled with clean soil and is still within the active well area.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

BP will seed the area when the well is plugged and abandoned as part of final reclamation.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

BP will notify NMOCD when re-vegetation is successful.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

 Closure report on C-144 form is included.
- 16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

District 1
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-141
Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

			Rele	ase Notifi	catio	n and Co	orrective A	ction				
						OPERA'	ΓOR	[Initia	al Report	\boxtimes	Final Repo
Name of Co						Contact: Jef	f Peace					
		Court, Farmi		<i>1</i> 87401		Telephone No.: 505-326-9479						
Facility Na	me: Galleg	os Canyon U	Jnit 317			Facility Type: Natural gas well						
Surface Ow	ner: Feder	al		Mineral (Owner:	ner: Federal API No. 3004				. 30045246	556_	
				LOC	ATIO]	N OF REI	LEASE					
Unit Letter	Section	Township	Range	Feet from the		South Line	Feet from the	East/W	est Line	County: S	an Juar	1
F	27	28N	12W	1,680	North		1,540	West		,		
		Lati	tude 36	.63582		Longitud	e 108.10264					
				•		OF RELI						
Type of Rele	ase: none			1171	CIGE		Release: N/A		Volume R	lecovered: N	J/A	
Source of Re	lease: belov	v grade tank –	45 bbl				lour of Occurrence			Hour of Dis		•
Was Immediate Notice Given?						If YES, To	Whom?					
			Yes	No Not R	equired							
By Whom?						Date and H						
Was a Water	course Reac		v 57	N.T.		If YES, Vo	lume Impacting t	the Water	course.			
☐ Yes ⊠ No												
If a Watercou	ırse was İm	pacted, Descri	be Fully.*				-					
							the BGT was do		removal t	o ensure no	soil im	pacts from
Describe Are	a Affected a	and Cleanup A	ction Take	n.* BGT was re	moved a	and the area u	nderneath the BG	T was sar	mpled. Th	ne area unde	r the B	GT was
				tive well area.		ara are area a	macrineam the 50	, , , , do sui	inpred. 11	io area arrae	i die D	01 ,,,,,
I hereby certi	fy that the i	nformation oi	ven above i	s true and comr	lete to th	ne hest of my	knowledge and u	ınderstand	that nurs	uant to NM(OCD ri	ıles and
							nd perform correct					
							arked as "Final R					
							on that pose a three					
		ddition, NMO vs and/or regu		ance of a C-141	report a	oes not reliev	e the operator of	responsib	ility for co	impliance w	ith any	otner
rederal, state,	Of tocal lay	vs and/or regu	iations.	····			OIL CON:	SFRVA	TION	DIVISIO	N	
()	-DD 1	0					OIL COIT	<u>DDIC V 1</u>	111011	DIVIDIO	11	
Signature:		gell		•••								
Printed Name	//// v. leff Deace	.			.	Approved by	Environmental S _l	pecialist:				
i illicu Name	Jen reace	<u> </u>										
Title: Field E	nvironment	al Coordinato	r			Approval Dat	e:	Ex	xpiration I	Date:		
		-						•				
E-mail Addre	ss: peace.je	ffrey@bp.con	1			Conditions of	Approval:			Attached		
Date: Novem	nber 20, 201	4	Phon	e: 505-326-9479	9							

^{*} Attach Additional Sheets If Necessary

CLIENT: BP		INEERING, INC. OMFIELD, NM 87413	API#: 3004524656
		632-1199	TANK ID (if applicble):
FIELD REPORT:	(circle one): BGT CONFIRMATION / REL	EASE INVESTIGATION / OTHER:	PAGE#: 1 of 1
SITE INFORMATION	I: SITE NAME: GCU # 317		DATE STARTED: 03/30/12
QUAD/UNIT: F SEC: 27 TWP:	28N RNG: 12W PM: N	NM CNTY: SJ ST: NN	DATE FINISHED:
	10'W SE/NW LEASE TYPE: PROD. FORMATION: PC CONTR	FEDERAL STATE / FEE / INDIAN ELKHORN RACTOR: MRF. L. DOMELL	ENVIRONMENTAL SPECIALIST(S): JCB
		ORD.: 36,63582 X 108.102	
1) 45 BGT (SW/DB)	GPS COORD.: 36.63	35.63382 X 108.102 3582 X 108.10264	68', S89E
		DISTANC	
		DISTANC	
		DISTANC	
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) # OR LAB		OVM READING
	_,,	SAMPLETIME:1202	(mag)
		SAMPLE TIME: LAB ANALYSIS:	
		SAMPLE TIME: LAB ANALYSIS:	
		SAMPLE TIME: LAB ANALYSIS:	
		ID SILT / SILTY CLAY / CLAY / GRAVEL /	
SOIL COLOR: DARK YELL		OLI / OLE OLA / OLA / OLA / OLA /	
COHESION (ALL OTHERS): NON COHESIVE/ SLIGHTLY		PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLAS	TIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC
CONSISTENCY (NON COHESIVE SOILS) LC MOISTURE: DRY SLIGHTLY MOIST / MOIST / W		DENSITY (COHESIVE CLAYS & SILTS): S	
SAMPLE TYPE: GRAB COMPOSITE # OF PTS.		HC ODOR DETECTED: YES NO E	(PLANATION
DISCOLORATION/STAINING OBSERVED			
	7		
ANY AREAS DISPLAYING WETNESS: YES (NO ADDITIONAL COMMENTS: NO APPARE		RGT ORSERVED RGT CONSTRUCTE	D OF FIRERGI ASS
TO ATTAIL	AT EVIDENCE OF A RELEASE FROM	DOT ODOLINED. BOT CONCINCOTE	D OT TIBEROLAGO.
COUL IN IDA OT DIN ITAICION FOTIMATION	NA o V NA a	V NA C EVOLUTION	ESTIMATION (Cubic Yards) : NA
SOIL IMPACT DIMENSION ESTIMATION: DEPTH TO GROUNDWATER:			ESTIMATION (Cubic Yards) : NA MOCD TPH CLOSURE STD: 100 ppm
SITE SKETCH			
OFFE ORE FOR			DVM CALIB. READ. = <u>52.7</u> ppm DVM CALIB. GAS = 100 ppm
	METER		DVM CALIB. GAS = <u>100</u> ppm TIME: <u>12:06</u> an(pm) DATE: <u>03/30/12</u>
	RUN	iN [
[]			MISCELL. NOTES
PUMP			WO - N1494165
JACK	· ·		PO - 66545 PK - ZSCHWLLBGT
<u> </u>	BERM	WOODEN	PJ#-Z2-00690-C
WELL HEAD	PBGTL X X X X X X X X X X X X X X X X X X X	R.W.	
NEAU	B.G.		Permit date(s): 06/08/10
	<u></u>	ļ	OCD Appr. date(s): 11/09/11
			ID
		X - S.P.D.	A BGT Sidewalls Visible: Y / N / NA BGT Sidewalls Visible: Y / N / NA
NOTES: BGT = BELOW-GRADE TANK; E.D. = EXCAV. T.B. = TANK BOTTOM: PBGTL = PREVIOUS	'ATION DEPRESSION; B.G. = BELOW GRADE; B = E BELOW-GRADE TANK LOCATION; SPD = SAMPLE		Magnetic declination: 10° E
NA - NOT APPLICABLE OR NOT AVAILABLE	; SW - SINGLE WALL; DW - DOUBLE WALL; SB - SI	NGLE BOTTOM; DB - DOUBLE BOTTOM.	iviagnetic decimation. 10 L
TRAVEL NOTES: CALLOUT:		ONSITE: 03/30/12	

revised: 07/11/11

BEI1005E-3.SKF

Analytical Report

Lab Order 1204093

Date Reported: 4/12/2012

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering

Client Sample ID: 45 BGT 5-pt @7'

Project: GCU 317

Collection Date: 3/30/2012 12:02:00 PM

Lab ID: 1204093-001

Matrix: SOIL

Received Date: 4/3/2012 10:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015B: DIESEL RANG	E ORGANICS				Analyst: JMP
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	4/6/2012 10:15:22 AM
Surr: DNOP	105	77.4-131	%REC	1	4/6/2012 10:15:22 AM
EPA METHOD 8015B: GASOLINE RA	NGE				Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	4/9/2012 1:04:45 PM
Surr: BFB	101	69.7-121	%REC	1	4/9/2012 1:04:45 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.049	mg/Kg	1	4/9/2012 1:04:45 PM
Toluene	ND	0.049	mg/Kg	1	4/9/2012 1:04:45 PM
Ethylbenzene	ND	0.049	mg/Kg	1	4/9/2012 1:04:45 PM
Xylenes, Total	ND	0.099	mg/Kg	1	4/9/2012 1:04:45 PM
Surr: 4-Bromofluorobenzene	98.1	80-120	%REC	1	4/9/2012 1:04:45 PM
EPA METHOD 300.0: ANIONS					Analyst: BRM
Chloride	ND	1.5	mg/Kg	1	4/9/2012 1:43:53 PM
EPA METHOD 418.1: TPH					Analyst: JMP
Petroleum Hydrocarbons, TR	ND	20	mg/Kg	1	4/6/2012

Qualifiers:

^{*/}X Value exceeds Maximum Contaminant Level.

E Value above quantitation range

J Analyte detected below quantitation limits

R RPD outside accepted recovery limits

S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

RL Reporting Detection Limit

Hall Environmental Analysis Laboratory, Inc.

WO#: 1204093

Qual

12-Apr-12

Client:

Blagg Engineering

Project:

GCU 317

Sample ID MB-1412

SampType: MBLK

TestCode: EPA Method 300.0: Anions

Client ID:

PBS

Batch ID: 1412

RunNo: 2004

Prep Date: 4/6/2012

Result

Analysis Date: 4/9/2012

PQL

SeqNo: 55785

Units: mg/Kg

%RPD

%RPD

%RPD

HighLimit

Analyte Chloride

ND 1.5

TestCode: EPA Method 300.0: Anions

Client ID:

Sample ID LCS-1412

LCSS

SampType: LCS Batch ID: 1412

RunNo: 2004

SPK value SPK Ref Val %REC LowLimit

Prep Date: 4/6/2012 Analysis Date: 4/9/2012

SeqNo: 55786

Units: mg/Kg

Analyte Chloride

Result **PQL**

1.5

SPK value SPK Ref Val 15.00

0.5140

%REC LowLimit 97.0

HighLimit

RPDLimit

15

Result

Result

14

90 110 **RPDLimit** Qual

Sample ID 1204093-001AMS

SampType: MS

TestCode: EPA Method 300.0: Anions

Client ID:

45 BGT 5-pt @7'

Batch ID: 1412

RunNo: 2004

Units: mg/Kg

118

Client ID:

Prep Date: 4/6/2012

Sample ID 1204093-001AMSD

Analysis Date: 4/9/2012

PQL

1.5

SPK value SPK Ref Val

15.00

SeqNo: 55792 %REC LowLimit

HighLimit

RPDLimit Qual

Analyte Chloride

SampType: MSD

TestCode: EPA Method 300.0: Anions

87.7

45 BGT 5-pt @7' Prep Date: 4/6/2012

Batch ID: 1412

RunNo: 2004 SeqNo: 55793

Units: mg/Kg

Qual

Analyte Chloride

Analysis Date: 4/9/2012

PQL

1.5

15.00

SPK value SPK Ref Val

0.5140

%REC 88.4 LowLimit 74.6

74.6

HighLimit 118 %RPD **RPDLimit** 0.788

20

Qualifiers:

Value exceeds Maximum Contaminant Level. */X

Value above quantitation range Е

Analyte detected below quantitation limits

Analyte detected in the associated Method Blank

Η Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit Reporting Detection Limit

Page 2 of 6

R

RPD outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

97

20

WO#: 1204093

12-Apr-12

Client:

Petroleum Hydrocarbons, TR

Blagg Engineering

Project: GCU 3	317			
Sample ID MB-1398	SampType: MBLK	TestCode: EPA Method	I 418.1: TPH	
Client ID: PB\$	Batch ID: 1398	RunNo: 1945		
Prep Date: 4/5/2012	Analysis Date: 4/6/2012	SeqNo: 54175	Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLi	imit Qual
Petroleum Hydrocarbons, TR	ND 20			
Sample ID LCS-1398	SampType: LCS	TestCode: EPA Method	418.1: TPH	
Client ID: LCSS	Batch ID: 1398	RunNo: 1945		
Prep Date: 4/5/2012	Analysis Date: 4/6/2012	SeqNo: 54176	Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLi	imit Qual
Petroleum Hydrocarbons, TR	100 20 100.0	0 100 87.8	115	
Sample ID LCSD-1398	SampType: LCSD	TestCode: EPA Method	418.1: TPH	
Client ID: LC\$S02	Batch ID: 1398	RunNo: 1945		
Prep Date: 4/5/2012	Analysis Date: 4/6/2012	SeqNo: 54178	Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLi	imit Qual

Qualifiers:

*/X Value exceeds Maximum Contaminant Level.

E Value above quantitation range

J Analyte detected below quantitation limits

R RPD outside accepted recovery limits

B Analyte detected in the associated Method Blank

87.8

115

2.78

8.04

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting LimitRL Reporting Detection Limit

Page 3 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#: 1204093

12-Apr-12

Client:

Blagg Engineering

Project:

GCU 317

Project:	GCU 317										
Sample ID	MB-1397	SampT	ype: ME	BLK	Tes	tCode: El	PA Method	8015B: Dies	el Range (Organics	
Client ID:	PBS	Batch	n ID: 13	97	F	RunNo: 1949					
Prep Date:	4/5/2012	Analysis E)ate: 4/	6/2012	9	SeqNo: 5	4287	Units: mg/l	Κg		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range (Organics (DRO)	ND	10							· · · · · · · · · · · · · · · · · · ·	
Surr: DNOP		10		10.00		100	77.4	131			
Sample ID	LCS-1397	SampT	ype: LC	:s	Tes	tCode: El	PA Method	8015B: Dies	el Range (Drganics	
Client ID:	LCSS	Batch	n ID: 13	97	F	RunNo: 1	949				
Prep Date:	4/5/2012	Analysis D)ate: 4/	6/2012	S	SeqNo: 5	4449	Units: mg/l	∢ g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range (Organics (DRO)	50	10	50.00	0	100	62.7	139			
Surr: DNOP		4.7		5.000		94.1	77.4	131			
Sample ID	1204093-001AMS	SampT	уре: М		Tes	tCode: El	PA Method	8015B: Dies	el Range (Organics	
Client ID:	45 BGT 5-pt @7'	Batch	n ID: 13	97	F	RunNo: 1	949				
Prep Date:	4/5/2012	Analysis D	oate: 4/	6/2012	S	SeqNo: 5	4714	Units: mg/l	∢ g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range (Organics (DRO)	55	9.9	49.60	0	110	57.2	146			
Surr: DNOP		4.9		4.960		99.6	77.4	131			
Sample ID	1204093-001AMSI) SampT	уре: М\$	SD	Tes	tCode: El	PA Method	8015B: Dies	el Range (Organics	
Client ID:	45 BGT 5-pt @7'	Batch	n ID: 13	97	F	RunNo: 1	949				
Prep Date:	4/5/2012	Analysis D	ate: 4/	6/2012	S	SeqNo: 5	4718	Units: mg/l	K g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range (Organics (DRO)	53	9.8	49.12	0	108	57.2	146	2.82	26.7	
Surr: DNOP		4.9		4.912		98.9	77.4	131	0	0	

Qualifiers:

*/X Value exceeds Maximum Contaminant Level.

E Value above quantitation range

Analyte detected below quantitation limits

R RPD outside accepted recovery limits

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

RL Reporting Detection Limit

Page 4 of 6

Hall Environmental Analysis Laboratory, Inc.

1,000

963.4

WO#: 1204093

12-Apr-12

Client:

Blagg Engineering

Project:	GCU 317													
Sample ID MB-1393 SampType: MBLK TestCode: EPA Method 8015B: Gasoline Range														
Client ID: PBS	Ва	tch ID: 13	393	F	RunNo: 2	012								
Prep Date: 4/5/20	12 Analysis	Date: 4	/9/2012	5	SeqNo: 5	6099	Units: mg/h	K g						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual				
Gasoline Range Organica Surr: BFB	(GRO) ND 1,000	5.0	1,000		100	69.7	121							
Sample ID LCS-1393 SampType: LCS TestCode: EPA Method 8015B: Gasoline Range														
Client ID: LCSS	Bat	tch ID: 13	93	F	RunNo: 20	012								
Prep Date: 4/5/20	12 Analysis	Analysis Date: 4/9/2012			SeqNo: 50	6100	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual				
Gasoline Range Organics		5.0	25.00	0	115	98.5	133							
Surr: BFB	1,100		1,000		106	69.7	121							
Sample ID 120409:	3-001AMS Sam	рТуре: М	S	Tes	tCode: EF	PA Method	8015B: Gaso	oline Rang	e					
Client ID: 45 BGT	5-pt @7' Bat	tch ID: 13	93	F	RunNo: 2 (012								
Prep Date: 4/5/20	1 2 Analysis	Date: 4	/9/2012	S	SeqNo: 56	6114	Units: mg/k	(g						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual				
Gasoline Range Organics	(GRO) 29	4.9	24.51	0	119	85.4	147							
Surr: BFB	1,000		980.4		107	69.7	121							
Sample ID 120409 :	-001AMSD Sam	рТуре: М	SD	Tes	tCode: EF	A Method	8015B: Gaso	oline Rang	е					
Client ID: 45 BGT	5-pt @7' Bat	ch ID: 13	93	RunNo: 2012										
Prep Date: 4/5/20 ⁴	2 Analysis	Date: 4	/9/2012	8	SeqNo: 56	6115	Units: mg/K	(g						
I														
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual				

Qualifiers:

Surr: BFB

Value exceeds Maximum Contaminant Level. */X

Value above quantitation range

J Analyte detected below quantitation limits

R RPD outside accepted recovery limits Analyte detected in the associated Method Blank

Н Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit

108

69.7

121

0

0

Reporting Detection Limit

Page 5 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#: 1204093

12-Apr-12

Client:

Blagg Engineering

Project:

GCU 317

Project:	GCU 317	'														
Sample ID	MB-1393	Samp ⁻	Гуре: М	BLK	TestCode: EPA Method 8021B: Volatiles											
Client ID:	PBS	Batc	h ID: 13	93	F	RunNo: 2	013									
Prep Date:	4/5/2012	Analysis Date: 4/9/2012			5	SeqNo: 5	6126	Units: mg/h	(g							
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual					
Benzene		ND	0.050													
Toluene		ND	0.050				•									
Ethylbenzene		ND	0.050													
Kylenes, Total		ND	0.10													
Surr: 4-Bron	nofluorobenzene	0.97		1.000		97.1	80	120								
Sample ID	ample ID LCS-1393 SampType: LCS TestCode: EPA Method 8021B: Volatiles															
Client ID:	LCSS	Batcl	h ID: 13	93	F	RunNo: 2 0	013									
Prep Date:	4/5/2012	Analysis D	Date: 4/	9/2012	\$	SeqNo: 5	6127	Units: mg/F	(g							
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual					
Benzene		1.0	0.050	1.000	0	102	83.3	107		and the state of	-					
Toluene		1.0	0.050	1.000	0	105	74.3	115								
Ethylbenzene		1.0	0.050	1.000	0	104	80.9	122								
Kylenes, Total		3.2	0.10	3.000	0	105	85.2	123								
Surr: 4-Brom	nofluorobenzene	1.0		1.000		101	80	120								
Sample ID	1204093-001A MS	Sampī	уре: М S	<u> </u>	Tes	tCode: EF	PA Method	8021B: Volat	tiles							
Client ID:	45 BGT 5-pt @7'	Batch	n ID: 13	93	RunNo: 2013											
Prep Date:	4/5/2012	Analysis D	Date: 4/	9/2012	S	SeqNo: 50	6138	Units: mg/K	(g							
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual					
Benzene		0.93	0.050	0.9901	0	93.7	67.2	113								
oluene		0.95	0.050	0.9901	0	95.9	62.1	116								
Ethylbenzene		0.92	0.050	0.9901	0	93.4	67.9	127								
(ylenes, Total		2.8	0.099	2.970	0	94.9	60.6	134								
Surr: 4-Brom	nofluorobenzene	0.97		0.9901		98.0	80	120								
Sample ID	1204093-001A MS	D SampT	ype: MS	SD	Test	tCode: EF	A Method	8021B: Volat	iles	_						
Client ID:	45 BGT 5-pt @7'	Batch	n ID: 139	93	RunNo: 2013											
Prep Date:	4/5/2012	Analysis D	ate: 4/	9/2012	S	SeqNo: 56	g									
Analyta		Result	PQL		SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual					
Analyte		0.95	0.049	0.9785	0	96.6	67.2	113	1.87	14.3						
Benzene							00.4	440		450						
Benzene		0.96	0.049	0.9785	0	98.1	62.1	116	1.14	15.9						
Analyte Benzene Foluene Ethylbenzene		0.95	0.049	0.9785	0	96.9	67.9	127	2.49	14.4						
Benzene Foluene Ethylbenzene Kylenes, Total	nofluorobenzene															

Qualifiers:

^{*/}X Value exceeds Maximum Contaminant Level.

E Value above quantitation range

J Analyte detected below quantitation limits

R RPD outside accepted recovery limits

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

RL Reporting Detection Limit



Hall Environmental Analysis Laboratory 4901 Hawkins NŁ

Albuquerque, NM 8710! TEL: 505-345-3975 FAX: 505-345-410;

Website: www.hallenvironmental.con

Sample Log-In Check List

Clie	ent Name:	BLAGG			, W	ork Or	ier N	umt	oer:	1204	093				
Red	ceived by/date	:_LM		04/03/	12										
Log	ged By:	:30:00 AM													
Cor	Completed By: Michelle Garcia 4/3/2012 11:32:31 AN								mi		Janue Janue				
Reviewed By: (1/03/17)															
<u>Cha</u>	in of Cust	ody/													
1.	Were seals i	ntect?				Yes		No		No	ot Prese	nt 🗹			
2.	Is Chain of C	Custody complete?			•	Yes	\checkmark	No		No	ot Prese	nt 🗆			
3.	How was the	sample delivered?	1			Grey	hound	<u>d</u>							
<u>Log</u>	<u>In</u>														
4.	Coolers are p	present? (see 19. fo	or cooler spe	ecific informat	tion)	Yes	V	No			N	а 🗆			
5.	Was an atter	mpt made to cool th	ie samples?			Yes	V	Νo			N	а 🗆			
6.	6. Were all samples received at a temperature of >0° C to 6.0°C						V	No			N	а 🗆			
7.	Sample(s) in	proper container(s))?			Yes	✓	No							
8.		nple volume for ind		s)?		Yes	✓	No							
9.	Are samples	(except VOA and C	ONG) proper	ly preserved	?	Yes	V	Νo							
10.	Was preserva	ative added to bottle	es?			Yes		No	V		N/	A \square			
11	VOA vials ha	ve zero headspace	?			Yes		No		No \	/OA Via	is 🗹			
		mple containers rec		ın?		Yes		No	V						
13.		ork match bottle lal pancies on chain of				Yes	y 1	No				reserved s checked f:			
14.	Are matrices	correctly identified	on Chain of	Custody?		Yes	V I	No					2 or >1	2 unless no	ed)
15.	Is it clear wha	at analyses were re	quested?			Yes	y 1	No				Adjusted?			
		ing times able to be				Yes	✓	No							
	•	customer for author	•								(Checked by	y:		-
		ing (if applicab													
17.	Was client no	otified of all discrepa	ancies with t	this order?		Yes	∐ I	No	Ш		N	IA 🗹		٦	
	Person By Who	Notified:			Date: ☐] eMai	· -	l Ph	one		− ax 「	In Person			
	Regardi									- لـــا			·		
		structions:		· · · · · · · · · · · · · · · · · · ·			-		·		· · · · · · · · · · · · · · · · · · · 				
18.	Additional rer	marks:		<u> </u>							<u> </u>				
10	Cooler Infor	mation													
1 3 .	Cooler No	1	dition Se	al Intact Se	al No Se	al Da	e_	5	Signe	ed By	· <u> </u>				
	1	2.3 Good													

Chain-of-Custody Record			Turn-Around Time:													. ~			A I - T-	A T		
Client: BLAGG ENGWEERNS INC.				Standard □ Rush					HALL ENVIRONMEN ANALYSIS LABORAT													7
BP AMERICA				Project Name				www.hallenvironmental.com														
BP AMERICA Mailing Address: P.O. Box 87					GCU 317				4901 Hawkins NE - Albuquerque, NM 87109													
BLOOMFIELD, NM 87413			Project #:				Tel. 505-345-3975 Fax 505-345-4107															
Phone #	#: 5c	25-6	32-1199					Analysis Request														
email or	Fax#:			Project Mana	ger:				<u>Ş</u>	Sel)	1				3							
QA/QC Package: Standard □ Level 4 (Full Validation)				J. B				<u>MTBF</u>	+ TPH (Gas only)	as/Die					PO4,SC	PCB's	į					
Accreditation			Sampler: J Ohice Samplescent	BJAGG		×12.118.2374.2300.000	TIMB	ТРН	5B (G	(1)	<u>£</u>	Ŧ		NO ₂	8082						or Mi	
□ NEL			r	Unice :	ED/ESP-788			<u> </u>	+	301	418	504	A	<u>s</u>	ş	/ Se		OA)	B B			5
□ EDD	(Type)_			Samplesiem	describes as y			#	TBI	ğ	bo	ğ	ō	eta	5	icid	3)-ic	3	1		5
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	GEAL 1916 CI	No	BTEX + M	BTEX + MTBE	TPH Method 8015B (Gas/Diesel)	TPH (Method 418.1)	EDB (Method 504.1)	8310 (PNA or PAH)	RCRA 8 Metals	Anions (F,CI,NO ₃ ,NO ₂ ,PO ₄ ,SO ₄)	8081 Pesticides	8260B (VOA)	8270 (Semi-VOA)	CHLUKUE			Air Buhhlac
3/30/12	1202	SOIL	45 BGT 5-PE 27	402×1	COUL	-C	۷) .	χ		X	X	1	$\tilde{}$				$\tilde{}$		X		1	Ť
																			\neg	7		Γ
											_		7	\dashv					_	\top	+-	 -
								-	\dashv	\dashv			\dashv	\dashv	\dashv		\dashv			- -	+-	\vdash
					! 					\dashv		-	_		\dashv							1
				 							\dashv	_	\perp	_								L
																						L
]								
																						Γ
														1	寸				十	\top	+	T
										_	\dashv	1	寸	_	寸	_		1	\neg	_	+-	t
										-	\dashv	\dashv	\dashv				_	\dashv		- ·	+-	╁
									_	\dashv	\dashv	_	-	\dashv	┰	_	\dashv					╀
Date:	Time:	Relinquishe	ed pv.	Received by:		Date	Time	Don	n des						1	\perp						<u>L</u>
42/12	0902		4 Bh1)	ha +	1 2011	4/2/12	0902	Ken	iarks] [4	i. G. 194	20 116	<i>∓</i> υ	HOO	, ζ	عربرر	-1						
Date:	Time:	Relinquishe	ed by:	Received by:	wigter/	Date /	Time	2	SCH	1 W	LL	367	-									
1/2/12	H.47	Thrus	tu Walley	Induate &	Mayo	DAHBI	2 1130	Je	ff	- 19	ea c	e										
If	necessary.	samples subr	mitted to Hall Environmental may be subc	ontracted to other ac	credited laboratorie	es. This serves a	s notice of this	nossih	ilitv. A	inv sul	n-contr	acted o	iata w	dli he r	clearly	notat	ed on	the ar	nahutinal	renort	****	





BP America Production Company 200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

March 26, 2012

Bureau of Land Management Mark Kelly 1235 La Plata Hwy Farmington, NM 87401

VIA CERTIFIED MAIL – RETURN RECEIPT REQUESTED

Re: Notification of plans to close/remove a below grade tank

Well Name: GCU 317

Dear Mark Kelly,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about March 29, 2012. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

Unless you have questions about this notice, there is no need to respond to this letter. If you do have any questions or concerns, please contact me at 505-326-9214

Sincerely,

Jerry Van Riper Surface Coordinator/Business Security Representative BP America Production Company

BP America Production Company

200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

SENT VIA E-MAIL TO: BRANDON.POWELL@STATE.NM.US

March 27, 2012

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

GALLEGOS CANYON UNIT 317 API 30-045-24656 (M) Section 27 – T28N – R12W San Juan County, New Mexico

Dear Mr. Brandon Powell:

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 45 bbl. BGT that will no longer be operational at this well site.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,

Buddy Shaw BP Environmental Advisor

(505) 320-0401



