E	UNITED STATES DEPARTMENT OF THE INT BUREAU OF LAND MANAG	EMENT	FIDENT	ING or	DRM APPROVED MB No. 1004-0137 pires: July 31, 2010 IM 109386
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.			6. If Indian, Allottee or N/A	Tribe Name	
SU	IBMIT IN TRIPLICATE – Other instr	uctions on page 2		7. If Unit of CA/Agree	ment, Name and/or No.
1. Type of Well □ DEC 15 ☑ Oil Well □ Gas Well □			N/A 1011 8. Well Name and No. Lybrook P28-2306 0	2H	
2. Name of Operator Encana Oil & Gas (USA) Inc.					
3a, Address 370 17th Street, Suite 1700 Denver, CO 80202		3b. Phone No. (include area code) 10. Field and Pool or Exploratory Area 720-876-5867 Lybrook Gallup			xploratory Area
4. Location of Well <i>(Footage, Se</i> SHL: 348' FSL and 1252' FEL Sec 28, T2 BHL: 2347' FNL and 383' FEL Sec 4, T22	c., T., R., M., or Survey Description) 23N, R6W 2N, R6W			11. Country or Parish, State Sandoval, New Mexico	
(⁰ 12. (CHECK THE APPROPRIATE BOX(E	S) TO INDICATE NA	I'URE OF NOTIC	E, REPORT OR OTHE	R DATA
TYPE OF SUBMISSION			TYPE OF ACT	ION	
Notice of Intent	Acidize	Deepen Fracture Treat	=	uction (Start/Resume) amation	Water Shut-Off Well Integrity
Subsequent Report	Casing Repair	New Construction	=	mplete	Conter Flare Extension
Final Abandonment Notice	Change Plans	Plug and Abandon		porarily Abandon r Disposal	
Attach the Bond under which following completion of the testing has been completed. determined that the site is real Encana Oil and Gas (USA) Incorrequests an exception from NT additional 30 days to flare the g The well's early production is b backpressure during early life to	. (Encana) completed the Lybrook F L 4A, III C gas flaring (gas test perio	the Bond No. on file v sults in a multiple com ed only after all require 228-2306 02H on 9/2 od of 30 days from w e on the gas gatherir y.	vith BLM/BIA. F pletion or recomp ments, including 0/14 and receiv ell completion o ng line. The wel	tequired subsequent repletion in a new interval, reclamation, have been ed flare extension app r 50 MMCF, whicheve Is should optimally be	orts must be filed within 30 days a Form 3160-4 must be filed once completed and the operator has roval on 11/14/14. Encana r comes first) and requests an
 14. I hereby certify that the foregoi Name (Printed/Typed) Cristi Bauer 	ng is true and correct.	Title Opt	erations Technic	ian	
Signature CREST BALLER Date 12/12/14			ef.		
Diginitation (A.Q. OF	THIS SPACE FO		STATE OF		
that the applicant hours légal or equi entitle the applicant to conduct oper	ttached. Approval of this notice does not itable title to those rights in the subject lea ations thereon.	Fitle warrant or certify se which would Offic	A × I	FM I FO	Date 12/16/14
fictitious or fraudulent statements of	itle 43 U.S.C. Section 1212, make it a crin or representations as to any matter within i		ngly and willfully	o make to any department	t or agency of the United States any false,
(Instructions on page 2)					

• · · ·

.



Ŗ

ත



OIL CONS. DIV DIST. 3

DEC 1 8 2014

2030 Afton Place Farmington, NM 87401 (505) 325-6622

Analysis No: EC140465 Cust No: 25150-11330

Well/Lease Information

Customer Name:	ENCANA OIL & GAS	Source:	METER RUN
Well Name:	LYBROOK P28-2306-02H	Pressure:	250 PSIG
County/State:		Sample Temp:	DEG. F
Location:	P28-23N-06W	Well Flowing:	Y
Field:		Date Sampled:	12/08/2014
Formation:		Sampled By:	SEAN CASUAS
Cust. Stn. No.:	550100933	Foreman/Engr.:	TONY FERRARI
	75836		

Remarks:

Analysis				
Component::	Mole%:	**GPM:	*BTU:	*SP Gravity:
Nitrogen	8.109	0.8950	0.00	0.0784
CO2	0.273	0.0470	0.00	0.0041
Methane	67.171	11.4270	678.43	0.3721
Ethane	13.759	3.6920	243.49	0.1428
Propane	7.290	2.0150	183.42	0.1110
lso-Butane	0.789	0.2590	25.66	0.0158
N-Butane	1.713	0.5420	55.88	0.0344
I-Pentane	0.332	0.1220	13.28	0.0083
N-Pentane	0.283	0.1030	11.34	0.0070
Hexane Plus	0.281	0.1260	14.81	0.0093
Total	100.000	19.2280	1226.32	0.7833

* @ 14.730 PSIA DRY & UNCORRECTED FOR COMPRESSIBILITY

**@ 14.730 PSIA & 60 DEG. F.

COMPRESSIBLITY FACTOR	(1/Z):	1.0037
BTU/CU.FT (DRY) CORRECTED) FOR (1/Z):	1233.7
BTU/CU.FT (WET) CORRECTED	D FOR (1/Z) :	1212.2
REAL SPECIFIC GRAVITY:		0.7859

DRY BTU @ 14.650:	1227.0
DRY BTU @ 14.696:	1230.9
DRY BTU @ 14.730:	1233.7
DRY BTU @ 15.025:	1258.4

GPM, BTU, and SPG calculations as shown above are based on current GPA factors.

CYLINDER #:	4228
CYLINDER PRESSURE:	234 PSIG
DATE RUN:	12/9/14 10:50 AM
ANALYSIS RUN BY:	PATRICIA KING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT Farmington District Office 6251 College Blvd., Suite A Farmington, New Mexico 87402 www.blm.gov/nm



In Reply Refer To:

Conditions of Approval:

Lybrook P28-2306 02H Section 28-23N-6W Lease No. NMNM 112953 & NMNM109386

- Flaring is authorized pursuant to NTL 4A Part III A and IV B. As such, no royalty obligation will be incurred during the clean-up period. The vented volumes must be reported on your Oil and Gas Operations Reports (OGORs) during the venting period.
- Flaring will be authorized until January16, 2015. If additional time is required, please contact this office accordingly.
- Please take appropriate and necessary safety precautions at this well site during the venting period.