District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

:

\$

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office. For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade Tank, or						
Proposed Alternative Method Permit or Closure Plan Application						
$\begin{array}{c} 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 $						
Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method						
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request						
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.						
ı. Operator: _XTO Energy, IncOGRID #:5380						
Address: 382 Road 3100 Aztec, NM 87410						
Facility or well name: _La Plata 8-2						
API Number: 30-045-29280 OCD Permit Number:						
U/L or Qtr/Qtr _ K Section8 Township30N Range13W County: San Juan						
Center of Proposed Design: Latitude 36.91252 Longitude108.22851 NAD: 1927 [1983						
Surface Owner: 🛛 Federal 🔲 State 🗋 Private 🗋 Tribal Trust or Indian Allotment						
Pit: Subsection F, G or J of 19.15.17.11 NMAC Temporary: Drilling Workover Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Drilling Fluid yes Lined Unlined Liner type: Thickness mil String-Reinforced						
3. Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: _120 _bbl Type of fluid: Produced Water						
 Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. 						
 5. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify						

J

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)

Screen Netting Other_

Monthly inspections (If netting or screening is not physically feasible)

Signs: Subsection C of 19.15.17.11 NMAC

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

Variances and Exceptions:

7.

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.

General siting	
 Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	□ Yes □ No □ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) Written confirmation or verification from the municipality; Written approval obtained from the municipality 	Yes No
 Within the area overlying a subsurface mine. (Does not apply to below grade tanks) Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	Yes No
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗋 Yes 🗌 No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	Yes No
Below Grade Tanks	
 Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
 Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗋 Yes 🗌 No
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application.	Yes 🗍 No

 Within 100 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes No					
Temporary Pit Non-low chloride drilling fluid						
 Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 						
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No					
 Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗋 Yes 🗌 No					
 Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No					
Permanent Pit or Multi-Well Fluid Management Pit						
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No					
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	□ Yes □ No					
 Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No					
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No					
10. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC nut 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:						
11. Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC						
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:						

<u>Permanent Pits Permit Application Checklist</u> : Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the	e documents are
attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan	
Emergency Response Plan Oil Field Waste Stream Characterization	
 Monitoring and Inspection Plan Erosion Control Plan 	
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
13. Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well Alternative Proposed Closure Method: Waste Excavation and Removal \vert Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems)	Fluid Management Pit
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Re	
15. Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable so provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. 19.15.17.10 NMAC for guidance.	
 Ground water is less than 25 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	☐ Yes ☐ No ☐ NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No
 Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	🗌 Yes 🗌 No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	
Form C-144 Oil Conservation Division Page 4	of 6

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No					
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No					
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Society; Topographic map 	-					
Within a 100-year floodplain. - FEMA map	☐ Yes ☐ No ☐ Yes ☐ No					
16.						
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.						
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my k	nowledge and belief.					
Name (Print):	C C					
Signature: Date:						
e-mail address: Telephone:						
18. OCD Approval: Permit Application (including closure plan) 🔀 Closure Plan-(only) 🔲 OCD Conditions (see attachment)						
OCD Representative Signature: Approval Date: 12/23/2014						
Title: Comptinuce Office OCD Permit Number:	r v					

<u>Closure Report (required within 60 days of closure completion)</u>: 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.

Closure Completion Date: ____ December 5, 2014_

20. Closure Method:

19.

	Waste Excavation and Removal On-Site Closure Method If different from approved plan, please explain.	Alternative Closure Method Waste Removal (Closed-loop systems only)
Ì	21.	· · · · · · · · · · · · · · · · · · ·

Closure Report Attachment Checklist: Instructions: Eac	ch of the following items must be attached	l to the closure report. Please indicate, by a check
mark in the box, that the documents are attached.		
Proof of Closure Notice (surface owner and division)		
Proof of Deed Notice (required for on-site closure for	private land only)	
Plot Plan (for on-site closures and temporary pits)		
Confirmation Sampling Analytical Results (if applicat	ble)	
Waste Material Sampling Analytical Results (required	for on-site closure)	
Disposal Facility Name and Permit Number		
Soil Backfilling and Cover Installation		
Re-vegetation Application Rates and Seeding Techniq	que	
Site Reclamation (Photo Documentation)		
On-site Closure Location: Latitude	Longitude	NAD: 1927 1983

Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this belief. I also certify that the closure complies with all applicable closure	closure report is true, accurate and complete to the best of my knowledge and requirements and conditions specified in the approved closure plan.
Name (Print): Logan Hixon	Title:EHS Coordinator
Signature:_ Logon Hison	Date: <u>2-11-12</u>
e-mail address: Logan Hixon@xtoenergy.com	Telephone: (505) 333-3100

Form C-141 Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

API No. 30-045-29280

Release Notification and Corrective Action OPERATOR Initial Report Final Report Name of Company: XTO Energy, Inc. Contact: Logan Hixon Final Report Address: 382 Road 3100, Aztec, New Mexico 87410 Telephone No.: (505) 333-3683 Facility Name: La Plata 8-2 Facility Type: Gas Well (Fruitland Coal) Facility Type: Gas Well (Fruitland Coal) Facility Type: Gas Well (Fruitland Coal)

Surface Owner: Federal Land

LOCATION OF RELEASE

Mineral Owner

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
К	8	<u>30 N</u>	13W	1820	FSL	2205	FWL	San Juan

Latitude: N<u>36*.91252</u> Longitude: W-108*.22851

NATURE OF RELEASE

Type of Release: N/A	Volume of Release:	Volume Re	covered:				
Source of Release: N/A	Date and Hour of Occurrence:	Date and H	our of Discovery:				
	N/A	N/A					
Was Immediate Notice Given?	If YES, To Whom?						
🗌 Yes 🗍 No 🖾 Not Required	N/A						
By Whom?	Date and Hour						
Was a Watercourse Reached?	If YES, Volume Impacting the Wa	tercourse.					
🗌 Yes 🖾 No							
If a Watercourse was Impacted, Describe Fully.*							
Describe Cause of Problem and Remedial Action Taken.*							
The below grade tank was taken out of service at the La Plata 8-2 well sit	e due to the P&A'ing of this well site.	. A composite	sample was collected beneath				
the location of the on-site BGT, and submitted for laboratory analysis for							
Method 8021, and for total chlorides. The sample returned results below t		ards for TPH,	Benzene, Total BTEX and the				
total chlorides, confirming that a release has not occurred at this location.							
Describe Area Affected and Cleanup Action Taken.*							
No release has been confirmed for this location.							
I hereby certify that the information given above is true and complete to t							
regulations all operators are required to report and/or file certain release n							
	public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability						
should their operations have failed to adequately investigate and remediat							
or the environment. In addition, NMOCD acceptance of a C-141 report d	oes not relieve the operator of respon	sibility for co	mpliance with any other				
federal, state, or local laws and/or regulations.							
	OIL CONSER'	VATION I	DIVISION				
Signature: Logan Histor							
Signature: 000000 -							
	Approved by Environmental Speciali	ist:					
Printed Name: Logan Hixon							
Title: EHS Coordinator	Approval Date:	Expiration D	ate:				
E-mail Address: Logan_Hixon@xtoenergy.com	Conditions of Approval:		Attached				
- 1 111							
Date: 17-11-14 Phone: 505-333-3683	· · · · · · · · · · · · · · · · · · ·						

* Attach Additional Sheets If Necessary

XTO Energy Inc. San Juan Basin Below Grade Tank Closure Report

Lease Name:La Plata 8-2API No.:30-045-29280Description:Unit K, Section 8, Township 30N, Range 13W, San Juan County

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure requirements of below-grade tanks on XTO Energy Inc. (XTO) locations. This is XTO's standard procedure for all below-grade tanks. A separate plan will be submitted for any below-grade tank which does not conform to this plan.

General Plan

- XTO will close below-grade tanks within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the division requires because of imminent danger to fresh water, public health or the environment.
 Closure Date is December 5, 2014
- XTO will close a below-grade tank that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC. Closure Date is December 5, 2014
- XTO will close a permitted below-grade tank within 60 days of cessation of the below-grade tank's operation or as required by the transitional provisions of Subsection B of 19.15.17.17
 NMAC in accordance with a closure plan that the appropriate division district office approves. The closure report will be filed on form C-144.
 Required C-144 Form is attached to this document.
- 4. XTO will remove liquids and sludge from below-grade tanks prior to implementing a closure method and will dispose of the liquids and sludge in a division-approved facility. Approved facilities and waste streams include:

Envirotech Permit No. NM01-0011 and IEI Permit No. NM 01-0010B Soil contaminated by exempt petroleum hydrocarbons Produced sand, pit sludge and contaminated bottoms from storage of exempt wastes

Basin Disposal Permit No. NM01-005

Produced water

All liquids and sludge were removed from the tank prior to closure activities.

5. XTO will remove the below-grade tank and dispose of it in a division approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.
 XTO has removed the below grade tank, and will dispose of it at a division approved facility, or recycle, reclaim or reuse it in a manner that is approved by the division.

6. XTO will remove any on-site equipment associated with a below-grade tank unless the equipment is required for some other purpose.

All equipment has been removed due to the plugging and abandoning of the La Plata 8-2 well site.

7. XTO will test the soils beneath the below-grade tank to determine whether a release has occurred. At a minimum 5 point composite sample will be collected along with individual grab samples from any area that is wet, discolored or showing other evidence of a release. Samples will be analyzed for BTEX, TPH and chlorides to demonstrate that the benzene concentration, as determined by EPA SW-846 methods 8021B or 8260B or EPA method that the division approves, does not exceed 0.2 mg/kg; total BTEX concentration, as determined by EPA SW-846 methods 8021B or 8260B or other EPA method that the division approves, does not exceed 50 mg/kg; the TPH concentration, as determined by EPA method 418.1 or other EPA method that the division approves, does not exceed 100mg/kg; and the chloride concentration, as determined by EPA method 300.1 or other EPA method that the division approves, does not exceed 250 mg/kg, or the background concentration, whichever is greater. XTO will notify the division of its results on form C-141.

Components	Test Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	< 0.045 mg/kg
BTEX	EPA SW-846 8021B or 8260B	50	< 0.2240 mg/kg
ТРН	EPA SW-846 418.1	100	<20 mg/kg
Chlorides	EPA 300.1	250 or background	< 30 mg/kg

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of $19.15.17.1 \ 3(B)(1)(b)$. (Sample results attached).

- 8. If XTO or the division determines that a release has occurred, XTO will comply with 19.15.3.116
 NMAC and 19.15.1.19NMAC as appropriate.
 No release has been confirmed at this location
- 9. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Paragraph (4) of Subsection E of 19.15.17.13 NMAC, XTO will backfill the excavation with compacted, non-waste containing, earthen material; construct a division prescribed soil cover; recontour and re-vegetate the site.
 The pit cellar was backfilled using compacted, non-waste containing earthen material, with a division prescribed soil cover.
- 10. Notice of Closure operations will be given to the Aztec Division District III office between 72 hours and one week prior to the start of closure activities via email or verbally. The notification will include the following:
 - i. Operator's name
 - ii. Well Name and API Number
 - iii. Location by Unit Letter, Section, Township, and Range

Notification was provided to Mr. Brandon Powell with the Aztec office of the OCD via email on November 24, 2014; see attached email printout.

The surface owner shall be notified of XTO's proposal to close the BGT as per the approved closure plan using certified mail, return receipt requested.

The surface owner was notified on November 24, 2014via email. Email has been approved as a means of surface owner notification to the BLM by Brandon Powell, NMOCD Aztec Office.

11. Re-contouring of location will match fit, shape, line, form and texture of the surrounding area. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be placed in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The location will be recontoured to match the above specifications.

12. A minimum of 4 feet of cover shall be achieved and the cover shall include 1 foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The site will be backfilled to match these specifications.

- 13. XTO will seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other divisionapproved methods. BLM or Forest Service stipulated seed mixes will be used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs. Site will be reclaimed pursuant to the BLM MOU.
- 14. All closure activities will include proper documentation and be available for review upon request and will be submitted in closure report form to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on form C-144 and incorporate the following:
 - i. Proof of closure notice to division and surface owner; attached
 - ii. Details on capping and covering, where applicable; per OCD Specifications
 - iii. Inspection reports; attached
 - iv. Confirmation sampling analytical results; attached
 - v. Disposal facility name(s) and permit number(s); see above
 - vi. Soil backfilling and cover installation; per OCD Specifications
 - vii. Re-vegetation application rates and seeding techniques, (or approved alternative to re-vegetation requirements if applicable); **Per BLM MOU.**
 - viii. Photo documentation of the site reclamation. attached

HALL ENVIRONMENTAL ANALYSIS LABORATORY

Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: <u>www.hallenvironmental.com</u>

December 05, 2014

Logan Hixon XTO Energy 382 County Road 3100 Aztec, NM 87410 TEL: (505) 386-8018 FAX (505) 333-3280

RE: La Plata 8-2

OrderNo.: 1412118

Dear Logan Hixon:

Hall Environmental Analysis Laboratory received 1 sample(s) on 12/3/2014 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to <u>www.hallenvironmental.com</u> or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

andis

Andy Freeman Laboratory Manager 4901 Hawkins NE Albuquerque, NM 87109

Analytical Report
Lab Order 1412118
Date Reported: 12/5/2014

Hall Environmental Analysis Laboratory, Inc.

.

Analyses	Kesuit		Units	Dr Date Analyzeu	Daten
Analyses	Result	RL Oual	Unite	DF Date Analyzed	Batch
Lab ID: 1412118-001	Matrix: N	AEOH (SOIL)	Received	Date: 12/3/2014 7:30:00 AM	
Project: La Plata 8-2			Collection	Date: 12/2/2014 10:00:00 AN	1
CLIENT: XTO Energy		C	lient Samp	le ID: FARLH-120214-1000	

EPA METHOD 8015D: DIESEL RANGE OR	JANICS				Analyst:	BCN
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	12/3/2014 10:20:51 AM	16647
Surr: DNOP	93.7	63.5-128	%REC	1	12/3/2014 10:20:51 AM	16647
EPA METHOD 8015D: GASOLINE RANGE					Analyst:	NSB
Gasoline Range Organics (GRO)	ND	4.5	mg/Kg	1	12/3/2014 11:46:49 AM	R22898
Surr: BFB	95.1	80-120	%REC	1	12/3/2014 11:46:49 AM	R22898
EPA METHOD 8021B: VOLATILES					Analyst:	NSB
Benzene	ND	0.045	mg/Kg	1	12/3/2014 11:46:49 AM	R22898
Toluene	ND	0.045	mg/Kg	1	12/3/2014 11:46:49 AM	R22898
Ethylbenzene	ND	0.045	mg/Kg	1	12/3/2014 11:46:49 AM	R22898
Xylenes, Total	ND	0.089	mg/Kg	1	12/3/2014 11:46:49 AM	R22898
Surr: 4-Bromofluorobenzene	103	80-120	%REC	1	12/3/2014 11:46:49 AM	R22898
EPA METHOD 300.0: ANIONS					Analyst:	LGP
Chloride	ND	30	mg/Kg	20	12/3/2014 11:53:59 AM	16649
EPA METHOD 418.1: TPH					Analyst:	JME
Petroleum Hydrocarbons, TR	ND	20	mg/Kg	1	12/3/2014 12:00:00 PM	16604

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	В	Analyte detected in the associated Method	od Blank
	E	Value above quantitation range	Н	Holding times for preparation or analysi	s exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit	Page 1 of 6
	0	RSD is greater than RSDlimit	Р	Sample pH greater than 2.	rage roro
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit	
	S	Spike Recovery outside accepted recovery limits			

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

Client: XTO Energy **Project:**

=

La Plata 8-2

Sample ID MB-16649	SampType: MBLK	TestCode: EPA Method	300.0: Anions		
Client ID: PBS	Batch ID: 16649	RunNo: 22920			
Prep Date: 12/3/2014	Analysis Date: 12/3/2014	SeqNo: 676786	Units: mg/Kg		
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit	Qual
Chloride	ND 1.5				
Chloride Sample ID LCS-16649	ND 1.5 SampType: LCS	TestCode: EPA Method	300.0: Anions		
		TestCode: EPA Method RunNo: 22920	300.0: Anions		
Sample ID LCS-16649	SampType: LCS		300.0: Anions Units: mg/Kg		
Sample ID LCS-16649 Client ID: LCSS	SampType: LCS Batch ID: 16649 Analysis Date: 12/3/2014	RunNo: 22920		RPDLimit	Qual

Qualifiers:

- Value exceeds Maximum Contaminant Level. *
- Е Value above quantitation range
- Analyte detected below quantitation limits J
- RSD is greater than RSDlimit 0
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- В Analyte detected in the associated Method Blank
- Holding times for preparation or analysis exceeded Н
- ND Not Detected at the Reporting Limit
- Р Sample pH greater than 2.
- Reporting Detection Limit RL

Page 2 of 6

WO#: 1412118 05-Dec-14

QC SUMMARY REPORT	
Hall Environmental Analysis Laboratory, I	nc

Client: XTO Energy La Plata 8-2 **Project:**

	a 8-2			
Sample ID MB-16604	SampType: MBLK	TestCode: EPA Method	418.1: TPH	
Client ID: PBS	Batch ID: 16604	RunNo: 22891		
Prep Date: 12/1/2014	Analysis Date: 12/3/2014	SeqNo: 676317	Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit Qual
Petroleum Hydrocarbons, TR	ND 20			
Sample ID LCS-16604	SampType: LCS	TestCode: EPA Method	418.1: TPH	
Client ID: LCSS	Batch ID: 16604	RunNo: 22891		
Prep Date: 12/1/2014	Analysis Date: 12/3/2014	SeqNo: 676318	Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit Qual
Petroleum Hydrocarbons, TR	110 20 100.0	0 106 80	120	
Sample ID LCSD-16604	SampType: LCSD	TestCode: EPA Method	418.1: TPH	
Client ID: LCSS02	Batch ID: 16604	RunNo: 22891		
Prep Date: 12/1/2014	Analysis Date: 12/3/2014	SeqNo: 676319	Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit Qual
Petroleum Hydrocarbons, TR	100 20 100.0	0 99.8 80	120 5.79	20

Qualifiers:

- Value exceeds Maximum Contaminant Level. *
- Е Value above quantitation range
- J Analyte detected below quantitation limits
- 0 RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- Spike Recovery outside accepted recovery limits S
- Analyte detected in the associated Method Blank В
- Holding times for preparation or analysis exceeded Н
- Not Detected at the Reporting Limit ND
- Р Sample pH greater than 2.
- Reporting Detection Limit RL

Page 3 of 6

WO#:

1412118

=

Client: Project: La Plata 8-2

.

XTO Energy

Sample ID MB-16647	SampType: MBLK			TestCode: EPA Method 8015D: Diesel Range Organics						
Client ID: PBS	Batch ID: 16647 RunNo: 22893									
Prep Date: 12/3/2014	Analysis Dat	Analysis Date: 12/3/2014 SeqNo: 676094				Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Surr: DNOP	9.0		10.00		89.7	63.5	128			
Sample ID LCS-16647	SampTy	pe: LC	s	Tes	tCode: El	PA Method	8015D: Dies	el Range (Drganics	
Sample ID LCS-16647 Client ID: LCSS	SampTy Batch I	•			tCode: El RunNo: 2		8015D: Dies	el Range (Drganics	
•		ID: 16	647	F		2893	8015D: Diese Units: mg/H	0	Organics	
Client ID: LCSS	Batch I	ID: 16	647 2/3/2014	F	RunNo: 2	2893		0	Drganics RPDLimit	Qual
Client ID: LCSS Prep Date: 12/3/2014	Batch I Analysis Dai	ID: 16 ite: 12	647 2/3/2014	F S SPK Ref Val	RunNo: 2 SeqNo: 6	2893 76095	Units: mg/ M	(g	Ū	Qual

Qualifiers:

- Value exceeds Maximum Contaminant Level. *
- Ε Value above quantitation range
- Analyte detected below quantitation limits J
- RSD is greater than RSDlimit 0
- RPD outside accepted recovery limits R
- Spike Recovery outside accepted recovery limits S
- В Analyte detected in the associated Method Blank
- Holding times for preparation or analysis exceeded Н
- ND Not Detected at the Reporting Limit
- Р Sample pH greater than 2.
- RL Reporting Detection Limit

WO#: 1412118

05-Dec-14

QC SUMMARY REPORT	
Hall Environmental Analysis Laboratory, Inc	•

WO#: 1412118 05-Dec-14

Client: X	TO Energy	
Project: La	Plata 8-2	
Sample ID MB-16626	MK SampType: MBLK	TestCode: EPA Method 8015D: Gasoline Range
Client ID: PBS	Batch ID: R22898	RunNo: 22898
Prep Date:	Analysis Date: 12/3/2014	SeqNo: 676655 Units: mg/Kg
Analyte	Result PQL SPK valu	ue SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Gasoline Range Organics (G Surr: BFB	RO) ND 5.0 960 100	00 96.1 80 120
Sample ID LCS-16626	SMK SampType: LCS	TestCode: EPA Method 8015D: Gasoline Range
Client ID: LCSS	Batch ID: R22898	RunNo: 22898
Prep Date:	Analysis Date: 12/3/2014	SeqNo: 676656 Units: mg/Kg
Analyte	Result PQL SPK valu	ue SPK Ref Val %REC_LowLimit HighLimit %RPD RPDLimit Qual
Gasoline Range Organics (G	RO) 22 5.0 25.0	00 0 87.6 65.8 139
Surr: BFB	1000 100	00 102 80 120
Sample ID MB-16626	SampType: MBLK	TestCode: EPA Method 8015D: Gasoline Range
Client ID: PBS	Batch ID: 16626	RunNo: 22898
Prep Date: 12/2/2014	Analysis Date: 12/3/2014	SeqNo: 676658 Units: %REC
Analyte	Result PQL SPK valu	ue SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Surr: BFB	960 100	00 96.1 80 120
Sample ID LCS-16626	6 SampType: LCS	TestCode: EPA Method 8015D: Gasoline Range
Client ID: LCSS	Batch ID: 16626	RunNo: 22898
Prep Date: 12/2/2014	Analysis Date: 12/3/2014	SeqNo: 676659 Units: %REC
Analyte	Result PQL SPK valu	ue SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Surr: BFB	1000 100	00 102 80 120

Qualifiers:

- Value exceeds Maximum Contaminant Level. *
- E Value above quantitation range
- Analyte detected below quantitation limits J
- 0 RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- В Analyte detected in the associated Method Blank
- Holding times for preparation or analysis exceeded Н
- Not Detected at the Reporting Limit ND
- Р Sample pH greater than 2.
- RL Reporting Detection Limit

Page 5 of 6

Hall Enviro	onmenta	ıl Anal	ysis I	Laborat	ory, Inc.						05-Dec-1
Client: Project:	XTO Ene La Plata 8	0.									
Sample ID MB-1	6626 MK	SampT	Гуре: МЕ	3LK	Tes	tCode: El	PA Method	8021B: Vola	tiles		
Client ID: PBS		Batch	h ID: R2	2898	F	RunNo: 2	2898				
Prep Date:		Analysis E	Date: 12	2/3/2014	S	SeqNo: 6	76672	Units: mg/k	٢g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene		ND	0.050								
Toluene		ND	0.050								
Ethylbenzene		ND	0.050								
Xylenes, Total		ND	0.10								
Surr: 4-Bromofluorot	enzene	1.1		1.000		106	80	120			
Sample ID LCS-1	16626 MK	SampT	Type: LC	s	Tes	tCode: El	PA Method	8021B: Vola	tiles		
Client ID: LCSS	ı	Batcl	h ID: R2	2898	F	RunNo: 2	2898				
Prep Date:		Analysis E	Date: 12	2/3/2014	ę	SeqNo: 6	76673	Units: mg/H	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene		0.90	0.050	1.000	0	89.7	80	120			
Toluene		0.88	0.050	1.000	0	88.1	80	120			
Ethylbenzene		0.92	0.050	1.000	0	91.8	80	120			
Xylenes, Total		2.7	0.10	3.000	0	91.4	80	120			
Surr: 4-Bromofluorob	oenzene	1.1		1.000		109	80	120			
Sample ID MB-1	6626	SampT	Туре: МЕ	3LK	Tes	tCode: El	PA Method	8021B: Vola	tiles		
Client ID: PBS		Batc	h ID: 16	626	F	RunNo: 2	2898				
Prep Date: 12/2	/2014	Analysis [Date: 12	2/3/2014	ę	SeqNo: 6	76675	Units: %RE	c		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorol	oenzene	1.1		1.000		106	80	120			
Sample ID LCS-	16626	Samp	Type: LC	;s	Tes	tCode: E	PA Method	8021B: Vola	tiles		

Qualifiers:

Client ID: LCSS

Analyte

Prep Date: 12/2/2014

Surr: 4-Bromofluorobenzene

.

QC SUMMARY REPORT

* Value exceeds Maximum Contaminant Level.

Batch ID: 16626

Analysis Date: 12/3/2014

PQL

Result

1.1

- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

RunNo: **22898** SeqNo: **676676**

109

LowLimit

80

SPK value SPK Ref Val %REC

1.000

Units: %REC

120

%RPD

RPDLimit

Qual

HighLimit

- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 6 of 6

WO#: 1412118

HALL ENVIRONMENTAL
ANALYSIS
LABORATORY
 -

5

Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquergue, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name:	XTO Energy		Work O	rder Numb	er: 14121	18			RcptNo	: 1
	0	n)]]	1						i
Received by/da	ate:	5	12/03/14							
Logged By:	Lindsay Ma	ngin	12/3/2014	7:30:00 A	М		, final y ff	Ð		
Completed By:	Lindsay Ma	ngin	12/3/2014	8:20:18 A	M		- final y H	by		
Reviewed By:	it	>	12	DZ	1U		V	•		
Chain of Cu	stody	$\overline{\mathbf{A}}$			(-)					1
	eals intact on sar	mple bottles?			Yes		No		Not Present 🐼	•
	f Custody comple				Yes		No		Not Present 🗋	
3. How was t	he sample delive	red?			Cour	ier				
<u>Log In</u>										
	ttempt made to c	ool the sample	es?		Yes		No] .
5. Were all s	amples received	at a temperat	ure of >0°C t	o 6.0°C	Yes		No [
6. Sample(s)) in proper conta	iner(s)?			Yes		No			
7. Sufficient	sample volume f	or indicated te	st(s)?		Yes		No			
8, Are sampl	es (except VOA	and ONG) pro	perly preserve	d?	Yes		No			
9. Was prese	ervative added to	bottles?			Yes		No		NA 🗌	
10.VOA vials	have zero heads	space?			Yes		No		No VOA Vials 🛃	
11. Were any	sample containe	ers received bi	oken?		Yes		No		# of preserved	
						_			bottles checked	
	erwork match bo repancies on ch				Yes		No	[]	for pH: (<2	or >12 unless noted
	es correctly ider				Yes		No		Adjusted?	
	what analyses w				Yes		No			
15. Were all h	olding times able ify customer for a	e to be met?			Yes		No		Checked by:	;
(1110, 110,										
Special Har	ndling (if app	licable)								
16. Was clien	t notified of all di	screpancies w	ith this order?		Yes		No		NA 🗷	}
Pers	son Notified:			Date	:	n, ameleoloj (1876) al 7.				
By V	Whom:			Via:	eM	ail [] Phone 🗌	Fax	In Person	•
	arding:				<u>1.476 1.0740000.07474 448</u>				TRANSPORT AND AND AND A TRANSPORT	
Clie	nt Instructions:			• ···· ···· · · · · · · ·					- 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999	
17. Additiona	Il remarks:									,
18. <u>Cooler Ir</u>	nformation									
		Condition	Seal Intact	Seal No	Seal D	ate	Signed B	By		
1	1.6	Good	Yes							

Page 1 of 1

		Quo	te Number	-		Page of	Analysis						Lab Information			
	XTO Contact			XTO Contact Phone # Sos 386 6818				· · [(1	1	ĺ			
								.	Ì				·			
Z ENERGY	r			Emai	Results to:									Office Abbreviations		
Western Divisio	n		regan, K	unt.					-					Farmington = FAR		
Well Site/Location		API Number 29280 30-845-24820 Samples on Ice (Y/N) QA/QC Requested			1	Test Reason		(DA04620						Durango = DUR		
La Plata 8-2					L_B51	Clasure CP	<u>v44)</u>	୍ର						Bakken = BAK Raton = RAT		
Collected By						andard		セ	GLEX)		<u>ام</u>			Piceance = PC		
Company							edayTAT		L L		SAL	1		Roosevelt = RSV		
XTO					Two Day			0	2					La Barge = LB		
Signature				MININGSTRAT		ree Day . 5 Bus. Days (by	contract)		J		4			Orangeville = OV		
Joyan Hot		Gray Areas	forlebus	e Only/	Date No	eded	contracty	5		-	9					
	<u> </u>	International Statements					No. of	8015	8021	왉	Chlar					
Sample ID	Sam	ple Name	Media	Date	Time	Preservative	Conts.	∞	80	<u> </u>	<u> </u>			- Sample Number-		
FARLH-120214-1000	Bat C	amposik	S	12.2	1000	Cool	7-487	\ge	X	$\prec \succ$	<					
				<u></u>	L											
· · · · · · · · · · · · · · · · · · ·				_												
											_					
				·												
				ļ	L											
	<u> </u>		<u> </u>	L	L											
				┢───												
				L			<u> </u>									
				L												
											_					
<u>Media :</u> Filter = F Soil = S Waste	water = W\	V Groundwai		rinking V				er = SW	Air :	A D						
Relinquished By: (Signature)			Date:	•	Time:	Received By: (Sig	ingture)				NC	mber	of Bo	Hest lamber concilion		
Fog H			/2-2-14 Date:	1	//:30 Time:	Received By: (Sig	Valle	<u>L</u>								
Relinguished By: (Signature)			12-2-	14	1747	neceived by ()		031	40	73		ngori	Jure :	OtherInformatio		
Relinquished By: (Signature)			Date:	<u>L</u>		Received for Lab						te:				
/																

From:	Hixon, Logan
To:	MARK KELLY (mark_kelly@blm.gov); Smith, Cory, EMNRD
Cc:	<u>McDaniel, James (James McDaniel@xtoenergy.com); Hoekstra, Kurt; Espinosa, Tony; Dawes, Thomas</u> (Thomas Dawes@xtoenergy.com); Trujillo, Marcos (Marcos Trujillo@xtoenergy.com); Dryer, David
Subject:	11-25-14 72 Hour BGT Closure Notification 11/25/14-12/2/14- La Plata 8-2 (30-045-29280)
Date:	Monday, November 24, 2014 5:24:00 PM

Mr. Kelly & Mr. Smith

Please accept this email as the required 72 hour notification for BGT closure activities at the following site:

-La Plata 8-2 (API 30-045-29280) located in Section 8(K), Township 30N, Range 13W, San Juan County, New Mexico.

This BGT is being closed due to the plugging and abandoning of this well site.

The closure plan was approved on October 30, 2014.

Work is tentatively scheduled for Monday December 1, 2014 at approximately 1100 MST.

If there is any unforeseen delays in closure of this BGT and it will not be closed within a week's time (December 3, 2014), a follow up email notification will be made for the change.

Thank you and have a good day!

If you have any questions or concerns do not hesitate to contact me at anytime. Thank you and have a good day!

Thank You!

XTO ENERGY INC., an ExxonMobil subsidiary

Logan Hixon | 72 Suttle Street, Suite J | Durango, CO 81303 | ph: 970-247-7708 | Cell: 505-386-8018

Logan Hixon | 382 CR 3100 | Aztec, NM 87410 | ph: 505-333-3100 | Logan_Hixon@xtoenergy.com

This document may contain information that is privileged, confidential and exempt from disclosure under applicable law. If you are not the intended recipient, you are on notice that any unauthorized disclosure, copying, distribution or taking of any action in reliance on the contents of this document is prohibited.



Well Below Tank Inspection Report

RouteName		StopName		Pumper	Foreman	WellName '			APIWellNumber	Section	Range	Township		
DEN NM Run 87A		La Plata 8	#002	Magee, Chad	Morrow, Pete	LA PLATA 08 02			3004529280	8	13W	31N		
InspectorName	Inspection Date	Inspection Time	Visible LinerTears	VisibleTankLeak Overflow	Collection OfSurfaceRun	Visible LayerOil	Visible Leak	Freeboard EstFT	PitLocation PitTy		1011	0.11		
brad	07/13/2009	01:20	No	No	No	No	No	4	Well Water Abov	e Ground				
Luke	10/04/2009	14:43	No	No	No	No	No	6			ar			
Luke	12/16/2009	12:39	No	No	No	No	No	6	Well Water Above C No visible liner Well Water Above C No visible liner/Snow Accum.					
	01/16/2009	12:55	No	No	No	No	No	6	Well Water Abov					
Luke														
Luke	02/09/2010		No	No	No	No	No	6	Well Water Abov		375how Accu	rti.		
Luke	03/23/2010		No	No	No	No	No	6	Well Water Abov	-				
Luke	04/10/2010		No	No	No	No	No	6	Well Water Abov					
Luke	05/01/2010		No	No	No	No	No	6	Well Water Abov					
Buster	06/21/2010		No	No	No	No	No	6	Well Water Abov					
Buster	08/23/2010	13:55	No	No	No	No	No	6	Well Water Abov	e Ground				
LUKE	09/07/2010	14:45	No	No	No	No	No	6	Well Water Below	w Ground				
LUKE	11/01/2010	11:15	No	No	No	No	No	6	Well Water Below	w Ground				
LUKE	12/10/2010	11:11	No	No	No	No	No	6	Well Water Below	w Ground				
Chad	01/23/2011	10:11	No	No	No	No	No	5	Well Water Below	w Ground				
Chad	03/26/2011	10:04	No	No	No	No	No	4	Well Water Below	w Ground				
Buster	04/29/2011	10:00	No	No	No	No	No	5	Well Water Below	w Ground				
Buster	06/27/2011		No	No	No	No	No	5	Well Water Below	w Ground				
Buster	07/29/2011		No	No	No	No	No	5	Well Water Belov					
Buster	08/31/2011		No	No	No	No	No	5	Well Water Below					
Buster	09/26/2011		No	No	No	No	No	5	Well Water Below					
Buster	10/31/2011		No	No	No	No	No	5	Well Water Belov					
Buster	11/30/2011		No	No	No	No	No	6	Well Water Belov					
Buster	12/29/2011		No	No	No	No	No	6	Well Water Below		·			
Buster	01/31/2012		No	No	No	No	No	6	Well Water Belov					
Buster	03/30/2012		No	No	No	No	No	6	Well Water Below					
joe maestas	04/18/2012		No	No	No	No	No	6	Well Water Below					
joe maestas	05/03/2012		No	No	No	No	No	6	Well Water Belov					
joe maestas	06/05/2012		No	No	No	No	No	6	Well Water Belov	w Ground				
joe maestas	07/10/2012		No	No	No	No	No	6	Well Water Beio					
joe maestas	08/03/2012		No	No	No	No	No	6	Well Water Belo					
joe maestas	09/07/2012		No	No	No	No	No	6	Well Water Belo	w Ground				
joe maestas	10/09/2012		No	No	No	No	No	6	Well Water Belo	w Ground				
joe maestas	11/06/2012		No	No	No	No	No	6	Well Water Belo	w Ground				
joe maestas	12/07/2012		No	No	No	No	No	6	Well Water Belo	w Ground				
joe maestas	01/09/2013		No	No	No	No	No .	6	Well Water Belo	w Ground				
joe maestas	02/07/2013		No	No	No	No	No	6	Well Water Belo	w Ground				
joe maestas	03/20/2013	10:37	No	No	No	No	No	6	Well Water Belo	w Ground				
joe maestas	04/12/2013	14:36	No	No	No	No	No	6	Well Water Belo	w Ground				
joe maestas	05/07/2013		No	No	No	No	No	6	Well Water Belo	w Ground				
joe maestas	06/05/2013	12:35	No	No	No	No	No	6	Well Water Belo	w Ground				
joe maestas	07/16/2013		No	No	No	No	No	6	Well Water Belo	w Ground				
joe maestas	08/01/2013	09:32	No	No	No	No	No	6	Well Water Belo	w Ground				
joe maestas	09/06/2013		No	No ·	No	No	No	6	Well Water Belo	w Ground				
joe maestas	10/01/2013		No	No	No	No	No	6	Well Water Belo	w Ground				
joe maestas	11/05/2013		No	No	No	No	No	6	Well Water Belo	w Ground				
joe maestas	12/03/2013		No	No	No	No	No	6	Well Water Belo	w Ground				
joe maestas	01/22/2014		No	No	No	No	No	6	Well Water Belo	w Ground				
joe maestas	02/03/2014		No	No	No	No	No	6	Well Water Belo	w Ground				
joe maestas	03/11/2014		No	No	No	No	No	6	Well Water Belo	w Ground				
joe maestas	04/11/2014	11:42	No	No	No	No	No	6	Well Water Belo	w Ground				

XTO Energy, Inc. La Plata 8-2 (30-045-29280) Section 8(K), Township 30N, Range 13W Closure Date: December 5, 2014




Photo 2: La Plata 8-2 after backfill of BGT.

XTO Energy, Inc. La Plata 8-2 (30-045-29280) Section 8(K), Township 30N, Range 13W Closure Date: December 5, 2014




Photo 4: La Plata 8-2 after backfill of BGT.