District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

OIL CONS. DIV DIST. 3 JAN 0 5 2015

Form C-144 Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application
Type of action: Below grade tank registration
Permit of a pit or proposed alternative method Cleaves of a pit below grade tank, or proposed elternative method
Closure of a pit, below-grade tank, or proposed alternative method Modification to an existing permit/or registration
Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank,
or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request
lease be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the nvironment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: BP America Production Company OGRID #:778
Address:200 Energy Court, Farmington, NM 87401
Facility or well name:Marcotte Gas Com 1A
API Number:3004522806OCD Permit Number:
U/L or Qtr/QtrISection5Township31NRange10WCounty:San Juan
Center of Proposed Design: Latitude36.924417 Longitude107.898819 NAD: ☐1927 ☑ 1983
Surface Owner: Federal State Private Tribal Trust or Indian Allotment
2.
Pit: Subsection F, G or J of 19.15.17.11 NMAC
Temporary: Drilling Workover
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A ☐ Multi-Well Fluid Management ☐ Low Chloride Drilling Fluid ☐ yes ☐ no
☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other
String-Reinforced
Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D
3.
Below-grade tank: Subsection I of 19.15.17.11 NMAC Tank A
Volume:95.0bbl Type of fluid:Produced water
Tank Construction material:Steel
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☑ Visible sidewalls only ☐ Other _Single walled/double bottomed
Liner type: Thicknessmil
4. Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	hospital,
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.16.8 NMAC	
Variances and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
9. Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptance are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	ptable source
General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank. - □ NM Office of the State Engineer - iWATERS database search; □ USGS; □ Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	Yes No
Below Grade Tanks	
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	Yes No

Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes No
application Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 100 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit Non-low chloride drilling fluid	
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	
- Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Permanent Pit or Multi-Well Fluid Management Pit	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	
- Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.	
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached.	
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC	
Previously Approved Design (attach copy of design) API Number: or Permit Number:	
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc	cuments are
attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC	.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Previously Approved Design (attach copy of design) API Number: or Permit Number:	

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached.	documents are
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well For Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems)	luid Management Pit
☐ In-place Burial ☐ On-site Trench Burial ☐ Alternative Closure Method	
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. I 19.15.17.10 NMAC for guidance.	rce material are Please refer to
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	

- Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	
Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17. Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	11 NMAC 15.17.11 NMAC
17. Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believe	ef.
Name (Print): Title:	
Signature: Date:	
e-mail address: Telephone:	
e-mail address:	
18. OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 1/25	the closure report.
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: //25 Title: OCD Permit Number: OCD Permit Number: 19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed.	the closure report.

22.	
Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this closure belief. I also certify that the closure complies with all applicable closure requirer	
Name (Print):Jeff Peace	Title: Field Environmental Coordinator
Signature: Jeff Peace	Date:December 31, 2014
e-mail address:peace.jeffrey@bp.com	Telephone:(505) 326-9479

BP BP		ENGINEERING, IN		API#: 3004522806
CLIENT:		BLOOMFIELD, NI 05) 632-1199	WI 87413	TANK ID (if applicble): A & B
	`	,		(if applicble): A & D
FIELD REPORT:	(circle one): BGT CONFIRMATION	RELEASE INVESTIGATION	OTHER:	PAGE#:1 of1_
SITE INFORMATION		OTTE GC #1A		DATE STARTED: 05/31/13
QUAD/UNIT: SEC: 5 TWP:	31N RNG: 10W PM	M: NM CNTY: SJ	ST: NM	DATE FINISHED:
1/4 -1/4/FOOTAGE: 1,420'S / 790	'E NE/SE LEASE	TYPE: FEDERAL/STATE	FEE INDIAN	ENVIRONMENTAL
LEASE #:	PROD. FORMATION: MV	CONTRACTOR: MBF - B.	N SCHUMAN	SPECIALIST(S): JCB
REFERENCE POINT	- WELL HEAD (W.H.) GF	PS COORD.: 36.924	26 X 107.89908	GL ELEV.: 5,845'
1) 95 BGT (SW/DB) - A		6.924417 X 107.898819	0	ARING FROM W.H.: 100', N54 E
2) 21 BGT (SW/DB) - B	GPS COORD.:	0.923945 X 107.898930	DISTANCE/BE	ARING FROM W.H.: 117', \$24 E
3)	GPS COORD.:		DISTANCE/BE	ARING FROM W.H.:
4)	GPS COORD.:		DISTANCE/BE	ARING FROM W.H.:
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) #	OR LAB USED:	LL	OVM READING
1) SAMPLE ID: 95 BGT 5-PT. @ 7	SAMPLE DATE: 06/03/	13 SAMPLETIME: 1355	LAB ANALYSIS: 418.1/8	8015B/8021B/300.0(CI) 0.0
2) SAMPLE ID: 21 BGT 5-PT. @ 6	SAMPLE DATE: 05/91/	SAMPLE TIME: 1340	LAB ANALYSIS: 418.1/6	3015B/8021B/300.0(Ci) 0.0
3) SAMPLE ID:	SAMPLE DATE:	SAMPLE TIME:	LAB ANALYSIS:	
4) SAMPLE ID:	SAMPLE DATE:	SAMPLE TIME:	LAB ANALYSIS:	
SOIL DESCRIPTION	SOIL TYPE: SAND SIL	TY SAND SILT / SILTY CLAY /	CLAY / GRAVEL / OT	HER
	ERATE BROWN			
COHESION (ALL OTHERS): NON COHESIVE SLIGHTL				COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC
CONSISTENCY (NON COHESIVE SOILS): LO				/ FIRM / STIFF / VERY STIFF / HARD ANATION -
SAMPLE TYPE: GRAB COMPOSITE - #			EB. TESTINO EXIL	ANATION -
DISCOLORATION/STAINING OBSERVED	YES NO EXPLANATION -			
ANY AREAS DISPLAYING WETNESS: YES NO	TEXPLANATION -			
APPARENT EVIDENCE OF A RELEASE C	-	: YES NO EXPLANATION :		
ADDITIONAL COMMENTS:				
SOIL IMPACT DIMENSION ESTIMATION:	NA ft. X NA	ft. X NA ft.	EXCAVATION EST	TIMATION (Cubic Yards) : NA
DEPTH TO GROUNDWATER: <50' N		00' NEAREST SURFACE WATER:		CD TPH CLOSURE STD: 100 ppm
SITE SKETCH		PLOT PLAN cir	rcle: attached OVM	CALIB. READ. = 52.0 ppm pe = 0.52
	(95)		A.	CALIB. READ. = 52.0 ppm RF = 0.52 CALIB. GAS = 100 ppm
	PBGTL T.B. ~ 7'	$\rightarrow (x \stackrel{x}{\underset{x}{x}} x)$	N TIME	: 1:45 am(pm) DATE: 05/31/13
	B.G.	→ BER		MISCELL. NOTES
W.H.			l w	/o: N15123849
₩.п.			P	O#:
			P	K: ZEVH01BGT2
			P	J#:
				ermit date(s): 06/14/10
			O	CD Appr. date(s): 10/19/12 OVM = Organic Vapor Meter
		V	S.P.D.	BCT Sidewalls Visible: (Y) N
NOTES: BGT = BELOW-GRADE TANK; E.D. = EXCAVATION	ON DEPRESSION: B.G. = BELOW GRADE: B =	75, 77	Service March Control Control	BGT Sidewalls Visible: Y / N
T.B. = TANK BOTTOM; PBGTL = PREVIOUS BEL	OW-GRADE TANK LOCATION; SPD = SAMPLE	POINT DESIGNATION; R.W. = RETAINING	G WALL; NA - NOT N	Magnetic declination: 10° E
APPLICABLE OR NOT AVAILABLE; SW-SINGLI TRAVEL NOTES: CALLOUT:	: AMMER! DAN - DOORFE AMMER! 2R - SINGEE RC		31/13, 06/03/1	

BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

Marcotte Gas Com 1A Tank A (95 bbl)

API No. 3004522806

Unit Letter I, Section 5, T31N, R10W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

- 1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.
 - No notice was made due to misunderstanding of the BGT notice requirements at that time.
- 2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.
 - No notice was made due to misunderstanding of the BGT notice requirements at that time.
- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)

- d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
- e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)
- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported to a storage area for sale and re-use.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	95 bbl BGT, Tank A	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	ND
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	ND
TPH	US EPA Method SW-846 418.1	100	ND
Chlorides	US EPA Method 300.0 or 4500B	250 or background	ND

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled and TPH, BTEX and chloride levels were below the stated limits. Sampling data is attached.

- 7. BP shall notify the division District III office of its results on form C-141. **C-141 is attached.**
- 8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

 Sampling results indicate no release occurred.
- 9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

The area under the BGT was backfilled with clean soil and is still within the active well area.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

BP will seed the area when the well is plugged and abandoned as part of final reclamation.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

BP will notify NMOCD when re-vegetation is successful.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

 Closure report on C-144 form is included.
- 16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

* Attach Additional Sheets If Necessary

State of New Mexico Energy Minerals and Natural Resources

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Form C-141

Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

			Rele	ease Notific	eation	n and Co	orrective A	ction	1				
						OPERA	ГOR		☐ Initia	al Report	\boxtimes	Final Report	
Name of Co	ompany: B	P				Contact: Jeff Peace							
		Court, Farmi		M 87401		Telephone No.: 505-326-9479							
Facility Na	me: Marco	tte Gas Com	1A			Facility Typ	e: Natural gas v	well					
Surface Ow	ner: Priva	te		Mineral C	wner:	er: Private API No. 3004522806							
				LOCA	TIO	N OF RE	LEASE						
Unit Letter I	Section 5	Township 31N	Range 10W	Feet from the 1,420	North/ South	South Line	Feet from the 790	East/V East	West Line	County: S	an Juan		
		Latit	ude36	.924417		Longitud	e107.898819						
				NAT	URE	OF REL	EASE						
Type of Rele		1 . 1	0.5111.00				Release: N/A			Recovered: N			
Was Immedi		w grade tank –	95 bbl, T	ank A		If YES, To	lour of Occurrence	ce:	Date and	Hour of Dis	covery:		
was illiniedi	ate Hottee v		Yes	No Not Re	equired	11 125, 10	whom:						
By Whom?						Date and H							
Was a Water	course Read		Yes 🛚	No		If YES, Vo	lume Impacting t	the Wate	ercourse.				
If a Watercon	urse was Im	pacted, Descr	ibe Fully.*	¢									
				n Taken.* Sampli and chloride belov					g removal	to ensure no	soil im	pacts from	
				ten.* BGT was re active well area.	moved a	and the area u	nderneath the BG	GT was s	ampled. T	he area unde	er the Bo	GT was	
regulations a public health should their or or the enviro	Il operators or the envi operations h nment. In a	are required to ronment. The nave failed to a	o report ar acceptance adequately OCD accep	is true and comp ad/or file certain r te of a C-141 repo investigate and r tance of a C-141	elease nort by the emediate	otifications as e NMOCD m e contaminati	nd perform correct arked as "Final R on that pose a thr	ctive act deport" of reat to gr	ions for rele loes not rele round water	eases which ieve the oper r, surface wa	may en rator of iter, hur	danger liability nan health	
		2					OIL CON	SERV	ATION	DIVISIO	N		
Signature:	Jeff 1	agel											
Printed Nam						Approved by	Environmental S	pecialis	t:				
Title: Field F	Environmen	tal Coordinato	r			Approval Da	e:		Expiration	Date:			
E-mail Addr	ess: peace.j	effrey@bp.com	n			Conditions of	Approval:			Attached			
Date: Decen	nber 31, 20	14	Pho	ne: 505-326-9479									

Analytical Report

Lab Order 1306354

Date Reported: 6/18/2013

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering Project: Marcotte GC #1A

Lab ID:

1306354-002

Client Sample ID: 95 BGT 5-Pt @ 7'

Collection Date: 6/3/2013 3:55:00 PM

Matrix: SOIL Received Date: 6/8/2013 11:00:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANGE	ORGANICS				Analyst	JME
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	6/13/2013 5:48:23 PM	7827
Surr: DNOP	101	63-147	%REC	1	6/13/2013 5:48:23 PM	7827
EPA METHOD 8015D: GASOLINE RANG	GE				Analyst	NSB
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	6/12/2013 3:52:09 PM	7838
Surr: BFB	96.4	80-120	%REC	1	6/12/2013 3:52:09 PM	7838
EPA METHOD 8021B: VOLATILES					Analyst	NSB
Benzene	ND	0.047	mg/Kg	1	6/12/2013 3:52:09 PM	7838
Toluene	ND	0.047	mg/Kg	1	6/12/2013 3:52:09 PM	7838
Ethylbenzene	ND	0.047	mg/Kg	1	6/12/2013 3:52:09 PM	7838
Xylenes, Total	ND	0.095	mg/Kg	1	6/12/2013 3:52:09 PM	7838
Surr: 4-Bromofluorobenzene	99.7	80-120	%REC	1	6/12/2013 3:52:09 PM	7838
EPA METHOD 300.0: ANIONS					Analyst	JRR
Chloride	ND	7.5	mg/Kg	5	6/13/2013 8:44:05 PM	7915
EPA METHOD 418.1: TPH					Analyst	jmb
Petroleum Hydrocarbons, TR	ND	20	mg/Kg	1	6/11/2013	7843

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
 - Page 2 of 8 Sample pH greater than 2 for VOA and TOC only P
- RL Reporting Detection Limit

Hall Environmental Analysis Laboratory, Inc.

WO#:

1306354

18-Jun-13

Client:

Blagg Engineering

Project:

Marcotte GC #1A

Sample ID MB-7915

SampType: MBLK

TestCode: EPA Method 300.0: Anions

Client ID:

PBS

Batch ID: 7915

RunNo: 11307

Prep Date: 6/13/2013

Analysis Date: 6/13/2013

1.5

SegNo: 319523

Units: mg/Kg

Analyte

Result PQL SPK value SPK Ref Val

%REC LowLimit

HighLimit

%RPD **RPDLimit** Qual

Chloride

ND

Sample ID LCS-7915

SampType: LCS Batch ID: 7915

PQL

RunNo: 11307

TestCode: EPA Method 300.0: Anions

Client ID: LCSS Prep Date: 6/13/2013

Analysis Date: 6/13/2013

SeqNo: 319524

Units: mg/Kg

%RPD

Analyte

SPK value SPK Ref Val %REC 1.5

110

HighLimit

Qual

Chloride

15

15.00

98.1

RPDLimit

Qualifiers:

0

Value exceeds Maximum Contaminant Level.

Analyte detected below quantitation limits RSD is greater than RSDlimit

RPD outside accepted recovery limits

Value above quantitation range

Analyte detected in the associated Method Blank

Н Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit ND

Sample pH greater than 2 for VOA and TOC only. Reporting Detection Limit RL

Page 3 of 8

Hall Environmental Analysis Laboratory, Inc.

WO#:

1306354

18-Jun-13

Client:

Blagg Engineering

Project:

Marcotte GC #1A

Sample ID MB-7843

SampType: MBLK

TestCode: EPA Method 418.1: TPH

Client ID:

PBS

Batch ID: 7843

RunNo: 11215

Prep Date: 6/10/2013 Analysis Date: 6/11/2013

SeqNo: 317105

Units: mg/Kg

Analyte

Result

SPK value SPK Ref Val

%REC LowLimit

%RPD **RPDLimit** Qual

Petroleum Hydrocarbons, TR

ND

SampType: LCS

20

TestCode: EPA Method 418.1: TPH

Sample ID LCS-7843

Client ID: LCSS

Batch ID: 7843

RunNo: 11215

HighLimit

Analyte

Prep Date: 6/10/2013

Analysis Date: 6/11/2013

SeqNo: 317106

Units: mg/Kg

RPDLimit

Qual

Petroleum Hydrocarbons, TR

Sample ID LCSD-7843

Result 110 PQL 20

SPK value SPK Ref Val %REC 100.0

107

HighLimit LowLimit 120 %RPD

Qual

TestCode: EPA Method 418.1: TPH

Prep Date: 6/10/2013

Client ID: LCSS02

SampType: LCSD Batch ID: 7843

Analysis Date: 6/11/2013

SeqNo: 317107

Units: mg/Kg

RPDLimit

Petroleum Hydrocarbons, TR

99

PQL

20

SPK value SPK Ref Val 100.0 0

%REC 98.7

RunNo: 11215

80

HighLimit 120

%RPD

8.03

20

Qualifiers:

Value exceeds Maximum Contaminant Level.

E Value above quantitation range

Analyte detected below quantitation limits J

RPD outside accepted recovery limits

0 RSD is greater than RSDlimit Analyte detected in the associated Method Blank

Н Holding times for preparation or analysis exceeded

Sample pH greater than 2 for VOA and TOC only.

ND Not Detected at the Reporting Limit

RL Reporting Detection Limit

Page 4 of 8

Hall Environmental Analysis Laboratory, Inc.

WO#:

1306354

18-Jun-13

Client:

Blagg Engineering

Project:

Marcotte GC #1A

Project:	Marcotte	GC A #IA									
Sample ID	MB-7827	SampTy	pe: ME	BLK	Tes	tCode: El	PA Method	8015D: Dies	el Range (Organics	
Client ID:	PBS	Batch	ID: 78	27	RunNo: 11234						
Prep Date:	6/10/2013	Analysis Da	ate: 6/	12/2013	SeqNo: 318428			Units: mg/Kg			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
	Organics (DRO)	ND	10								
Surr: DNOP		10		10.00		102	63	147			
Sample ID	LCS-7827	SampTy	pe: LC	s	Tes	tCode: El	PA Method	8015D: Dies	el Range (Organics	
Client ID:	LCSS	Batch	ID: 78	27	F	RunNo: 1	1234				
Prep Date:	6/10/2013	Analysis Date: 6/12/2013			S	SeqNo: 3	18437	Units: mg/k	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
_	Organics (DRO)	62	10	50.00	0	123	77.1	128			
Surr: DNOP		4.7		5.000		94.7	63	147			
Sample ID	1306351-001AMS	SampTy	ре: М5	3	Tes	tCode: El	PA Method	8015D: Dies	el Range (Organics	
Client ID:	BatchQC	Batch	ID: 78	27	R	RunNo: 1	1234				
Prep Date:	6/10/2013	Analysis Da	ite: 6/	13/2013	S	SeqNo: 3	18443	Units: mg/k	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
	Organics (DRO)	46	10	50.00	7.955	75.7	61.3	138			
Surr: DNOP		2.9		5.000		57.3	63	147			S
Sample ID	1306351-001AMSI	SampTy	ре: М5	SD	Tes	tCode: El	PA Method	8015D: Dies	el Range (Organics	
Client ID:	BatchQC	Batch	ID: 78	27	F	RunNo: 11234					
Prep Date:	6/10/2013	Analysis Da	ate: 6/	13/2013	SeqNo: 318444 Units: mg/Kg						
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
_	Organics (DRO)	52	9.9	49.65	7.955	88.1	61.3	138	12.2	20	
Surr: DNOP		3.3		4.965		66.1	63	147	0	0	
Sample ID	MB-7884	SampTy	ре: МЕ	BLK	Tes	tCode: El	PA Method	8015D: Dies	el Range (Organics	
Client ID:	PBS	Batch	ID: 78	84	F	RunNo: 1	1274				
Prep Date:	6/12/2013	Analysis Da	ate: 6/	13/2013	8	SeqNo: 3	19035	Units: %RE	C		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP		11		10.00		106	63	147			
Sample ID	LCS-7884	SampTy	pe: LC	s	Tes	tCode: El	PA Method	8015D: Dies	el Range (Organics	
Client ID:	LCSS	Batch	ID: 78	84	F	RunNo: 1	1274				
Prep Date:	6/12/2013	Analysis Da	ate: 6/	/13/2013	8	SeqNo: 3	19036	Units: %RE	C		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP		5.4		5.000		108	63	147			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2 for VOA and TOC only.
- RL Reporting Detection Limit

Page 5 of 8

Hall Environmental Analysis Laboratory, Inc.

WO#: 1306354

18-Jun-13

Client:

Blagg Engineering

Project:

Marcotte GC #1A

Sample ID 1306486-004AMS

SampType: MS

TestCode: EPA Method 8015D: Diesel Range Organics

Client ID:

BatchQC

Batch ID: 7884

RunNo: 11234

LowLimit

Prep Date:

Analyte

6/12/2013

Analysis Date: 6/13/2013

SeqNo: 319379

Units: %REC

RPDLimit

Qual

Qual

Surr: DNOP

Result 4.4

SPK value SPK Ref Val

%REC

HighLimit 147

%RPD

Client ID:

Prep Date:

4.995

88.3

63

TestCode: EPA Method 8015D: Diesel Range Organics

Sample ID 1306486-004AMSD

BatchQC

6/12/2013

SampType: MSD Batch ID: 7884

Analysis Date: 6/13/2013

PQL

RunNo: 11234 SeqNo: 319380

Units: %REC

HighLimit

0

Analyte

Result

SPK value SPK Ref Val %REC

97.6

63

%RPD

Surr: DNOP

4.8

4.955

147

Qualifiers:

Value exceeds Maximum Contaminant Level.

Value above quantitation range E

Analyte detected below quantitation limits J

RSD is greater than RSDlimit 0

RPD outside accepted recovery limits

В Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit

P Sample pH greater than 2 for VOA and TOC only.

Reporting Detection Limit

Page 6 of 8

Hall Environmental Analysis Laboratory, Inc.

WO#:

1306354

18-Jun-13

Client:

Blagg Engineering

Project:

Marcotte GC ##1A

Project:	Marcone	GC / #1A									
Sample ID	MB-7838	SampT	ype: ME	BLK	Test	tCode: EF	PA Method	8015D: Gaso	line Rang	e	
Client ID:	PBS	Batch ID: 7838			RunNo: 11246						
Prep Date:	6/10/2013	Analysis D	ate: 6/	12/2013	S	SeqNo: 3	18439	Units: mg/k	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Rang	ge Organics (GRO)	ND	5.0								
Surr: BFB		920		1000		91.8	80	120			
Sample ID	Sample ID LCS-7838 SampType: LCS				Test	Code: EF	PA Method	8015D: Gaso	line Rang	e	
Client ID:	LCSS	Batch ID: 7838			R	tunNo: 1	1246				
Prep Date:	6/10/2013	Analysis D	ate: 6/	12/2013	S	SeqNo: 3'	18440	Units: mg/k	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Rang	ge Organics (GRO)	26	5.0	25.00	0	105	62.6	136			
Surr: BFB		1000		1000		102	80	120			
Sample ID	1306354-002AMS	SampT	уре: МS	3	Test	Code: EF	PA Method	8015D: Gaso	line Rang	e	
Client ID:	95 BGT 5-Pt @ 7'	Batch	ID: 78	38	R	RunNo: 11246					
Prep Date:	6/10/2013	Analysis D	ate: 6/	12/2013	SeqNo: 318465 Units: mg/			Units: mg/k	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Rang	e Organics (GRO)	27	4.8	24.04	0	440	70	130			
			4.0	27.07	O	113	70	130			
Surr: BFB		1000	4.0	961.5		105	80	120			
	1306354-002AMSI		ype: MS	961.5		105	80		oline Rang	e	
Sample ID	1306354-002AMSI 95 BGT 5-Pt @ 7') SampT		961.5	Test	105	PA Method	120	oline Rang	e	
Sample ID Client ID:) SampT	ype: MS	961.5 SD 38	Test	105 Code: EF	80 PA Method	120		е	
Sample ID Client ID:	95 BGT 5-Pt @ 7'	SampT Batch	ype: MS	961.5 SD 38 12/2013	Test	105 Code: EF LunNo: 11	80 PA Method	120 8015D: Gas o		e RPDLimit	Qual
Sample ID Client ID: Prep Date: Analyte	95 BGT 5-Pt @ 7'	SampT Batch Analysis D	ype: MS	961.5 SD 38 12/2013	Test R S	105 Code: EF LunNo: 11	80 PA Method 1246 18466	120 8015D: Gasc Units: mg/k	(g		Qual

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2 for VOA and TOC only.
- RL Reporting Detection Limit

Page 7 of 8

Hall Environmental Analysis Laboratory, Inc.

WO#:

1306354

18-Jun-13

Client:

Blagg Engineering

Project:

Marcotte GC / #1A

Sample ID MB-7838	SampT	ype: ME	BLK	Tes										
Client ID: PBS	Batch	1D: 78	38	F	RunNo: 1	1246								
Prep Date: 6/10/2013	Analysis D	ate: 6/	e: 6/12/2013 SeqNo: 318495 U					Units: mg/Kg						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual				
Benzene	ND	0.050												
Toluene	ND	0.050												
Ethylbenzene	ND	0.050												
Xylenes, Total	ND	0.10												
Surr: 4-Bromofluorobenzene	0.94		1.000		94.5	80	120							

Sample ID LCS-7838	Test	tCode: El	PA Method	8021B: Volat	iles									
Client ID: LCSS	Batch ID: 7838 RunNo: 11246													
Prep Date: 6/10/2013	Analysis D	S Date: 6/12/2013 SeqNo: 318496 Ur					Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual				
Benzene	1.1	0.050	1.000	0	112	80	120							
Toluene	1.1	0.050	1.000	0	111	80	120							
Ethylbenzene	1.1	0.050	1.000	0	112	80	120							
Xylenes, Total	3.4	0.10	3.000	0	112	80	120							
Surr: 4-Bromofluorobenzene	1.0		1.000		103	80	120							

Sample ID	1306354-001AMS	SampType: MS TestCode: EPA Method 8021B: Volatiles													
Client ID:	21 Bgt 5-Pt @ 6'	Batch	ID: 78	38	F	RunNo: 1	1246								
Prep Date:	6/10/2013	Analysis Da	ate: 6/	12/2013	8	SeqNo: 3	18498	Units: mg/Kg							
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual				
Benzene		1.0	0.049	0.9766	0	103	67.2	113							
Toluene		1.0	0.049	0.9766	0.007646	103	62.1	116							
Ethylbenzene		1.0	0.049	0.9766	0.008919	104	67.9	127							
Xylenes, Total		3.1	0.098	2.930	0.01391	105	60.6	134							
Surr: 4-Brom	ofluorobenzene	1.0		0.9766		102	80	120							

Sample ID 13	06354-001AMSD	MSD SampType: MSD TestCode: EPA Method 8021B: Volatiles													
Client ID: 21	Bgt 5-Pt @ 6'	Batch ID: 7838 RunNo: 11246													
Prep Date: 6	/10/2013	Analysis Dat	e: 6/	12/2013	S	SeqNo: 3	18499	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual					
Benzene		1.0	0.049	0.9737	0	106	67.2	113	2.43	14.3					
Toluene		1.0	0.049	0.9737	0.007646	104	62.1	116	1.27	15.9					
Ethylbenzene		1.0	0.049	0.9737	0.008919	104	67.9	127	0.312	14.4					
Xylenes, Total		3.1	0.097	2.921	0.01391	106	60.6	134	0.0697	12.6					
Surr: 4-Bromofluorobenzene		1.0		0.9737		103	80	120	0	0					

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2 for VOA and TOC only.
- RL Reporting Detection Limit

Page 8 of 8



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87105
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: BLAGG	Wo	ork Order Number:	1306354		RcptNo:	1
Received by/date:	F Olel	08/13				
Logged By: Ashley	Gallegos 6/8/2	013 11:00:00 AM		A		
Completed By: Ashley	Gallegos 6/10/2	2013 9:10:45 AM		A		
Reviewed By:	0	6/10/13		d		
Chain of Custody		1 1			-	
1. Custody seals intact o	n sample bottles?		Yes \square	No 🗆	Not Present	
2. Is Chain of Custody co	emplete?		Yes 🗸	No 🗌	Not Present	
3. How was the sample of	lelivered?		Courier			
<u>Log In</u>		(K)				
4. Was an attempt made	to cool the samples?		Yes 🗸	No 🗌	NA 🗆	
5. Were all samples rece	ived at a temperature of >0	° C to 6.0°C	Yes 🗸	No 🗆	NA 🗆	
6. Sample(s) in proper co	ontainer(s)?		Yes 🗹	No 🗌		
7. Sufficient sample volui	me for indicated test(s)?		Yes 🗹	No 🗌		
8. Are samples (except V	OA and ONG) properly pres	erved?	Yes 🗸	No 🗌		
9. Was preservative adde	ed to bottles?		Yes	No 🗹	NA 🗌	
10.VOA vials have zero h	eadspace?		Yes	No 🗆	No VOA Vials	
11. Were any sample con	tainers received broken?		Yes	No 🗸	# of preserved	
12. Does paperwork match	n bottle labels?		Yes 🗸	No 🗌	bottles checked for pH:	
(Note discrepancies or						>12 unless noted)
13. Are matrices correctly	identified on Chain of Custo	dy?	Yes 🗸	No 🗆	Adjusted?	
14. Is it clear what analyse			Yes 🗸	No 🗌		
Were all holding times (If no, notify customer)			Yes 🗹	No 🗔	Checked by:	
				*		
Special Handling (if a	applicable)			*		
16. Was client notified of a	all discrepancies with this ord	ler?	Yes	No 🗆 .	NA 🗹	
Person Notified:		Date:				
By Whom:		Via: [eMail 🗌	Phone Fax	In Person	
Regarding:	M 45 PH 50 P OF COURSE OF STREET			11. No. 11. No		
Client Instruction	s:					
17. Additional remarks:						
18. Cooler Information Cooler No Temp	°C Condition Seal Inta	ict Seal No 8	Seal Date	Signed By		
1 4.3	Good Yes	ior Imparitori	Joan Date	Olgited by		

C	hain-	of-Cu	stody Record	Turn-Around	Time:									NIX.				ME		FAI	
Client:	BLAGO	ENGIN	JEEDNG INC.	Standard □ Rush					HALL ENVIRONMENTAL ANALYSIS LABORATORY												
BP AMERICA				Project Name	www.hallenvironmental.com																
Mailing Address: Ro. Box 87				MARCO	ME GC	A #1A	4901 Hawkins NE - Albuquerque, NM 87109														
			NM 87413	Project #:				Tel. 505-345-3975 Fax 505-345-4107													
Phone #	#: 5	25-1	32-1199	1								Contract of the last	The Parks	STATE OF THE OWNER, WHEN	Req	THE REAL PROPERTY.	Section 1				
email or				Project Mana	ger:		_	(ylc	Ê					(4)						T	
QA/QC F	Package:			J. Bu	A (-/-		3021	IS OF				(S		,S(S'B's						
Stan	dard		□ Level 4 (Full Validation)	Q. 6C	466		Fs (8	(G8	RO,			SIMS)		Ъ,	2 P(
Accredi				Sampler: 5			BTEX + METIE + TMB's (8021)	BTEX + MTBE + TPH (Gas only)	TPH 8015B (GRO / DRO JAHRE)	5	=	270		Anions (F,CI,NO3,NO2,PO4,SO4)	8081 Pesticides / 8082 PCB's						2
□ NEL		□ Otne	r			БИNО - Гот — 1 — 1 — 1 — 1 — 1 — 1 — 1 — 1 — 1 —	+	+	3RC	418	504	or 82	S	NO3,	es/		OA)	-			ō
□ EDD	(Type)_			Samplearent	Derature: > 1/1/	(*) 		/TBI) Bi	pou	hod	310	Meta	, D,	ticid	OA)	ni-V	3) se
Date	Time	Matrix	Sample Request ID	Container	Preservative	HEAL No.	+	+	3015	Met	Met	(83	181	s (F	Pes	3	(Ser	Chlowide			plqq
Date	Tillie	IVIALITA	Sample Request ID	Type and #	Туре	1806274	TEX	TEX	PH	TPH (Method 418.1)	EDB (Method 504.1)	PAH's (8310 or 8270	RCRA 8 Metals	nion	381	8260B (VOA)	8270 (Semi-VOA)	ঠ			Air Bubbles (Y or N)
=/ ,	17/15		21 BGT /	11 1	0.001	The state of the s			-	-	Ш	Д.	2	A	8	90	8,			+	<u>_</u>
131/13		5012	5-77-06	(02x)	COIL	-001	X			^								1			
6/3/13	1555	"	21 RGT 5-P+06 95 BCT 5-P+07	"	1(-002	X		×	×								×			
																				T	T
																			\neg		\top
			,																\neg	_	+
					,												\vdash		\dashv	+	+
																	\vdash		\dashv	+	+
										_								$\overline{}$	\dashv	+	+
					,				-			-						\vdash	\dashv	+	+
										_									-	-	+
																			\dashv	\dashv	_
Deter	Timen	Delineviaha	ad but	Received by:		Date Time														\perp	
Date: 6/7/17	Time: 1306	Relinquishe	II By	A L	1 /201	, / /	Ker	nark	s: Bi	<u>i_</u>	BA	> ,	PAL	KE	C: 5	2F1	JU.)1B	1/1	7	
Date:	Time:	Relinquishe	7 Cyy	Received by:	he will	9/7/13 1366 Date, Time							1 4-41	1		'	,,,,	14.0	10	~	
1 .	1- 1	A.		1/1	1.1	6/8/13/1/20	CONTACT & JEFF PEACE														
17/13	1754	hrs	thelicelor	Jun	4	10/11															
11	necessary,	samples subn	mitted to Hall Environmental may be subd	contracted to other ac	eredited laboratorie	s. This serves as notice of this	s possi	Dility.	Any su	ID-CON	racte	data	Will De	clear	y nota	ted or	i the ar	nalytica	ai repo	π.	



