5		
District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-144 Revised June 6, 2013 For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office. For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
12531 Proposed Alte	<u>Pit, Below-Grade Tank, or</u> rnative Method Permit or Closure F	Plan Application
45 - 23378 ⊠ Closur □ Modifi	of a pit or proposed alternative method e of a pit, below-grade tank, or proposed alternati ication to an existing permit/or registration e plan only submitted for an existing permitted or	
Please be advised that approval of this request does no environment. Nor does approval relieve the operator of	te application (Form C-144) per individual pit, below- te relieve the operator of liability should operations result in of its responsibility to comply with any other applicable go	n pollution of surface water, ground water or the
Deperator: BP America Production Compar	ny OGRID #:7	
Address:200 Energy Court, Farmington	, NM 87401	
Facility or well name:Atlantic B LS 5A		
	OCD Permit Number:	
	Township30NRange10WC	
Center of Proposed Design: Latitude36.84	46153 Longitude107.912407	NAD: □1927 🛛 1983
Surface Owner: 🛛 Federal 🗌 State 🗌 Private 🗌] Tribal Trust or Indian Allotment	
Lined Unlined Liner type: Thickness	IAC X Closed prion P&A Multi-Well Fluid Management Lo mil LLDPE HDPE PVC Ot Volume:bbl	her
3.		
Below-grade tank: Subsection I of 19.15.17	Tank B	
Volume: 21.0 bbl Typ	e of fluid:Produced water	
Tank Construction material:Steel		
	Visible sidewalls, liner, 6-inch lift and automatic ov	verflow shut-off
· · ·	alls only 🛛 Other _Single walled/double botto	
	HDPE PVC Other	
4.	ceptions must be submitted to the Santa Fe Environme	ntal Bureau office for consideration of approval.

.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)

Chain link, six feet in height, two strands of barbed wire at top (*Required if located within 1000 feet of a permanent residence, school, hospital, institution or church*)

Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate. Please specify_

Netting: Subsection E of 19.15.17.11 NMAC (*Applies to permanent pits and permanent open top tanks*)

Screen Netting Other_

Monthly inspections (If netting or screening is not physically feasible)

Signs: Subsection C of 19.15.17.11 NMAC

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

Variances and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.

General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank	□ Yes □ No □ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) Written confirmation or verification from the municipality; Written approval obtained from the municipality 	🗍 Yes 🗌 No
 Within the area overlying a subsurface mine. (Does not apply to below grade tanks) Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	🗌 Yes 🗌 No
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗌 Yes 🗌 No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	🗋 Yes 🗌 No
Below Grade Tanks	
 Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
 Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) Topographic map; Visual inspection (certification) of the proposed site 	Yes 🗍 No

v.	
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No
 Within 100 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes 🗌 No
Temporary Pit Non-low chloride drilling fluid	
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes 🗌 No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
 Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	Yes 🗌 No
 Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes 🗌 No
Permanent Pit or Multi-Well Fluid Management Pit	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Yes 🗌 No
- Topographic map; Visual inspection (certification) of the proposed site	
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No
 Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	Yes 🗌 No
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗍 No
Io. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	ocuments are
 Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC 	
Previously Approved Design (attach copy of design) API Number: or Permit Number:	
11. Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Previously Approved Design (attach copy of design) API Number: or Permit Number:	

٠

· . ∕~	
12. <u>Permanent Pits Permit Application Checklist</u> : Subsection B of 19.15.17.9 NMAC <i>Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached.</i>	documents are
 Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment 	
 Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC 	
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan	
 Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H₂S, Prevention Plan 	
 Emergency Response Plan Oil Field Waste Stream Characterization 	
 Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC 	
13.	
<u>Proposed Closure</u> : 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F	luid Management Pit
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only)	
 On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial 	
Alternative Closure Method	
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
15. Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC	
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sou provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. In 19.15.17.10 NMAC for guidance.	
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
 Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	□ Yes □ No □ NA
 Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🔲 Yes 🗌 No
 Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	🗌 Yes 🗌 No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	

٦

Within the area overlying a subsurface mine. Within a unsolution or verification or wap from the NM ENNRD-Mining and Mineral Division Image: Configuration or verification or wap from the NM ENNRD-Mining and Mineral Division Within a unsolution or verification or wap from the NM ENNRD-Mining and Mineral Resources; USCS, NM Geological Society; Torgeraphic map Image: Configuration or verification or wap from the design; NM Bureau of Geology & Mineral Resources; USCS, NM Geological Society; Torgeraphic map Within a 100-gene floadplain. EEMA map Image: Construction of the design; NM Bureau of Geology & Mineral Resources; USCS, NM Geological Society; Torgeraphic map Image: Classare Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Plan of Burai Trans (17 applicable) based upon the appropriate requirements of 19.15.17.13 NMAC Image: Classare Dian Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Plan of Burai Trans (17 applicable) based upon the appropriate requirements of 19.15.17.13 NMAC Image: Construction/Design Plan of Burai Trans (17 applicable) based upon the appropriate requirements of 19.15.17.13 NMAC Image: Construction/Design Plan of Burai Trans (17 applicable) based upon the appropriate requirements of 19.15.17.13 NMAC Image: Construction/Design Plan of Burai Trans (17 applicable) based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC Image: Construction/Design Plan of Burai Trans (17 applicable) based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC <t< th=""><th></th><th></th><th></th><th></th><th></th></t<>					
Within au mutable area. Biglinetries measures incorporated into the design; NM Bareau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within all on-State Classers Plan. Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Plan Provid State Cover Networks - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Proceedities - based upon the appropriate requirements of 19.15.17.13 NMAC ConstructionDesign Plan of Burial. Threek (if applicable) based upon the appropriate requirements of 19.15.17.13 NMAC ConstructionDesign Plan of Burial. Threek (if applicable) based upon the appropriate requirements of Subsection B of 19.15.17.13 NMAC ConstructionDesign Plan of Burial. Threek (if applicable) based upon the appropriate requirements of 19.15.17.13 NMAC Distocol and Proceedities - based upon the appropriate requirements of 19.15.17.13 NMAC Distocol and Proceedities - based upon the appropriate requirements of 19.15.17.13 NMAC Distocol and Proceedities - based upon the appropriate requirements of 19.15.17.13 NMAC Distocol and Proceedities - based upon the appropriate requirements of 19.15.17.13 NMAC Distocol and Proceedities - based upon the appropriate requirements of 19.15.17.13 NMAC Distocol and Proceedities - based upon the appropriate requirements of 19.15.17.13 NMAC Distocol and Proceedities - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Distocol and Proceedities - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Distocol and Proceedities - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Distocol and Proceedities - Dist			pproval obtained from the mun	icipality	Yes No
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Sofety; Topographic map Within a 100-year floodplain. TEMA map		nap from the NM EMNRD-N	Aining and Mineral Division		Yes 🗌 No
Within a 100-year floodplain. Image: Set A mape: Set A m	- Engineering measures incorporated into	the design; NM Bureau of G	eology & Mineral Resources; U	JSGS; NM Geological	
FBMA map Use No. Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Plen by a check mark in the box, that the documents are attached. Siting Circleric Compliance Demonstrations - hased upon the appropriate requirements of \$19.15.17.13 NMAC Construction/Design Plan of Temporary Pli (for in-place buried of a dring path) - based upon the appropriate requirements of \$19.15.17.13 NMAC Construction/Design Plan of Temporary Pli (for in-place buried of a dring path) - based upon the appropriate requirements of \$19.15.17.13 NMAC Construction/Design Plan of Temporary Pli (for in-place buried of a dring path) - based upon the appropriate requirements of \$19.15.17.13 NMAC Construction/Design Plan of Temporary Pli (for in-place buried of a dring path) - based upon the appropriate requirements of \$19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be ach Soil Gover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Breader Application Certification: Title: Itereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief. Name (Print):					🗌 Yes 🗌 No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Plan by a check must in the box, that the advancements are attached.					Yes No
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief. Name (Print):	On-Site Closure Plan Checklist: (19.15.17.13) by a check mark in the box, that the documents Siting Criteria Compliance Demonstration Proof of Surface Owner Notice - based up Construction/Design Plan of Burial Trenc Construction/Design Plan of Temporary P Protocols and Procedures - based upon the Confirmation Sampling Plan (if applicable Waste Material Sampling Plan - based upon Disposal Facility Name and Permit Number Soil Cover Design - based upon the approp Re-vegetation Plan - based upon the approp	are attached. as - based upon the appropriate on the appropriate requirements th (if applicable) based upon it (for in-place burial of a dry e appropriate requirements of b) - based upon the appropriate on the appropriate requirements of the appropriate requirements of for liquids, drilling fluids priate requirements of Subset opticate requirements o	te requirements of 19.15.17.10 ents of Subsection E of 19.15.17 the appropriate requirements o ying pad) - based upon the appr 219.15.17.13 NMAC te requirements of 19.15.17.13 nts of 19.15.17.13 NMAC and drill cuttings or in case on ction H of 19.15.17.13 NMAC	NMAC 7.13 NMAC f Subsection K of 19.15.17 opriate requirements of 19 NMAC -site closure standards can	7.11 NMAC 9.15.17.11 NMAC
g-mail address:	Operator Application Certification: I hereby certify that the information submitted w		-		
ge-mail address:	Signature:		Date:		
Title:	e-mail address:				
Title: OCD Permit Number: 19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closur The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete Section of the form until an approved closure plan has been obtained and the closure activities have been completed. 20. Closure Method: 20. Closure Report Attachment Checklist: 21. 21. Closure Report Attachment Checklist: 21. 21. 21. 22. 23. 24. 25. 26. 27. 28. 29. 29. 20. 21. 21. 22.	18. OCD Approval: Dermit Application (includ	ing closure plan) 🗶 Closu	re Plan (on ly) 🚺 OCD Conc	litions (see attachm ent) S	ectron page
19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closur The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete section of the form until an approved closure plan has been obtained and the closure activities have been completed.	OCD Representative Signature:	$\overline{\Lambda}$		Approval Date:	5/15
Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closur The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete section of the form until an approved closure plan has been obtained and the closure activities have been completed. Image: Closure Completion Date:	Title: ENricon mental Spec.		OCD Permit Number:		
 Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop syster If different from approved plan, please explain. 21. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure for private land only) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation 	Closure Report (required within 60 days of clo Instructions: Operators are required to obtain a The closure report is required to be submitted to section of the form until an approved closure pla	an approved closure plan pr the division within 60 days	ior to implementing any closus of the completion of the closu te closure activities have been	re activities. Please do no completed.	
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure for private land only) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation	🛛 Waste Excavation and Removal 🔲 On-Sit		ternative Closure Method	Waste Removal (Closed-	loop systems only)
 □ Re-vegetation Application Rates and Seeding Technique ☑ Site Reclamation (Photo Documentation) On-site Closure Location: Latitude 36.846153 Longitude -107.912407 NAD: □1927 ☑ 1983 	Closure Report Attachment Checklist: Instruct mark in the box, that the documents are attached Proof of Closure Notice (surface owner an Proof of Deed Notice (required for on-site Plot Plan (for on-site closures and tempora Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Numbed Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seed	d. d division) closure for private land only ury pits) s (if applicable) lts (required for on-site closu er ing Technique	') Ire)	e closure report. Please i	ndicate, by a check

.

•

Operator Closure Certification:

¥

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print):Jeff Peace	Title: Field Environmental Coordinator
Signature: Jaff Posee	Date:January 6, 2015
e-mail address:peace.jeffrey@bp.com	Telephone:(505) 326-9479

BP AMERICA PRODUCTION COMPANY SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

<u>Atlantic B LS 5A, BGT Tank B (21 bbl)</u> <u>API No. 3004523378</u> <u>Unit Letter D, Section 5, T30N, R10W</u>

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

•

(e

- BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement. No notice was made due to misunderstanding of the BGT notice requirements at that time.
- BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.
 No notice was made due to misunderstanding of the BGT notice requirements at

No notice was made due to misunderstanding of the BGT notice requirements at that time.

- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)

- d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
- e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)
- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)

.

- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)
 - All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.
- 4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported to a storage area for sale and re-use.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	21 bbl BGT, Tank B	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	ND
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	ND
TPH	US EPA Method SW-846 418.1	100	67
Chlorides	US EPA Method 300.0 or 4500B	250 or background	ND

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled and TPH, BTEX and chloride levels were below the stated limits. Sampling data is attached.

- BP shall notify the division District III office of its results on form C-141.
 C-141 is attached.
- If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.
 Sampling results indicate no release occurred.
- 9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

The area under the BGT was backfilled with clean soil and is still within the active well area.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

BP will seed the area as part of final reclamation when the well is plugged and abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

BP will notify NMOCD when re-vegetation is successful.

Ł

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation. Closure report on C-144 form is included.
- 16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

٠

۴ **س**رہ

Form C-141 Revised August 8, 2011

Oil Conservation Division

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

<u>District IV</u> 1220 S. St. Fran	ncis Dr., Sant	a Fe, NM 87505	5			n St. Franc e, NM 875			_				
		· · · · · · · · · · · · · · · · · · ·	Rele				orrective A	ction					
						OPERA	ГOR		🗌 Initi	al Report	\boxtimes	Final Report	
Name of C	ompany: B	Р				Contact: Jef	f Peace					•	
Address: 20	00 Energy	Court, Farmi	ington, N	M 87401		Telephone 1	No.: 505-326-94	179					
Facility Na	me: Atlant	ic B LS 5A				Facility Typ	e: Natural gas v	well					
Surface Ow	ner: Feder	al		Mineral (Jwner [.] I	Federal			APINO	0. 30045233	378		
Surface of a				I						. 500-1525.	570		
Unit Letter	Section	Township	Range	A 87401 Telephone Facility Ty Mineral Owner: Federal LOCATION OF RI Feet from the 1,040 North 846153 Longitu NATURE OF REI Volume nk B Date and If YES, Ty Date and If YES, Ty		Feet from the	East/W	/est Line	County: S	an Juar			
D	5	30N	10W			South Bille	840	West			un suu	A	
	1 <u></u>	Latit	ude36	.846153		_ Longitud	e107.912407	.l		I		· · · · · · · · · · · · · · · · · · ·	
				NAT	FURE								
Type of Rele	ase: none						Release: N/A		Volume l	Recovered: 1	N/A		
		v grade tank –	- 21 bbl, T	ank B		Date and I-	lour of Occurrence	ce:	Date and	Hour of Dis	covery	:	
Was Immediate Notice Given?					If YES, To	Whom?							
			Yes 🗋	No 🖾 Not R	equired								
By Whom?						Date and F							
Was a Watercourse Reached?					If YES, Volume Impacting the Watercourse.								
If a Wataraa	urso was Im	pacted, Descr	ibo Fully?	*									
the BGT. So Describe Are	oil analysis r ea Affected	esulted in TP	H, BTEX	and chloride belo	w standa	ırds. Analysi	s results are attac	hed.					
regulations a public health should their or the enviro	Il operators or the envi operations h nment. In a	are required t ronment. The have failed to a	o report ar acceptanc adequately OCD accep	nd/or file certain i ce of a C-141 repo investigate and r	release no ort by the remediate	otifications a e NMOCD m e contaminati	nd perform correc arked as "Final R on that pose a thr	ctive acti teport" de reat to gr	ons for rel oes not rel ound wate	eases which ieve the ope r, surface wa	may er rator of ater, hu	ndanger f liability man health	
Signature:	Jeff	Peres	2				<u>OIL CON</u>	<u>SERV</u>	ATION	DIVISIO	<u>)N</u>		
Printed Nam	· ·					Approved by	Environmental S	pecialist	: •				
Title: Field E	Environmen	tal Coordinate	or			Approval Da	te:	I	Expiration	Date:			
E-mail Addr	ess: peace.je	effrey@bp.com	m		(Conditions of	f Approval:			Attached			
Date: Janua	ry 6, 2015		Phone:	505-326-9479									
	1 01	1031											

* Attach Additional Sheets If Necessary

1

	· · · · · · · · · · · · · · · · · · ·		
CLIENT: BP	BLAGG ENGINEER P.O. BOX 87, BLOOMFIE (505) 632-1199	LD, NM 87413	API #: 3004523378
FIELD REPORT:	BGT CONFIRMATION TEMP. PIT CLOSURE / F (other) & BGT RETROFIT (9	ELEASE INVESTIGATION	PAGE No: _1 of _1
SITE INFORMATION	SITE NAME: ATLANTIC B L 3 30N RNG: 10W PM: NM CNTY		DATE STARTED: 08/05/10
	40'W NW/NW LEASE TYPE: FEDE	RAL / STATE / FEE / INDIA	AN ENVIRONMENTAL
		ELKHORN TOR: MBF - J. MILLER	SPECIALIST: NJV
1) 21 BBL BGT	WELL HEAD (W.H.) GPS COORD.: GPS COORD.: 36.84539 X 1	07 04400	07.91220 GL ELEV.: 6,141' STANCE/BEARING FROM W.H.: 147.5', N33E
	GPS COORD.: <u>36.84548 X 1</u>		TANCE/BEARING FROM WH.:
	GPS COORD.:		TANCE/BEARING FROM W.H.:
4)	GPS COORD.: GPS COORD.:		STANCE/BEARING FROM W.H.: STANCE/BEARING FROM W.H.:
LAB INFORMATION:	CHAIN OF CUSTODY RECORD(S):		OVM READIN
1) SAMPLE ID: 5 PC-TB @ 5' (21 bb			418.1/8015/8021/300.0 (CI) NA
2) SAMPLE ID:	SAMPLE DATE: SAMPL	E TIME: LAB ANALYSIS:	· · · · · · · · · · · · · · · · · · ·
	SAMPLE DATE:SAMPL		
	SAMPLE DATE: SAMPL SAMPLE DATE: SAMPL		
SOIL DESCRIPTION			
COHESION (ALL OTHERS): NON COHESIVE) SLIGHTL CONSISTENCY (NON COHESIVE SOILS): LC PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / C DENSITY (COHESIVE CLAYS & SILTS): SOFT MOISTURE: DRY / SLIGHTLY MOIST / MOIST / M ADDITIONAL COMMENTS: 90 BBLE	COHESIVE / COHESIVE / HIGHLY COHESIVE	ODOR DETECTED: YES NO	DSITE-#OF PTS. 5
EXCAVATION DIMENSIONS (if applicable	: <u>NA</u> ft. X <u>, NA</u> ft. X	NA ft. cubie	c yards excavated (if applicable): NA
SITE SKETCH		CAS=ppm am/pm DATE: RM 21 BBL BGT	PLOT PLAN circle: Attached MISCELL. NOTES 21 BBL BGT SW/DB (5' DIAM.) PERMIT TANK ID: B PERMIT GPS COORD. 36.846153 -107.911912 GOOGLE EARTH
WELL HEAD ⊕			<u>36.845408</u> -107.911912
T.B. = TANK BOTTOM; PBGTL = PREVIOUS	/ATION DEPRESSION, B.G. = BELOW GRADE, B = BELOW, BELOW-GRADE TANK LOCATION, SPD = SAMPLE POINT E	ESIGNATION; R.W. = RETAINING WAL	
TRAVEL NOTES: CALLOUT:	08/10/10 - AFTER. Or	ISITE: 08/10/10 - MOR	RN. (SCHED.)
revised: 03/23/10			BEI1005E.S

۱-

CLIENT:	Blagg Engineering			Clier	nt Sample II	D: 5 PC-TB(@5'-21BBL BGT
Lab Order:	1008364			Co	llection Dat	e: 8/10/2010	10:08:00 AM
Diesel Range (Surr: DNOP EPA METHOD Gasoline Rang Surr: BFB EPA METHOD Benzene Toluene Ethylbenzene Xylenes, Total Surr: 4-Bron	Atlantic B LS #5A			D	ate Receive	d: 8/11/2010)
Lab ID:	1008364-01				Matri	x: SOIL	
Analyses	· ·	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD	8015B: DIESEL RANGE	ORGANICS					Analyst: JB
Diesel Range O	rganics (DRO)	64	10		mg/Kg	1	8/12/2010 1:28:19 PM
Surr: DNOP		104	61.7-135		%REC	1	8/12/2010 1:28:19 PM
EPA METHOD	8015B: GASOLINE RANG	GE					Analyst: NSB
Gasoline Range	Organics (GRO)	ND	5.0		mg/Kg	1	8/16/2010 6:23:29 PM
Surr: BFB		145	60.2-161		%REC	1	8/16/2010 6:23:29 PM
EPA METHOD	8021B: VOLATILES						Analyst: NSB
Benzene		ND	0.050		mg/Kg	1	8/16/2010 6:23:29 PM
Toluene		ND	0.050		mg/Kg	1	8/16/2010 6:23:29 PM
Ethylbenzene		ND	0.050		mg/Kg	1	8/16/2010 6:23:29 PM
Xylenes, Total		ND	0.10		mg/Kg	1	8/16/2010 6:23:29 PM
Surr: 4-Bromo	ofluorobenzene	131	88.9-151		%REC	1	8/16/2010 6:23:29 PM
EPA METHOD :	300.0: ANIONS						Analyst: LJB
Chlpride		ND	15		mg/Kg	10	8/20/2010 8:55:07 AM
	418.1: TPH						Analyst: JB
Petroleum Hydro	ocarbons, TR	67	20	н	mg/Kg	1	8/31/2010

Date: 31-Aug-10

Hall Environmental Analysis Laboratory, Inc.

Qualifiers:

Value exceeds Maximum Contaminant Level

E Estimated value

J Analyte detected below quantitation limits

NC Non-Chlorinated

PQL Practical Quantitation Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded

MCL Maximum Contaminant Level

ND Not Detected at the Reporting Limit

S Spike recovery outside accepted recovery limits

Page 1 of 1

Client: Blagg Engineering **Project:** Atlantic B LS #5A Work Order: 1008364 Analyte Units SPK Va SPK ref %Rec LowLimit HighLimit Result PQL %RPD RPDLimit Qual Method: EPA Method 300.0; Anions Sample ID: MB-23455 Batch ID: MBLK 23455 Analysis Date: 8/20/2010 4:33:59 AM Chloride ND mg/Kg 1.5 Sample ID: LCS-23455 Batch ID: 23455 Analysis Date: LCS 8/20/2010 4:51:24 AM Chloride 13.74 mg/Kg 1.5 15 0 91.6 90 110 Method: EPA Method 418.1: TPH Sample ID: MB-23603 Batch ID: MBLK 23603 Analysis Date: 8/31/2010 Petroleum Hydrocarbons, TR ND ma/Ka 20 Sample ID: LCS-23603 Batch ID: 23603 Analysis Date: LCS 8/31/2010 105 Petroleum Hydrocarbons, TR 105.3 mg/Kg 20 100 0 86.8 116 Sample ID: LCSD-23603 LCSD Batch ID: 23603 Analysis Date: 8/31/2010 Petroleum Hydrocarbons, TR 106.5 mg/Kg 20 100 0 107 86.8 116 1.13 16.2 Method: EPA Method 8015B: Diesel Range Organics Batch ID: Sample ID: 1008364-01AMSD MSD 23348 Analysis Date: 8/12/2010 2:36:31 PM Diesel Range Organics (DRO) 106.9 mg/Kg 10 50 64.01 85.8 67.4 117 5.31 17.4 Sample ID: MB-23348 MBLK Batch ID: 23348 Analysis Date: 8/12/2010 11:46:14 AM Diesel Range Organics (DRO) ND mg/Kg 10 Sample ID: LCS-23348 Batch ID: 23348 Analysis Date: 8/12/2010 12:20:04 PM LCS 0 95.2 64.6 116 Diesel Range Organics (DRO) 47.59 10 50 mg/Kg 8/12/2010 12:54:12 PM Sample ID: LCSD-23348 LCSD Batch ID: 23348 Analysis Date: **Diesel Range Organics (DRO)** mg/Kg 0 93.1 64.6 116 2.17 46.57 10 50 17.4 Sample ID: 1008364-01AMS MS Batch ID: 23348 Analysis Date: 8/12/2010 2:02:25 PM Diesel Range Organics (DRO) 101.4 mg/Kg 10 50 64.01 74.7 67.4 117 Method: EPA Method 8016B: Gasoline Range Sample ID: MB-23346 MBLK Batch ID: 23346 Analysis Date: 8/16/2010 8:55:21 PM Gasoline Range Organics (GRO) ND mg/Kg 5.0 Sample ID: LCS-23346 Batch ID: 23346 Analysis Date: 8/17/2010 5:59:42 AM LCS Gasoline Range Organics (GRO) 26.47 mg/Kg 5.0 25 0 106 74.2 136 EPA Method 8021B: Volatiles Method: Batch ID: Analysis Date: 8/16/2010 8:55:21 PM Sample ID: MB-23346 MBLK 23346 Benzene ND mg/Kg 0.050 Toluene ND mg/Kg 0.050 ND Ethylbenzene mg/Kg 0.050 Xylenes, Total ND mg/Kg 0.10 Analysis Date: Batch ID: 23346 8/16/2010 8:25:09 PM Sample ID: LCS-23346 LCS 0.015 95.5 83.3 107 Benzene 0.9701 mg/Kg 0.050 1 0 97.4 74.3 115 Toluene 0.9738 mg/Kg 0.050 1 1.056 0.050 1 0.0119 104 80.9 122 Ethylbenzene mg/Kg 85.2 123 3.157 3 n 105 Xylenes, Total mg/Kg 0.10

QA/QC SUMMARY REPORT

Qualifiers:

E Estimated value

J Analyte detected below quantitation limits

ND Not Detected at the Reporting Limit

H Holding times for preparation or analysis exceeded

NC Non-Chlorinated

R RPD outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

	Sample	Rec	eipt Ch	eck	list				
Client Name BLAGG				D	ate Receive	ed:		8/11/2010	
Work Order Number 1008364					Received by	/: AM0	G		
Checklist completed by:	Gorcia		8/11 Date	lid	Sample ID I	abels checke	ed by:	Initials	
Matrix:	Carrier name:	Grey	<u>yhound</u>						
Shipping container/cooler in good condition?		Yes			No 🗌	Not Prese	nt 🗆		
Custody seals intact on shipping container/coole	ər?	Yes			No 🗌	Not Prese	nt 🗌	Not Shipped	\Box
Custody seals intact on sample bottles?		Yes			No 🗌	N/A		,	
Chain of custody present?		Yes	✓		No 🗌				
Chain of custody signed when relinquished and	received?	Yes			Ňo 🗌				
Chain of custody agrees with sample labels?		Yes			No 🗌				
Samples in proper container/bottle?		Yes			No 🗌				
Sample containers intact?		Yes			No 🗌				
Sufficient sample volume for indicated test?		Yes			No 🗌				
All samples received within holding time?		Yes			No 🗌				f preserved
Water - VOA vials have zero headspace?	No VOA vials subm	itted	\checkmark	Ye	es 🗌	No [bottles ch pH:	ecked for
Water - Preservation labels on bottle and cap ma	atch?	Yes			No 🗌	N/A		-	
Water - pH acceptable upon receipt?		Yes			Νο	N/A		<2 >12 uni	ess noted
Container/Temp Blank temperature?		1.	.1°		C Acceptat	ole t time to coo	ı	below.	
COMMENTS:				n yr		1 11116 10 000			
Client contacted	Date contacted:				Dor	son contacte	ч		
					·	oncontacte	u		
Contacted by:	Regarding:								
Comments:									
•	·								
		•							<u>,</u>
Corrective Action									
						·		······	<u></u>

			stody Record	Turn-Around	l'ime:			- tu-		응년 Cel				ar da	TE		rid		NT	AI	
Client:	SLAC	f Eng	R. / BP AMERICA	K. Standard																rl Ry	
				Project Name			-				w	ww.ha	illenv	ironr	ment	al.co	m				
Mailing /	Address:	T. 0	1. BOX 87		ric B Li	5 #5+1			490)1 Ha	awkins	NE	- Alb	uque	erqu	e, NI	M 87	109			
	- <u></u>	BLF.	D. NM 87413	Project #:							5-345			ax ·	<u>505</u> -	3 <u>45</u> -	410	7			
Phone #	: (5	65)6	(32-1199					5 6 10					Analy	/sis	Req	uest					
email or	Fax#:			Project Mana	iger:	/	nv-	3	(Au	(las				0 ⁴)							
QA/QC P	-		□ Level 4 (Full Validation)	Nec	iger: Son VE	ιĘΖ.		-TMB' s (8021)	TPH (Gas only)	8015B (Gas/Diesel)				PO4,S	PCB's			6			
Accredit	ation			Sampler: /	VELSON	KIEZ		E A B	H	<u>В</u>	; []	╤│╤		V02,	/ 8082			8			5
		□ Other	·	Opto	M Yes	TUNO		+	+	015	418.1)	5 A	S	10 ₃ ,1	ss / 8		(YO	Ň			or N)
	(Type)			Sample Ten	perature Sey	<u>t i i i i i i i i i i i i i i i i i i i</u>			Ш	od 8		o la	letal	CI'N	lcid€	(A)	li-√(iy X			s (Y
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type		Ne 4 G	BTEX)-MFBE-+	BTEX + MTBE	TPH Method	TPH (Method 418.1)	8310 (PNA or PAH)	RCRA 8 Metals	Anions (F,Cl,NO ₃ ,NO ₂ ,PO ₄ ,SO ₄)	8081 Pesticides	8260B (VOA)	8270 (Semi-VOA)	CHLORIDE			Air Bubbles
10/10	1008	SOIL	SPR-TBES'- ZIBBLBET	402-1	Coor	1												\checkmark			<u> </u>
<u>··](-</u>					<u> </u>						*										
			<u></u>								-										
'	<u> </u>				<u> </u>			\vdash			-		+-						-+	-	ļ-
			· · ·	<u> </u>						<u> </u>	+						<u> </u>				<u> </u>
					-			$\left[- \right]$				+									┝─
											-+			┣──							-
							<u></u>	┼╼┥	-+		-+						<u> </u>		<u> </u>		
	· .															<u> </u>			 _		├
				 				┝╶┤			-+-	+-	+			<u> </u>			<u></u>		┝─
					· · · · · · · · · · · · · · · · · · ·			┝─┤												_ }_	┣
	i	i													<u> </u>						┣—
Date: 7	Time:	Relinguishe	ed by:	Received by:	<u> </u>	Date	Time	Ren					<u> </u>	L	L					<u> </u>	L
₹/10/105 Date:	1530 Time:	Relinquishe	Un VI	Received by:	MAAall	1005 8/11	p9:0	P		71 801	P_{+}	- 6	RC	ġ	, DI	20	Ć	ONE	Ϋ.		

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.



