
SUNDI Do not use t	UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT RY NOTICES AND REPORTS ON W his form for proposals to drill or to bill. Use Form 3160-3 (APD) for suc	re-enter an	OM OM	RM APPROVED B No. 1004-0137 es: October 31, 2014 ribe Name	
SUBMIT IN TRIFLICATE - Other Instructions on page 2.				7-If Unit of CA/Agreement, Name and/or No. N/A	
1. Type of Well     U     Coll			4	8. Well Name and No.	
2. Name of Operator Encana Oil & Gas (USA) Inc.	Gas Well Other	مر میراند. ۱۰	Escrito M32-2408 01H		
Encana Oil & Gas (USA) Inc.     Encana Oil & Gas (USA) Inc.       3a. Address     3b. Phone No. (include area code)			30-045-35521	10. Field and Pool or Exploratory Area	
370 17th Street, Suite 1700 Denver, CO 80202 (720) 876-5867			*	Basin Mancos Gas Pool	
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SHL:412FSL and 60' FWL Section 32, T24N, R8W BHL: 400' FSL and 329'FWL Section 31, T24N, R8W			11. County or Parish, Sta San Juan County	11. County or Parish, State San Juan County	
12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA					
TYPE OF SUBMISSION	SSION TYPE OF ACTION				
Notice of Intent	Acidize Deep	=	Production (Start/Resume)	Water Shut-Off	
		ure Treat	Reclamation Recomplete	Well Integrity Other Pre-Installation of	
Subsequent Report		and Abandon	Temporarily Abandon	Gas Lift	
Final Abandonment Notice	Convert to Injection Plug		Water Disposal		
<ul> <li>13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)</li> <li>Encana Oil &amp; Gas (USA) Inc. is requesting authorization to install gas lift at the Escrito M32-2408 01H well. Attached is a schematic of the pad with gas lift and the gas allocation procedure.</li> </ul>					
CONDITIONS OF APPROVAL Adhere to previously issued stipulations RECEIVED DISTRICT III					
14. I hereby certify that the forego	ng is true and correct. Name (Printed/Typed)				
Cristi Bauer		Title Operations Technician			
Signature CRiX	L'BALLER	Date 10/2	Date 10/22/14		
THIS SPACE FOR FEDERAL OR STATE OFFICE USE					
Approved by William Tambekon Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Title Petroleum Engineer Date 2/4/2015 Office FFD					
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.					
(Instructions on page 2) NMOCDry 3					

ه . . و ۲ او د

## Escrito M32-2408 01H




.

#### Attachment No. 5 Encana Oil & Gas (USA) Inc. Escrito 124-2409 Gathering System San Juan County, New Mexico

. •

### **Gas Measurement Allocation Procedure for Single Well Pads**



#### Base Data:

V = Gas Volume (MCF) from Custody Transfer Meter during allocation period (Elm Ridge Gas Pipeline)

R = Gas Volume (MCF) from Gas Return Meter (Encana)\*

W<sub>1</sub> = Gas Volume (MCF) from Wellhead Allocation Meter at individual wells during allocation period. (Encana)

WI1 = Gas Volume (MCF) from Well Injection Meter at individual wells during allocation period. (Encana)\*

Y = Heating Value (BTU/scf) from Custody Transfer Meter during allocation period (Elm Ridge Gas Pipeline)

Z = Heating Value (BTU/scf) from individual Wellhead Allocation Meter and Well Injection Meter. (Encana)

Allocation Period is typically a calendar month and will be the same for all individual wells.

. •

\_ >

#### Individual Well Gas Production = A + B + C + D + E

A = Allocated Gas production off lease, MCF:  $[(W_1-R_1)/((W_1-R_1)+(W_2-R_2)+(W_n-R_n))]^*(V)$ 

B = On lease fuel usage, MCF. Determined from equipment specification and operating conditions. This includes, but is not limited to, compression, vapor recovery unit (VRU) compression, burners, and pump jacks.

C = Lost and/or vented gas from well and/or lease equipment, MCF. Calculated using equipment and piping specifications and operating pressures.

D = Allocated fuel from gathering system equipment, MCF. The total fuel required to operate gathering system equipment will be allocated to the individual wells benefiting from the equipment using allocation factors determined by  $[(W_1-R_1)/((W_1-R_1)+(W_2-R_2)+(W_n-R_n))]$ .

E = Allocated volume of gas lost and/or vented from the gathering system, gathering system equipment, condensate collection, and water collection in MCF. The total volume will be determined using industry accepted procedures the time of the loss. The total volumes lost and/or vented will be allocated to the individual wells affected using factors determined [( $W_1$ - $R_1$ )/(( $W_1$ - $R_1$ )+( $W_2$ - $R_2$ )+( $W_n$ - $R_n$ ))].

Individual Well BTU's =  $[[{(W_n-WI_n)*Z_n}/{SUM((W_n-WI_n)*Z_n)}]*(V*Y)*1000]$ Individual well gas heating values to be determined in accordance with BLM regulations.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT Farmington Field Office 6252 College Blvd., Suite A Farmington, New Mexico 87402

IN REPLY REFER TO:

# CONDITIONS OF APPROVAL FOR GAS LIFT & BUY BACK METER INSTALLATIONS:

• The buy-back meter isolation valve, either up or down stream of the buyback meter must be effectively sealed in the closed position to prevent produced gas from potentially by-passing the measurement and sales meter. In lieu of the seal requirement at least two check valves can be installed either up and down stream of the buyback meter or in line with the buy-back meter to prevent produced gas from potentially by-passing the measurement and sales meter.

Contact this office so a BLM witness verify installation of either the seal or check valves.

- If seals are installed, seal records must be maintained and made available upon request.
  - Post a Facility Card or Sign that clearly identifies <u>both</u> the sales and buy-back meters.
  - Gas Meters must be installed and calibrated in accordance with Onshore Order 5.