

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company: XTO Energy, Inc.	Contact: Kurt Hoekstra	
Address: 382 Road 3100, Aztec, New Mexico 87410	Telephone No.: (505) 333-3100	
Facility Name: Beach Com # 1	Facility Type: Gas Well (Basin Dakota)	
Surface Owner: Private	Mineral Owner	API No.: 30-045-07827

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
K	26	29N	10W	1845	FSL	1500	FWL	San Juan

Latitude 36.69485 Longitude -107.85788

NATURE OF RELEASE

Type of Release: Produced Water	Volume of Release: Unknown	Volume Recovered: None
Source of Release: Below Grade Tank	Date and Hour of Occurrence: Unknown	Date and Hour of Discovery: 11-24-2008
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	
If a Watercourse was Impacted, Describe Fully.*		

Describe Cause of Problem and Remedial Action Taken.* The below grade tank was removed at the Beach Com # 1 well site due to R & A of the location. The soil beneath the BGT was sampled for TPH via USEPA Method 8015 and 418.1. The sample returned results above the 'Pit Rule' spill confirmation Standard for TPH of 100 ppm at 4550 ppm via USEPA Method 418.1, confirming that a release has occurred at this location. The site was then ranked according to the NMOCD Guidelines for the Remediation of Leaks, Spills and Releases. The site was ranked a 20 due to an estimated depth to groundwater of less than 50 feet, distance to a water well greater than 1000 feet, and distance to surface water greater than 1000 feet. This set the closure standard to 100 ppm TPH, 10 ppm benzene, and 50 ppm total BTEX.


Describe Area Affected and Cleanup Action Taken.* Between 11-20-2008 and 11-24-2008 approximately 800 CY of impacted soil was excavated and hauled to Envirotechs land farm for disposal. Groundwater was encountered at approximately 13 feet deep. A ground water sample was taken but the results cannot be found. The excavation was backfilled. On 9-21-2011 a groundwater sample was collected using a hand auger to a depth of approximately 13 feet deep this sample returned results below detection limits for BTEX at < 0.0075 mg/l EPA method 8021 this is below the WQCC Standards. Based on these results XTO believes this does not pose a risk to human health or the environment and no further action is required.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: <i>Kurt Hoekstra</i>		OIL CONSERVATION DIVISION	
Printed Name: Kurt Hoekstra		Approved by Er	
Title: EHS Coordinator		Approval Date: BY: Cory Smith DATE: 5/12/15 (505) 334-6178 Ext. 115	
E-mail Address: Kurt_Hoekstra@xtoenergy.com		Conditions of Approval:	
Date: 1-19-15 Phone: 505-333-3100		Attached <input type="checkbox"/>	

* Attach Additional Sheets If Necessary

No Sidewall Samples
Please Resubmit with All Required Soil/Water Samples.
#NCS 1513249797





12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

Report Summary

Tuesday September 27, 2011

Report Number: L537740

Samples Received: 09/23/11

Client Project:

Description: Beach COM # 1

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

Daphne Richards , ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140
NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032008A,
TX - T104704245, OK-9915, PA - 68-02979

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

September 27, 2011

Date Received : September 23, 2011
Description : Beach COM # 1
Sample ID : GROUNDWATER
Collected By : Josh Kirchner
Collection Date : 09/21/11 10:30

ESC Sample # : L537740-01

Site ID : BEACH COM # 1

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Benzene	BDL	0.00050	mg/l	8021B	09/26/11	1
Toluene	BDL	0.0050	mg/l	8021B	09/26/11	1
Ethylbenzene	BDL	0.00050	mg/l	8021B	09/26/11	1
Total Xylene	BDL	0.0015	mg/l	8021B	09/26/11	1
Surrogate Recovery(%)						
a,a,a-Trifluorotoluene(PID)	98.2		% Rec.	8021B	09/26/11	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 09/27/11 12:58 Printed: 09/27/11 12:59

Summary of Remarks For Samples Printed
09/27/11 at 12:59:23

TSR Signing Reports: 288
R3 - Rush: Two Day

drywt

Sample: L537740-01 Account: XTORNM Received: 09/23/11 09:00 Due Date: 09/27/11 00:00 RPT Date: 09/27/11 12:58



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L537740

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

September 27, 2011

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Benzene	< .0005	mg/l			WG557332	09/26/11 15:38
Ethylbenzene	< .0005	mg/l			WG557332	09/26/11 15:38
Toluene	< .005	mg/l			WG557332	09/26/11 15:38
Total Xylene	< .0015	mg/l			WG557332	09/26/11 15:38
a,a,a-Trifluorotoluene (PID)		% Rec.	97.50	55-122	WG557332	09/26/11 15:38

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Benzene	mg/l	.05	0.0472	94.4	79-114	WG557332
Ethylbenzene	mg/l	.05	0.0513	103.	80-116	WG557332
Toluene	mg/l	.05	0.0517	103.	79-112	WG557332
Total Xylene	mg/l	.15	0.150	100.	84-118	WG557332
a,a,a-Trifluorotoluene (PID)				97.08	55-122	WG557332

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	%Rec				
Benzene	mg/l	0.0418	0.0472	84.0	79-114	12.1	20	WG557332
Ethylbenzene	mg/l	0.0464	0.0513	93.0	80-116	10.1	20	WG557332
Toluene	mg/l	0.0461	0.0517	92.0	79-112	11.5	20	WG557332
Total Xylene	mg/l	0.134	0.150	90.0	84-118	11.1	20	WG557332
a,a,a-Trifluorotoluene (PID)				95.74	55-122			WG557332

Analyte	Units	Matrix Spike				Limit	Ref Samp	Batch
		MS Res	Ref Res	TV	% Rec			
Benzene	mg/l	0.0467	0	.05	93.3	35-147	L537981-04	WG557332
Ethylbenzene	mg/l	0.0519	0	.05	104.	39-141	L537981-04	WG557332
Toluene	mg/l	0.0525	0	.05	105.	35-148	L537981-04	WG557332
Total Xylene	mg/l	0.151	0	.15	100.	33-151	L537981-04	WG557332
a,a,a-Trifluorotoluene (PID)					96.99	55-122		WG557332

Analyte	Units	Matrix Spike Duplicate			Limit	RPD	Limit	Ref Samp	Batch
		MSD	Ref	%Rec					
Benzene	mg/l	0.0479	0.0467	95.8	35-147	2.59	20	L537981-04	WG557332
Ethylbenzene	mg/l	0.0525	0.0519	105.	39-141	1.31	20	L537981-04	WG557332
Toluene	mg/l	0.0533	0.0525	106.	35-148	1.45	20	L537981-04	WG557332
Total Xylene	mg/l	0.153	0.151	102.	33-151	1.80	20	L537981-04	WG557332
a,a,a-Trifluorotoluene (PID)				97.72	55-122				WG557332

Batch number / Run number / Sample number cross reference

WG557332: R1871812: L537740-01

* * Calculations are performed prior to rounding of reported values.
* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L537740

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

September 27, 2011

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.

