District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank		
Operator: ELM RIDGE EXPLORATION COMPANY LLC Telephone: 505-632-3476 x 201 e-mail address: amackey1@elmridge.net		
Address: PO Box 156 Bloomfield, NM 87413	provide:	nusite y 1 (d) chini (d) chini
Facility or well name: Martin Whittaker #21 API #: 30-	039-23365 U/L or Otr/Otr I Sec	7 T 23N R 4W
County: Rio Arriba County Latitude Longitude NAD: 1927 1983		
Surface Owner: Federal State Private Indian		
Pit Below-grade tank		
Type: Drilling Production Disposal	Volume:bbl Type of fluid;	
Workover Emergency	Construction material:	
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not	
Liner type: Synthetic Thicknessmil Clay _	OCT 2005	
Pit Volume 60 bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points) On SCENED
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(20 points) OIL CONS. DIV.
ingli water elevation of ground water.)	100 feet or more	(0 points 0 0137. 3
Wallhard protection area: (Loss than 200 feet from a private demostic	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	(No	(0 points) 2 2 2 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 3 3 1 1 2 3 3 1 1 1 1
water source, or less than 1000 feet from an other water sources.)	Less than 200 feet	(20
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(20 points)
	2000 feet or more	(10 points)
	a dood feet of filore	(0 points)
	Ranking Score (Total Points)	$\downarrow \mathcal{D}$
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🛮 offsite 🗋 If offsite, name of facility (3) Attach a general description of remedial action taken including remediation		
start date and end date. (4) Groundwater encountered: No XYes I If yes, show depth below ground surface NONE ft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments:		
Dug fiberglass pit and removed. Haul junk pit to Lybrook yard. Install above ground 40 bbl metal tank. In same location as fiberglass pit.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank		
has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (a tached) alternative OCD-approved plan .		
Date:10-17-05		
Printed Name/Title Amy Mackey, Production Assistant Signature		
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.		
Approval: Printed Name/Title Signature Approval: Signature Date: OCT 19 2005		

MARTIN WhITHAET-21 P.T. Closure 30-039-23365

≥√