District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 882

State of New Mexico Energy Minerals and Natural Resources Form C-144 June 1, 2004

1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes V No

(WFS Closvie) Type of action: Registration of a pit or below		V					
Operator: CONOCOPHILLIPS COMPANY Telephone:	e-mail address:						
Address: PO BOX 2197 HOUSTON, TX 77252							
Facility or well name: SAN JUAN 29 5 UNIT #019A API #: 30-039-	21338 U/L or Qtr/Qtr P SEC	<u>6</u> T <u>29N</u> R <u>5W</u>					
County: RIO ARRIBA Latitude 36.749	Longitude <u>-107.39388</u>	NAD: 1927 🗹 1983 🗌					
Surface Owner: Federal 🗹 State 🗌 Private 🔲 Indian 🗍							
Pit Type: Drilling □ Production ✓ Disposal □	Below-grade tank Volume: bbl Type of fluid:						
	Volume: bbl Type of fluid: Construction Material:						
Workover	Double-walled, with leak detection? Yes 🔠 If not, ex	plain why not.					
	Unlined ✓						
Liner Type: Synthetic Thickness mil Clay							
Pit Volume 171 bbl							
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet	(20 points) (10 points)					
water elevation of ground water.)	100 feet or more	(0 points) $\underline{0}$					
Waller day of the state of the	Y.	(20 : 4)					
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) 0 points) 0					
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet	(20 points) (10 points) <u>0</u>					
	Greater than 1,000 feet	(0 points)					
	Ranking Score (TOTAL POINTS):	<u>0</u>					
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the							
onsite box if your are burying in place) onsite 🗹 offsite 🗌 If offsite, name of facility							
action taken including remediation start date and end date. (4)Groundwater encountered: No Ves If yes, show depth below ground surface ft. and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations.							
Additional Comments:	OCT 200E	Meter: <u>86957</u>					
Additional Comments: Meter: 86957 OCT 2005 PECEIVED OCT 2005							
DIST. 8 DIV.							
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade							
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines, a general permit, or an (attached) alternative OCD-approved plan							
Printed Name/Title Mark Harvey for Williams Field Services Signature Mr 2 - For wes							
Tradit Title ve y for withdriss Freid Betwiees							
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.							
Approval: GAS USF & GAS INSPECTOR, DEST.	10	DC: 1 2 2005					
Printed Name/Title Signature Signature							

ADDENDUM TO OCD FORM C-144


Operator: CONOCOPHILLIPS COMPANY

Well Name: SAN JUAN 29 5 UNIT #019A


API <u>30-039-21338</u>

Meter: 86957

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 32 Ft.

Width $\underline{15}$ Ft.

Depth $\underline{2}$ Ft.

Location of Pit Center

Latitude <u>36.74939</u>

Longitude -107.39376

(NAD 1927)

Pit ID

<u>869571</u>

Pit Type

Glycol Dehydrator

Date Closure Started: 7/21/04

Closure Method:

Pushed In

Date Closure Completed: 7/21/04

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached ? \Box

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date Head Space

ad BTEX

Benzene (mg/kg) TPH DRO (mg/kg) Purpose

Location

Depth

174215JUN04

6/15/04

(mg/kg) 0.387

0

64

ASSESS Flr

3.5



607218021

Lab Sample No:

Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6083735 Client Project ID: NM PITS

Project Sample Number: 6083735-022

Date Collected: 06/15/04 17:42 Date Received: 06/18/04 10:25

Client Sample ID: 174215JUN04			Matrix: Soil				Date Received: 06/18/04 10:29			
Parameters Parameters	Results	Units	<u>Report Limit</u>	<u>DF</u>	Analy	/zed	Ву	CAS_No	_ <u>Qua1</u> _	RegLmt
GC Semivolatiles										
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2	2							
Mineral Spirits	ND	mg/kg	11.	1.1	06/30/04	00:53	DCKI			
Jet Fuel	ND	mg/kg	11.	1.1	06/30/04	00:53	DCKI			
Kerosene	ND	mg/kg	11.	1.1	06/30/04	00:53	DCKI			
Diesel Fuel	64.	mg/kg·	11.	1.1	06/30/04	00:53	DCKI	68334-30-5		
Fuel 0il	ND	mg/kg	11.	1.1	06/30/04	00:53	DCKI	68334-30-5		
Motor Oil	ND	mg/kg	11.	1.1	06/30/04	00:53	DCKI			
n-Tetracosane (S)	98	*		1.0	06/30/04	00:53	DCKI	646-31-1		
p-Terphenyl (S)	102	*		1.0	06/30/04	00:53	DCKI	92-94-4		
Date Extracted	06/22/04				06/22/04					
Organics Prep										
Percent Moisture	Method: SM 2	540G								
Percent Moisture	14.0	%		1.0	06/21/04		DPB			
GC Volatiles										
Aromatic Volatile Organics	Prep/Method:	EPA 5030	Medium Soil / E	PA 802	1					
Benzene	ND	ug/kg	58.		06/21/04	18:32	ARF	71-43-2		
Ethylbenzene	ND	ug/kg	58.	1.2	06/21/04	18:32	ARF	100-41-4		
Toluene	77.	ug/kg	58.		06/21/04			108-88-3		
Xylene (Total)	310	ug/kg	150		06/21/04			1330-20-7		
a,a,a·Trifluorotoluene (S)	92	*			06/21/04					

Date: 07/01/04

Page: 22 of 39

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

