

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOC District Office.  
For downstream facilities, submit to Santa Fe office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

(WFS CLOSURE) Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: CONOCOPHILLIPS COMPANY Telephone: \_\_\_\_\_ e-mail address: \_\_\_\_\_  
Address: PO BOX 2197 HOUSTON, TX 77252  
Facility or well name: SAN JUAN 32.8 UNIT #040A API #: 30-045-25131 U/L or Qtr/Qtr E SEC 33 T 32N R 8W  
County: SAN JUAN Latitude 36.94353 Longitude -107.68603 NAD: 1927 ☒ 1983 ☐  
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

**Pit**

Type: Drilling ☐ Production ☒ Disposal ☐

Workover ☐ Emergency ☐

Lined ☐ Unlined ☒

Liner Type: Synthetic ☒ Thickness \_\_\_\_\_ mil Clay ☐

Pit Volume 68 bbl

**Below-grade tank**

Volume: \_\_\_\_\_ bbl Type of fluid: \_\_\_\_\_

Construction Material: \_\_\_\_\_

Double-walled, with leak detection? Yes ☒ If not, explain why not.

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet  
50 feet or more, but less than 100 feet  
100 feet or more

(20 points)  
(10 points)  
(0 points)

0

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes  
No

(20 points)  
(0 points)

0

Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet  
200 feet to 1,000 feet  
Greater than 1,000 feet

(20 points)  
(10 points)  
(0 points)

0


**Ranking Score (TOTAL POINTS):**

0

**If this is a pit closure:** (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

Meter: 85626



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOC District Office guidelines ☐, a general permit ☐, or an (attached) alternative OCD-approved plan ☒

Date: 9/18/05

Printed Name/Title Mark Harvey for Williams Field Services Signature Mark Harvey

Your certification and NMOC District Office approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. 3

Printed Name/Title \_\_\_\_\_ Signature Deputy Oil & Gas Inspector

OCT 12 2005  
Date: \_\_\_\_\_

# ADDENDUM TO OCD FORM C-144


Operator: CONOCOPHILLIPS COMPANY

API 30-045-25131


Well Name: SAN JUAN 32 8 UNIT #040A

Meter: 85626

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 16 Ft.

Width 16 Ft.

Depth 1.5 Ft.

Location of Pit Center

Latitude 36.94345

Longitude -107.68592

(NAD 1927)

Pit ID

856261

Pit Type

Glycol Dehydrator

Date Closure Started: 10/5/04

Date Closure Completed: 10/5/04

Closure Method: Pushed In

Bedrock Encountered ? ☐

Cubic Yards Excavated:

Vertical Extent of Equipment Reached ? ☐

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID	Sample Date	Head Space	BTEX Total (mg/kg)	Benzene (mg/kg)	TPH DRO (mg/kg)	Purpose	Location	Depth
150509JUL04	7/9/04		0	0	150	ASSESS	Flr	2

Lab Project Number: 6084738  
Client Project ID: NM PITS

Lab Sample No: 607299278  
Client Sample ID: 150509JUL04

Project Sample Number: 6084738-005  
Matrix: Soil

Date Collected: 07/09/04 03:05  
Date Received: 07/16/04 12:10

Parameters	Results	Units	Report Limit	DF	Analyzed	By	CAS No.	Qual	RegLmt
<b>GC Semivolatiles</b>									
Total Extractable Hydrocarbons	Prep/Method: OA2 / OA2								
Mineral Spirits	ND	mg/kg	13.	1.3	07/21/04 02:51	RMN1			
Jet Fuel	ND	mg/kg	13.	1.3	07/21/04 02:51	RMN1			
Kerosene	ND	mg/kg	13.	1.3	07/21/04 02:51	RMN1			
Diesel Fuel	ND	mg/kg	13.	1.3	07/21/04 02:51	RMN1	68334-30-5		
Fuel Oil	ND	mg/kg	13.	1.3	07/21/04 02:51	RMN1	68334-30-5		
Motor Oil	150	mg/kg	13.	1.3	07/21/04 02:51	RMN1			
n-Tetracosane (S)	104	%		1.0	07/21/04 02:51	RMN1	646-31-1		
p-Terphenyl (S)	105	%		1.0	07/21/04 02:51	RMN1	92-94-4		
Date Extracted	07/19/04				07/19/04				

#### Organics Prep

Percent Moisture	Method: SM 2540G			
Percent Moisture	24.4	%	1.0	07/19/04 DPB

#### GC Volatiles

TPH Gas/BTEX	Prep/Method: TPH GRO/BTEX / EPA 8021/OA1			
Benzene	ND	ug/kg	66.	1.3 07/20/04 10:50 71-43-2
Toluene	ND	ug/kg	66.	1.3 07/20/04 10:50 108-88-3
Ethylbenzene	ND	ug/kg	66.	1.3 07/20/04 10:50 100-41-4
Xylene (Total)	ND	ug/kg	170	1.3 07/20/04 10:50 1330-20-7
a,a,a-Trifluorotoluene (S)	100	%		1.0 07/20/04 10:50 98-08-8
4-Bromofluorobenzene (S)	95	%		1.0 07/20/04 10:50 460-00-4

Comments : No times on samples.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc.