#### District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

# State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes V No


Wes Collection: Registration of a pit or below	v-grade tank Closure of a pit or below-grade tank	V					
Operator: CONOCOPHILLIPS COMPANY Telephone:	e-mail address:						
Address: PO BOX 2197 HOUSTON, TX 77252							
Facility or well name: SAN JUAN 29 5 UNIT #027 API #: 30-039-	07597 U/L or Qtr/Qtr <u>B</u> SEC	<u>19</u> T <u>29N</u> R <u>5W</u>					
County: RIO ARRIBA Latitude 36.716	Longitude -107.39588	NAD: 1927 🗹 1983 🗌					
Surface Owner: Federal 🗹 State 🗌 Private 🔲 Indian 🔲							
<u>Pit</u>	Below-grade tank						
Type: Drilling Production Disposal	Volume: bbl Type of fluid:  Construction Material:						
Workover		plain why not.					
Lined Unlined 🗹							
Liner Type: Synthetic Thickness mil Clay							
Pit Volume 160 bbl							
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)					
water elevation of ground water.)	50 feet or more, but less than 100 feet 100 feet or more	(10 points) $\underline{0}$					
	Too teet of more	(o points)					
Wellhead protection area: (Less than 200 feet from a private domestic water	Yes	(20 points)					
source, or less than 1000 feet from all other water sources.)	No	(0 points) $\underline{0}$					
Distance to surface water: (Horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)					
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet to 1,000 feet Greater than 1,000 feet	(10 points) $\underline{0}$ (0 points)					
White the second							
	Ranking Score (TOTAL POINTS):	<u>0</u>					
	ationship to other equipment and tanks. (2) Indicate disposal						
onsite box if your are burying in place) onsite $\  \  \  \  \  \  \  \  \  \  \  \  \ $	ntered: No V Yes I If yes_show denth below gr	eneral description of remedial ound surface ft.					
and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations.							
Additional Comments:							
Auditoria, Commonia.	OCT 2000	<u> </u>					
	PECEIVED B						
	OR CONS. DIV.						
	nowledge and belief. I further certify that the above-describe						
	<u> </u>						
I hereby certify that the information above is true and complete to the best of my keen tank has been/will be constructed or closed according to NMOCD guidelines							
Date: 9/18/05  Mr 2 For Wes							
	rnature						
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.							
Approval: DEFUTT UIL & GAS INSPECTOR, DIST. (49	•	OCT 1 2 2005					
Printed Name/Title Sign	ature levy text	Date:					
	N						

# **ADDENDUM TO OCD FORM C-144**


Operator: CONOCOPHILLIPS COMPANY API 30-039-07597

Well Name: SAN JUAN 29 5 UNIT #027 Meter: 86037

## Facility Diagram:



## Sampling Diagram:



**Location of Pit Center Pit Dimensions** 

Length 15 Ft.

20 Ft.

Depth 3 Ft. Latitude

36.71651

Longitude -107.39557

(NAD 1927)

Pit ID

860371

Pit Type

Separator

Date Closure Started: 6/30/04 **Date Closure Completed:** 6/30/04

**Closure Method:** 

Width

Pushed In

**Bedrock Encountered?** 

**Cubic Yards Excavated:** 

Vertical Extent of Equipment Reached ?  $\Box$ 

#### **Description Of Closure Action:**

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

#### Pit Closure Sampling:

Sample ID

Sample Date

Head Space **BTEX** Total

Benzene (mg/kg) TPH DRO Purpose

Location Depth

(mg/kg) (mg/kg)

161120NOV02 11/20/02 14.19 330 ASSESS 3



Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6065112

Client Project ID: Phillips Pit Program

Lab Sample No: 605626431 Project Sample Number: 6065112-007 Date Collected: 11/20/02 16:11

Client Sample ID: 161120N0V02 Matrix: Soil Date Received: 11/22/02 09:45

arameters	Results	Units	Report Limit	DF	Analyzed	Ву	CAS No.	Qual	RegLm
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2							
Mineral Spirits	ND	mg/kg	12.	1.2	12/04/02 19:	55 MIM			
Jet Fuel	ND	mg/kg	12.	1.2	12/04/02 19:	55 MIM			
Kerosene	ND	mg/kg	12.	1.2	12/04/02 19:	55 MIM			
Diesel Fuel	ND	mg/kg	12.	1.2	12/04/02 19:	55 MIM	68334-30-5		
Fuel Oil	ND	mg/kg	12.	1.2	12/04/02 19:	55 MIM	68334-30-5		
Motor 0il	ND	mg/kg	12.	1.2	12/04/02 19:	55 MIN			
Total Petroleum Hydrocarbons	330	mg/kg	12.	1.2	12/04/02 19:	55 MIM		7	
n-Tetracosane (S)	93	*		1.0	12/04/02 19:	55 MIM	646-31-1	8	
p-Terphenyl (S)	107	*		1.0	12/04/02 19:	55 MIM	92-94-4		
Date Extracted	11/25/02				11/25/02				
Organics Prep					·				
Percent Moisture	Method:								
Percent Moisture	18.1	%		1.0	11/26/02	JLC1			
GC Volatiles									
Aromatic Volatile Organics	Prep/Method:	EPA 5030	Medium Soil / El	PA 802	1				
Benzene	ND	ug/kg	120	2.4	11/27/02 15:	57	71-43-2		
Ethylbenzene	260	ug/kg	120	2.4	11/27/02 15:	57	100-41-4		
Toluene	930	ug/kg	120	2.4	11/27/02 15:	57	108-88-3		
Xylene (Total)	13000	ug/kg	310	2.4	11/27/02 15:	57	1330-20-7		
a,a,a-Trifluorotoluene (S)	96	*	•	1.0	11/27/02 15:	57	98-08-8		

Date: 12/05/02

Page: 7 of 12

# **REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

