1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes 🗹 No 🗌									
(WF3 CLOS JAE) Type of action: Registration of a pit or below	v-grade tank Closure of a pit or below-grade tank	✓							
Operator: CONOCOPHILLIPS COMPANY Telephone:	e-mail address:								
Address: PO BOX 2197 HOUSTON, TX 77252									
Facility or well name: SAN JUAN 29 6 UNIT #032 API #: 30-039-0		<u>11</u> T <u>29N</u> R <u>6W</u>							
County: RIO ARRIBA Latitude 36.737 Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐	Z29 Longitude <u>-107.43766</u>	NAD: 1927 ☑ 1983 □							
<u>Pit</u>	Below-grade tank								
Type: Drilling Production Disposal	Volume: bbl Type of fluid:								
Workover	Construction Material: Double-walled, with leak detection? Yes If not, explain why not.								
Lined Unlined 🗹	Double-walled, with leak detection. Tes 😑 II no., on	plant why not.							
Liner Type: Synthetic Thickness mil Clay									
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) <u>0</u> (0 points)							
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>							
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)							
	Ranking Score (TOTAL POINTS):	<u>0</u>							
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite onsite offsite. If offsite, name of facility									
Additional Comments: OCT 2005 OF CONS. DIV. OUT 2005 OUT 2005									
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade									
tank has been/will be constructed or closed according to NMOCD guidelines 🔲 , a general permit 🔲 , or an (attached) alternative OCD-approved plan 🗹 🦟									
Date: 9/18/05 Printed Name/Title Mark Harvey for Williams Field Services Signature MN 24-6, For WPS									
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.									
Approval: Printed Name/Title DEFUTY OIL & GAS INSPECTOR, DIST. SSI Signal	ature Lewy Party	OCT 12 2005							

ADDENDUM TO OCD FORM C-144


Operator: CONOCOPHILLIPS COMPANY

Well Name: SAN JUAN 29 6 UNIT #032


API 30-039-07651

Meter: 86061

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 15 Ft.

Width 15 Ft.

Depth 3 Ft. **Location of Pit Center**

Latitude 36.73759

Longitude -107.4378

(NAD 1927)

Pit ID

860611

Pit Type

Other

Date Closure Started: 6/16/04

Closure Method:

Pushed In

Date Closure Completed: 6/25/04

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached?

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date

Head Space **BTEX** Total

(mg/kg)

Benzene (mg/kg)

TPH DRO

(mg/kg)

340

Purpose

Location Depth

135814MAY04

5/14/04

22

ASSESS

Flr

3.5



Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913,599,5665 Fax: 913.599.1759

Lab Project Number: 6082624

Client Project ID: N.M. Pit Program

Lab Sample No:

607121373

Project Sample Number: 6082624-019

Date Collected: 05/14/04 13:58

Client Sample ID: 135814MAY04

Matrix: Soil

Date Received: 05/18/04 09:05

Criefic Sample ID. 133014FATU4		, Machax: 3011				Date Received: 05/16/04 09:05				
Parameters	Results	Units	Report Limit	_DF	Analyz	zed	Ву	CAS No.	Qual	RegLmt
GC Semivolatiles										
Total Extractable Hydrocarbon	s Prep/Method:	OA2 / OA2								
Mineral Spirits	ND	mg/kg	12.	1.2	05/22/04 (02:09	DCKI			
Jet Fuel	ND	mg/kg	12.	1.2	05/22/04 (02:09	DCKI			
Kerosene	ND	mg/kg	12.	1.2	05/22/04 (02:09	DCKI			
Diesel Fuel	ND	mg/kg	12.	1.2	05/22/04 (02:09	DCKI	68334-30-5		
Fuel 011	ND	mg/kg	12.	1.2	05/22/04 (02:09	DCKI	68334-30-5		
Motor Oil	ND	mg/kg	12.	1.2	05/22/04 (02:09	DCKI	•		
Total Petroleum Hydrocarbons	340	mg/kg	12.	1.2	05/22/04 (02:09	DCKI		6	
n-Tetracosane (S)	. 73	*		1.0	05/22/04 (02:09	DCKI	646-31-1		
p-Terphenyl (S)	111	*		1.0	05/22/04 (02:09	DCKI	92-94-4		
Date Extracted	05/21/04	•			05/21/04					
Organics Prep										
Percent Moisture	Method: SM 2	2540G								
Percent Moisture	19.3	%		1.0	05/21/04		DPB			
GC Volatiles										
Aromatic Volatile Organics	Prep/Method	EPA 5030 M	edium Soil / El	PA 8021						
Benzene	ND	ug/kg	1200	24.6	05/24/04	18:34	ARF	71-43-2		
Ethylbenzene	3000	ug/kg	1200	24.6	05/24/04	18:34	ARF	100-41-4		
Toluene	ND	ug/kg	1200	24.6	05/24/04	18:34	ARF	108-88-3		
Xylene (Total)	19000	ug/kg	3100	24.6	05/24/04	18:34	ARF	1330-20-7		
a,a,a-Trifluorotoluene (S)	94	*		1.0	05/24/04	18:34	ARF	98-08-8		

Date: 05/28/04

Page: 19 of 41

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

