1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank cov	rered by a "general plan"? Yes 🗹 No 🗌							
WF5 CLOSURE Type of action: Registration of a pit or below	w-grade tank Closure of a pit or below-grade tank	✓						
Operator: CHAPARRAL OIL & GAS CO Telephone:	e-mail address:							
Address: PO BOX 100 AZTEC, NM 874100100								
Facility or well name: SALLY #002 API #: 30-045-	-20614 U/L or Qtr/Qtr \underline{F} SEC	<u>24</u> T <u>28N</u> R <u>11W</u>						
County: <u>SAN JUAN</u> Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐	NAD: 1927 ☑ 1983 ☐							
Pit Type: Drilling □ Production ✔ Disposal □	Below-grade tank Volume: bbl Type of fluid:							
Workover	Construction Material: Double-walled, with leak detection? Yes If not, ex	plain why not.						
Lined Unlined 🗹	,							
Liner Type: Synthetic Thickness mil Clay								
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) <u>0</u> (0 points)						
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>						
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)						
	Ranking Score (TOTAL POINTS):	<u>0</u>						
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite I if offsite, name of facility action taken including remediation start date and end date. (4) Groundwater encountered: No Yes If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations of the facility in place. Additional Comments:								
I hereby certify that the information above is true and complete to the best of my keep tank has been/will be constructed or closed according to NMOCD guidelines	cnowledge and belief. I further certify that the above-describe							
Date:9/18/05 Printed Name/Title Mark Harvey for Williams Field Services Signature Signatu	gnature, FOR WPS							
Your certification and NMOCD approval of this application/closure does not relie or otherwise endanger public health or the environment. Nor does it relieve the or regulations.	eve the operator of liablility should the contents of the pit or to perator of its responsibility for compliance with any other federal	ank contaminate ground water eral, state, or local laws and/or						
Approval: Printed Name/Title Approval: Sign	ature Terry Tarin	OCT 1 2 2005						

ADDENDUM TO OCD FORM C-144


Operator: CHAPARRAL OIL & GAS CO

API 30-045-20614


Well Name: SALLY #002

Meter: 32921

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 12 Ft.

Width 12 Ft.

Depth 3 Ft. **Location of Pit Center**

Latitude 36.64976

Longitude -107.95743

(NAD 1927)

Pit ID

329211

Pit Type

Other

Date Closure Started: 6/18/04

Closure Method:

Pushed In

Date Closure Completed: 6/18/04

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached?

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date

Head Space

BTEX Total (mg/kg) Benzene (mg/kg)

TPH DRO (mg/kg)

Purpose

Location

Depth

110305FEB04 2/5/04

ASSESS

Flr



Lab Sample No:

606814978

Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6079093

Client Project ID: NM Pit Program

31.cm 1.0**3**cc 25. m. 1.c 1.c 35. m.

Matrix: Soil

Project Sample Number: 6079093-006

Date Collected: 02/05/04 11:03 Date Received: 02/10/04 09:30

Client Sample ID: 110305FEB04				Matrix: Soil			Date Received: 02/10/04 09:30			
Parameters	Results	Units	Report Limit	_DF	Analyzed	Ву	CAS No.	Qua1	RegLmt	
GC Semivolatiles										
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2								
Mineral Spirits	ND	mg/kg	11.	1.1	02/12/04 22:22	RMN1				
Jet Fuel	ND	mg/kg	11.	1.1	02/12/04 22:22	RMN1				
Kerosene	ND	mg/kg	11.	1.1	02/12/04 22:22	RMN1				
Diesel Fuel	ND	mg/kg	11.	1.1	02/12/04 22:22	RMN1	68334-30-5			
Fuel 0il	ND	mg/kg	11.	1.1	02/12/04 22:22	RMN1	68334-30-5			
Motor 0il	ND	mg/kg	11.	1.1	02/12/04 22:22	RMN1				
n-Tetracosane (S)	118	%		1.0	02/12/04 22:22	RMN1	646-31-1			
p-Terphenyl (S)	103	%		1.0	02/12/04 22:22	RMN1	92-94-4			
Date Extracted	02/12/04				02/12/04					
Organics Prep										
Percent Moisture	Method: SM 2	540G								
Percent Moisture	6.9	%		1.0	02/12/04	DPB				
GC Volatiles										
Aromatic Volatile Organics	Prep/Method:	EPA 5030 N	Medium Soil / El	PA 8021						
Benzene	ND	ug/kg	53.	1.1	02/16/04 18:09	DCKI	71-43-2			
Ethylbenzene	ND	ug/kg	53.	1.1	02/16/04 18:09	DCKI	100-41-4			
Toluene	ND	ug/kg	53.	1.1	02/16/04 18:09	DCKI	108-88-3			
Xylene (Total)	ND	ug/kg	130	1.1	02/16/04 18:09	DCKI	1330-20-7			
a.a.a-Trifluorotoluene (S)	99	%		1.0	02/16/04 18:0	5 DCKI	98-08-8			

Date: 02/17/04

Page: 6 of 19

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

