•1625 N. French Dr., Hobbs, NM 88240 <u>District III</u> 1301 W. Grand Avenue, Artesia, NM 88210 <u>District IIII</u> 1000 Rio Brazos Road, Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submitto appropriate NMOCD District Office. For downstreamfacilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registrationor Closure

Is pit or below-grade tank covered by a "general plan"? Yes X No properties of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank IX

Type of action: Registration of a pit or below-gradetank 🔲 Closure of a pit or below-gradetank 🔀		
Operator: ConocoPhillips Company Telephone: (505)599-3419 e-mail address: juanita.r.farrell@conocophillips.com Address: 5525 Highway 64 Farmington, NM 87401		
Facility or well name: San Juan 29-6 Unit 64M API#: 30-039-29331 U/Ior Qtr/Qtr J Sec 9 T 29N R6W		
County: Rio Arriba Latitude Longitude NAD: 1927 1983 Surface Owner Federal State Private Indian		
<u>Pit</u>	Below-gradetank	
Type: Drilling X Production Disposal	Volume:bbl Type of fluid:	
Workover Emergency	Construction material:	
Lined X Unlined	Double-walled, with leak detection? Yes If not, explain why po	
Liner type: Synthetic ☐ Thickness 12 mil Clay ☐	Constructionmaterial: Double-walled,with leak detection? Yes If not, explain why to DEC 2005 Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more Yes (20 points)	
Pit Volumebbl		2
	Less than 50 feet	(20 points) (20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal high		Dio 1.3
water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points)
W. W. J.	Yes	(20 points)
Wellheadprotectionarea: (Less than 200 feet from a private domestic	No	(0 points)
water source, or less than 1000 feet from all other water sources.)		(- F
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)
	RankingScore (Total Points)	
Test: 1. 1. (1) at a la diagnostic de la contractica del la contractica del la contractica de la contr		
If this is a pit closure (1) attacha diagramof the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🛛 offsite 🗌 If offsite, name of facility(3) Attach a general description of remedial action taken including		
remediationstart date and end date. (4) Groundwaterencountered: No 🛛 Yes 🗌 If yes, show depth below ground surfaceft. and attach sample results. (5)		
Attach soil sample results and a diagram of sample locations and excavations.		
AdditionalComments:		
This drilling pit was closed 09/30/2005 as per COPC general plan on file with OCD.		
GW: 50-100' WHP: >1000' SW: 200-1000'		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-gradetank has been/will be constructed or closed according to NMOCD guidelines, a general permit, or an (attached) alternative OCD-approved plan. Date: 12/09/2005		
Printed Name/Title Juanita Farrell Regulatory Analyst Signature		
Your certification and NMOCD approval of this application/closuredoes not relieve the operator of liability should the contents of the pit or tank contaminate ground water or		
otherwise endanger public health or the environment. Nor does it relieve the operator of its esponsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval: Printed Name/Title Signature Signature DEC 1 5 2005		
The state of the s	/ /	

