

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation Division

Sundry Notices and Reports on Wells

1. Type of Well
GAS

2. Name of Operator

**BURLINGTON
RESOURCES**

OIL & GAS COMPANY LP

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

2065 'FSL, 145' FEL, Sec.8, T-32--N, R-6-W, NMPM, San Juan County

API # (assigned by OCD)
30-045-29810

5. Lease Number

6. State Oil&Gas Lease #
Fee

7. Lease Name/Unit Name

Allison Unit Com

8. Well No.
64

9. Pool Name or Wildcat
Blanco MV/Basin DK

10. Elevation:

Type of Submission

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment

Type of Action

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☐ Other

☐ Change of Plans

☐ New Construction


☐ Non-Routine Fracturing

☐ Water Shut off

☐ Conversion to Injection

13. Describe Proposed or Completed Operations

It is intended to squeeze the MV formation on the subject well according to the attached procedures.



SIGNATURE

Frances Bond

Regulatory Specialist

January 5, 2006

FSB

(This space for State Use)

Approved by

Charles R.

Title

SUPERVISOR DISTRICT #3

Date

JAN 06 2006

Procedure-Allison Unit Com 64

After rigging up on this well and determining the water from each MV interval, the entire Mesaverde formation will be squeezed off.

Set a cement retainer above the Point Lookout at 5257'

Pump 50sx of Type III Neat cement

Drill out cmt and pressure test to 500 psi

Set a cement retainer above the Menefee at 4658'

Pump 325sx of Type III Neat cement

Drill out cmt and pressure test to 500 psi

Set a cement retainer above the Cliff House at 3902'

Pump 350sx of Type III Neat cement

Drill out cmt and pressure test to 500 psi

Clean out well if necessary

Drill out CIBP at 6500'

Clean out to PBTD of 7632'

Run 2-3/8" tubing in well and land at 7609'

SN at 7585'

Run pump and rods

RDMO