

**TABULATION OF DEVIATION TEST
BP AMERICA PRODUCTION COMPANY**



<u>DEPTH</u>	<u>DEVIATION</u>	<u>DEPTH</u>	<u>DEVIATION</u>
<u>734'</u>	<u>0.75</u>	<u> </u>	<u> </u>
<u>1245'</u>	<u>1.00</u>	<u> </u>	<u> </u>
<u>1745'</u>	<u>1.25</u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>

AFFIDAVIT

THIS IS TO CERTIFY that to the best of my knowledge, the above tabulation details the deviation test taken on BP AMERICA PRODUCTION COMPANY'S:

SCHWERTFEGER A LS 25 30-045-33226

1875' FSL & 1790' FWL Sec. 36 T28N R09W

SAN JUAN COUNTY, NEW MEXICO


Signed: Cherry Hlava
Title: Regulatory Analyst

THE STATE OF TEXAS)
) SS.
COUNTY OF HARRIS)

BEFORE ME, the undersigned authority, on this day personally appeared Cherry Hlava known to me to be a Regulatory Analyst for BP America Production company and to be the person whose name is subscribed to the above statement, who being by me dully sworn on oath, states that she has knowledge of the facts stated herein and that said statement is true and correct.

SUBSCRIBED AND SWORN to before me, a Notary Public in and for said County and State this 30th day of December, 2005.

Linda J. Berry
Notary Public



My Commission Expires: _____