District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Date: 11/01/2005

Printed Name/Title

regulations.

Approval:

Printed Name/Title Jeffrey C. Blagg, Agent

WITH THE & GAS MENTELLOW, LEGIT. GE

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank Telephone: (505)326-9200 e-mail address: Operator: BP America Production Company Address: 200 Energy Ct, Farmington, NM 87401 Facility or well name: 60 #184 API#: 30045 17207 U/L or Qtr/Qtr A Sec 28 T28N R LZU Longitude NAD: 1927 🔲 1983 🗍 County: San Juan Surface Owner: Federal State Private Indian Below-grade tank Type: Drilling Production Disposal Volume: ____bbl Type of fluid: ____ Workover ☐ Emergency ☐ Construction material: Double-walled, with leak detection? Yes If not, explain why not. RECEIVED Lined Unlined Liner type: Synthetic Thickness ____mil Clay __ Pit Volume (20 points)_ Less than 50 feet Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite [] offsite [] If offsite, name of facility_____ ______. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: See Attached Documentation I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines X, a general permit , or an (attached) alternative OCD-approved plan ...

Signature

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or

Form C-144 June 1, 2004

CLIENT: BP	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 874 (505) 632-1199	113 LOCATION NO: 80837 C.O.C. NO: 8506			
FIELD REPOR	RT: CLOSURE VERIFICATIO	N PAGE No: 1 of 1			
	WELL #: 184 PIT: BLOW TWP: ZBN RNG: 12W PM: NM CNTY: SJST:	DATE STARTED: 2-14-01 DATE FINISHED: Z-14-01			
i .	NE/4 CONTRACTOR: FLINT	ENVIRONMENTAL JCB			
EXCAVATION APPROX. 40 DISPOSAL FACILITY:	O FT. x 40 FT. x 6 FT. DEEP. CU ARMING LEASE:	ubic yardage: _O			
FIELD NOTES & REMAR	RKS: PIT LOCATED APPROXIMATELY 265' F	T. NIO°E FROM WELLHEAD.			
	NEAREST WATER SOURCE: NEAREST ST NMOCD TPH CLOSURE STD: 5000 PPM NDESCRIPTION:	URFACE WATER: >1000 CHECK ONE: PIT ABANDONED STEEL TANK INSTALLED			
PIT SAMPLED W/ SPA	DE PIZIOR TO ANY REMEDIATION. DUG TO	FIBERGLASS TANK INSTALLED			
2' depth in Base of Pit. No HC odor or Staw at ANY TEST Point. Pit Appeared unused - vegetation growth on entire pit bottom. 0'-2' coarse grained, yellow orange SAND. Moist O"-4" (snow melt). Dry 4"-2" @ 2' Hit Hard pan, appoint fine grained sand w/ Caliche mix. SAMPLE @ S-rface of hardisan. FIELD 418.1 CALCULATIONS (CLOSED) TIME SAMPLE I.D. LAB NO: WEIGHT (g) IML. FREON DILUTION READING CALC. ppm					
SCALE	TIME SAMELE I.B. DAD NO. WEIGHT (g) THE THE	ov province of the state of the			
O FT	EMED OVM				
PIT PERIM	ETER RESULTS F	PIT PROFILE			
A * 40 - 40 - 40 - 40 - 40 - 40 - 40 - 40	SAMPLE FIELD HEADSPACE PID (Apm) ING B' O.Z ZEGB' O.D 3 S B B' O.H 4 W B B' O.D 5 C B B' I.Z LAB SAMPLES SAMPLE ANALYSIS TIME LG B' TP FT 0947				
V well head	(PRESED)				

: :1



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Blow Pit C @ 8'	Date Reported:	02-15-01
Laboratory Number:	19194	Date Sampled:	02-14-01
Chain of Custody No:	8506	Date Received:	02-14-01
Sample Matrix:	Soil	Date Extracted:	02-15-01
Preservative:	Cool	Date Analyzed:	02-15-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.1

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

GCU #184.

Ablem 6. Glee

Misteri m Walter