District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank				
	ne: <u>(505)326-9200</u> e-mail address:			
Address: 200 Energy Ct, Farmington, NM 87401 Facility or well name: DWEZ 6C D#18 API#: 3	3m45 23724 110 01-101- T	Son R TRANSPAUL		
		 		
	Longitude	NAD: 1927 🔲 1983 🔲		
Surface Owner: Federal State Private Indian				
Pit	Below-grade tank	13 13 14 15 Van		
Type: Drilling Production Disposal	Volume:bbl Type of fluid:			
Workover	Construction material:			
Lined 🗌 Unlined 🗍	Double-walled, with leak detection? Yes If not, explain why pot. DEC 2005			
Liner type: Synthetic Thicknessmil Clay _		CO COLUED		
Pit Volumebbl		W CONS. DIV.		
	Less than 50 feet	(20 points)		
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)		
high water elevation of ground water.)	100 feet or more	(0 points)		
	37	(20 mainta)		
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)		
water source, or less than 1000 feet from all other water sources.)	No	(0 points)		
	Less than 200 feet	(20 points)		
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)		
	Tool feet of more	(орошь)		
	Ranking Score (Total Points)			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'	s relationship to other equipment and tanks. (2) India	cate disposal location: (check the onsite box if		
your are burying in place) onsite offsite I If offsite, name of facility_				
remediation start date and end date. (4) Groundwater encountered: No []				
(5) Attach soil sample results and a diagram of sample locations and excava-	ions.			
Additional Comments:				
See Attached Documentation				
	- · · · · · · · · · · · · · · · · · · ·			
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline	of my knowledge and belief. I further certify that s X, a general permit , or an (attached) alternate	the above-described pit or below-grade tank ative OCD-approved plan .		
		-		
Date:11/01/2005	111 0 10			
Printed Name/Title Jeffrey C. Blagg, Agent Signat Your certification and NMOCD approval of this application/closure does not be supplied to the supplication and NMOCD.	ure fuffy c. they			
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve to regulations.	not relieve the operator of liability should the content the operator of its responsibility for compliance with	s of the pit or tank contaminate ground water or any other federal, state, or local laws and/or		
Approval: DEFUTY OR & GAS INSPECTOR, DIST. 43	1 1 7 -	DEC 1 4 2005		
Printed Name/Title	Signature Deny Lew	Date:		
	' //			

CLIENT: BP	P.O. BOX 8	G ENGINEERI 7, BLOOMFIEL (505) 632-11	D, NM 87413	LOCATION NO: 80905 C.D.C. NO: 8787
	ORT: CLOS			
LOCATION: NAME: CH	AUEZ GC D W : 3 TWP: Z9N R			DATE STARTED: 11/2/01 DATE FINISHED:
	1760'E mulse			ENVIRONMENTAL NU
EXCAVATION APPROX.	·			
DISPOSAL FACILITY				
				568E FROM WELLHEAD
DEPTH TO GROUNDWATER:				CE WATER: >1900'
NMOCD RANKING SCORE: _		LOSURE STD: 1000 ALIB. READ. 53.5		CHECK ONE : PIT ABANDONED
SOIL AND EXCAVA	ATTON DVM CA	ALIB. GAS = 100 p	pm RF = 0.52	_ STEEL TANK INSTALLED
DESCRIPTION: SDIL TYPE: (SAND) SI	LTY SAND / SILT / S	ILTY CLAY / CLAY /		FIBERGLASS TANK INSTALLED
SOIL COLOR:COHESION (ALL OTHERS)	OK. YELL ORANG	Ĕ		
CONSISTENCY (NON COHE	SINE SOITS) (COOSE	/ FIRM / DENSE /	VERY DENSE	
DENSITY (COHESTVE CL	AYS & SILTS) : SOFT /	/ FIRM / STIFF / V	ERY STIFF / HARD	C. SSES
MOISTURE: DRY / SLIG DISCOLORATION/STAININ	G OBSERVED: YES /	NO EXPLANATION -		
HC ODOR DETECTED: YE SAMPLE TYPE: GRAD	/ COMPOSITE - # OF F	2Tc		
ADDITIONAL COMMENTS:	STEEL TANK RE	moved & Time	OF ARRIVAL.	
		EIELD 4101	CALCULATIONS	
SCALE	P. TIME SAMPLE I.D.	·		JTION READING CALC. ppm
OFT				
	RIMETER AN		PIT	PROFILE
	711111111111111111111111111111111111111	OVM		
	_	RESULTS SAMPLE FIELD HEADSPAK PID (PPM)	DE .	
2.6	1 2	@ 5		
76 FE.	3 4	9		
WELL HEAD	_ \ 5	@	7000	APPLICABLE
1 1	27'			•
				į
SAMPLE PT FOR	mee P.D.	LAB SAMPLES		•
APPROX.) STER	HPPROX 4	SAMPLE ANALYSIS	TIME 050	
P.O. Loc	ATION B.G.	PRISTO		
P.D. = PIT DEPRESSION; T.H. = TEST HOLE	B.G. = BELOW GRADE			
TOAMEL MOTEO	LOUT: 11/12/01-ma	onsite	: 1/12/01-mo	RA ·

revised: 08/17/01



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 5'	Date Reported:	11-13-01
Laboratory Number:	21480	Date Sampled:	11-12-01
Chain of Custody No:	8787	Date Received:	11-12-01
Sample Matrix:	Soil	Date Extracted:	11-12-01
Preservative:	Cool	Date Analyzed:	11-12-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	4.0	0.1
Total Petroleum Hydrocarbons	4.0	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Separator Pit Chavez GC D #1E Grab Sample.

Mistue m Wasters
Analyst

Landra R. Jack Son