

District I
625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505


Form C-144
June 1, 2004

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>Dugan Production Corp</u> Telephone: <u>(505)325-1821</u> e-mail address: _____			
Address: <u>P.O. Box 420, Farmington, New Mexico 87401</u>			
Facility or well name: <u>WAC #1</u> API #: <u>30-045-25918</u> U/L or Qtr/Qtr <u>D</u> Sec <u>17</u> T <u>24N</u> R <u>9W</u>			
County: <u>San Juan</u> Latitude <u>36.31912</u> Longitude <u>107.81839</u> NAD: 1927 <input type="checkbox"/> 1983 <input type="checkbox"/> Surface Owner Federal <input checked="" type="checkbox"/> State <input checked="" type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>			
Pit Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume <u>77 ±</u> bbl	Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points)		0
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points)		0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points)		0
Ranking Score (Total Points)			0

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:
12' x 12' x 3'± deep unlined production separator pit, center located 75 feet North 48° West of wellhead. Pit excavated in bedrock sandstone.
Use backhoe to remove impacted pit contents to dimension of 12' x 12' x 4½' ± and landfarm soils on location.
Collect 5-point composite soil sample from excavated pit for laboratory testing.
See attached field sampling report and laboratory test reports.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 12/27/2005

Printed Name/Title Jeff Blagg, Agent

Signature Jeff Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:




Printed Name/Title

DEPUTY OIL & GAS INSPECTOR, DIST. III

Signature

Denny Fawcett

Date: DEC 29 2005

CLIENT: <u>DUGAN</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: _____ COCR NO: <u>14601</u>																																								
FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																								
LOCATION: NAME: <u>WAC</u> WELL #: <u>1</u> TYPE: <u>SEP</u> QUAD/UNIT: <u>D</u> SEC: <u>17</u> TWP: <u>24N</u> RNG: <u>9W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u> QTR/FOOTAGE: <u>790 FNL x 890 FWL</u> CONTRACTOR: <u>DPC</u>		DATE STARTED: <u>12-14-05</u> DATE FINISHED: <u>12-22-05</u> ENVIRONMENTAL SPECIALIST: <u>JCB</u>																																								
EXCAVATION APPROX. <u>12</u> FT. x <u>12</u> FT. x <u>4 1/2</u> FT. DEEP. CUBIC YARDAGE: <u>8 ±</u>																																										
DISPOSAL FACILITY: <u>ONSITE</u> REMEDIATION METHOD: <u>LANDFARM</u>																																										
LAND USE: <u>RANGE - BLM</u> LEASE: <u>NM 36473</u> FORMATION: <u>GAL</u>																																										
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>75</u> FT. <u>N48W</u> FROM WELLHEAD.																																										
DEPTH TO GROUNDWATER: <u>>100</u> NEAREST WATER SOURCE: <u>>1000</u> NEAREST SURFACE WATER: <u>>1000</u>																																										
NMOC D RANKING SCORE: <u>0</u> NMOC D TPH CLOSURE STD: <u>5000</u> PPM																																										
SOIL AND EXCAVATION DESCRIPTION:		OVM CALIB. READ. = <u>52.2</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>0835</u> (am/pm) DATE: <u>12/14</u>																																								
SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL <u>(OTHER)</u> <u>BEDROCK SANDSTONE</u>																																										
SOIL COLOR: <u>TAN</u>																																										
COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / <u>HIGHLY COHESIVE</u>																																										
CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE																																										
PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC																																										
DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD																																										
MOISTURE: <u>DRY</u> / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED																																										
DISCOLORATION/STAINING OBSERVED: <u>YES</u> NO EXPLANATION - <u>Gray stain on surface</u>																																										
HC ODOR DETECTED: <u>YES</u> NO EXPLANATION - <u>MINOR</u>																																										
SAMPLE TYPE: GRAB <u>(COMPOSITE)</u> # OF PTS. <u>5</u>																																										
ADDITIONAL COMMENTS: <u>12'x12'x3' Deep unlined Pit, Excavated into</u> <u>Bedrock Sandstone, HC stain on surface. Excavate soft</u> <u>Sandstone to crystalline Sandstone @ 4 1/2'</u>																																										
FIELD 418.1 CALCULATIONS																																										
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMP. ID</th> <th>LAB NO.</th> <th>WEIGHT (g)</th> <th>mL FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. (ppm)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>			SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																			
SCALE  0 FT ↑ N 1		PIT PERIMETER 																																								
OVM READING <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @</td><td> </td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td>S-Point</td><td><u>4.5</u></td></tr> <tr><td>Composite @ 4 1/2'</td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>		SAMPLE ID	FIELD HEADSPACE (ppm)	1 @		2 @		3 @		4 @		5 @		S-Point	<u>4.5</u>	Composite @ 4 1/2'						PIT PROFILE 																				
SAMPLE ID	FIELD HEADSPACE (ppm)																																									
1 @																																										
2 @																																										
3 @																																										
4 @																																										
5 @																																										
S-Point	<u>4.5</u>																																									
Composite @ 4 1/2'																																										
LAB SAMPLES <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td>S-Point</td><td><u>TPH</u></td><td><u>1000</u></td></tr> <tr><td> </td><td><u>BFA</u></td><td> </td></tr> <tr><td> </td><td><u>CL-</u></td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>		SAMPLE ID	ANALYSIS	TIME	S-Point	<u>TPH</u>	<u>1000</u>		<u>BFA</u>			<u>CL-</u>								BEDROCK SANDSTONE																						
SAMPLE ID	ANALYSIS	TIME																																								
S-Point	<u>TPH</u>	<u>1000</u>																																								
	<u>BFA</u>																																									
	<u>CL-</u>																																									
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM																																										
TRAVEL NOTES: CALLOUT: _____ ONSITE: <u>12/14/05</u>																																										

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	WAC #1 - Sep	Date Reported:	12-16-05
Laboratory Number:	35464	Date Sampled:	12-14-05
Chain of Custody No:	14601	Date Received:	12-15-05
Sample Matrix:	Soil	Date Extracted:	12-15-05
Preservative:	Cool	Date Analyzed:	12-16-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	3.7	0.1
Total Petroleum Hydrocarbons	3.7	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Various Pit Closures 5-Point Comp. @ 4½'.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	WAC #1 - Sep	Date Reported:	12-16-05
Laboratory Number:	35464	Date Sampled:	12-14-05
Chain of Custody:	14601	Date Received:	12-15-05
Sample Matrix:	Soil	Date Analyzed:	12-16-05
Preservative:	Cool	Date Extracted:	12-15-05
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	3.7	1.5
p,m-Xylene	33.2	2.2
o-Xylene	7.0	1.0
Total BTEX	43.9	

ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Various Pit Closures 5-Point Comp. @ 4½'.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Chloride

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	WAC #1 - Sep.	Date Reported:	12-16-05
Lab ID#:	35464	Date Sampled:	12-14-05
Sample Matrix:	Soil	Date Received:	12-15-05
Preservative:	Cool	Date Analyzed:	12-16-05
Condition:	Cool and Intact	Chain of Custody:	14601


Parameter	Concentration (mg/Kg)
-----------	-----------------------


Total Chloride

70.2

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Various Pit Closures 5-Point Comp. @ 4½'.


Analyst


Review