District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Approval:

Printed Name/Title

DEPUTY OIL & GAS INSPECTOR, DIST. 4

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

DEC 14 2005

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank e-mail address: _ Operator: BP America Production Company Telephone: (505)326-9200 Address: 200 Energy Ct, Farmington, NM 87401 Facility or well name: TACQUEZ GC D#18 API#: 30045 3725 U/L or Otr/Otr N Sec U T AN R 9W Longitude ______ NAD: 1927 🗌 1983 🗍 County: San Juan Surface Owner: Federal

State

Private

Indian Below-grade tank Type: Drilling Production Disposal Volume: bbl Type of fluid: Construction material: __ Workover ☐ Emergency ☐ Double-walled, with leak detection? Yes If not, explain why not RECEIVED Lined Unlined (CONS. DIN Liner type: Synthetic Thickness ____mil Clay Pit Volume ____ X Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) (20 points) Yes Wellhead protection area: (Less than 200 feet from a private domestic No (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, (10 points) 200 feet or more, but less than 1000 feet irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if remediation start date and end date. (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below ground surface ________ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: See Attached Documentation I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines 🔀, a general permit 🗌, or an (attached) alternative OCD-approved plan 🔲. Date: 11/01/2005 Printed Name/Title _____ Jeffrey C. Blagg, Agent Signature _ Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

CLIENT: BP	BLAC P.O. BOX 8	87, BLO		NM 87413	LOCATION NO: 80315 C.D.C. NO: 3786		
FIELD REPOR					PAGE No: of		
QUAD/UNIT: NAME: JAQUE QUAD/UNIT: N SEC: 6 QTR/FOOTAGE: 10305	TWP: 290	RNG: 9w	PM:Nm CN	MY:57 ST: NM	DATE FINISHED		
							
EXCAVATION APPROX. NA FT. x NA FT. DEEP. CUBIC YARDAGE: NA DISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: CUSE AS 15							
LAND USE: RANGE					t de la companya de		
					536E FROM WELLHEAD.		
DEPTH TO GROUNDWATER: < 11	NEAREST WA	ATER SOURCE:	71000'	NEAREST SURFA	CE WATER: >1000		
NMOCD RANKING SCORE:	NMOCD TPH (CLOSURE STD	1000 ppi . 53.5 ppm	м	CHECK ONE: ✓ PIT ABANDONED		
SOIL AND EXCAVATION					STEEL TANK INSTALLED		
DESCRIPTION:	TIME:_	z: 05 am/	DATE:/	1/7/01	FIBERGLASS TANK INSTALLED		
SOIL TYPE: SAND / SILTY	SAND / SILT / S D. DK. GRAY	SILTY CLAY	/ (CLAY) / GF	RAVEL / OTHER	CLAYSTONE		
COHESION (ALL OTHERS): N	ON COHESIVE / :				A COHEZIAE		
CONSISTENCY (NON COHESTVI PLASTICITY (CLAYS): NON F					STIC / HIGHLY PLASTIC		
DENSITY (COHESIVE CLAYS	& SILTS>: SOFT	/ FIRM / (S	TIFE / VERY	STIFF / HARD			
MOISTURE: DRY / SLIGHTLY DISCOLORATION/STAINING OB				SUPER SATURATE			
HC ODOR DETECTED: YES A SAMPLE TYPE: GRAD / CO							
ADDITIONAL COMMENTS: 3	ieer lunk Keu Leer lunk Keu	PIS	SE TO ARRIV	AL SOI	L- FRIABLE		
			· · · · · · · · · · · · · · · · · · ·				
CCALE		FI	ELD 418.1 CA	ALCULATIONS			
SCALE SAMP. TI	ME SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON DIL	UTION READING CALC. ppm		
O FT							
	ETER		I	l l	PROFILE		
1 11 1 1111111			VM		T IVOT IBB		
т.н. ,	_	RES	ULTS				
APPROX. 1	٥٠ ()	1 @ 7	FIELD HEADSPACE PID (ppm)				
BEDW F.D. B.	6 ·	2 e 3 e					
Billin		4 @					
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	T	5 @					
TO POOL	; (18'			704	- APPLICABLE		
MEAD A	:						
HER	<u> </u>						
		A 1 () A 1 (AMPLES MALYSIS TIME	\dashv			
FORMER ZI	ļ		1(3013) 1410	0			
Lacution		25	55ED)	_			
P.D. = PIT DEPRESSION; B.G. T.H. = TEST HOLE	= BELOW GRADE						
TRAVEL NOTES: CALLOUT: 11/7/01-MARN. ONSITE: 11/7/01-AFTER.							

revised: 08/17/01



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 7'	Date Reported:	11-13-01
Laboratory Number:	21474	Date Sampled:	11-07-01
Chain of Custody No:	8786	Date Received:	11-08-01
Sample Matrix:	Soil	Date Extracted:	11-08-01
Preservative:	Cool	Date Analyzed:	11-12-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.9	0.2
Diesel Range (C10 - C28)	15.9	0.1
Total Petroleum Hydrocarbons	16.8	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Jaquez GC D #1E Blow Pit Grab Sample.

Analyst Malden

Landre RJackson