

**TABULATION OF DEVIATION TEST
AMOCO PRODUCTION COMPANY**

<u>DEPTH</u>	<u>DEVIATION</u>	<u>DEPTH</u>	<u>DEVIATION</u>
<u>50</u>	<u>0.00</u>	<u> </u>	<u> </u>
<u>650'</u>	<u>0.75</u>	<u> </u>	<u> </u>
<u>1140</u>	<u>1.25</u>	<u> </u>	<u> </u>
<u>1431</u>	<u>2.75</u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>

AFFIDAVIT

THIS IS TO CERTIFY that to the best of my knowledge, the above tabulation details the deviation test taken on **AMOCO PRODUCTION COMPANY'S:**


Burnham Gas Com B FC 1

2510' FSL & 1150' FWL Sec. 12 T29N R13W

SAN JUAN COUNTY, NEW MEXICO

Signed: Mary Corley

Title: SR. Regulatory Analyst



THE STATE OF TEXAS)
), ss.
COUNTY OF HARRIS)

BEFORE ME, the undersigned authority, on this day personally MARY CORLEY known to me to be a SR. Regulatory Analyst for Amoco Production company and to be the person whose name is subscribed to the above statement, who being by me dully sworn on oath, states that she has knowledge of the facts stated herein and that said statement is true and correct.

SUBSCRIBED AND SWORN to before me, a Notary Public in and for said County and State this 16 day of April, 2001.

[Signature]
Notary Public

My Commission Expires: 3-21-2005

x
✓