

Submit To Appropriate District Office
State Lease - 6 copies
Fee Lease - 5 copies
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-105
Revised June 10, 2003

WELL API NO.

30-045-33255

5. Indicate Type of Lease

STATE ☐ FEE ☒

State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER _____

b. Type of Completion:

NEW ☒ WORK ☐ DEEPEN ☐ PLUG ☐ DIFF.
WELL OVER BACK RESVR. ☐ OTHER

2. Name of Operator

McElvain Oil & Gas Properties, Inc.

3. Address of Operator

1050 17th Street, Suite 1800, Denver, CO 80265

4. Well Location

Unit Letter P _____ : 1220 Feet From The South _____ Line and 1140 Feet From The East _____ Line

Section 8 Township 30N Range 11W NMPM San Juan County

10. Date Spudded
9/29/05

11. Date T.D. Reached
10/18/05

12. Date Compl. (Ready to Prod.)
2/21/06

13. Elevations (DF& RKB, RT, GR, etc.)
5582'

14. Elev. Casinghead
5587' KB

15. Total Depth

2130'

16. Plug Back T.D.

2077' RBP 1910'

17. If Multiple Compl. How Many
Zones?

18. Intervals
Drilled By

Rotary Tools
All

Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name

1714' - 1948' Fruitland Coal

20. Was Directional Survey Made
No

21. Type Electric and Other Logs Run
Induction/GR/SDL/DSN

22. Was Well Cored
No

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	24#	227'	12 1/4"	145 sxs /to surface	
5 1/2"	15.5#	2116'	7 7/8"	180 sxs /to surface	

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2 3/8"	1758'	

26. Perforation record (interval, size, and number)

1950'-1964' & 1940'-1948' .32 88
1808'-1810', 1722'-1724', 1714'-1718' .32 32

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
1940'-1964'	1200 Gal 15% HCl, 60,621 Gal gel & 45,572 # 16/30 sand
1714'-1810'	300 Gal 15 % HCl, 30,855 Gal gel & 45,268 #16/30 sand

28. PRODUCTION

Date First Production TBD		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing			Well Status (Prod. or Shut-in) Shut-in WOPL		
Date of Test 2/22/06	Hours Tested 4 hrs	Choke Size 1/2"	Prod'n For Test Period	Oil - Bbl 0	Gas - MCF 198	Water - Bbl. 1 1/2	Gas - Oil Ratio
Flow Tubing Press. 190	Casing Pressure 290	Calculated 24- Hour Rate	Oil - Bbl. 0	Gas - MCF 1190	Water - Bbl. 6	Oil Gravity - API - (Corr.)	


29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold

Test Witnessed By
Mark Wolf

30. List Attachments
Deviation Survey

31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief

Signature 
E-mail Address JohnS@McElvain.com

Printed
Name
John D. Steuble

Title
Vice President Engineering

Date
3/09/2006

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo 564'	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland 631'	T. Penn. "C"
B. Salt	T. Atoka	T. Pictured Cliffs 1977'	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T.
T. Blinebry	T. Gr. Wash	T. Morrison	T.
T. Tubb	T. Delaware Sand	T. Todilto	T.
T. Drinkard	T. Bone Springs	T. Entrada	T.
T. Abo	T.	T. Wingate	T.
T. Wolfcamp	T.	T. Chinle	T.
T. Penn	T.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 3, from.....to.....

No. 2, from.....to.....

No. 4. from..... to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from to feet

No. 3, from to feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology