District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 OIL CONS. DIV DIST. 3

SEP 0 2 2015 Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office to accordance with 19.15.29 NMAC.

Release Notification and Corrective Action OPERATOR Initial Report Final Report Name of Company: ConocoPhillips Company Contact Lindsay Dumas Address 3401 East 30th St, Farmington, NM Telephone No.(505) 258-1643 Facility Name: State Com AI 33 Facility Type: Gas Mineral Owner: E-1010-1 Surface Owner: State API No. 30-045-06118 LOCATION OF RELEASE Unit Letter Section Township Feet from the North/South Line Feet from the East/West Line Range County 09W 1190' 1650 **FWL** N 32 27N FSL San Juan Latitude 36.527538 Longitude -107.81427 NATURE OF RELEASE Type of Release: Hydrocarbons Volume of Release: Unknown Volume Recovered: 0 Source of Release historic release found during BGT closure activities Date and Hour of Occurrence Date and Hour of Discovery unknown February 2015 Was Immediate Notice Given? If YES, To Whom? ☐ Yes ☐ No ☒ Not Required By Whom? Date and Hour Was a Watercourse Reached? If YES, Volume Impacting the Watercourse. ☐ Yes ☒ No If a Watercourse was Impacted, Describe Fully.* Describe Cause of Problem and Remedial Action Taken.* An historic release was found during BGT closure activities. Describe Area Affected and Cleanup Action Taken.* TPH results were above NMOCD action level for BGT closure; chlorides were below NMOCD action level for BGT closure. Based on field concentrations, a release was confirmed. Final excavation of the impacted area was completed; based on the final laboratory analytical results of the excavation of petroleum contaminated soils at the State Com AI 33, total BTEX, and TPH concentrations were below the applicable NMOCD action levels for the final sidewalls and base of the excavation. No further work is recommended I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. OIL CONSERVATION Signature; Printed Name: Lindsay Dumas Approved by Environmental Specialist: Expiration Date Title: Field Environmental Specialist Approval Date: E-mail Address: Lindsay.Dumas@conocophillips.com Conditions of Approval: Attached

* Attach Additional Sheets If Necessary

Date: 8/31/2015

Phone: (505) 258-1643 | # NCS 15 273 30 498

Animas Environmental Services, LLC



August 31, 2015

Lindsay Dumas ConocoPhillips San Juan Business Unit (505) 599-4089

Via electronic mail to: SJBUE-Team@ConocoPhillips.com

RE: Below Grade Tank Closure, Release Assessment, and Final Excavation Report State Com AI #33 San Juan County, New Mexico

Dear Ms. Dumas:

On February 20 and March 6, 2015, Animas Environmental Services, LLC (AES) completed below grade tank (BGT) closure sampling, a release assessment, and environmental clearance of the final excavation limits at the ConocoPhillips (COPC) State Com AI #33 located in San Juan County, New Mexico. The historic contamination was discovered during BGT closure activities at the location. An initial release assessment was completed on February 20, 2015, and the final excavation was completed by COPC contractors while AES was on location on March 6, 2015.

1.0 Site Information

1.1 Location

Site Name - State Com AI #33

Location – SE¼ SW¼, Section 32, T27N, R9W, San Juan County, New Mexico Well Head Latitude/Longitude – N36.52776 and W107.81497, respectively BGT/Release Location Latitude/Longitude – N36.52753 and W107.81503, respectively Land Jurisdiction – State of New Mexico

Figure 1. Topographic Site Location Map

Figure 2. Aerial Site Map, February 2015

604 W. Piñon St. Farmington, NM 87401 505-564-2281

> 1911 Main, Ste 280 Durango, CO 81301 970-403-3084

1.2 NMOCD Ranking

In accordance with New Mexico Oil Conservation Division (NMOCD) release protocols, action levels were established per NMOCD *Guidelines for Remediation of Leaks, Spills, and Releases* (August 1993) prior to site work. The release was given a ranking score of 10 based on the following factors:

- Depth to Groundwater: A below grade tank permit application (C-144 form) from February 2015 reported the depth to groundwater as 330 feet below ground surface (bgs). (0 points)
- Wellhead Protection Area: The release location is not within a wellhead protection area. (0 points)
- Distance to Surface Water Body: An unnamed ephemeral stream located approximately 535 feet northeast of the release location drains to Jaquez Canyon. (10 points)

1.3 Assessment

AES was initially contacted by Danny Rudder, COPC representative, on February 19, 2015, and on February 20, 2015, Dylan Davis and Sam Glasses of AES traveled to the location. Soil sampling consisted of collection of five soil samples (S-1 through S-5) and one 5-point composite (BGT SC-1) from below the former BGT. Soil samples S-1 through S-5 were collected from approximately 0.5 feet below the BGT. Soil sample locations are included on Figure 2.

On the same day, AES personnel completed the release assessment field work. The assessment included collection and field sampling of 20 soil samples from 8 soil test holes (TH-1 through TH-8). Based on field sampling results, AES recommended excavation of the release area. Sample locations are included on Figure 3.

On March 6, 2015, AES returned to the location to collect confirmation soil samples of the excavation. The field sampling activities included collection of five confirmation soil samples (SC-1 through SC-5) from the walls and base of the excavation. The area of the final excavation measured approximately 37 feet by 43 feet by 11 to 13 feet in depth. The depth of the excavation was limited due to a confining sandstone unit around 13 feet bgs. Sample locations and final excavation extents are presented on Figure 4.

2.0 Soil Sampling

A total of 26 soil samples (from TH-1 through TH-8 and S-1 through S-5) and 6 composite samples (BGT SC-1 and SC-1 through SC-5) were collected during the

assessments. Selected soil samples were field screened for volatile organic compounds (VOCs), and selected samples were analyzed for total petroleum hydrocarbon (TPH). All composite samples (BGT SC-1 and SC-1 through SC-5) collected were submitted for confirmation laboratory analysis.

2.1 Field Sampling

2.1.1 Volatile Organic Compounds

Field screening for VOC vapors was conducted with a photo-ionization detector (PID) organic vapor meter (OVM). Before beginning field screening, the PID-OVM was first calibrated with 100 parts per million (ppm) isobutylene gas.

2.1.2 Total Petroleum Hydrocarbons

Soil samples were also analyzed in the field for TPH per U.S. Environmental Protection Agency (USEPA) Method 418.1 using a Buck Scientific Model HC-404 Total Hydrocarbon Analyzer Infrared Spectrometer (Buck). A 3-point calibration was completed prior to conducting soil analyses. Field analytical protocol followed AES's Standard Operating Procedure: Field Analysis Total Petroleum Hydrocarbons per EPA Method 418.1.

2.1.3 Chlorides

Soil sample BGT SC-1 was field screened for chlorides using Chloride Drop Count Titration with silver nitrate. Sampling and analysis methods followed procedures provided by Hach Company.

2.2 Laboratory Analyses

The soil samples collected for laboratory analysis were placed into new, clean, laboratory-supplied containers, which were then labeled, placed on ice, and logged onto sample chain of custody records. Samples were maintained on ice until delivery to the analytical laboratory, Hall Environmental Analysis Laboratory (Hall) in Albuquerque, New Mexico. Soil samples BGT SC-1 and SC-1 through SC-5 were laboratory analyzed for:

- TPH per USEPA Method 8015D, and
- Benzene, toluene, ethylbenzene, and xylene (BTEX) per USEPA Method 8021B.

In addition, composite soil sample BGT SC-1 was also laboratory analyzed for:

Chlorides per USEPA Method 300.0.

2.3 Field and Laboratory Analytical Results

On February 20, 2015, BGT closure field screening results for VOCs via OVM ranged from 3,416 ppm in S-5 to 4,212 ppm in S-1. TPH values were greater than 2,500 mg/kg in samples S-1 through S-5. The field chloride concentration was 140 mg/kg.

On February 20, 2015, initial assessment field screening readings for VOCs via OVM ranged from 0.0 ppm in TH-3 and TH-7 and up to 1,331 ppm in TH-5. Field TPH concentrations ranged from less than 20.0 mg/kg in TH-2, TH-3, TH-4, and TH-6 up to greater than 2,500 mg/kg in TH-1.

On March 6, 2015, final excavation field screening results for VOCs via OVM ranged from 1.6 ppm in SC-1 up to 1,423 ppm in SC-5. Field TPH concentrations ranged from less than 20 mg/kg in SC-1 up to 830 mg/kg in SC-5. Field screening VOC and TPH results are summarized in Table 1 and on Figures 2 through 4. The AES field sampling reports are attached.

Table 1. Soil Field VOCs, TPH, and Chloride Results
State Com AI #33 BGT Closure, Release Assessment and Final Excavation
February and March 2015

Sample ID	Date Sampled	Sample Depth (ft bgs)	VOCs via OVM (ppm)	Field TPH (mg/kg)	Field Chlorides (mg/kg)
NMO	CD Action Lev	el*	NE/100	100/1,000	250/NE
S-1	2/20/15	0.5	4,212	>2,500	NA
S-2	2/20/15	0.5	3,521	>2,500	NA
S-3	2/20/15	0.5	3,820	>2,500	NA
S-4	2/20/15	0.5	3,746	>2,500	NA
S-5	2/20/15	0.5	3,416	>2,500	NA
BGT SC-1	2/20/15	0.5	4,258	NA	140
TH-1	2/20/15	8	3,964	>2,500	NA
		4	3.8	NA	NA
TH-2	2/20/15	8	0.8	<20.0	NA
		11	NA	<20.0	NA
		4	0.0	NA	NA
TH-3	2/20/15	8	2.2	NA	NA
		11	NA	<20.0	NA
TH-4	2/20/15	8	0.6	NA	NA

	10	1.2	<20.0	NA
	6	1,331	NA	NA
2/20/15	8	14.5	NA	NA
	10	NA	1,037	NA
	4	2.3	NA	NA
2/20/15	8	NA	<20.0	NA
MARLE M	11	0.7	<20.0	NA
	4	0.4	29.7	NA
2/20/15	8	NA	32.2	NA
MAN SEL	11	0.0	32.2	NA
	4	NA	37.0	NA
2/20/15	8	NA	33.4	NA
	11	0.6	43.0	NA
3/6/15	1 to 13	1.6	<20.0	NA
3/6/15	1 to 13	6.8	25.8	NA
3/6/15	1 to 13	7.4	27.1	NA
3/6/15	1 to 11	4.3	77.1	NA
3/6/15	11 to 13	1,423	830	NA
	2/20/15 2/20/15 2/20/15 3/6/15 3/6/15 3/6/15	6 2/20/15 8 10 4 2/20/15 8 11 4 2/20/15 8 11 4 2/20/15 8 11 3/6/15 1 to 13 3/6/15 1 to 13 3/6/15 1 to 13 3/6/15 1 to 13	6 1,331 2/20/15 8 14.5 10 NA 4 2.3 2/20/15 8 NA 11 0.7 4 0.4 2/20/15 8 NA 11 0.0 4 NA 2/20/15 8 NA 11 0.6 3/6/15 1 to 13 1.6 3/6/15 1 to 13 7.4 3/6/15 1 to 11 4.3	6 1,331 NA 2/20/15 8 14.5 NA 10 NA 1,037 4 2.3 NA 2/20/15 8 NA <20.0

NA - not analyzed

NE - not established

Laboratory analysis of sample BGT SC-1 was used to confirm the BGT closure field sampling results. Benzene concentrations were reported at 2.3 mg/kg, total BTEX concentrations were measured at 78.2 mg/kg, and total TPH concentrations were reported at 7,630 mg/kg. Laboratory analytical results reported the chloride concentration as less than 30 mg/kg.

Laboratory analyses for SC-1 through SC-5 were used to confirm field sampling results from the final excavation extents. Benzene and total BTEX concentrations were reported below laboratory detection limits in all samples except SC-5 (0.093 mg/kg and 3.52 mg/kg, respectively). Total TPH concentrations ranged from below laboratory detection limits in SC-1 through SC-3 up to 610 mg/kg in SC-5. Results are summarized in Table 2 and included on Figures 2 through 4. The laboratory analytical reports are attached.

^{*}Action level determined by the NMOCD ranking score per NMOCD Guidelines for Remediation of Leaks, Spills, and Releases (August 1993) and NMAC 19.15.17.13E.

Table 2. Soil Laboratory Analytical Results – Benzene, Total BTEX, TPH, and Chlorides
State Com AI #33 BGT Closure, Release Assessment, and Final Excavation

Sample ID	Date Sampled	Sample Depth (ft bgs)	Benzene (mg/kg) 0.2/10	Total BTEX (mg/kg) 50	TPH (mg/kg) 100/1,000	Chlorides (mg/kg) 250/NE
BGT SC-1	2/20/15	0.5	2.3	78.2	7,630	<30
SC-1	3/6/15	1 to 13	<0.048	<0.241	<63.6	NA
SC-2	3/6/15	1 to 13	<0.046	<0.229	<64.6	NA
SC-3	3/6/15	1 to 13	<0.047	<0.235	<63.4	NA
SC-4	3/6/15	1 to 11	<0.047	<0.236	15	NA
SC-5	3/6/15	13	0.093	3.52	610	NA

NA - not analyzed

NE - not established

3.0 Conclusions and Recommendations

On February 20, 2015, AES conducted a BGT closure and assessment of petroleum contaminated soils associated with a historic release at the State Com AI #33. NMOCD action levels for BGT closures are specified in New Mexico Administrative Code (NMAC) 19.15.17.13E. Action levels for releases are determined by the NMOCD ranking score per NMOCD Guidelines for Remediation of Leaks, Spills, and Releases (August 1993), and the site was assigned a rank of 10.

Field BGT closure sampling TPH results in February 2015 were above the NMOCD action level of 100 mg/kg, with BGT SC-1 reporting a concentration at 7,630 mg/kg. Laboratory results for chloride concentrations in BGT SC-1 were reported below the NMOCD action level of 250 mg/kg. Based on field concentrations, a release was confirmed.

The same day, release assessment field sampling results above the NMOCD action level of 100 ppm VOCs and 1,000 mg/kg TPH were reported in TH-1 and TH-5. The highest VOC and TPH concentrations were reported in TH-1 with 3,964 ppm and greater than 2,500 mg/kg, respectively. Excavation of the release area was recommended.

^{*}Action level determined by the NMOCD ranking score per NMOCD Guidelines for Remediation of Leaks, Spills, and Releases (August 1993) and NMAC 19.15.17.13E.

On March 6, 2015, final excavation of the impacted area was completed. Field sampling results of the excavation extents showed that VOC concentrations were below applicable NMOCD action levels for the final walls of the excavation, but above NMOCD action levels for the base. However, laboratory analytical results reported benzene and total BTEX concentrations in SC-1 through SC-5 below NMOCD action levels. Field TPH concentrations were below the applicable NMOCD action level of 1,000 mg/kg for the final walls and base of the excavation, and laboratory analytical results for TPH as GRO/DRO/MRO were also reported below the applicable NMOCD action level in all samples.

Based on the final field sampling and laboratory analytical results of the excavation of petroleum contaminated soils at the State Com AI #33, benzene, total BTEX, and TPH concentrations were below the applicable NMOCD action levels for the final sidewalls and base of the excavation. No further work is recommended.

If you have any questions about this report or site conditions, please do not hesitate to contact Emilee Skyles at (505) 564-2281.

Sincerely,

David J. Reese

Staff Environmental Scientist

Elizabeth o Mindly

Wair of Reme

Elizabeth McNally, PE

Attachments:

Figure 1. Topographic Site Location Map

Figure 2. Aerial Site Map, Below Grade Tank Closure, February 2015

Figure 3. Release Assessment Sample Locations and Results, February 2015

Figure 4. Final Excavation Sample Locations and Results, March 2015

AES BGT Closure Field Sampling Report 022015

AES Release Assessment Field Sampling Report 022015

AES Field Sampling Report 030615


Hall Laboratory Analytical Report 1502908

Hall Laboratory Analytical Report 1503289

Hall Laboratory Analytical Report 1503301

Lindsay Dumas State Com AI #33 BGT Closure, Release Assessment, and Final Excavation Report August 31, 2015 Page 8 of 8

R:\Animas 2000\Dropbox\0000 Animas Server Dropbox EM\2015 Projects\ConocoPhillips\State Com AI #33\State Com AI #33 BGT Closure Assessment and Excavation Report 082715.docx





SAMPLE LOCATIONS

	Field Sar	mpling R	esults	
Sample ID	Date	OVM- PID (ppm)	TPH (mg/kg)	Chlorides (mg/kg)
NMOCD AC	TION LEVEL		100	250
S-1	2/20/15	4,212	>2,500	NA
S-2	2/20/15	3,521	>2,500	NA
S-3	2/20/15	3,820	>2,500	NA
S-4	2/20/15	3,746	>2,500	NA
S-5	2/20/15	3,416	>2,500	NA
BGT SC-1	2/20/15	4,258	NA	140

BGT SC-1 IS A 5-POINT COMPOSITE SAMPLE OF S-1 THROUGH S-5. NA - NOT ANALYZED

The Marketter N	HAT ME	Lab	oratory And	alytical Resi	ults		
Sample ID	Date	Benzene (mg/kg)	Total BTEX (mg/kg)	TPH - GRO (mg/kg)	TPH - DRO (mg/kg)	TPH - MRO (mg/kg)	Chlorides (mg/kg)
NMOCD ACT	NMOCD ACTION LEVEL		50		100		250
BGT SC-1	2/20/15	2.3	78.2	730	4,700	2,200	<30


SAMPLE WAS ANALYZED PER USEPA METHOD 8021B, 8015D AND 300.0.

STATE COM AI #33 WELL MONUMENT

PRODUCTION TANK

FORMER SEPARATOR





AERIAL SOURCE: © 2014 GOOGLE EARTH PRO, AERIAL DATE: NOVEMBER 17, 2013

	The same of the sa
1 A E C	THE RESERVE
IALD	V
to a second	- He
A . E .	1C


Animas Environmental Services, LLC


İ	DRAWN BY:	DATE DRAWN:
	S. Glasses	March 2, 2015
	REVISIONS BY:	DATE REVISED:
	D. Dougi	August 28, 2015
ı	CHECKED BY:	DATE CHECKED:
ı	E. Skyles	August 28, 2015
Ì	APPROVED BY:	DATE APPROVED:
١	E. McNally	August 28, 2015

FIGURE 2


AERIAL SITE MAP BELOW GRADE TANK CLOSURE FEBRUARY 2015

ConocoPhillips STATE COM AI #33 SE½ SW½, SECTION 32, T27N, R9W SAN JUAN COUNTY, NEW MEXICO N36.52776, W107.81497





AES Field Sampling Report



Client: ConocoPhillips

Project Location: State Com AI #33

Date: 2/20/2015

Matrix: Soil

Sample ID	Collection Date	Collection Time	Sample Location	OVM (ppm)	Field Chloride (mg/kg)	Field TPH* (mg/kg)	Field TPH Analysis Time	TPH PQL (mg/kg)	DF	TPH Analysts Initials
S-1	2/20/2015	9:50	North	4,212	NA	>2,500	10:48	20.0	1	DD
S-2	2/20/2015	9:53	South	3,521	NA	>2,500	10:52	20.0	1	DD
S-3	2/20/2015	10:00	East	3,820	NA	>2,500	10:56	20.0	1	DD
S-4	2/20/2015	9:56	West	3,746	NA	>2,500	11:00	20.0	1	DD
S-5	2/20/2015	10:05	Center	3,416	NA	>2,500	11:05	20.0	1	DD
SC-1	2/20/2015	10:15	Composite	4,258	140	Not Analyzed for TPH				

DF Dilution Factor NA Not Analyzed

PQL Practical Quantitation Limit

*Field TPH concentrations recorded may be below PQL.

Field Chloride - Quantab Chloride Titrators or Drop Count

Titration with Silver Nitrate

Total Petroleum Hydrocarbons - USEPA 418.1

Analyst: Dyla Daw

Page 1 Report Finalized: 2/20/15

AES Field Sampling Report



Client: ConocoPhillips

Project Location: State Com Al #33

Date: 2/20/2015

Matrix: Soil

Sample ID	Collection Date	Collection Time	OVM (ppm)	Field TPH* (mg/kg)	Field TPH Analysis Time	TPH PQL (mg/kg)	DF	TPH Analysts Initials	
TH-1 @ 8'	2/20/2015	11:30	3,964	>2,500	12:20	20.0	1	DD	
TH-2 @ 4'	2/20/2015	11:59	3.8		Not A	Analyzed for TH	РН		
TH-2 @ 8'	2/20/2015	12:02	0.8	18.9	13:15	20.0	1	DD	
TH-2 @ 11'	2/20/2015	12:04	NA	14.0	13:37	20.0	1	DD	
TH-3 @ 4'	2/20/2015	12:14	0.0	Not Analyzed for TPH					
TH-3 @ 8'	2/20/2015	12:16	2.2	The next	Not A	Analyzed for TF	РН		
TH-3 @ 11'	2/20/2015	12:18	NA	9.16	13:44	20.0	1	DD	
TH-4 @ 8'	2/20/2015	12:23	0.6	CALLON	Not A	Analyzed for TR	РН		
TH-4 @ 10'	2/20/2015	12:25	1.2	3.12	13:50	20.0	1	DD	
TH-5 @ 6'	2/20/2015	12:31	1,331	Mark I	Not A	Analyzed for Th	PH		
TH-5 @ 8'	2/20/2015	12:33	14.5	KAR UT	Not A	Analyzed for TR	РН	Core Till	
TH-5 @ 10'	2/20/2015	12:35	NA	1,037	13:56	20.0	1	DD	
TH-6 @ 4'	2/20/2015	12:40	2.3		Not A	Analyzed for TF	РН		
TH-6 @ 8'	2/20/2015	12:42	NA	3.12	14:02	20.0	1	DD	

Sample ID	Collection Date	Collection Time	OVM (ppm)	Field TPH* (mg/kg)	Field TPH Analysis Time	TPH PQL (mg/kg)	DF	TPH Analysts Initials
TH-6 @ 11'	2/20/2015	12:44	0.7	3.12	14:07	20.0	1 -	DD
TH-7 @ 4'	2/20/2015	12:49	0.4	29.7	14:13	20.0	1	DD
TH-7 @ 8'	2/20/2015	12:51	NA	32.2	14:19	20.0	1	DD
TH-7 @ 11'	2/20/2015	12:53	0.0	32.2	14:25	20.0	1	DD
TH-8 @ 4'	2/20/2015	12:58	NA	37.0	14:30	20.0	1	DD
TH-8 @ 8'	2/20/2015	13:00	NA	33.4	14:36	20.0	1	DD
TH-8 @ 11'	2/20/2015	13:02	0.6	43.0	14:42	20.0	1	DD

DF

Dilution Factor

NA

Not Analyzed

PQL

Practical Quantitation Limit

*Field TPH concentrations recorded may be below PQL.

Total Petroleum Hydrocarbons - USEPA 418.1

Analyst: Dyla Daw

AES Field Sampling Report



Client: ConocoPhillips

Project Location: State Com AI #33

Date: 3/6/2015

Matrix: Soil

Sample ID	Collection Date	Collection Time	Sample Location	OVM (ppm)	Field TPH* (mg/kg)	Field TPH Analysis Time	TPH PQL (mg/kg)	DF	TPH Analysts Initials
SC-1	3/6/2015	12:20	North	1.6	19.0	13:27	20.0	1	CL
SC-2	3/6/2015	9:25	South	6.8	25.8	10:33	20.0	1	CL
SC-3	3/6/2015	12:25	East	7.4	27.1	13:30	20.0	1	CL
SC-4	3/6/2015	9:35	West	4.3	77.1	10:38	20.0	1	CL
SC-5	3/6/2015	9:40	Center	1,423	830	10:40	20.0	1	CL

DF

Dilution Factor

NA

Not Analyzed

PQL

Practical Quantitation Limit

*Field TPH concentrations recorded may be below PQL.

Total Petroleum Hydrocarbons - USEPA 418.1

Coi hu

Analyst:

Page 1 Report Finalized: 3/6/15



July 02, 2015

Emilee Skyles
Animas Environmental Services
604 Pinon Street

Farmington, NM 87401 TEL: (505) 564-2281 FAX (505) 324-2022

RE: State Com AI #33 OrderNo.: 1502908

Hall Environmental Analysis Laboratory

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

4901 Hawkins NE

Albuquerque, NM 87109

Dear Emilee Skyles:

Hall Environmental Analysis Laboratory received 1 sample(s) on 2/21/2015 for the analyses presented in the following report.

This report is a revised report and it replaces the original report issued February 24, 2015.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. All samples are reported as received unless otherwise indicated.

Please don't hesitate to contact HEAL for any additional information or clarifications.

Sincerely,

Andy Freeman

Laboratory Manager

4901 Hawkins NE

Albuquerque, NM 87109

Lab Order 1502908

Date Reported: 7/2/2015

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Animas Environmental Services Client Sample ID: BGT SC-1

 Project:
 State Com AI #33
 Collection Date: 2/20/2015 10:15:00 AM

 Lab ID:
 1502908-001
 Matrix: MEOH (SOIL)
 Received Date: 2/21/2015 10:20:00 AM

Result	RL (Qual	Units	DF	Date Analyzed	Batch
					Analyst:	LGT
ND	30		mg/Kg	20	3/9/2015 11:06:57 AM	18045
E ORGANIC	S				Analyst:	BCN
4700	100		mg/Kg	10	2/23/2015 2:24:09 PM	17844
2200	500		mg/Kg	10	2/23/2015 2:24:09 PM	17844
0	63.5-128	S	%REC	10	2/23/2015 2:24:09 PM	17844
GE					Analyst:	NSB
730	59		mg/Kg	20	2/23/2015 1:27:42 PM	17830
253	80-120	S	%REC	20	2/23/2015 1:27:42 PM	17830
					Analyst:	NSB
2.3	0.59		mg/Kg	20	2/23/2015 1:27:42 PM	17830
5.5	0.59		mg/Kg	20	2/23/2015 1:27:42 PM	17830
7.4	0.59		mg/Kg	20	2/23/2015 1:27:42 PM	17830
63	1.2		mg/Kg	20	2/23/2015 1:27:42 PM	17830
132	80-120	S	%REC	20	2/23/2015 1:27:42 PM	17830
	ND 4700 2200 0 GE 730 253 2.3 5.5 7.4 63	ND 30 E ORGANICS 4700 100 2200 500 0 63.5-128 GE 730 59 253 80-120 2.3 0.59 5.5 0.59 7.4 0.59 63 1.2	ND 30 E ORGANICS 4700 100 2200 500 0 63.5-128 S GE 730 59 253 80-120 S 2.3 0.59 5.5 0.59 7.4 0.59 63 1.2	ND 30 mg/Kg E ORGANICS 4700 100 mg/Kg 2200 500 mg/Kg 0 63.5-128 S %REC GE 730 59 mg/Kg 253 80-120 S %REC 2.3 0.59 mg/Kg 5.5 0.59 mg/Kg 7.4 0.59 mg/Kg 63 1.2 mg/Kg	ND 30 mg/Kg 20 SE ORGANICS 4700 100 mg/Kg 10 2200 500 mg/Kg 10 0 63.5-128 S %REC 10 GE 730 59 mg/Kg 20 253 80-120 S %REC 20 2.3 0.59 mg/Kg 20 5.5 0.59 mg/Kg 20 7.4 0.59 mg/Kg 20 63 1.2 mg/Kg 20	Analyst: ND 30 mg/Kg 20 3/9/2015 11:06:57 AM E ORGANICS 4700 100 mg/Kg 10 2/23/2015 2:24:09 PM 2200 500 mg/Kg 10 2/23/2015 2:24:09 PM 0 63.5-128 S %REC 10 2/23/2015 2:24:09 PM SE T30 59 mg/Kg 20 2/23/2015 1:27:42 PM 253 80-120 S %REC 20 2/23/2015 1:27:42 PM Analyst: 2.3 0.59 mg/Kg 20 2/23/2015 1:27:42 PM 5.5 0.59 mg/Kg 20 2/23/2015 1:27:42 PM 7.4 0.59 mg/Kg 20 2/23/2015 1:27:42 PM 63 1.2 mg/Kg 20 2/23/2015 1:27:42 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 1 of 5

- P Sample pH Not In Range
- RL Reporting Detection Limit

Hall Environmental Analysis Laboratory, Inc.

WO#: 1502908

02-Jul-15

Client: Animas Environmental Services

Project: State Com AI #33

Sample ID MB-18045 SampType: MBLK TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 18045 RunNo: 24729

Prep Date: 3/9/2015 Analysis Date: 3/9/2015 SeqNo: 728382 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID LCS-18045 SampType: LCS TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 18045 RunNo: 24729

Prep Date: 3/9/2015 Analysis Date: 3/9/2015 SeqNo: 728383 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 91.5 90 110

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH Not In Range
- RL Reporting Detection Limit

Page 2 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#: 1502908

02-Jul-15

Client:

Animas Environmental Services

Project:

State Com AI #33

Sample ID MB-17844 Client ID: PBS Prep Date: 2/23/2015		ype: ME	844	F	tCode: El RunNo: 2 SegNo: 7	4453	8015M/D: Did		e Organics	
Analyte	Result	PQL		SPK Ref Val		LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	9.2		10.00		91.6	63.5	128	1113		
Sample ID LCS-17844	SampT	ype: LC	s	Tes	tCode: El	PA Method	8015M/D: Di	esel Rang	e Organics	
Client ID: LCSS	Batch	ID: 17	844	F	RunNo: 2	4453				
Prep Date: 2/23/2015	Analysis D	ate: 2/	23/2015		SeqNo: 7	20206	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	47	10	50.00	0	94.0	67.8	130			MAT
Surr: DNOP	4.5		5.000		89.6	63.5	128			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH Not In Range
- RL Reporting Detection Limit

Page 3 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#: 1502908

02-Jul-15

Animas Environmental Services Client:

Project: State Com AI #33

TestCode: EPA Method 8015D: Gasoline Range Sample ID MB-17830 SampType: MBLK Client ID: PBS Batch ID: 17830 RunNo: 24467 Prep Date: 2/20/2015 Analysis Date: 2/23/2015 SeqNo: 720314 Units: mg/Kg Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Analyte Gasoline Range Organics (GRO) ND 5.0 Surr: BFB 920 1000 91.6 80 120

Sample ID LCS-17830	SampT	ype: LC	S	Tes	tCode: E	PA Method	8015D: Gaso	oline Rang	е	
Client ID: LCSS	Batch	1D: 17	830	F	RunNo: 2	4467				
Prep Date: 2/20/2015	Analysis D	ate: 2/	23/2015		SeqNo: 7	20315	Units: mg/h	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	26	5.0	25.00	0	104	64	130	NEW AND		
Surr RER	990		1000		987	80	120			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Value above quantitation range E
- Analyte detected below quantitation limits
- 0 RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- Spike Recovery outside accepted recovery limits
- Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- Sample pH Not In Range
- Reporting Detection Limit

Page 4 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#: 1502908

02-Jul-15

Client: Animas Environmental Services

Project: State Com AI #33

TestCode: EPA Method 8021B: Volatiles Sample ID MB-17830 SampType: MBLK Client ID: Batch ID: 17830 RunNo: 24467 Prep Date: 2/20/2015 Analysis Date: 2/23/2015 SeqNo: 720345 Units: mg/Kg PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Analyte Result ND 0.050 Benzene Toluene ND 0.050 0.050 Ethylbenzene ND Xylenes, Total ND 0.10 Surr: 4-Bromofluorobenzene 1.0 1.000 104 80 120

Sample ID LCS-17830	Samp	Type: LC	s	Tes	tCode: El	PA Method	8021B: Vola	tiles		
Client ID: LCSS	Batc	h ID: 17	830	F	RunNo: 2	4467				
Prep Date: 2/20/2015	Analysis [Date: 2/	23/2015	5	SeqNo: 7	20346	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.2	0.050	1.000	0	118	80	120	* 200		
Toluene	1.1	0.050	1.000	0	113	80	120			
Ethylbenzene	1.1	0.050	1.000	0	113	80	120			
Xylenes, Total	3.4	0.10	3.000	0	113	80	120			
Surr 4-Bromofluorobenzene	11		1 000		113	80	120			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH Not In Range
- RL Reporting Detection Limit

Page 5 of 5



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: Animas Environmental Work Order Nun	nber: 1502908		RcptNo: 1
Received by/date: AF 02 21	15		
Logged By: Ashley Gallegos 2/21/2015 10:20:0	O AM	A	
Completed By: Ashtey Gallegos 2/23/2015 8:29:32	AM	A	
Reviewed By: 02/23/1	5	0	
Chain of Custody	The state of		The State Section
1, Custody seals intact on sample bottles?	Yes 🗆	No 🗆	Not Present 🗹
2. Is Chain of Custody complete?	Yes 🗹	No 🗆	Not Present 🗆
3. How was the sample delivered?	Courier		
Log In			
4. Was an attempt made to cool the samples?	Yes 🗹	No 🗆	NA 🗆
5. Were all samples received at a temperature of >0° C to 6.0°C	Yes 🗹	No 🗆	NA 🗆
6. Sample(s) in proper container(s)?	Yes 🗹	No 🗆	
7. Sufficient sample volume for indicated test(s)?	Yes 🗹	No 🗆	
B. Are samples (except VOA and ONG) properly preserved?	Yes 🗹	No 🗆	
9. Was preservative added to bottles?	Yes 🗆	No 🗷	NA 🗆
10.VOA vials have zero headspace?	Yes 🗆	No 🗆	No VOA Vials
11. Were any sample containers received broken?	Yes 🗆	No 🗹	
			# of preserved bottles checked
12. Does paperwork match bottle labels? (Note discrepancies on chain of custody)	Yes 🗹	No 🗆	for pH: (<2 or >12 unless not
13. Are matrices correctly identified on Chain of Custody?	Yes 🗹	No 🗆	Adjusted?
14. Is it clear what analyses were requested?	Yes 🗹	No 🗆	
15. Were all holding times able to be met? (If no, notify customer for authorization.)	Yes 🗹	No 🗆	Checked by:
Special Handling (if applicable)			
16. Was client notified of all discrepancies with this order?	Yes 🗆	No 🗆	NA 🗷
Person Notified: Da	te C		
By Whom: Vie	NUMBER OF STREET	Phone Fax	☐ In Person
Regarding:	- Classica Clas		
Client Instructions:			HE WAS COME TO SHARE THE
17. Additional remarks:	1-1-1-1	THE W	
18. Cooler Information Cooler No Temp °C Condition Seal Intact Seal No	Seal Date	Signed By	

Mailing	Address	60/w	Pinion St	Project #:	Rush			Te	el. 50	A	www ns N	AL hall E -	YS lenvi Albi F naly	ronr uque ax	ment erque	AE tal.co e, NI 345-	30 om M 87 4107		
The state of the	Package: dard tation		□ Level 4 (Full Validation)	Project Mana E. Sk Sampler: On Ice:		□ No	- TMB-8 (8021)	BTEX + MTBE + TPH (Gas only)	TPH 8015B (GRO / DRO / MRO)	(8.1)	04.1)	8270 SIMS)		3,NO2,PO4,SO4)	/ 8082 PCB's		4)		r N)
Date	(Type)_ Time	Matrix	Sample Request ID		Preservative Type		BTEX + MTBE	BTEX + MTBE ·	TPH 8015B (GF	TPH (Method 418.1)	EDB (Method 504.1)	PAH's (8310 or 8270	RCRA 8 Metals	Anions (FCINO3,NO2,PO4,SO4)	8081 Pesticides / 8082 PCB's	8260B (VOA)	8270 (Semi-VOA)		Air Bubbles (Y or N)
10/15	1015	Soil	SC-[Vacious	Various	-001	×		X					X	र के	<u>(</u>			
Date: 120/15	Time: 1645 Time: 1707	Relinquish Relinquish	e Dr	Received by:	tube	Date Time 2/20/15 16/1 Date Time 2/20/15 10:20 des. This serves as notice of the												Rudd	



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

March 10, 2015

Emilee Skyles Animas Environmental 604 Pinon Street Farmington, NM 87401 TEL: (505) 564-2281

FAX

RE: CoP State Com AI #33 OrderNo.: 1503289

Dear Emilee Skyles:

Hall Environmental Analysis Laboratory received 1 sample(s) on 3/7/2015 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

Andy Freeman

Laboratory Manager

andyl

4901 Hawkins NE

Albuquerque, NM 87109

Lab Order 1503289

Date Reported: 3/10/2015

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Animas Environmental

Client Sample ID: SC-5

Project: CoP State Com AI #33

Collection Date: 3/6/2015 9:40:00 AM

Lab ID: 1503289-001

Matrix: SOIL

Received Date: 3/7/2015 11:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANGE	ORGANICS	Walter.	網	Yan		Analyst	JME
Diesel Range Organics (DRO)	340	9.8		mg/Kg	1	3/9/2015 3:47:41 PM	18035
Motor Oil Range Organics (MRO)	170	49		mg/Kg	1	3/9/2015 3:47:41 PM	18035
Surr: DNOP	94.8	63.5-128		%REC	1	3/9/2015 3:47:41 PM	18035
EPA METHOD 8015D: GASOLINE RAI	NGE					Analyst	NSB
Gasoline Range Organics (GRO)	100	2.7		mg/Kg	1	3/9/2015 9:11:47 AM	18026
Surr: BFB	994	80-120	S	%REC	1	3/9/2015 9:11:47 AM	18026
EPA METHOD 8021B: VOLATILES						Analyst	NSB
Benzene	0.093	0.027		mg/Kg	1	3/9/2015 9:11:47 AM	18026
Toluene	0.071	0.027		mg/Kg	1	3/9/2015 9:11:47 AM	18026
Ethylbenzene	0.53	0.027		mg/Kg	1	3/9/2015 9:11:47 AM	18026
Xylenes, Total	2.8	0.054		mg/Kg	1	3/9/2015 9:11:47 AM	18026
Surr: 4-Bromofluorobenzene	174	80-120	S	%REC	1	3/9/2015 9:11:47 AM	18026

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 1 of 4

- P Sample pH Not In Range
- RL Reporting Detection Limit

Hall Environmental Analysis Laboratory, Inc.

45

4.3

10

50.00

5.000

WO#: 1503289

10-Mar-15

Client: Animas Environmental
Project: CoP State Com AI #33

Diesel Range Organics (DRO)

Surr: DNOP

TestCode: EPA Method 8015D: Diesel Range Organics Sample ID MB-18035 SampType: MBLK Client ID: PBS Batch ID: 18035 RunNo: 24705 SeqNo: 727849 Prep Date: 3/9/2015 Analysis Date: 3/9/2015 Units: mg/Kg SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Result PQL Analyte Diesel Range Organics (DRO) ND 10 Motor Oil Range Organics (MRO) ND 50 Surr: DNOP 10.00 84.0 63.5 128 8.4 Sample ID LCS-18035 SampType: LCS TestCode: EPA Method 8015D: Diesel Range Organics Batch ID: 18035 RunNo: 24705 Client ID: LCSS Prep Date: 3/9/2015 Analysis Date: 3/9/2015 SeqNo: 727929 Units: mg/Kg SPK value SPK Ref Val HighLimit PQL %REC LowLimit %RPD **RPDLimit** Qual Result Analyte

TestCode: EPA Method 8015D: Diesel Range Organics Sample ID 1503289-001AMS SampType: MS Client ID: SC-5 Batch ID: 18035 RunNo: 24705 Prep Date: 3/9/2015 Analysis Date: 3/9/2015 SegNo: 727974 Units: mg/Kg SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Qual PQL LowLimit Analyte Result S 335.4 29.2 176 Diesel Range Organics (DRO) 300 9.9 49.60 -67.9128 Surr: DNOP 4.9 4.960 98.4 63.5

90.2

85.5

67.8

63.5

130

128

TestCode: EPA Method 8015D: Diesel Range Organics Sample ID 1503289-001AMSD SampType: MSD Client ID: SC-5 Batch ID: 18035 RunNo: 24705 Prep Date: 3/9/2015 Analysis Date: 3/9/2015 SeqNo: 727976 Units: mg/Kg SPK value SPK Ref Val %RPD **RPDLimit** PQL %REC LowLimit HighLimit Qual Result Analyte 29.2 23 RS 335.4 176 42.9 Diesel Range Organics (DRO) 470 9.9 49.60 264 4.960 103 63.5 128 0 0 Surr: DNOP 5.1

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH Not In Range
- RL Reporting Detection Limit

Page 2 of 4

Hall Environmental Analysis Laboratory, Inc.

WO#: 1503289

10-Mar-15

Client: Animas Environmental
Project: CoP State Com AI #33

TestCode: EPA Method 8015D: Gasoline Range Sample ID MB-18026 SampType: MBLK RunNo: 24701 Client ID: PBS Batch ID: 18026 Prep Date: 3/6/2015 Analysis Date: 3/9/2015 SegNo: 727984 Units: mg/Kg %RPD **RPDLimit** Qual Result PQL SPK value SPK Ref Val %REC LowLimit **HighLimit** Analyte ND 5.0 Gasoline Range Organics (GRO) Surr: BFB 930 1000 92.7 80 120

Sample ID LCS-18026 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range Client ID: LCSS Batch ID: 18026 RunNo: 24701 SeqNo: 727985 Units: mg/Kg Prep Date: 3/6/2015 Analysis Date: 3/9/2015 SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Result PQL Gasoline Range Organics (GRO) 27 5.0 25.00 0 107 64 130 80 Surr: BFB 1000 1000 101 120

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH Not In Range
- RL Reporting Detection Limit

Page 3 of 4

Hall Environmental Analysis Laboratory, Inc.

WO#: 1503289

10-Mar-15

Client: Animas Environmental
Project: CoP State Com AI #33

TestCode: EPA Method 8021B: Volatiles Sample ID MB-18026 SampType: MBLK Client ID: Batch ID: 18026 RunNo: 24701 Prep Date: 3/6/2015 Analysis Date: 3/9/2015 SeqNo: 727995 Units: mg/Kg Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Benzene ND 0.050 Toluene ND 0.050 ND 0.050 Ethylbenzene ND 0.10 Xylenes, Total Surr: 4-Bromofluorobenzene 1.1 1.000 108 80 120

Sample ID LCS-18026	Samp	Type: LC	S	Tes	tCode: E	PA Method	8021B: Vola	tiles		
Client ID: LCSS	Batc	h ID: 18	026	F	RunNo: 2	4701				
Prep Date: 3/6/2015	Analysis [Date: 3/	9/2015		SeqNo: 7	27996	Units: mg/F	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.1	0.050	1.000	0	113	76.6	128	1		1
Toluene	1.1	0.050	1.000	0	107	75	124			
Ethylbenzene	1.1	0.050	1.000	0	109	79.5	126			
Xylenes, Total	3.3	0.10	3.000	0	110	78.8	124			
Surr: 4-Bromofluorobenzene	1.1		1.000		114	80	120			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH Not In Range
- RL Reporting Detection Limit

Page 4 of 4



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Albuquerque, NM 87109 Sample Log-In Check List

Clie	nt Name: Animas E	nvironmental	Work Order Numbe	r. 1503289		RcptNo:	1
Rece	eived by/date:	AF 03/	107115		White and		
Logg	ed By: Anne Th	ome	3/7/2015 11:45:00 AM		an In		
Com	pleted By: Anne Th	orne	3/9/2015		ann Sh		
Revi	ewed By:	A	relocition			la l	
Cha	in of Custody	A	0)		HIELDER.		
1. 0	Custody seals intact on	sample bottles?		Yes 🗆	No 🗆	Not Present	
2. 1	s Chain of Custody con	nplete?		Yes 🗹	No 🗆	Not Present	
3. t	How was the sample de	livered?		Courier			
Log	<u>ı In</u>						
	Was an attempt made	to cool the samp	oles?	Yes 🗹	No □	NA 🗆	
5. \	Were all samples receiv	ved at a tempera	ature of >0° C to 6.0°C	Yes 🗹	No 🗆	NA 🗆	
6.	Sample(s) in proper con	ntainer(s)?		Yes 🗹	No 🗆		
7. 8	Sufficient sample volum	e for indicated t	est(s)?	Yes 🗹	No 🗆		
8. 4	Are samples (except VC	OA and ONG) pr	operly preserved?	Yes 🗹	No 🗆		
9. 1	Was preservative added	d to bottles?		Yes 🗆	No ☑	NA 🗆	
10.	/OA vials have zero he	adspace?		Yes 🗆	No 🗆	No VOA Vials	
	Were any sample conta		proken?	Yes 🗆	No 🗹		
						# of preserved bottles checked	
	Does paperwork match		A FEW MARKET	Yes 🗹	No 🗆	for pH:	r >12 unless noted)
	Note discrepancies on Are matrices correctly in			Yes 🗹	No 🗆	Adjusted?	
	s it clear what analyses			Yes 🗹	No 🗆		
15.1	Were all holding times a	able to be met?		Yes 🗹	No 🗆	Checked by:	
(If no, notify customer for	or authorization.					
Spec	cial Handling (if a	pplicable)					
16.1	Was client notified of al	I discrepancies	with this order?	Yes 🗆	No 🗆	NA 🗹	
	Person Notified:		Date	2017 But 180 1 B		and in the	TO SEE
	By Whom:		Via:	eMail [☐ Phone ☐ Fax	☐ In Person	
5	Regarding:	*****	a man of the Ment of the second			name and the second	
	Client Instructions				4.6 10 6 5		
17.	Additional remarks:						
18.	Cooler Information						
	Cooler No Temp	C Condition		Seal Date	Signed By		
	1 5.1	Good	Yes		1		

			nmental Services	Turn-Around ☐ Standard Project Name		Same Day				AN		Y	SIS	S L	A	30		ATA	
Farm	ington	604 W NU -24-	Pina St. 87461 2281	CoP State Project #:	e Com A	·I #33				wkins	NE -	Alb	ouque	erqu 505-	e, N 345	M 87			
email or QA/QC F	Fax#: @ Package: dard	skyles e	□ Level 4 (Full Validation)		ger: E. Skyles C. Lime		TMB's (8021)	(Gas only)	RO / MRO)		SIMS)		2,PO4,SO4)	2 PCB's					
Accredi	The state of the s	□ Othe	r	Unice:	Y Yes	U.N. Oliver	₫ ‡	+ TP	RO/D	118.1)	r 8270	0	ON'EO	s / 808		(AC			or N
□ EDD Date	(Type) Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	Garage Control	BTEX + MTE	BTEX + MTBE + TPH (Gas only)	TPH 8015B (GRO / DRO / MRO)	TPH (Method 418.1) EDB (Method 504.1)	PAH's (8310 or 8270 SIMS)	RCRA 8 Metals	Anions (F,CI,NO3,NO2,PO4,SO4)	8081 Pesticides / 8082 PCB's	8260B (VOA)	8270 (Semi-VOA)			Air Bubbles (Y or N)
-6-15	940	Soil	SC-5	Weett Dat	Con Meath		X		*										
		AL .																	
Pate: 76/15 Date: 3/4/15	Time:	Relipquish	ail.m	Received by:	whilete	Date Time 3/4/5/114 Date Time 3/7/5/1/5/1/5	Wo	#:1 VID.	0374 KG/	11 to 14348			Lilling		ACI byde arou	T col	DE: Ti	ilo lph Sl un: 15	



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

March 11, 2015

Emilee Skyles Animas Environmental 604 Pinon Street Farmington, NM 87401 TEL: (505) 564-2281

FAX

RE: CoP State Com AI #33 OrderNo.: 1503301

Dear Emilee Skyles:

Hall Environmental Analysis Laboratory received 4 sample(s) on 3/7/2015 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

Andy Freeman

Laboratory Manager

andyl

4901 Hawkins NE

Albuquerque, NM 87109

Lab Order 1503301

Date Reported: 3/11/2015

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Animas Environmental

CoP State Com AI #33

Lab ID: 1503301-001

Project:

Client Sample ID: SC-1

Collection Date: 3/6/2015 9:20:00 AM

Received Date: 3/7/2015 11:45:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANGE	ORGANICS	MARKET !	144		Analyst	JME
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	3/11/2015 12:02:29 AM	18046
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	3/11/2015 12:02:29 AM	18046
Surr: DNOP	114	63.5-128	%REC	1	3/11/2015 12:02:29 AM	18046
EPA METHOD 8015D: GASOLINE RAI	NGE				Analyst:	NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	3/10/2015 3:07:04 PM	18044
Surr: BFB	92.4	80-120	%REC	1	3/10/2015 3:07:04 PM	18044
EPA METHOD 8021B: VOLATILES					Analyst:	NSB
Benzene	ND	0.048	mg/Kg	1	3/10/2015 3:07:04 PM	18044
Toluene	ND	0.048	mg/Kg	1	3/10/2015 3:07:04 PM	18044
Ethylbenzene	ND	0.048	mg/Kg	1	3/10/2015 3:07:04 PM	18044
Xylenes, Total	ND	0.097	mg/Kg	1	3/10/2015 3:07:04 PM	18044
Surr: 4-Bromofluorobenzene	104	80-120	%REC	1	3/10/2015 3:07:04 PM	18044

Matrix: SOIL

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 1 of 8

- P Sample pH Not In Range
- RL Reporting Detection Limit

Lab Order 1503301

Date Reported: 3/11/2015

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Animas Environmental

rironmental Client Sample ID: SC-2

 Project:
 CoP State Com AI #33
 Collection Date: 3/6/2015 9:25:00 AM

 Lab ID:
 1503301-002
 Matrix: SOIL
 Received Date: 3/7/2015 11:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANG	E ORGANICS		TY			Analyst	JME
Diesel Range Organics (DRO)	ND	10		mg/Kg	1	3/11/2015 1:05:56 AM	18046
Motor Oil Range Organics (MRO)	ND	50		mg/Kg	1	3/11/2015 1:05:56 AM	18046
Surr: DNOP	159	63.5-128	S	%REC	1	3/11/2015 1:05:56 AM	18046
EPA METHOD 8015D: GASOLINE RA	NGE					Analyst	NSB
Gasoline Range Organics (GRO)	ND	4.6		mg/Kg	1	3/10/2015 3:35:48 PM	18044
Surr: BFB	91.8	80-120		%REC	1	3/10/2015 3:35:48 PM	18044
EPA METHOD 8021B: VOLATILES						Analyst	NSB
Benzene	ND	0.046		mg/Kg	1	3/10/2015 3:35:48 PM	18044
Toluene	ND	0.046		mg/Kg	1	3/10/2015 3:35:48 PM	18044
Ethylbenzene	ND	0.046		mg/Kg	1	3/10/2015 3:35:48 PM	18044
Xylenes, Total	ND	0.091		mg/Kg	1	3/10/2015 3:35:48 PM	18044
Surr: 4-Bromofluorobenzene	103	80-120		%REC	1	3/10/2015 3:35:48 PM	18044

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 2 of 8

- P Sample pH Not In Range
- RL Reporting Detection Limit

Lab Order 1503301

Date Reported: 3/11/2015

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Animas Environmental

Client Sample ID: SC-3

Project: CoP State Com AI #33 Collection Date: 3/6/2015 9:30:00 AM Lab ID: 1503301-003 Matrix: SOIL Received Date: 3/7/2015 11:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANG	E ORGANICS	1 3 5		MESS	10.74	Analyst	JME
Diesel Range Organics (DRO)	ND	9.7		mg/Kg	1	3/11/2015 1:27:11 AM	18046
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	3/11/2015 1:27:11 AM	18046
Surr: DNOP	148	63.5-128	S	%REC	1	3/11/2015 1:27:11 AM	18046
EPA METHOD 8015D: GASOLINE RA	NGE					Analyst	NSB
Gasoline Range Organics (GRO)	ND	4.7		mg/Kg	1	3/10/2015 4:04:34 PM	18044
Surr: BFB	91.0	80-120		%REC	1	3/10/2015 4:04:34 PM	18044
EPA METHOD 8021B: VOLATILES						Analyst	NSB
Benzene	ND	0.047		mg/Kg	1	3/10/2015 4:04:34 PM	18044
Toluene	ND	0.047		mg/Kg	1	3/10/2015 4:04:34 PM	18044
Ethylbenzene	ND	0.047		mg/Kg	1	3/10/2015 4:04:34 PM	18044
Xylenes, Total	ND	0.094		mg/Kg	1	3/10/2015 4:04:34 PM	18044
Surr: 4-Bromofluorobenzene	102	80-120		%REC	1	3/10/2015 4:04:34 PM	18044

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- Analyte detected in the associated Method Blank
- Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
 - Page 3 of 8
- Sample pH Not In Range
- RL Reporting Detection Limit

Lab Order 1503301

Date Reported: 3/11/2015

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Animas Environmental

Client Sample ID: SC-4

Project: CoP State Com AI #33

Collection Date: 3/6/2015 9:35:00 AM

Lab ID: 1503301-004

Matrix: SOIL Received Date: 3/7/2015 11:45:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANG	N. P. Carrie	N. VIDE		Analyst:	JME	
Diesel Range Organics (DRO)	15	10	mg/Kg	1	3/11/2015 2:09:27 AM	18046
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	3/11/2015 2:09:27 AM	18046
Surr: DNOP	120	63.5-128	%REC	1	3/11/2015 2:09:27 AM	18046
EPA METHOD 8015D: GASOLINE RA	NGE				Analyst:	NSB
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	3/10/2015 10:17:12 PM	18044
Surr: BFB	90.7	80-120	%REC	1	3/10/2015 10:17:12 PM	18044
EPA METHOD 8021B: VOLATILES					Analyst:	NSB
Benzene	ND	0.047	mg/Kg	1	3/10/2015 10:17:12 PM	18044
Toluene	ND	0.047	mg/Kg	1	3/10/2015 10:17:12 PM	18044
Ethylbenzene	ND	0.047	mg/Kg	1	3/10/2015 10:17:12 PM	18044
Xylenes, Total	ND	0.095	mg/Kg	1	3/10/2015 10:17:12 PM	18044
Surr: 4-Bromofluorobenzene	99.8	80-120	%REC	1	3/10/2015 10:17:12 PM	18044

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 4 of 8

- P Sample pH Not In Range
- RL Reporting Detection Limit

Client:

Hall Environmental Analysis Laboratory, Inc.

Animas Environmental

WO#: 1503301

11-Mar-15

Project: CoP Sta	ate Com AI #33	The second of th	REPORT OF THE PROPERTY OF THE PARTY OF THE P	<u> </u>
Sample ID MB-18057	SampType: MBLK	TestCode: EPA Method	8015D: Diesel Range Organics	
Client ID: PBS	Batch ID: 18057	RunNo: 24711		
Prep Date: 3/10/2015	Analysis Date: 3/10/2015	SeqNo: 728324	Units: %REC	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit	Qual
Surr: DNOP	8.4 10.00	84.2 63.5	128	-4-
Sample ID LCS-18057	SampType: LCS	TestCode: EPA Method	8015D: Diesel Range Organics	
Client ID: LCSS	Batch ID: 18057	RunNo: 24711		
Prep Date: 3/10/2015	Analysis Date: 3/10/2015	SeqNo: 728326	Units: %REC	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit	Qual
Surr: DNOP	4.4 5.000	87.4 63.5	128	His.
Sample ID MB-18046	SampType: MBLK	TestCode: EPA Method	8015D: Diesel Range Organics	
Client ID: PBS	Batch ID: 18046	RunNo: 24724		
Prep Date: 3/9/2015	Analysis Date: 3/10/2015	SeqNo: 728339	Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit	Qual
Diesel Range Organics (DRO)	ND 10			
Motor Oil Range Organics (MRO)	ND 50			
Surr: DNOP	7.6 10.00	76.3 63.5	128	140
Sample ID MB-18049	SampType: MBLK	TestCode: EPA Method	8015D: Diesel Range Organics	
Client ID: PBS	Batch ID: 18049	RunNo: 24724		
Prep Date: 3/9/2015	Analysis Date: 3/10/2015	SeqNo: 728340	Units: %REC	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit	Qual
Surr: DNOP	8.9 10.00	89.3 63.5	128	
Sample ID LCS-18046	SampType: LCS	TestCode: EPA Method	8015D: Diesel Range Organics	
Client ID: LCSS	Batch ID: 18046	RunNo: 24724		
Prep Date: 3/9/2015	Analysis Date: 3/10/2015	SeqNo: 728341	Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit	Qual
Diesel Range Organics (DRO)	47 10 50.00	0 93.4 67.8	130	
Surr: DNOP	4.2 5.000	83.7 63.5	128	
Sample ID LCS-18049	SampType: LCS	TestCode: EPA Method	8015D: Diesel Range Organics	No. 2
	Batch ID: 18049	RunNo: 24724		
Client ID: LCSS				
Client ID: LCSS Prep Date: 3/9/2015	Analysis Date: 3/10/2015	SeqNo: 728364	Units: %REC	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 5 of 8

- P Sample pH Not In Range
- RL Reporting Detection Limit

Hall Environmental Analysis Laboratory, Inc.

WO#: 1503301

11-Mar-15

Client: Project: Animas Environmental

CoP State Com AI #33

Sample ID 1503301-001AMS

SampType: MS

TestCode: EPA Method 8015D: Diesel Range Organics

Client ID:

SC-1

SC-1

Prep Date: 3/9/2015

Batch ID: 18046

PQL

9.9

RunNo: 24711

%REC

Prep Date:

Analysis Date: 3/11/2015

SeqNo: 728831

Units: mg/Kg

3/9/2015

HighLimit

176

128

RPDLimit

%RPD

Qual

Analyte Diesel Range Organics (DRO) Surr: DNOP

Result 48 5.6

49.26 4.926

5.015

SPK value SPK Ref Val

0 98.3 114

63.5

TestCode: EPA Method 8015D: Diesel Range Organics

Qual

Sample ID 1503301-001AMSD Client ID:

SampType: MSD Batch ID: 18046 Analysis Date: 3/11/2015

PQL

10

RunNo: 24711

SeqNo: 728833

134

LowLimit 29.2

HighLimit

Units: mg/Kg

%RPD

RPDLimit

Diesel Range Organics (DRO) Surr: DNOP

Analyte

Result 55

6.7

SPK value SPK Ref Val 50.15 0

%REC LowLimit 109

29.2 63.5

176 128 12.4

23 0

0 S

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- Analyte detected below quantitation limits
- RSD is greater than RSDlimit 0
- R RPD outside accepted recovery limits
- Spike Recovery outside accepted recovery limits
- Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- Sample pH Not In Range
- Reporting Detection Limit

Page 6 of 8

Hall Environmental Analysis Laboratory, Inc.

1100

WO#: 1503301

11-Mar-15

Client: Animas Environmental
Project: CoP State Com AI #33

Sample ID MB-18044 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS Batch ID: 18044 RunNo: 24730

Prep Date: 3/9/2015 Analysis Date: 3/10/2015 SeqNo: 728732 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Gasoline Range Organics (GRO) ND 5.0

Surr: BFB 900 1000 89.5 80 120

Sample ID LCS-18044 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range
Client ID: LCSS Batch ID: 18044 RunNo: 24730

Prep Date: 3/9/2015 Analysis Date: 3/10/2015 SeqNo: 728733 Units: mg/Kg

1000

Analyte SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Result PQL LowLimit Qual 28 5.0 25.00 0 112 64 Gasoline Range Organics (GRO) 130

108

80

120

Qualifiers:

Surr: BFB

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH Not In Range
- RL Reporting Detection Limit

Page 7 of 8

Hall Environmental Analysis Laboratory, Inc.

WO#: 1503301

11-Mar-15

Client: Animas Environmental
Project: CoP State Com AI #33


Sample ID MB-18044	Samp	уре: МЕ	BLK	Tes						
Client ID: PBS	Batch ID: 18044 Analysis Date: 3/10/2015			F	RunNo: 2					
Prep Date: 3/9/2015				SeqNo: 728766			Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.050							FULL	10 100
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.0		1.000		102	80	120			

Sample ID LCS-18044	S	TestCode: EPA Method 8021B: Volatiles									
Client ID: LCSS	Batc	h ID: 18	044	F	RunNo: 2						
Prep Date: 3/9/2015	Analysis Date: 3/10/2015			5	SeqNo: 7	28767	Units: mg/k	(g			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	1.2	0.050	1.000	0	116	76.6	128			VIII No.	
Toluene	1.1	0.050	1.000	0	109	75	124				
Ethylbenzene	1.1	0.050	1.000	0	111	79.5	126				
Xylenes, Total	3.3	0.10	3.000	0	110	78.8	124				
Surr: 4-Bromofluorobenzene	1.1		1.000		112	80	120				

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH Not In Range
- RL Reporting Detection Limit

Page 8 of 8



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: Animas Environmental	Work Order Number:	1503301		RcptNo: 1	
Received by/date: AF	03/07/15				
Logged By: Lindsay Mangin	3/7/2015 11:45:00 AM		of the state of		
Completed By: Lindsay Mangin	3/9/2015 10:03:39 AM		Andy Allego		
Reviewed By:	03/09/15		000		
Chain of Custody	05/01/17	- 15			
1. Custody seals intact on sample bottles?		Yes 🗆	No 🗆	Not Present	
2. Is Chain of Custody complete?		Yes 🐼	No 🗆	Not Present	
3. How was the sample delivered?		Courier			
Log In					
4. Was an attempt made to cool the samples	7	Yes 🐼	No 🗆	NA 🗆	
5. Were all samples received at a temperature	e of >0° C to 6.0°C	Yes 🐼	No 🗆	NA 🗆	
6. Sample(s) in proper container(s)?		Yes 🗹	No 🗆		
7. Sufficient sample volume for indicated test	(s)?	Yes 🗹	No 🗆		
8. Are samples (except VOA and ONG) prope	Yes 🗹	No 🗆			
9. Was preservative added to bottles?		Yes 🗆	No 🗹	NA 🗆	
10.VOA vials have zero headspace?		Yes 🗆	No 🗆	No VOA Vials	
11. Were any sample containers received broken	xen?	Yes 🗆	No 🐼	# of preserved	
12. Does paperwork match bottle labels?		Yes 🐼	No 🗆	bottles checked for pH:	
(Note discrepancies on chain of custody)		163 62		(<2 or	>12 unless noted)
13. Are matrices correctly identified on Chain of	of Custody?	Yes 🐼	No 🗆	Adjusted?	
14. Is it clear what analyses were requested?		Yes 🗹	No 🗆		
15. Were all holding times able to be met? (If no, notify customer for authorization.)		Yes 🐼	No 🗆	Checked by:	
Special Handling (if applicable)					
16. Was client notified of all discrepancies with	this order?	Yes 🗆	No 🗆	NA 🐱	
		103 🗆			
Person Notified: By Whom:	Date: Via:	eMail	Phone Fax	☐ In Person	
Regarding:	via. [_ CIVIAII _] Filolie Tax		
Client Instructions:					
17. Additional remarks:					
18. Cooler Information Cooler No Temp °C Condition 8	Seal Intact Seal No	Seal Date	Signed By		-
1 5.1 Good Ye					•

	Chain-of-Custody Record Turn-Around Time:									HA		F	NV	TE	20	NA	4FD	ITA	
Client:	Aminas	Enviror	mental Scrimes	Project Name: Col State Com AI #33 Project #:				HALL ENVIRONMENTAL ANALYSIS LABORATOR www.hallenvironmental.com											
	L. WEST																		
Mailing	Address	604 W	Pinen St.					4901 Hawkins NE - Albuquerque, NM 87109 Tel. 505-345-3975 Fax 505-345-4107 Analysis Request											
Fam	mingto	NM 8	17401																Selection.
email or Fax#: Eskylese animas environment J. com QA/QC Package: Distandard Distandard				Project Manager:				TMB's (8021) TPH (Gas only)	to / MRO)		IMS)	March Co.	04,504)	PCB's					
Accreditation □ NELAP □ Other			E- Skyles Sampler: C. Lamenan On Ice Yes No			T	+ TPH	30 / DF	18.1)	8270 S		3,NO2,	/ 8082		A			(N)	
	(Type)					LUSTELL	邓	BE	9	2 b	000	stals	N,	ides	8	9			3
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEAL NO.	BTEX +₩	BTEX + MTBE + TPH (Gas only)	TPH 8015B (GRO / DRO / MRO	TPH (Method 418.1) EDB (Method 504.1)	PAH's (8310 or 8270 SIMS)	RCRA 8 Metals	Anions (F,CI,NO3,NO2,PO4,SO4)	8081 Pesticides / 8082 PCB's	8260B (VOA)	8270 (Semi-VOA)			Air Bubbles (Y or N)
16-15	920	Soil	SC-1	402 jar	Cool	-001	X		X										
	925	1	SC-2	l i		-007	X		X			1							
	930		SC-3			-003	X		X				T.		Ball				
+	935	1	SC-4		4	-004	X		X										
			er and an area		RESIDENCE OF													E	
					S 15.60			11				1						-	
											-							_	
Date:	Time: 1714 Time: 1760	Relinquishe	ad by:	Received by:	alibet of the	Date Time 3/4/5 /7/9 Date Time 3/7/5 /1:45	Me	out!	103	+34 +34 +ARL	8			ips	ACT Side	COD willy:21	E: TE: R.	110 alph.	Sloan