District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office. For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

		P	it, Below-Gra	ide Tank, or		
13631	Proposed	Alternative	Method Perr	nit or Closure Pl	an Applicat	ion
Туре с	of action:	Below grade tan	k registration			DIL CONS. DIV DIST. 3
45.2	5787	Permit of a pit o	r proposed alterna	tive method		
-10-00	Name of Street o	Modification to	an existing permit	or proposed alternative	e metnod	NOV 2 4 2015
		Closure plan onl	01	existing permitted or r	non-permitted pi	t, below-grade tank,
	posed alternativ					
				er individual pit, below-g		
ronment. Nor does appr	val of this request oval relieve the o	t does not relieve the perator of its respon	e operator of liability sibility to comply wit	should operations result in h any other applicable gov	pollution of surface ernmental authority	water, ground water or the s rules, regulations or ordinances
Operator: _Burlington I	Resources Oil &	Gas Company, LP	OGRID #:	14538		The Prese
Address: PO BOX 42						
acility or well name: 1						
		OCD Per	rmit Number:			
		and a state the		N Range 8W		Juan
				-107.675419 W NA		
urface Owner: 🛛 Fede	eral 🗌 State 🗌	Private 🗌 Tribal	Trust or Indian Allot	ment		
A STREET	ed 🗌 Factory [Other		Volume:bbl Dime	nsions: L x W	x D
Below-grade tank:	Subsection I of	f 19.15.17.11 NMA	AC			
olume: <u>12</u>	<u>:0</u> b	bl Type of fluid:	Produced W	ater		Carl Start Start
ank Construction mate	rial: <u>M</u>	etal				
Secondary containm	nent with leak de	etection 🛛 Visibl	e sidewalls, liner, 6-	inch lift and automatic ov	erflow shut-off	
Visible sidewalls an	and the second second second					
iner type: Thickness		mil 🔲 HI	DPE PVC O	ther Unspecified		
Alternative Method	l:					
		ired. Exceptions	must be submitted to	the Santa Fe Environme	ntal Bureau office	for consideration of approval.
encing: Subsection D	of 19.15.17.11 M	NMAC (Applies to	permanent pits, tem	porary pits, and below-gr	ade tanks)	
Chain link, six feet in astitution or church)	n height, two stra	ands of barbed wire	e at top (Required if	located within 1000 feet o	of a permanent res	idence, school, hospital,
Four foot height, fou	ir strands of barb	ed wire evenly spa	ced between one and	i four feet		
] Alternate. Please spo	ecify					
BOLD BE MAL	52-15-5				11000	21
Form C	-144		Oil Conservatio	n Division		Page 1 of 6
ronne			on conservatio	1 51131011		1501.01.0

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	·
Screen Netting Other	1 . 1 .
Monthly inspections (If netting or screening is not physically feasible)	
7.	
Signs: Subsection C of 19.15.17.11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
Signed in compliance with 19.15.16.8 NMAC	
8.	
Variances and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	
Please check a box if one or more of the following is requested, if not leave blank:	
Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.	
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
9.	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acce	entable source
material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	pluole source
General siting	2.5
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.	Yes No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	⊠ NA
	Yes No
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	NA NA
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks)	
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	10-12-10-12-12-12-12-12-12-12-12-12-12-12-12-12-
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	Yes No
Within an unstable area. (Does not apply to below grade tanks)	
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	Yes No
Society; Topographic map	Yes No
Within a 100-year floodplain. (Does not apply to below grade tanks) FEMA map 	
Below Grade Tanks	
	1. A. P. 199
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark).	🗌 Yes 🛛 No
- Topographic map; Visual inspection (certification) of the proposed site	Sec. 1
Within 200 horizontal fast of a spring or a fresh water well used for public or livestock consumption:	Yes No
 Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole,	
or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.)	Yes No
- Topographic map; Visual inspection (certification) of the proposed site	1.61.25
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes No
application.	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock	
watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application.	Yes No
NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Sale as the

Within 100 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No
Temporary Pit Non-low chloride drilling fluid	
 Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	Yes No
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No
 Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes No
Permanent Pit or Multi-Well Fluid Management Pit	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Yes No
- Topographic map; Visual inspection (certification) of the proposed site	
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	Yes No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.	
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes No
10. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:	cuments are 9 NMAC 15.17.9 NMAC
11.	
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the dot attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.10 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC 	
Previously Approved Design (attach copy of design) API Number: or Permit Number:	

 Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H₂S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC 	documents are
13. Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method	luid Management Pit
 Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
15. <u>Siting Criteria (regarding on-site closure methods only)</u> : 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. F 19.15.17.10 NMAC for guidance.	rce material are Nease refer to
Ground water is less than 25 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA
 Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	Yes No
 Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	
Form C-144 Oil Conservation Division Page 4 of	6

 adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality 	Yes No
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	Yes No
Within an unstable area.	
 Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	Yes No
Within a 100-year floodplain.	
- FEMA map	Yes No
 16. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17. Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC 	.11 NMAC .15.17.11 NMAC
17.	
Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and bel	ief.
Name (Print): Title:	
Signature: Date:	
e-mail address: Telephone:	
18. OCD Approval: Permit Application (including closure plan) M Closure Plan (only) OCD Conditions (see attachment)	AND A STATE
OCD Representative Signature:	310015
Title: Equiponontal Specialist OCD Permit Number:	
19.	A
<u>Closure Report (required within 60 days of closure completion)</u> : 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed.	the closure report. t complete this
Closure Completion Date: 09/22/2010	
20. Closure Method: ☑ Waste Excavation and Removal □ On-Site Closure Method □ Alternative Closure Method □ Waste Removal (Closed-lo □ If different from approved plan, please explain.	oop systems only)
21. <u>Closure Report Attachment Checklist</u> : Instructions: Each of the following items must be attached to the closure report. Please in	dianta hu a abash
mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure for private land only)	асате, ву а спеск
Plot Plan (for on-site closures and temporary pits)	S. T. C. Links
Confirmation Sampling Analytical Results (if applicable)	S. A. Fill
Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number	A PARA PARA
Soil Backfilling and Cover Installation	1.48 - 13. 1 13
 Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) 	218 (1998 - 1916)
On-site Closure Location: Latitude N Longitude W NAD: 1927 1983	STATISTICS IN

Oil Conservation Division

Derator Closure Certification:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print):	Crystal Walker	Title:	Regulatory Coordinator		
Signature:	Gotal 4	Jalka	Dat	te: 11/03/15	
e-mail address:	crystal.walker@cop.com	Telephone: (505)	326-9837		

Burlington Resources Oil & Gas Company, LP San Juan Basin Below Grade Tank Closure Report

Lease Name: Newsom A 16 API No.: 30-045-25787

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the below-grade tank referenced above. All proper documentation regarding closure activities is being included with the C-144.

General Plan:

 BR shall close a below-grade tank within 60 days of cessation of operations per Subsection G.4 of 19.15.17.13 NMAC. This will include a) below-grade tanks that do not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC; b) an earlier date that the division requires because of imminent danger to fresh water, public health or the environment. For any closure, BR will file the C144 Closure Report as required.

The below-grade tank referenced above was permitted and closed within 60 days of cessation of the below-grade tanks operation.

 BR shall remove liquids and sludge from a below-grade tank prior to implementing a closure method and shall dispose of the liquids and sludge in a division-approved facility. The facilities to be used will be Basin Disposal (Permit #NM-01-005), JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) and Envirotech Land Farm (Permit #NM-01-011). The liner after being cleaned well (Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC) will be disposed of at the San Juan County Regional Landfill located on CR 3100.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B). The liner was cleaned per Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC was disposed of at the San Juan County Regional Landfill located on CR 3100.

3. BR will receive prior approval to remove the below-grade tank and dispose of it in a division-approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.

The below-grade tank was disposed of in a division-approved manner.

4. If there is any on-site equipment associated with a below-grade tank, then BR shall remove the equipment, unless the equipment is required for some other purpose.

All on-site equipment associated with the below-grade tank was removed.

5. BR will test the soils beneath the below-grade tank to determine whether a release has occurred. BR shall collect, at a minimum, a five point, composite sample; collect individual grab samples from any area that is wet, discolored or showing other evidence of a release; and analyzed for the constituents listed in Table I of 19.15.17.13 NMAC. BR shall notify the division of its results on form C-141.

A five point composite sample was taken of the below-grade tank using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached). Form C-141 is attached.

Components	Tests Method	Limit (mg/kg)
Benzene	EPA SW-846 8021B or 8260B	0.2
BTEX	EPA SW-846 8021B or 8260B	50
ТРН	EPA SW-846 418.1	100
Chlorides	EPA 300.0	250

 If BR or the division determines that a release has occurred, then BR shall comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC, as appropriate.

A release was not determined for the above referenced well.

7. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Table I of 19.15.17.13 NMAC, then BR shall backfill the excavation with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover; recontour and re-vegetate the site.

The below-grade tank area passed all requirements of Paragraph (4) of Subsection E of 19.15.17.13 NMAC and was backfilled with compacted, non-waste containing, earthen material.

- Notice of Closure will be given prior to closure to the Aztec Division office between 72 hours and one week via email or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification of closure was not provided to the Aztec Division office between 72 hours and one week prior to closure.

9. The surface owner shall be notified of BR's closing of the below-grade tank 72 hours, but not more than one week, prior to closure as per the approved closure plan via certified mail, return receipt requested.

The closure process notification to the landowner was not found. A P&A reclamation notice was sent on 12/6/2010 and is attached.

10. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The below-grade tank area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping, including drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

11. BR shall seed the disturbed areas the first favorable growing season following closure of a below-grade tank. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM stipulated seed mixes will used on federally regulated lands and division-approved seed mixtures (administratively approved if required) will be utilized on all State or private lands. A uniform vegetative cover has been established that reflects a life-form ratio of plus or minus fifty percent (50%) of pre- disturbance levels and a total percent plant cover of at least seventy percent (70%) of pre-disturbance levels, excluding noxious weeds. If alternate seed mix is required by the state, private owner or tribe, it will be implemented with administrative approval if needed. BR will repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 11 was accomplished per the above reference stipulations on 12/17/2010

12. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material, with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The below-grade tank area was backfilled and more than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

- 13. All closure activities will include proper documentation and be available for review upon request and will be submitted to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on C-144 and incorporate the following:
 - Soil Backfilling and Cover Installation (See Report)
 - Re-vegetation application rates and seeding techniques (See Report)
 - Photo documentation of the site reclamation (Included as an attachment)
 - Confirmation Sampling Results (Included as an attachment)
 - Proof of closure notice (Not Available)

Closure documentation was provided as soon as possible.

Walker, Crystal

Payne, Wendy F From: Monday, December 06, 2010 10:48 AM Sent: To: GRP:SJBU Regulatory; Mark Kelly; Robert Switzer; Sherrie Landon; Bassing, Kendal R.; Berenz (mxberenz@yahoo.com); Elmer Perry; Faver Norman; Fred Martinez; Jared Chavez; Lowe, Terry; Payne, Wendy F; Spearman, Bobby E; 'Steve McGlasson'; Tally, Ethel; Becker, Joey W; Bowker, Terry D; Gordon Chenault; GRP:SJBU Production Leads; Hockett, Christy R; Johnson, Kirk L; Bassing, Kendal R.; Kennedy, Jim R; Lopez, Richard A; O'Nan, Mike J.; Peace, James T; Pierce, Richard M; Poulson, Mark E; Smith, Randall O; Spearman, Bobby E; Stamets, Steve A; Thacker, LARRY; Work, Jim A; Blair, Maxwell O; Blakley, Mac; Clark, Joni E; Farrell, Juanita R; Gillette, Steven L (PAC); Greer, David A; Hines, Derek J (Finney Land Co.); Maxwell, Mary Alice; McWilliams, Peggy L; Seabolt, Elmo F: Stallsmith, Mark R 'acedragline@vahoo.com' Cc: P&A Reclamation: Newsom A 16 Subject: Importance: High

ACE Services will move a tractor to the **Newsom A 16** to start the P&A Reclamation process on Wednesday, December 8, 2010. Please contact Steve McGlasson (330-4183) if you have questions or need further assistance.

1



BLM Conditions of Approval PAs...

Burlington Resources Well - Network # 10287819 - Activity Code D250 (PO: Kaitlw) San Juan County, NM Newsom A 16 - BLM surface/BLM minerals 1725' FSL, 990' FWL Sec 10,T26N, R8W Unit Letter " L "

Lease # SF-078430 Latitude: 36.49873 N (NAD 27) Longitude: 107.67509 W (NAD 27) Elevation: 6930' API # 30-045-25787

Wendy Payne ConocoPhillips-SJBU 505-326-9533 Wendy.F.Payne@conocophillips.com

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 Copy to appropriate District Office to accordance with 19.15.29 NMAC.

220 S. St. Fran	icis Dr., Santa	a Fe, NM 8750:	5			e, NM 875					
			Rel	ease Notific	_			ction			1000
			Iten	and i touine		OPERA'			itial Report	\boxtimes	Final Repor
Name of Co	mnany P	urlington Pa	ources O	il & Gas Compar	1V		ystal Walker		inal Report		i mai Kepoi
		th St, Farmin			i y		No.(505) 326-98	837		1	
Facility Na			5.011, 1414				e: Gas Well		All's		
	1 19										
Surface Ow	mer Feder	al		Mineral O	wner l	Federal		API	No.30-045-2	5787	
				LOCA	TIO	N OF RE	LEASE				
Unit Letter L	Section 10	Township 26N	Range 8W	Feet from the 1725	North/South LineFeet from theEast/West LineCountySouth990WestSan Juan				n		
				Latitude 36.4	499003	3 Longitud	e -107.675419				
						OF REL	10				
Type of Rele	ase	-		11771	UIL	Volume of		Volun	e Recovered		-6. It'
Source of Re							Iour of Occurrent	STOLEN STOLEN	nd Hour of Di	scovery	1
				_							
Was Immedi	ate Notice (Yes [] No 🛛 Not Re	quired	If YES, To	Whom?				
By Whom?	1.54.5	10.10				Date and H				1	100 6422
Was a Water	course Read					If YES, Vo	olume Impacting	the Watercourse			
			Yes 🛛	No		1					
		em and Reme tered during									
Describe Are N/A	a Affected	and Cleanup /	Action Tal	xen.*							
regulations a public health should their or the enviro	ll operators or the envi operations h nment. In a	are required t ronment. The nave failed to a	o report an acceptant adequately OCD accept	e is true and compl nd/or file certain re ce of a C-141 repo v investigate and re ptance of a C-141 r	elease n ort by th emediat	notifications a ne NMOCD m te contamination	nd perform correct arked as "Final R on that pose a thr	ctive actions for teport" does not reat to ground w	releases which relieve the ope ater, surface w	h may e erator o vater, hu	ndanger f liability ıman health
Signature:	ze	tal i		ker		Approved by	OIL CON Environmental S	SERVATIC	N DIVISI	<u>ON</u>	2
Title: Regul	atory Coor	dinator				Approval Da	te: 12/09/2	OS Expirati	on Date:		
E-mail Addr	ess: crysta	ll.walker@cop	o.com			Conditions of	f Approval:		Attachee	d 🔲	
Date: 11/2	3 1S	Phone: (505		7				×			



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

November 09, 2015

Emilee Skyles Animas Environmental 604 Pinon Street Farmington, NM 87401 TEL: (505) 564-2281 FAX

OrderNo.: 1511049

Dear Emilee Skyles:

RE: CoPC Newsom A 16

Hall Environmental Analysis Laboratory received 1 sample(s) on 11/3/2015 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to <u>www.hallenvironmental.com</u> or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

andy

Andy Freeman Laboratory Manager 4901 Hawkins NE Albuquerque, NM 87109

Analytical Report

Lab Order 1511049

Date Reported: 11/9/2015

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Animas Environmental Client Sample ID: BGT S-1 Project: CoPC Newsom A 16 Collection Date: 11/2/2015 3:10:00 PM Lab ID: 1511049-001 Matrix: SOIL Received Date: 11/3/2015 7:00:00 AM Analyses Result RL Qual Units DF Date Analyzed Batch EPA METHOD 418.1: TPH ND 19 mg/Kg 1 11/5/2015 12:00:00 PM 22162

EPA METHOD 418.1: TPH					Analyst	TOM
Petroleum Hydrocarbons, TR	ND	19	mg/Kg	1	11/5/2015 12:00:00 PM	22162
EPA METHOD 300.0: ANIONS					Analyst	LGT
Chloride	46	30	mg/Kg	20	11/5/2015 6:31:46 PM	22215
EPA METHOD 8015M/D: DIESEL RANGE O	RGANIC	S			Analyst	KJH
Diesel Range Organics (DRO)	ND	9.7	mg/Kg	1	11/4/2015 12:54:09 PM	22154
Surr: DNOP	97.0	70-130	%REC	1	11/4/2015 12:54:09 PM	22154
EPA METHOD 8015D: GASOLINE RANGE					Analyst:	NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	11/4/2015 1:24:46 PM	22147
Surr: BFB	89.9	75.4-113	%REC	1	11/4/2015 1:24:46 PM	22147
EPA METHOD 8021B: VOLATILES					Analyst	NSB
Benzene	ND	0.049	mg/Kg	1	11/4/2015 1:24:46 PM	22147
Toluene	ND	0.049	mg/Kg	1	11/4/2015 1:24:46 PM	22147
Ethylbenzene	ND	0.049	mg/Kg	1	11/4/2015 1:24:46 PM	22147
Xylenes, Total	ND	0.097	mg/Kg	1	11/4/2015 1:24:46 PM	22147
Surr: 4-Bromofluorobenzene	108	80-120	%REC	1	11/4/2015 1:24:46 PM	22147

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	В	Analyte detected in the associated Method	Blank
	D	Sample Diluted Due to Matrix	Е	Value above quantitation range	
	Н	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits	Page 1 of 6
	ND	Not Detected at the Reporting Limit	Р	Sample pH Not In Range	rage 1010
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit	
	S	% Recovery outside of range due to dilution or matrix			

WO#: 1511049 09-Nov-15

Hall Environmental	Analysis	Laboratory,	Inc.
--------------------	----------	-------------	------

Sample ID MB-22215	SampType: MBLK	TestCode: EPA Method	300.0: Anions		
Client ID: PBS	Batch ID: 22215	RunNo: 30052			
Prep Date: 11/5/2015	Analysis Date: 11/5/2015	SeqNo: 915643	Units: mg/Kg		
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit	Qual
Chloride	ND 1.5	And a second		-11.54	14
Sample ID LCS-22215	SampType: LCS	TestCode: EPA Method	300.0: Anions	They are	2.0
Client ID: LCSS	Batch ID: 22215	RunNo: 30052			
Prep Date: 11/5/2015	Analysis Date: 11/5/2015	SeqNo: 915644	Units: mg/Kg		
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit	Qual
Chloride	14 1.5 15.00	0 92.2 90	110	2 2 11 2	101

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit

Page 2 of 6

WO#: 1511049

09-Nov-15

Hall Environmental Analysis Laboratory, Inc.

Sample ID MB-22162	SampType: MBLK	TestCode: EPA Method	418.1: TPH		
Client ID: PBS	Batch ID: 22162	RunNo: 30033			
Prep Date: 11/3/2015	Analysis Date: 11/5/2015	SeqNo: 914951	Units: mg/Kg		
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	ND 20		ीता		11.
Sample ID LCS-22162	SampType: LCS	TestCode: EPA Method	418.1: TPH	Si ni -	200 1
Client ID: LCSS	Batch ID: 22162	RunNo: 30033			
Prep Date: 11/3/2015	Analysis Date: 11/5/2015	SeqNo: 914952	Units: mg/Kg		
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	100 20 100.0	0 105 83.6	116		150 -
Sample ID LCSD-22162	SampType: LCSD	TestCode: EPA Method	418.1: TPH	100	
Client ID: LCSS02	Batch ID: 22162	RunNo: 30033			
Prep Date: 11/3/2015	Analysis Date: 11/5/2015	SeqNo: 914953	Units: mg/Kg		
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	110 20 100.0	0 114 83.6	116 7.91	20	1. 70

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit

Page 3 of 6

WO#: 1511049 09-Nov-15

Hall Environmental Analysis Laboratory, Inc.

C	s Environmenta Newsom A 16	al								
Sample ID MB-22154 Client ID: PBS Prep Date: 11/3/2015		De: MBLK D: 22154 De: 11/4/2015	F	tCode: EF RunNo: 29 SeqNo: 91	9994	8015M/D: Die Units: mg/K		e Organics		
Analyte	Result	PQL SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Diesel Range Organics (DRO) Surr: DNOP	ND 13	10 10.00		125	70	130				
Sample ID LCS-22154 Client ID: LCSS Prep Date: 11/3/2015	SampTyp Batch II Analysis Dat	D: 22154	F	tCode: EF RunNo: 29 SeqNo: 9	9994	8015M/D: Die Units: mg/k		e Organics		
Analyte			SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Diesel Range Organics (DRO) Surr: DNOP	62 6.0	10 50.00 5.000		124 120	57.4 70	139 130	1.124	7		

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit

Page 4 of 6

WO#:

1511049 09-Nov-15

	Environmental Newsom A 16					
Sample ID MB-22147 Client ID: PBS Prep Date: 11/3/2015	SampType: MBLK Batch ID: 22147 Analysis Date: 11/4/2		estCode: EPA Method RunNo: 30007 SeqNo: 914020	I 8015D: Gasoline Rang Units: mg/Kg	ge	
Analyte	Result PQL SP	K value SPK Ref Va	al %REC LowLimit	HighLimit %RPD	RPDLimit Q	ual
Gasoline Range Organics (GRO) Surr: BFB	ND 5.0 890	1000	88.6 75.4	113		
Sample ID LCS-22147	SampType: LCS	T	estCode: EPA Method	8015D: Gasoline Rang	je	
Client ID: LCSS	Batch ID: 22147		RunNo: 30007			
Prep Date: 11/3/2015	Analysis Date: 11/4/2	2015	SeqNo: 914021	Units: mg/Kg		
Analyte	Result PQL SP	K value SPK Ref Va	al %REC LowLimit	HighLimit %RPD	RPDLimit Q	ual
Gasoline Range Organics (GRO)	27 5.0	25.00 0	108 79.6	122	THE OTHER	
Surr: BFB	960	1000	95.7 75.4	113		

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit

Page 5 of 6

WO#: 1511049 09-Nov-15

Hall E	nvironmental	Analysis	Laboratory,	Inc.
--------	--------------	----------	-------------	------

Client:	Animas Environmental
Project:	CoPC Newsom A 16

Sample ID MB-22147	SampType: MBLK TestCode: EPA Method						8021B: Volatiles							
Client ID: PBS	Batc	h ID: 22	147	F	RunNo: 3	0007								
Prep Date: 11/3/2015	Analysis [Date: 1	1/4/2015	5	SeqNo: 9	14031	Units: mg/k	(g						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual				
Benzene	ND	0.050	100		1.00			a series		1.5				
Toluene	ND	0.050												
Ethylbenzene	ND	0.050												
Xylenes, Total	ND	0.10												
Surr: 4-Bromofluorobenzene	1.1		1.000		107	80	120							
Sample ID LCS-22147	Samp	Type: LC	s	Tes	tCode: E	PA Method	8021B: Vola	tiles		infor-				
Client ID: LCSS	Batc	h ID: 22	147	F	RunNo: 3	0007								
Prep Date: 11/3/2015	Analysis [Date: 1	1/4/2015	S	SeqNo: 9	14113	Units: mg/k	(g						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual				
Benzene	1.1	0.050	1.000	0	112	80	120		100	1.64				
Toluene	1.0	0.050	1.000	0	99.9	80	120							
Ethylbenzene	0.98	0.050	1.000	0	97.6	80	120							
Xylenes, Total	2.9	0.10	3.000	0	97.7	80	120							
Surr: 4-Bromofluorobenzene	1.1		1.000		114	80	120							

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit

Page 6 of 6

HALL ENVIROI ANALYS LABORA			TEL:	AI 505-345-39	al Analysis Labo 4901 Hawk Ibuquerque, NM 75 FAX: 505-34 hallenvironment	kins NE 87109 5-4107	Sam	ble Log-In Che	ck List
Client Name: A	nimas Envir	onmental	Work C	rder Numbe	er: 1511049			RcptNo: 1	1.4
Received by/date:		AR-	ilo	5/15					
Logged By: I	indsay Ma	ngin	11/3/2015	7:00:00 A	M	0	trady Hogo		
Completed By:	indsay Ma	ngin	11/3/2015	8:42:59 A	M	0	the for		
Reviewed By:	IC	,	110	3/15					
Chain of Custo	dy		. 1						
1. Custody seals	intact on sar	nple bottles?			Yes 🗌		No 🗌	Not Present	
2. Is Chain of Cus					Yes 🐼		No 🗆	Not Present	
3. How was the sa	ample delive	red?			Courier				
Log In									
4. Was an attemp	ot made to c	ool the sample	s?		Yes 🐼		No 🗌		
E 146-0-0			1 . OL O				No 🗌		
5. Were all sample	les received	at a temperati	ure or >0° C	0 6.0°C	Yes 🛃			NA LI	
6. Sample(s) in p	roper contai	ner(s)?			Yes 🛃		No		
7. Sufficient samp	ole volume fo	or indicated tes	st(s)?		Yes 🛃		No 🗆		
8. Are samples (e	except VOA	and ONG) proj	perly preserve	ed?	Yes 🛃		No 🗌		
9. Was preservati	ive added to	bottles?			Yes .		No 🛃	NA 🗆	
10.VOA vials have	e zero heads	pace?			Yes 🗌		No 🗆	No VOA Vials 🛃	
11. Were any sam	ple containe	ers received br	oken?		Yes 🗆		No 🛃	# of preserved	
12.Does paperwor (Note discrepa					Yes 🛃		No 🗆	bottles checked for pH: (<2 or >1	12 unless noted
13. Are matrices c	orrectly ident	tified on Chain	of Custody?		Yes 🛃		No 🗌	Adjusted?	
14. Is it clear what	analyses we	ere requested?			Yes 🛃		No 🗆		
15.Were all holdin (If no, notify cu					Yes 🛃		No 🗌	Checked by:	
Special Handlii	ng (if app	licable)							
16. Was client noti	a service and		th this order?		Yes 🗌		No 🗌	NA 🖻	
Person N	lotified:			Date:			(Internet and internet)		
By Whon				Via:	∎ □ eMail □	Phone	e 🗌 Fax	In Person	
Regardin		AND ADDRESS OF STREET, S							
	structions:			THE R LOCAL DESIGNATION OF STREET					
17. Additional rem	narks:		4 (494 4 A)A A	1.44	34 - 1 444 - 2 - 2				
18. Cooler Inform	nation								
Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Sig	ned By		
1	2.6	Good	Yes						

Cn	ain-o	t-Cus	tody Record	I urn-Arouna	ıme:				R W	н	ALL	ENI	TD	ON		TAI	
Client: An	imas E	nvironm	ental Services, LLC	X Standard							NAL						
	(ID-2)		Sector of the state of the	Project Name:			www.hallenvironmental.com										
Mailing Ad	dress:	604 W	Pinon St.		COPC News	om A 16	4901 Hawkins NE - Albuquerque, NM 87109										
Fig. St.	3. 16	Contraction of the local division of the loc	gton, NM 87401	Project #:			1				45-3975			5-345-4			
Phone #:	505-564										An	alysis	Requ	uest			
Email or Fa	ax#: esk	vles@anir	masenvironmental.com	Project Manag	Jer	1							1				1
QA/QC Pac		,			E. Skyles				3	-	14	-			1.00		
X Standar	ď		Level 4 (Full Validation))				1.		RO							
Accreditati		_		Sampler: 5.		and the second				SOIL	- 1						
NELAP EDD (T		□ Other		Onlice Sample Temp	XFYES	C No Children			0	(GF			1				Ĩ
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	ULHEALNO 16110119	BTEX - 8021B	TPH - EPA 418.1	Chlorides - 300.0	TPH - EPA 8015 (GRO/DRO)							Air Bubbles (Y or N)
11-2-15	1510	SOIL	BGT S-1	2 - 4 oz.	cool	-001	X	x	X	x							
					1971 CH											-	
Date:	Time:	Relinquish	ed by:	Received by:		Date Time			s: Bil	to C	conoco F	hillips				5	
11/2/15	1805			Christe	Walter	1/2/15 1805		ervis		im P	eace						
Date:	Time:	Relinquish	by: Ust Dael	Received by:	- 11/021	Date Time	Area	a: 2	1								

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

