District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office. For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade Tank, or
13661 Proposed Alternative Method Permit or Closure Plan Application
Type of action: Below grade tank registration OIL CONS. DIV DIST. 3
$ \begin{array}{c} \square \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $
Modification to an existing permit/or registration
Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the nvironment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
1. Operator: <u>Burlington Resources Oil & Gas Company, LP</u> OGRID #: <u>14538</u>
Address: PO BOX 4289, Farmington, NM 87499
Facility or well name: <u>San Juan 27-4 Unit 115</u>
API Number: 30-039-21045 OCD Permit Number:
U/L or Qtr/Qtr <u>F (SENW)</u> Section <u>32</u> Township <u>27N</u> Range <u>4W</u> County: <u>Rio Arriba</u>
Center of Proposed Design: Latitude <u>36.533204</u> •N Longitude <u>-107.276038</u> •W NAD: □1927 ⊠ 1983
Surface Owner: Federal State Private Tribal Trust or Indian Allotment
Pit: Subsection F, G or J of 19.15.17.11 NMAC Temporary: Drilling Workover Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Drilling Fluid yes no Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions: Lx Wx D
Tank Construction material: Metal
Secondary containment with leak detection 🛛 Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
Visible sidewalls and liner Visible sidewalls only Other
Liner type: Thicknessmil HDPE PVC Other Unspecified
4. Alternative Method:
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.
5.
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)
Four foot height, four strands of barbed wire evenly spaced between one and four feet
Alternate. Please specify
Form C-144 Oil Conservation Division Page 1 of 6

6. Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible) Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.16.8 NMAC Variances and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Siting criteria does not apply to drying pads or above-grade tanks. **General siting** Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank. Yes No □ NM Office of the State Engineer - iWATERS database search; □ USGS; □ Data obtained from nearby wells NA NA Yes No Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit . NA NA NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance Yes No adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) Written confirmation or verification from the municipality; Written approval obtained from the municipality Within the area overlying a subsurface mine. (Does not apply to below grade tanks) Yes No Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area. (Does not apply to below grade tanks) Yes No Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Yes No Within a 100-year floodplain. (Does not apply to below grade tanks) FEMA map **Below Grade Tanks** Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured Yes No from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Yes No Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter) Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, Yes No or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial Yes No application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock Yes No watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application.

NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

Within 100 feet of a wetland.	
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No
Temporary Pit Non-low chloride drilling fluid	. 4 i e
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
 Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	Yes No
 Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes No
Permanent Pit or Multi-Well Fluid Management Pit	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa	
 lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	Yes No
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	Yes No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.	188.00
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
10. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:	cuments are 9 NMAC 15.17.9 NMAC
11.	
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the dot attached.	
Previously Approved Design (attach copy of design) API Number: or Permit Number:	

12. 3	
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC	de commente ano
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached.	aocuments are
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC	
 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment 	
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC	
Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
 Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan 	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
 Nuisance or Hazardous Odors, including H₂S, Prevention Plan Emergency Response Plan 	
 Oil Field Waste Stream Characterization 	
Monitoring and Inspection Plan	
Erosion Control Plan	
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
13. Proposed Closure: 19.15.17.13 NMAC	
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F	luid Management Pit
Alternative Proposed Closure Method: Waste Excavation and Removal	
Waste Removal (Closed-loop systems only)	
 On-site Closure Method (Only for temporary pits and closed-loop systems) 	
In-place Burial On-site Trench Burial	
14.	
 Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC 	
15. <u>Siting Criteria (regarding on-site closure methods only)</u> : 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. F 19.15.17.10 NMAC for guidance.	
Ground water is less than 25 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA
Ground water is more than 100 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA
 Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	Yes No
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	Yes No
 Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site 	Yes No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	
Form C-144 Oil Conservation Division Page 4 of 0	6

adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	
 Written confirmation or verification from the municipality; Written approval obtained from the municipality 	Yes No
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	Yes No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological 	
Society; Topographic map	Yes No
Within a 100-year floodplain. - FEMA map	Yes No
 16. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17. Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannow Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC 	.11 NMAC 15.17.11 NMAC
17. Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and beli	ief.
Name (Print): Title:	
Signature: Date:	11111
e-mail address: Telephone:	
18. OCD Approval: Permit Application (including closure plan) Image: Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Approval Date: 12112 Title: Image: Closure Plan (only) OCD Permit Number:	019015
19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC	
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date: <u>3/31/2014</u>	the closure report. complete this
The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed.	complete this

22. ' Operator Closure Certification:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print):	Crystal Walker	Title: <u>Regulatory Coordin</u>	nator		
Signature:	Crotal	Walker	Date:	12/7/2015	_
e-mail address:	crystal.walker@cop.cor	n Telephone: (505) 326-9837		- Contraction of the second second	

Burlington Resources Oil & Gas Company, LP San Juan Basin Below Grade Tank Closure Report

Lease Name: San Juan 27-4 Unit 115 API No.: 30-039-21045

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the below-grade tank referenced above. All proper documentation regarding closure activities is being included with the C-144.

General Plan:

 BR shall close a below-grade tank within 60 days of cessation of operations per Subsection G.4 of 19.15.17.13 NMAC. This will include a) below-grade tanks that do not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC; b) an earlier date that the division requires because of imminent danger to fresh water, public health or the environment. For any closure, BR will file the C144 Closure Report as required.

The below-grade tank referenced above was permitted and closed within 60 days of cessation of the below-grade tanks operation.

 BR shall remove liquids and sludge from a below-grade tank prior to implementing a closure method and shall dispose of the liquids and sludge in a division-approved facility. The facilities to be used will be Basin Disposal (Permit #NM-01-005), JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) and Envirotech Land Farm (Permit #NM-01-011). The liner after being cleaned well (Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC) will be disposed of at the San Juan County Regional Landfill located on CR 3100.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B). The liner was cleaned per Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC was disposed of at the San Juan County Regional Landfill located on CR 3100.

3. BR will receive prior approval to remove the below-grade tank and dispose of it in a division-approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.

The below-grade tank was disposed of in a division-approved manner.

4. If there is any on-site equipment associated with a below-grade tank, then BR shall remove the equipment, unless the equipment is required for some other purpose.

All on-site equipment associated with the below-grade tank was removed.

5. BR will test the soils beneath the below-grade tank to determine whether a release has occurred. BR shall collect, at a minimum, a five point, composite sample; collect individual grab samples from any area that is wet, discolored or showing other evidence of a release; and analyzed for the constituents listed in Table I of 19.15.17.13 NMAC. COPC shall notify the division of its results on form C-141.

A five point composite sample was taken of the below-grade tank using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached). Form C-141 is attached.

Components	Tests Method	Limit (mg/kg)		
Benzene	EPA SW-846 8021B or 8260B	0.2		
BTEX	EPA SW-846 8021B or 8260B	50		
TPH	EPA SW-846 418.1	100		
Chlorides	EPA 300.0	250		

6. If BR or the division determines that a release has occurred, then BR shall comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC, as appropriate.

A release was not determined for the above referenced well.

7. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Table I of 19.15.17.13 NMAC, then BR shall backfill the excavation with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover; recontour and re-vegetate the site.

The below-grade tank area passed all requirements of Paragraph (4) of Subsection E of 19.15.17.13 NMAC and was backfilled with compacted, non-waste containing, earthen material.

- Notice of Closure will be given prior to closure to the Aztec Division office between 72 hours and one week via email or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is missing.

9. The surface owner shall be notified of BR's closing of the below-grade tank 72 hours, but not more than one week, prior to closure as per the approved closure plan via certified mail, return receipt requested.

The closure process notification to the landowner was not found.

10. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The below-grade tank area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping including drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

11. BR shall seed the disturbed areas the first favorable growing season following closure of a below-grade tank. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM stipulated seed mixes will used on federally regulated lands and division-approved seed mixtures (administratively approved if required) will be utilized on all State or private lands. A uniform vegetative cover has been established that reflects a life-form ratio of plus or minus fifty percent (50%) of pre- disturbance levels and a total percent plant cover of at least seventy percent (70%) of pre-disturbance levels, excluding noxious weeds. If alternate seed mix is required by the state, private owner or tribe, it will be implemented with administrative approval if needed. COPC will repeat seeding or planting will be continued until successful vegetative growth occurs. Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

12. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material, with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The below-grade tank area was backfilled and more than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

- 13. All closure activities will include proper documentation and be available for review upon request and will be submitted to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on C-144 and incorporate the following:
 - Soil Backfilling and Cover Installation (See Report)
 - Re-vegetation application rates and seeding techniques (See Report)
 - Photo documentation of the site reclamation (Included as an attachment)
 - Confirmation Sampling Results (Included as an attachment)
 - Proof of closure notice (Missing)

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

> Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office to accordance with 19.15.29 NMAC.

			Rel	ease Notifi	cation	and Co	orrective A	ction		
						OPERAT	FOR		Initi	al Report 🛛 Final Report
						Contact Crystal Walker				
							No.(505) 326-98	337		
Facility Nat	me: San Ju	ian 27-4 Un	it 115]	Facility Typ	e: Gas Well		_	
Surface Ow	mer USFS			Mineral	Owner B	BLM (SF-08	80670)	A	PI No	0.30-039-21045
				LOC	ATION	OF REI	LEASE			
Unit Letter	Section	Township	Range	Feet from the	and the second sec	South Line	Feet from the	East/West	Line	County
F	32	27N	4W	1450	1	North	1840	West		Rio Arriba
						OF RELI			2	
Type of Rele					1	Volume of	and the state of t			Recovered
Source of Re	lease					Date and H	our of Occurrence	ce Da	te and	Hour of Discovery
Was Immedi	ate Notice C		Yes [No 🛛 Not R	equired	If YES, To	Whom?			
By Whom?	1.1.1	14 m				Date and H				
Was a Water	course Reac		Yes 🛛 1	No		If YES, Vo	lume Impacting	the Watercon	arse.	
If a Watercou N/A Describe Cau No release w	ise of Proble v as encount	em and Reme ered during	dial Actio	n Taken.* C losure.						
Describe Are N/A	a Affected a	and Cleanup A	Action Tal	ten.*						
regulations a public health should their of	ll operators a or the envir operations ha nment. In ac	are required t conment. The ave failed to a ddition, NMC	o report an acceptance adequately OCD accept	nd/or file certain the of a C-141 rep investigate and	release no ort by the remediate	otifications ar NMOCD ma contamination	nd perform correct arked as "Final R on that pose a thr	tive actions eport" does eat to ground	for rel not rel d wate	suant to NMOCD rules and eases which may endanger ieve the operator of liability r, surface water, human health ompliance with any other
Signature:		J					OIL CON	SERVAT	ION	DIVISION
Printed Name	e: Crystal W	Valker			1	Approved by	Environmental S	pecialist:		
Title: Regul	atory Coord	dinator			1	Approval Dat	e:	Expi	ration	Date:
E-mail Addre	ess: crysta	ll.walker@co	p.com			Conditions of	Approval:			Attached
Date:	. 1.01	Phone: (505	5) 326-983	7						

* Attach Additional Sheets If Necessary



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

November 30, 2015

Emilee Skyles Animas Environmental 604 Pinon Street Farmington, NM 87401 TEL: (505) 564-2281 FAX

OrderNo.: 1511855

Dear Emilee Skyles:

RE: COPC SJ 27-4 Unit 115

Hall Environmental Analysis Laboratory received 1 sample(s) on 11/19/2015 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to <u>www.hallenvironmental.com</u> or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

andy

Andy Freeman Laboratory Manager 4901 Hawkins NE Albuquerque, NM 87109

Analytical Report Lab Order 1511855

Date Reported: 11/30/2015

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Animas Environmental Client Sample ID: BGT S-1 Project: COPC SJ 27-4 Unit 115 Collection Date: 11/18/2015 10:32:00 AM Lab ID: 1511855-001 Matrix: SOIL Received Date: 11/19/2015 7:30:00 AM Analyses Result RL Qual Units DF Date Analyzed Batch

EPA METHOD 418.1: TPH					Analyst:	том
Petroleum Hydrocarbons, TR	ND	20	mg/Kg	1	11/24/2015	22425
EPA METHOD 300.0: ANIONS					Analyst:	LGT
Chloride	ND	30	mg/Kg	20	11/24/2015 8:47:05 PM	22526
EPA METHOD 8015M/D: DIESEL RANGE O	RGANIC	S			Analyst:	KJH
Diesel Range Organics (DRO)	ND	9.4	mg/Kg	1	11/23/2015 3:02:57 PM	22442
Surr: DNOP	98.8	70-130	%REC	1	11/23/2015 3:02:57 PM	22442
EPA METHOD 8015D: GASOLINE RANGE					Analyst:	NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	11/20/2015 6:40:14 PM	22419
Surr: BFB	78.1	75.4-113	%REC	1	11/20/2015 6:40:14 PM	22419
EPA METHOD 8021B: VOLATILES					Analyst:	NSB
Benzene	ND	0.048	mg/Kg	1	11/20/2015 6:40:14 PM	22419
Toluene	ND	0.048	mg/Kg	1	11/20/2015 6:40:14 PM	22419
Ethylbenzene	ND	0.048	mg/Kg	1	11/20/2015 6:40:14 PM	22419
Xylenes, Total	ND	0.096	mg/Kg	1	11/20/2015 6:40:14 PM	22419
Surr: 4-Bromofluorobenzene	98.6	80-120	%REC	1	11/20/2015 6:40:14 PM	22419

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

1.1					
0	ua	lif	101	-	
- 0	ua.	ш.	10	1.3	

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits Page 1 of 6
- P Sample pH Not In Range
- RL Reporting Detection Limit

WO#: 1511855 30-Nov-15

Client: Project:		s Environmental SJ 27-4 Unit 115				
Sample ID Client ID:	MB-22526 PBS	SampType: MBLK Batch ID: 22526	TestCode: EPA Method RunNo: 30484	d 300.0: Anions		
Prep Date:	11/25/2015	Analysis Date: 11/24/2015	SeqNo: 930564	Units: mg/Kg		
Analyte		Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit	Qual
Chloride		ND 1.5	The Part West			
Sample ID	LCS-22526	SampType: LCS	TestCode: EPA Method	d 300.0: Anions	12.00	1
Client ID:	LCSS	Batch ID: 22526	RunNo: 30484			
Prep Date:	11/25/2015	Analysis Date: 11/24/2015	SeqNo: 930565	Units: mg/Kg		
Analyte		Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit	Qual
Chloride		14 1.5 15.00	0 94.5 90	110		

Qualifiers:

- Value exceeds Maximum Contaminant Level. *
- D Sample Diluted Due to Matrix
- Holding times for preparation or analysis exceeded Н
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank В
- Е Value above quantitation range
- Analyte detected below quantitation limits J
- Р Sample pH Not In Range
- RL Reporting Detection Limit

Page 2 of 6

WO#: 1511855 30-Nov-15

Hall Environmental	l Analysis	Labora	tory,	Inc.
--------------------	------------	--------	-------	------

	as Environmental C SJ 27-4 Unit 115
Sample ID MB-22425	SampType: MBLK TestCode: EPA Method 418.1: TPH
Client ID: PBS	Batch ID: 22425 RunNo: 30453
Prep Date: 11/19/2015	Analysis Date: 11/24/2015 SeqNo: 929502 Units: mg/Kg
Analyte	Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Petroleum Hydrocarbons, TR	ND 20
Sample ID LCS-22425	SampType: LCS TestCode: EPA Method 418.1: TPH
Client ID: LCSS	Batch ID: 22425 RunNo: 30453
Prep Date: 11/19/2015	Analysis Date: 11/24/2015 SeqNo: 929503 Units: mg/Kg
Analyte	Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Petroleum Hydrocarbons, TR	120 20 100.0 0 116 83.6 116
Sample ID LCSD-22425	SampType: LCSD TestCode: EPA Method 418.1: TPH
Client ID: LCSS02	Batch ID: 22425 RunNo: 30453
Prep Date: 11/19/2015	Analysis Date: 11/24/2015 SeqNo: 929504 Units: mg/Kg
Analyte	Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Petroleum Hydrocarbons, TR	120 20 100.0 0 116 83.6 116 0 20

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit

WO#: 1511855 30-Nov-15

Hall Environmental Analysis Laboratory, Inc.

	as Environmental C SJ 27-4 Unit 115				
Sample ID MB-22442 Client ID: PBS Prep Date: 11/20/2015	SampType: MBLK Batch ID: 22442 Analysis Date: 11/23/2015	TestCode: EPA Method RunNo: 30413 SeqNo: 928213	8015M/D: Diesel Range Organics Units: mg/Kg		
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit	Qual	
Diesel Range Organics (DRO) Surr: DNOP	ND 10 11 10.00	110 70	130		
Sample ID LCS-22442	SampType: LCS		8015M/D: Diesel Range Organics		
Client ID: LCSS Prep Date: 11/20/2015	Batch ID: 22442 Analysis Date: 11/23/2015	RunNo: 30413 SeqNo: 928361	Units: mg/Kg		
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit	Qual	
Diesel Range Organics (DRO) Surr: DNOP	511050.005.55.000	0 101 57.4 110 70	139 130		

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit

Page 4 of 6

WO#: 1511855 30-Nov-15

Hall Environmental Analysis Laboratory, Inc.

Client:Animas EnvironmentalProject:COPC SJ 27-4 Unit 115

Sample ID MB-22419 Client ID: PBS		Type: MI h ID: 22			tCode: El		8015D: Gaso	oline Rang	e	
Prep Date: 11/19/2015	Analysis E			S	SeqNo: 9	27446	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO) Surr: BFB	ND 810	5.0	1000		80.6	75.4	113			
Sample ID LCS-22419	Samp	Type: LC	s	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	e	
Client ID: LCSS	Batc	h ID: 22	419	F	RunNo: 3	0395				
Prep Date: 11/19/2015	Analysis D	Date: 1	1/20/2015	S	SeqNo: 9	27447	Units: mg/M	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
rundigio		-	05.00	0	91.2	79.6	122			
Gasoline Range Organics (GRO)	23	5.0	25.00	0	91.2	19.0	122			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit

Page 5 of 6

WO#: 151

Hall Environmental	Analysis L	aboratory,	Inc.
--------------------	------------	------------	------

Client: Animas Environmental Project: COPC SJ 27-4 Unit 115

Sample ID MB-22419	Samp	Гуре: МВ	BLK	Tes						
Client ID: PBS	Batc	h ID: 22	419	F	RunNo: 3	0395				
Prep Date: 11/19/2015	Analysis [Date: 1	1/20/2015	S	SeqNo: 9	27494	Units: mg/k	٢g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.050							No. of the local diversion of the local diver	
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.0		1.000	1.00	104	80	120			÷
Sample ID LCS-22419	Samp	Type: LC	S	Tes	tCode: E	PA Method	8021B: Vola	tiles	1	
Client ID: LCSS	Batc	h ID: 22	419	F	RunNo: 3	0395				
Prep Date: 11/19/2015	Analysis [Date: 1	1/20/2015	S	SeqNo: 9	27495	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.0	0.050	1.000	0	103	80	120		2. 1. 1	
Toluene	0.97	0.050	1.000	0	96.6	80	120			
Ethylbenzene	1.0	0.050	1.000	0	101	80	120			
Kylenes, Total	3.0	0.10	3.000	0	98.6	80	120			
Surr: 4-Bromofluorobenzene	1.3		1.000		127	80	120			S

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit

Page 6 of 6

1 2 2 1 6

: 1511855 30-Nov-15

HALL Hall Environm ENVIRONMENTAL ANALYSIS LABORATORY TEL: 505-345- Website: ww	4901 Albuquerque	Hawkins N NM 8710 5-345-410	NE 09 Samp	Sample Log-In Cl						
Client Name: Animas Environmental Work Order Nur	mber: 15118	55		RcptNo:	1					
Received by/date:			timber Alabar							
Logged By: Lindsay Mangin 11/19/2015 7:30:0			0.00							
Completed By: Lindsay Mangin 11/19/2015 9:27:4	43 AM		Junky HongsD							
Reviewed By: Da 11/19/15					1.5.11.1					
Chain of Custody										
1. Custody seals intact on sample bottles?	Yes		No 🗌	Not Present 🛃						
2. Is Chain of Custody complete?	Yes		No 🗌	Not Present						
3. How was the sample delivered?	Couri	er								
<u>Log In</u>			_							
4. Was an attempt made to cool the samples?	Yes		No	NA						
5. Were all samples received at a temperature of >0° C to 6.0°C	Yes		No 🗌							
6. Sample(s) in proper container(s)?	Yes		No 🗌							
7. Sufficient sample volume for indicated test(s)?	Yes		No 🗆							
8. Are samples (except VOA and ONG) properly preserved?	Yes		No 🗌							
9. Was preservative added to bottles?	Yes		No 🛃	NA 🗌						
10.VOA vials have zero headspace?	Yes		No 🗆	No VOA Vials 🐱						
11. Were any sample containers received broken?	Yes		No 🕢							
12. Does paperwork match bottle labels?	Yes		No 🗆	# of preserved bottles checked for pH:						
(Note discrepancies on chain of custody)		_		(<2 Adjusted?	or >12 unless note					
13. Are matrices correctly identified on Chain of Custody?	Yes		No 🗌	Adjusted						
14. Is it clear what analyses were requested?	Yes		No 🗌	Checked by:						
15. Were all holding times able to be met? (If no, notify customer for authorization.)	Yes		No 🗌		1.2000 (1.2000 (1.2000)) (1.2000) (1.2000 (1.2000)) (1.2000)					
Special Handling (if applicable)										
16. Was client notified of all discrepancies with this order?	Yes		No 🗌	NA 🜌						
Person Notified: Da	ate:				1 1					
	ia: eMa		hone 🗌 Fax	In Person						
Regarding:	No. of the later state	A CONTRACTOR OF THE OWNER			LUNK N					
Client Instructions:	- U. OLUMALIANIO		CALIFORNIA ON A CALIFORNIA							
17. Additional remarks:			• (at a) - (a)	tanta tan ang ka	and the second					
18. <u>Cooler Information</u>										

-		
Page	1 to 1	

1

2.2

Good

Yes

Client:	nain-o Animas		nmental Services, LLC	X Standard Project Name:		ı <u> </u>				A	NAL	YSI	s L	ABO	1EN RAT		
Mailing Ad	Idress:	604 W	Pinon St.	COPC SJ 27-4 Unit 115				www.hallenvironmental.com									
		Contra	gton, NM 87401	Project #:				4901 Hawkins NE - Albuquerque, NM 87109 Tel. 505-345-3975 Fax 505-345-4107									
Phone #:	505-564										No. of Concession, name	Statement of the local division of the local	s Requ	and the second			
eskyles@animasenvironmental.co Email or Fax#: <u>m</u>			Project Manag	ler.											T		
QA/QC Package:		i roject manag	E. Skyles														
	X Standard Level 4 (Full Validation)								00								
Accreditat	Accreditation:		Sampler: S.	Glasses					8015 (GRO/DRO)								
		□ Other		On Ice:	X Yes	I NO.			10	GR							5
	ype)			Sample Temp	erature: 💈	164-22		5	300.0	15 (Dr.
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEAL NO	BTEX - 8021B	TPH - EPA 418.1	Chlorides - 30	TPH - EPA 80							Air Bubbles (Y or N)
11-18-16	1032	SOIL	BGT S-1	2 - 4 oz.	cool	-001	X	x	X	x	1						
													-			+	+
i i i i i i i i i i i i i i i i i i i		1-1-26									-			+	+		+
3412																	-
	2.00	1.2.2.3									-		-				+
Date:	Time: 17-19 164-	Relinquishe	ed by: Allenafr	Received by:	Lete	Date Time $\frac{ l }{ l } = \frac{ l }{ l } = l$	Sup			to Co	onoco F	Phillips					

