District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit Relow-Grade Tank or

Proposed Alternative Method Permit or Closure Plan Application
Type of action: Below grade tank registration OIL CONS. DIV DIST. 3
Permit of a pit or proposed alternative method
39-20488 Closure of a pit, below-grade tank, or proposed alternative method DEC 0 4 2015
☐ Modification to an existing permit/or registration ☐ Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank,
or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request
lease be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the
release be advised that approval of this request does not reflect the operation of maching should operations result in pollution of surface water, ground water of the review of the operation of the responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
L Company of the comp
Operator: Burlington Resources Oil & Gas Company, LP OGRID #: 14538
Address: PO BOX 4289, Farmington, NM 87499
Facility or well name: San Juan 27-5 Unit 136
API Number:30-039-20488
U/L or Qtr/Qtr C (NENW) Section 36 Township 27N Range 5W County: Rio Arriba
Center of Proposed Design: Latitude 36.533671 N Longitude 107.313586 NAD: □1927 ■ 1983
Surface Owner: Federal State Private Tribal Trust or Indian Allotment
Surface Owner. Federal State First France From France France From France France
2.
Temporary: Drilling Workover **Closed Prior to Classic plan Approval.
□ Permanent □ Emergency □ Cavitation □ P&A □ Multi-Well Fluid Management Low Chloride Drilling Fluid □ yes □ no
Lined Unlined Liner type: Thicknessmil
☐ String-Reinforced
Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D
Below-grade tank: Subsection I of 19.15.17.11 NMAC
Volume: 120 bbl Type of fluid: Produced Water
Tank Construction material: Metal
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other
Liner type: Thicknessmil
4.
☐ Alternative Method:
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.
5. E
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital,
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital,

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
☐ Screen ☐ Netting ☐ Other	
☐ Monthly inspections (If netting or screening is not physically feasible)	- 1
7.	THE EAST
Signs: Subsection C of 19.15.17.11 NMAC	
☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
☐ Signed in compliance with 19.15.16.8 NMAC	
8.	
Variances and Exceptions:	
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank:	
☐ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.	
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
9. Siting Criteria (regarding permitting): 19.15.17.10 NMAC	
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accematerial are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	ptable source
and the state of t	
General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.	☐ Yes ☐ No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	⊠ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit.	☐ Yes ☐ No ☐ NA
NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☐ No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality	
Within the area overlying a subsurface mine. (Does not apply to below grade tanks)	☐ Yes ☐ No
- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	
Within an unstable area. (Does not apply to below grade tanks) - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No
Society; Topographic map	
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	Yes No
Below Grade Tanks	
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured	D v. D v.
from the ordinary high-water mark).	☐ Yes ☒ No
- Topographic map; Visual inspection (certification) of the proposed site	
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☒ No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole,	
or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial	☐ Yes ☐ No
application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
	THE PROPERTY OF
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No

I reviously Approved Design (attach copy of design) Arrivation. or remar Number.	
☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC ☐ Previously Approved Design (attach copy of design) API Number: or Permit Number:	
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC	
Previously Approved Design (attach copy of design) API Number: or Permit Number:	
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC	IMAC cuments are NMAC 15.17.9 NMAC
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Permanent Pit or Multi-Well Fluid Management Pit	
Within 300 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit Non-low chloride drilling fluid	
Within 100 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	documents are
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method	luid Management Pit
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. It 19.15.17.10 NMAC for guidance.	
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	
Society; Topographic map Within a 100-year floodplain.	Yes No
- FEMA map	☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17. Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	11 NMAC 15.17.11 NMAC
Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believed as the complete to the best of my knowledge and the complete to the best of my knowledge and the complete to the complete to the best of my knowledge and the complete to the complete to the best of my knowledge and the complete to the complete to the best of my knowledge and the complete to the complete to the best of my knowledge and the complete to the complet	ef.
Name (Print): Title:	
Signature: Date:	
e-mail address: Date: Telephone:	
	219012
e-mail address:	the closure report.
e-mail address: Telephone:	the closure report. complete this

Operator Closure Co	ertification:			
				ate and complete to the best of my knowledge and s specified in the approved closure plan.
Name (Print): Crys	stal Walker	Title: Regulatory Coordinate	<u>or</u>	
Signature:	aptal	Walker	Date:	12/3/15
e-mail address:	crystal.walker@cop.co	m Telephone: (505) 326-9	837	_

Burlington Resources Oil & Gas Company, LP San Juan Basin Below Grade Tank Closure Report

Lease Name: San Juan 27-5 Unit 136

API No.: 30-039-20488

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the below-grade tank referenced above. All proper documentation regarding closure activities is being included with the C-144.

General Plan:

BR shall close a below-grade tank within 60 days of cessation of operations per Subsection G.4 of 19.15.17.13 NMAC.
 This will include a) below-grade tanks that do not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC within five years, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC; b) an earlier date that the division requires because of imminent danger to fresh water, public health or the environment. For any closure, BR will file the C144 Closure Report as required.

The below-grade tank referenced above was permitted and closed within 60 days of cessation of the below-grade tanks operation.

 BR shall remove liquids and sludge from a below-grade tank prior to implementing a closure method and shall dispose of the liquids and sludge in a division-approved facility. The facilities to be used will be Basin Disposal (Permit #NM-01-005), JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) and Envirotech Land Farm (Permit #NM-01-011). The liner after being cleaned well (Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC) will be disposed of at the San Juan County Regional Landfill located on CR 3100.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B). The liner was cleaned per Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC was disposed of at the San Juan County Regional Landfill located on CR 3100.

3. BR will receive prior approval to remove the below-grade tank and dispose of it in a division-approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.

The below-grade tank was disposed of in a division-approved manner.

4. If there is any on-site equipment associated with a below-grade tank, then BR shall remove the equipment, unless the equipment is required for some other purpose.

All on-site equipment associated with the below-grade tank was removed.

5. BR will test the soils beneath the below-grade tank to determine whether a release has occurred. BR shall collect, at a minimum, a five point, composite sample; collect individual grab samples from any area that is wet, discolored or showing other evidence of a release; and analyzed for the constituents listed in Table I of 19.15.17.13 NMAC. COPC shall notify the division of its results on form C-141.

A five point composite sample was taken of the below-grade tank using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached). Form C-141 is attached.

Components	Tests Method	Limit (mg/kg)		
Benzene	EPA SW-846 8021B or 8260B	0.2		
BTEX	EPA SW-846 8021B or 8260B	50		
TPH	EPA SW-846 418.1	100		
Chlorides	EPA 300.0	250		

6. If BR or the division determines that a release has occurred, then BR shall comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC, as appropriate.

A release was not determined for the above referenced well.

7. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Table I of 19.15.17.13 NMAC, then BR shall backfill the excavation with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover; recontour and re-vegetate the site.

The below-grade tank area passed all requirements of Paragraph (4) of Subsection E of 19.15.17.13 NMAC and was backfilled with compacted, non-waste containing, earthen material.

- 8. Notice of Closure will be given prior to closure to the Aztec Division office between 72 hours and one week via email or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is missing.

9. The surface owner shall be notified of BR's closing of the below-grade tank 72 hours, but not more than one week, prior to closure as per the approved closure plan via certified mail, return receipt requested.

The closure process notification to the landowner was not found.

10. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The below-grade tank area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping including drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

11. BR shall seed the disturbed areas the first favorable growing season following closure of a below-grade tank. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM stipulated seed mixes will used on federally regulated lands and division-approved seed mixtures (administratively approved if required) will be utilized on all State or private lands. A uniform vegetative cover has been established that reflects a life-form ratio of plus or minus fifty percent (50%) of pre- disturbance levels and a total percent plant cover of at least seventy percent (70%) of pre-disturbance levels, excluding noxious weeds. If alternate seed mix is required by the state, private owner or tribe, it will be implemented with administrative approval if needed. COPC will repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

12. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material, with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The below-grade tank area was backfilled and more than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

- 13. All closure activities will include proper documentation and be available for review upon request and will be submitted to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on C-144 and incorporate the following:
 - Soil Backfilling and Cover Installation (See Report)
 - Re-vegetation application rates and seeding techniques (See Report)
 - Photo documentation of the site reclamation (Included as an attachment)
 - Confirmation Sampling Results (Included as an attachment)
 - Proof of closure notice (Missing)

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II

1301 W. Grand Avenue, Artesia, NM 88210

District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Submit 1 Copy to appropriate District Office to accordance with 19.15.29 NMAC.

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-141

Revised August 8, 2011

			ILCI	ease Notific	catioi	n and Co	orrective A	cuon				
						OPERA	TOR		☐ Initi	al Report		Final Repo
				il & Gas Compa	-		ystal Walker		1.3 0			
		th St, Farmin		1		Telephone No.(505) 326-9837						
Facility Na	me: San Ju	uan 27-5 Un	it 136			Facility Typ	e: Gas Well				110	
Surface Ow	ner State			Mineral C	Owner S	er State (E-290-30) API No.30			0.30-039-2	0488		
				LOCA	ATIO	N OF RE	LEASE					
Unit Letter Section Township Range Feet from the 27N 5W 1175				Feet from the 1175		South Line	Feet from the 1490		Vest Line Vest	County Rio Arrib	oa	
			Yelen	Latitude 36.	533671	Longitud	e -107.313586		119			
					J. Falls	OF REL						
Type of Rele	ease			1474.1	CICL	Volume of			Volume 1	Recovered		
Source of Release						Hour of Occurren	ce	Date and	Hour of Dis	scovery		
Was Immedi	oto Matina	Civer?				If YES, To	Whom?					40.7
was immedi	ate Notice C		Yes [No Not Re	equired	H 1ES, 10	wnom?					
By Whom?	1117					Date and F	Hour		11.	C WENT		
Was a Water	course Read					If YES, Vo	olume Impacting	the Wate	rcourse.	77		
			Yes 🛛	No		The state of						
							4					
		em and Reme tered during										
No release w	vas encount		the BGT	Closure.								
Describe Are N/A I hereby cert regulations a public health should their or the enviro	ea Affected ify that the all operators or the envious operations homent. In a	and Cleanup A information gi are required to ronment. The	Action Take	Closure.	elease nort by the emediat	otifications as e NMOCD m e contaminati	nd perform corre- arked as "Final Fi on that pose a the e the operator of	ctive acti Report" d reat to gr responsi	ons for rel oes not rel ound wate bility for c	eases which ieve the ope r, surface wa compliance v	may er rator of ater, hur with any	danger liability man health
Describe Are N/A I hereby cert regulations a public health should their or the enviro	ea Affected ify that the all operators or the envious operations homent. In a	and Cleanup A information gi are required to ronment. The nave failed to a addition, NMC ws and/or regu	Action Take	cis true and comp nd/or file certain rece of a C-141 reporting to the contract of a C-141	elease nort by the emediat	otifications as e NMOCD m e contaminati	nd perform corre arked as "Final F on that pose a the	ctive acti Report" d reat to gr responsi	ons for rel oes not rel ound wate bility for c	eases which ieve the ope r, surface wa compliance v	may er rator of ater, hur with any	danger liability man health
Describe Are N/A I hereby cert regulations a public health should their or the environ federal, state Signature:	ea Affected ify that the ill operators or the envi operations hument. In a	and Cleanup A information git are required to ronment. The nave failed to a addition, NMC ws and/or regulary	Action Take iven above to report and acceptance adequately OCD acceptalations.	cis true and comp nd/or file certain rece of a C-141 reporting to the contract of a C-141	release n ort by the emediat report d	otifications as e NMOCD m e contaminati oes not reliev	nd perform corre- arked as "Final Fi on that pose a the e the operator of	ctive acti Report" de reat to gresponsi	ons for rel oes not rel ound wate bility for c	eases which ieve the ope r, surface wa compliance v	may er rator of ater, hur with any	ndanger Tliability man health
Describe Are N/A I hereby cert regulations a public health should their or the environ federal, state	ea Affected ify that the sall operators or the envi operations homent. In a sale, or local law	and Cleanup A information gi are required to ronment. The nave failed to a addition, NMC ws and/or regu	Action Take iven above to report and acceptance adequately OCD acceptalations.	cis true and comp nd/or file certain rece of a C-141 reporting to the contract of a C-141	release nort by the emediate report d	otifications as e NMOCD m e contaminati oes not reliev	nd perform correarked as "Final Fon that pose a three the operator of OIL CON Environmental S	ctive active act	ons for rel oes not rel ound wate bility for c	leases which ieve the ope or, surface was compliance v	may er rator of ater, hur with any	danger liability man health



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

November 30, 2015

Emilee Skyles Animas Environmental 604 Pinon Street Farmington, NM 87401 TEL: (505) 564-2281

FAX

RE: COPC SJ 27-5 Unit 136

OrderNo.: 1511846

Dear Emilee Skyles:

Hall Environmental Analysis Laboratory received 1 sample(s) on 11/19/2015 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

Andy Freeman

Laboratory Manager

Only

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report

Lab Order 1511846

Date Reported: 11/30/2015

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Animas Environmental

Project: COPC SJ 27-5 Unit 136

1511846-001 Lab ID:

Client Sample ID: BGT S-1

Collection Date: 11/18/2015 9:48:00 AM

Received Date: 11/19/2015 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 418.1: TPH					Analys	t: TOM
Petroleum Hydrocarbons, TR	ND	19	mg/Kg	1	11/24/2015	22425
EPA METHOD 300.0: ANIONS					Analys	t: LGT
Chloride	ND	30	mg/Kg	20	11/24/2015 6:30:33 PM	A 22509
EPA METHOD 8015M/D: DIESEL RAN	GE ORGANIC	S			Analys	t: KJH
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	11/23/2015 12:47:30 F	M 22442
Surr: DNOP	97.8	70-130	%REC	1	11/23/2015 12:47:30 F	M 22442
EPA METHOD 8015D: GASOLINE RAI	NGE				Analys	t: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	11/20/2015 2:59:19 PM	A 22419
Surr: BFB	80.0	75.4-113	%REC	1	11/20/2015 2:59:19 PM	A 22419
EPA METHOD 8021B: VOLATILES					Analys	t: NSB
Benzene	ND	0.049	mg/Kg	1	11/20/2015 2:59:19 PM	1 22419
Toluene	ND	0.049	mg/Kg	1	11/20/2015 2:59:19 PM	1 22419
Ethylbenzene	ND	0.049	mg/Kg	1	11/20/2015 2:59:19 PM	1 22419
Xylenes, Total	ND	0.098	mg/Kg	1	11/20/2015 2:59:19 PM	1 22419
Surr: 4-Bromofluorobenzene	101	80-120	%REC	1	11/20/2015 2:59:19 PM	1 22419

Matrix: SOIL

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank
- E Value above quantitation range
- Analyte detected below quantitation limits Page 1 of 7 J
- P Sample pH Not In Range
- RL Reporting Detection Limit

Hall Environmental Analysis Laboratory, Inc.

WO#:

1511846

30-Nov-15

Client:

Animas Environmental

Project:

COPC SJ 27-5 Unit 136

Sample ID MB-22509

SampType: MBLK

TestCode: EPA Method 300.0: Anions

Client ID: PBS

Batch ID: 22509

RunNo: 30484

Prep Date:

11/24/2015

Analysis Date: 11/24/2015

SeqNo: 930523

Analyte

PQL

Units: mg/Kg HighLimit

RPDLimit

Qual

Chloride

ND 1.5

Sample ID LCS-22509 LCSS

SampType: LCS

Batch ID: 22509

TestCode: EPA Method 300.0: Anions

RunNo: 30484

Prep Date: 11/24/2015

Analysis Date: 11/24/2015

SeqNo: 930524

Units: mg/Kg

%RPD

Analyte

Client ID:

Result

SPK value SPK Ref Val %REC

RPDLimit

15.00

110

14

Chloride

1.5

PQL

SPK value SPK Ref Val %REC LowLimit

94.1

HighLimit

%RPD

Qual

Qualifiers:

H

R

Value exceeds Maximum Contaminant Level.

RPD outside accepted recovery limits

- D Sample Diluted Due to Matrix
- Not Detected at the Reporting Limit ND
- S % Recovery outside of range due to dilution or matrix

Holding times for preparation or analysis exceeded

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- Analyte detected below quantitation limits
- P Sample pH Not In Range
- Reporting Detection Limit

Page 2 of 7

Hall Environmental Analysis Laboratory, Inc.

WO#: 1511846

30-Nov-15

Client:

Animas Environmental

Project:

COPC SJ 27-5 Unit 136

Sample ID MB-22425

SampType: MBLK

TestCode: EPA Method 418.1: TPH

Client ID:

PBS

Batch ID: 22425

RunNo: 30453

Prep Date:

11/19/2015

Analysis Date: 11/24/2015

SeqNo: 929502

Units: mg/Kg

Analyte

Result PQL SPK value SPK Ref Val %REC LowLimit

HighLimit

%RPD **RPDLimit** Qual

Petroleum Hydrocarbons, TR Sample ID LCS-22425 ND 20

TestCode: EPA Method 418.1: TPH

Client ID: LCSS

SampType: LCS

Batch ID: 22425 Analysis Date: 11/24/2015 RunNo: 30453

LowLimit

Units: mg/Kg

%RPD

Analyte Petroleum Hydrocarbons, TR

Prep Date: 11/19/2015

PQL SPK value SPK Ref Val 20 100.0

%REC

SeqNo: 929503

HighLimit 116 **RPDLimit**

Qual

Sample ID LCSD-22425

120

SampType: LCSD Batch ID: 22425

TestCode: EPA Method 418.1: TPH

RunNo: 30453

Units: mg/Kg

Client ID: LCSS02 Prep Date:

11/19/2015

Analysis Date: 11/24/2015

120

SeqNo: 929504

SPK value SPK Ref Val %REC LowLimit

%RPD HighLimit

RPDLimit

Qual

Analyte Petroleum Hydrocarbons, TR

Result

100.0 0

116

116

0

Qualifiers:

S

Value exceeds Maximum Contaminant Level.

Sample Diluted Due to Matrix D

% Recovery outside of range due to dilution or matrix

Not Detected at the Reporting Limit ND

R RPD outside accepted recovery limits

Holding times for preparation or analysis exceeded H

Analyte detected in the associated Method Blank

E Value above quantitation range

Analyte detected below quantitation limits

Page 3 of 7

Sample pH Not In Range

Reporting Detection Limit

Hall Environmental Analysis Laboratory, Inc.

WO#:

1511846

30-Nov-15

Client: Project: Animas Environmental

Analyte

COPC SJ 27-5 Unit 136

Sample ID MB-22442

SampType: MBLK

TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID:

PBS

Batch ID: 22442

RunNo: 30413

PQL

Prep Date: 11/20/2015

Analysis Date: 11/23/2015

10

SeqNo: 928213

Units: mg/Kg

LowLimit

Qual

Diesel Range Organics (DRO)

ND

HighLimit

Surr: DNOP

Sample ID LCS-22442

11

Result

10.00

110

130

SampType: LCS

RunNo: 30413

%REC

TestCode: EPA Method 8015M/D: Diesel Range Organics

%RPD

%RPD

Client ID: LCSS Prep Date: 11/20/2015 Batch ID: 22442

5.5

Analysis Date: 11/23/2015

SeqNo: 928361

Units: mg/Kg

LowLimit HighLimit **RPDLimit**

RPDLimit

Diesel Range Organics (DRO)

Result 51

50.00

101

57.4

139

Qual

Surr: DNOP

Analyte

10

PQL

5.000

0

SPK value SPK Ref Val

SPK value SPK Ref Val %REC

110

70

70

130

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix D
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- RPD outside accepted recovery limits R
- % Recovery outside of range due to dilution or matrix S
- Analyte detected in the associated Method Blank
- E Value above quantitation range
- Analyte detected below quantitation limits

Page 4 of 7

- Sample pH Not In Range
- Reporting Detection Limit

Hall Environmental Analysis Laboratory, Inc.

WO#:

1511846

30-Nov-15

Client: Project:

Animas Environmental COPC SJ 27-5 Unit 136

Sample ID MB-22392

SampType: MBLK

TestCode: EPA Method 8015D: Gasoline Range

Client ID:

PBS

Batch ID: 22392

PQL

RunNo: 30395

Units: %REC

Prep Date:

11/18/2015

Analysis Date: 11/20/2015

SeqNo: 927442

RPDLimit Qual

Analyte

SPK value SPK Ref Val

%REC LowLimit HighLimit 113

Surr: BFB

Result 810

1000

Sample ID LCS-22392

SampType: LCS

80.7

TestCode: EPA Method 8015D: Gasoline Range

Client ID:

LCSS

Batch ID: 22392

RunNo: 30395

Prep Date: 11/18/2015

Analysis Date: 11/20/2015

SeqNo: 927443

Units: %REC

%RPD

%RPD

Analyte Surr: BFB 990

SPK value

SPK Ref Val %REC 99.4

LowLimit 75.4

75.4

HighLimit 113 **RPDLimit**

Qual

Client ID:

Sample ID MB-22419 PBS

Prep Date: 11/19/2015

SampType: MBLK

Batch ID: 22419

Analysis Date: 11/20/2015

TestCode: EPA Method 8015D: Gasoline Range RunNo: 30395

HighLimit

Units: mg/Kg

113

Qual

Analyte Gasoline Range Organics (GRO) Surr: BFB

Client ID:

Result PQL ND 5.0 SPK value SPK Ref Val %REC LowLimit 1000

1000

80.6

SegNo: 927446

75.4

%RPD

RPDLimit

810

Sample ID LCS-22419

Prep Date: 11/19/2015

SampType: LCS

TestCode: EPA Method 8015D: Gasoline Range

RunNo: 30395

Analyte

LCSS

Batch ID: 22419 Analysis Date: 11/20/2015 PQL

5.0

SeqNo: 927447 %REC

Units: mg/Kg %RPD HighLimit

RPDLimit

Qual

Page 5 of 7

Gasoline Range Organics (GRO) Surr: BFB

23 1100

Result

25.00 1000

SPK Ref Val

0

SPK value

91.2 106

79.6 75.4

LowLimit

122 113

- Qualifiers: Value exceeds Maximum Contaminant Level
- Sample Diluted Due to Matrix D
- Holding times for preparation or analysis exceeded H
- Not Detected at the Reporting Limit ND
- R RPD outside accepted recovery limits % Recovery outside of range due to dilution or matrix S
- Analyte detected in the associated Method Blank B
- E Value above quantitation range
- Analyte detected below quantitation limits
- P Sample pH Not In Range
- Reporting Detection Limit

Hall Environmental Analysis Laboratory, Inc.

WO#:

1511846

30-Nov-15

Client: Project:

Animas Environmental COPC SJ 27-5 Unit 136

Sample ID MB-22392

SampType: MBLK

TestCode: EPA Method 8021B: Volatiles

LowLimit

80

Client ID:

PRS

Batch ID: 22392

RunNo: 30395

%REC

102

Prep Date: 11/18/2015

SeqNo: 927458

Analyte

Analysis Date: 11/20/2015 PQL

Units: %REC

HighLimit

RPDLimit

Qual

Surr: 4-Bromofluorobenzene

1.0

Result

1 000

SPK value SPK Ref Val

TestCode: EPA Method 8021B: Volatiles

%RPD

%RPD

%RPD

%RPD

Sample ID LCS-22392

SampType: LCS

RunNo: 30395

120

Client ID: Prep Date: 11/18/2015

LCSS

Batch ID: 22392

SeqNo: 927459

Units: %REC

Analyte

Analysis Date: 11/20/2015

HighLimit

Qual

Surr: 4-Bromofluorobenzene

1.3

Result

1.0

SPK value

SPK Ref Val %REC 1.000

LowLimit 127

80 120 **RPDLimit**

S

Sample ID MB-22419 Client ID:

SampType: MBLK Batch ID: 22419

TestCode: EPA Method 8021B: Volatiles

RunNo: 30395

HighLimit

RPDLimit

Prep Date: 11/19/2015

PRS

Analysis Date: 11/20/2015

PQL

SeqNo: 927494

SPK value SPK Ref Val %REC LowLimit

80

Units: ma/Ka

RPDLimit

Qual

Qual

S

Analyte Benzene Toluene

ND 0.050 ND 0.050 ND 0.050 Ethylbenzene ND Xylenes, Total 0.10

Surr: 4-Bromofluorobenzene

1 000

104

TestCode: EPA Method 8021B: Volatiles

Sample ID LCS-22419 Client ID:

LCSS

SampType: LCS

Batch ID: 22419

RunNo: 30395

120

120

120

120

120

120

Prep Date:

11/19/2015

Analysis Date: 11/20/2015

Units: mg/Kg

Analyte

PQL

SeqNo: 927495

HighLimit

Result SPK value SPK Ref Val %REC LowLimit Benzene 1.0 0.050 1.000 0 103 80 Toluene 0.97 0.050 1.000 0 96.6 80 101

Ethylbenzene 0.050 1.0 3.0 Xylenes, Total 0.10 Surr: 4-Bromofluorobenzene 1.3

1.000 0 80 3.000 0 98.6 80 1.000 127 80

TestCode: EPA Method 8021B: Volatiles

75.8

78.9

Client ID: BGT S-1 Prep Date:

11/19/2015

SampType: MS Batch ID: 22419

1.0

1.0

1.0

3.0

RunNo: 30395

SPK Ref Val

0.005659

0.01941

0

0

0.9662

0.9662

0.9662

2.899

SeqNo: 927502

105

103

107

103

137

133

Analyte Benzene Toluene Ethylbenzene

Sample ID 1511846-001AMS

Analysis Date: 11/20/2015 Result PQL SPK value

0.048

0.048

0.048

0.097

%REC

Units: mg/Kg %RPD **RPDLimit** LowLimit HighLimit Qual 69.6 136 76.2 134

Qualifiers:

Xylenes, Total

Value exceeds Maximum Contaminant Level.

Sample Diluted Due to Matrix D

Holding times for preparation or analysis exceeded H

Not Detected at the Reporting Limit ND

R RPD outside accepted recovery limits Analyte detected in the associated Method Blank

E Value above quantitation range

Analyte detected below quantitation limits

Page 6 of 7

P Sample pH Not In Range

Reporting Detection Limit

S % Recovery outside of range due to dilution or matrix

Hall Environmental Analysis Laboratory, Inc.

WO#:

1511846

30-Nov-15

Client:

Animas Environmental

Project:

COPC SJ 27-5 Unit 136

Sample ID 1511846-001AMS

SampType: MS

TestCode: EPA Method 8021B: Volatiles

LowLimit

80

Client ID: BGT S-1

Batch ID: 22419

PQL

RunNo: 30395

%REC

Prep Date: 11/19/2015

Analysis Date: 11/20/2015

SeqNo: 927502

Units: mg/Kg

HighLimit

%RPD **RPDLimit**

Qual

Analyte Surr: 4-Bromofluorobenzene

1.2

Result

SPK value SPK Ref Val 0.9662

125

120

S

Sample ID	1511846-001AWSL	Samp Type:	MSD
Client ID:	BGT S-1	Batch ID:	22419
Prep Date:	11/19/2015	Analysis Date:	11/20/2015

SampType: MSD Batch ID: 22419 TestCode: EPA Method 8021B: Volatiles RunNo: 30395

SegNo: 927507

Units: mg/Kg

CONTRACTOR DE STORMERS					and the second		•			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.0	0.049	0.9862	0	105	69.6	136	1.43	20	
Toluene	1.0	0.049	0.9862	0.005659	101	76.2	134	0.579	20	
Ethylbenzene	1.1	0.049	0.9862	0	107	75.8	137	2.12	20	
Xylenes, Total	3.1	0.099	2.959	0.01941	104	78.9	133	3.48	20	
Surr: 4-Bromofluorobenzene	1.3		0.9862		135	80	120	0	0	S

Qualifiers:

Value exceeds Maximum Contaminant Level.

Sample Diluted Due to Matrix D

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

RPD outside accepted recovery limits R

% Recovery outside of range due to dilution or matrix

В Analyte detected in the associated Method Blank

Value above quantitation range

Analyte detected below quantitation limits

Sample pH Not In Range

Reporting Detection Limit

Page 7 of 7



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: Animas Environmental	Work Order Number:	1511846		RcptNo:	1
MX.	1-1				
Received by/date:	11/19/15				
Logged By: Lindsay Mangin	11/19/2015 7:30:00 AM		James Herry D		
Completed By: Lindsay Mangin	11/19/2015 9:03:59 AM		James Hange		
Reviewed By:	11/19/15				
Chain of Custody	1.1.111.				
1. Custody seals intact on sample bottles?		Yes 🗌	No 🗌	Not Present	
2. Is Chain of Custody complete?		Yes 🖝	No 🗆	Not Present	
3. How was the sample delivered?		Courier			
Log In					
4. Was an attempt made to cool the sample	es?	Yes 🕏	No 🗆	NA 🗆	
5. Were all samples received at a temperat	ure of >0° C to 6.0°C	Yes 🐼	No 🗆	NA 🗆	
6. Sample(s) in proper container(s)?		Yes 🗹	No 🗆		
7. Sufficient sample volume for indicated te	st(s)?	Yes 🐼	No 🗆		
8. Are samples (except VOA and ONG) pro	perly preserved?	Yes 🐼	No 🗆		
9. Was preservative added to bottles?		Yes	No 🐼	NA 🗆	
10.VOA vials have zero headspace?		Yes	No 🗆	No VOA Vials	
11. Were any sample containers received by	roken?	Yes	No 🖈	# of preserved	
12 Dans sense work match battle labele?		Yes 🐼	No 🗆	bottles checked for pH:	
12. Does paperwork match bottle labels? (Note discrepancies on chain of custody)		ies 🖭	NO	(<2 (or >12 unless noted)
13. Are matrices correctly identified on Chair	of Custody?	Yes 🖃	No 🗆	Adjusted?	
14. Is it clear what analyses were requested	7	Yes 🖝	No 🗆		
15. Were all holding times able to be met? (If no, notify customer for authorization.)		Yes 🕷	No 🗆	Checked by:	
Special Handling (if applicable)					
16. Was client notified of all discrepancies w	ith this order?	Yes 🗌	No 🗆	NA 🜌	
Person Notified:	Date:				
By Whom:	Via:	eMail	Phone Fax	In Person	The second
Regarding:					
Client Instructions:			AND COMPANY OF THE PARTY OF THE		THE HARD
17. Additional remarks:		(90)	760		
18. Cooler Information Gooler No Temp °C Condition	Seal Intact Seal No	Seal Date	Signed By	- 0.00	
1 2.2 Good	Yes	72. 20.0		37 130	

ient: Animas Environmental Services, LLC ailing Address: 604 W Pinon St.				Turn-Around Time: X Standard □ Rush Project Name: COPC SJ 27-5 Unit 136						A	ALL NAL	YSI	SL	ABO	RAT			
								www.hallenvironmental.com										
Farmington, NM 87401				Project #:				4901 Hawkins NE - Albuquerque, NM 87109 Tel. 505-345-3975 Fax 505-345-4107										
none #: 505-564-2281												nalysis						
eskyles@animasenvironmental.co				Project Manager: E. Skyles														
VQC Package: Standard □ Level 4 (Full Validation)										(0)								
creditation: NELAP				Sampler: S.G.lasses On loc XI Yes I No						(GRO/DRO)								
					till der biodreite filt mannen men man mit ble mistrag betriffere men			_	0	5 (G					1		Z	
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEAL NO.	BTEX - 8021B	TPH - EPA 418.1	Chlorides - 300.0	TPH - EPA 8015							Air Bubbles (Y or N)	
1-18-15	0948	SOIL	BGT S-1	2 - 4 oz.	cool	-001	Х	х	X	Х						_		
ate:	Time: 1745	Relinquish	ed by: The Leaning	Received by:	lu Whe	Date Time	WO Sup			I to C	onoco F	Phillips						



