Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010 Lease Serial No.

SUNDE	NOTIC	ES AND	REPORTS	ON WELLS
Do not use	this form	for prop	osals to drill	or to re-enter an

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE - Other instructions on reverse side.					NMSF079160 6. If Indian, Allottee or Tribe Name 7. If Unit or CA/Agreement, Name and/or No. 892000916D							
								1. Type of Well	Vac 1	8. Well Name and No. RINCON UNIT 212		
								Oil Well Gas Well O	HL			The state of the s
CHEVRÓN MIDCONTINENT	N.COM	30-039-21716-00-S1										
3a. Address 332 ROAD 3100 AZTEC, NM 87410	o. (include area code 33.1941 4.7134	:)	10. Field and Pool, or Exploratory OTERO CHACRA									
4. Location of Well (Footage, Sec.,			11. County or Parish, and State									
Sec 12 T26N R7W SESE 10 36.494949 N Lat, 107.52092			RIO ARRIBA COUNTY, NM									
12. CHECK APP	ROPRIATE BOX(ES) TO	O INDICATE	E NATURE OF	NOTICE, R	EPORT, OR OTHE	R DATA						
TYPE OF SUBMISSION			TYPE O	F ACTION								
S Nation of Intent	☐ Acidize	□ Dee	pen	☐ Product	ion (Start/Resume)	☐ Water Shut-Off						
■ Notice of Intent	☐ Alter Casing	☐ Fra	cture Treat	☐ Reclam	ation	□ Well Integrity						
☐ Subsequent Report	☐ Casing Repair	□ Nev	v Construction	Recomp	olete	Other						
☐ Final Abandonment Notice	☐ Change Plans	Plug	□ Plug and Abandon		arily Abandon							
1 1	☐ Convert to Injection	☐ Plu	g Back	☐ Water I	Disposal							
If the proposal is to deepen direction Attach the Bond under which the war following completion of the involve testing has been completed. Final A determined that the site is ready for	peration (clearly state all pertiner tally or recomplete horizontally, ork will be performed or provide d operations. If the operation rebandonment Notices shall be filefinal inspection.)	give subsurface the Bond No. o sults in a multip ed only after all	locations and meas in file with BLM/BL le completion or rec requirements, inclu-	ured and true ve A. Required sul- completion in a i ding reclamation	ertical depths of all pertin beequent reports shall be new interval, a Form 316 n, have been completed,	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has						
If the proposal is to deepen direction Attach the Bond under which the world following completion of the involve testing has been completed. Final Adetermined that the site is ready for CHEVRON MIDCONTINENT BY JACK SAVAGE, FEBRUARIG UP WIRELINE SET CIBP #1 @ 3604' AND IT RUN CEMENT LOG FROM CONSULT WIHT NMOCD TO	peration (clearly state all pertiner hally or recomplete horizontally, ork will be performed or provide d operations. If the operation rebandonment Notices shall be filefinal inspection.) RESPECTFULLY REQUIARY 29, 2016, IN NOI - ID DUMP BAIL 100' OF CEMICIBP TO SURFACE DIMAKE ANY NEEDED PROMAKE ANY NEEDED PROVIDED TO SURFACE	give subsurface the Bond No. o sults in a multip ed only after all ESTS A REV 332209. ENT ON TOR	locations and meas in file with BLM/BL le completion or recrequirements, inclu-	ured and true ve A. Required sul completion in a i ding reclamation	ertical depths of all pertin bsequent reports shall be new interval, a Form 316 n, have been completed, a	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has						
If the proposal is to deepen direction Attach the Bond under which the world following completion of the involve testing has been completed. Final Adetermined that the site is ready for CHEVRON MIDCONTINENT BY JACK SAVAGE, FEBRUARIG UP WIRELINE SET CIBP #1 @ 3604' AND IR RUN CEMENT LOG FROM CONSULT WIHT NMOCD TO SET CIBP #2 @ 2798' AND IR SET CIBP #3 @ 2564' AND IR SET CIBP #4 @ 2246' AND IR SET	peration (clearly state all pertiner tally or recomplete horizontally, ork will be performed or provide doperations. If the operation rebandonment Notices shall be file final inspection.) RESPECTFULLY REQUIREY 29, 2016, IN NOI - ID DUMP BAIL 100' OF CEMICIBP TO SURFACE DIMAKE ANY NEEDED PROUMP BAIL 100' OF CEMICIBP TO SURFACE DUMP BAIL 100' OF CEMICIPPED BAIL	give subsurface the Bond No. oults in a multip ed only after all ESTS A REV 332209. ENT ON TOP ENT ON TOP ENT ON TOP	locations and meas in file with BLM/BL le completion or rec requirements, inclu-	ured and true ve A. Required sul completion in a reding reclamation I A NEW PLU N BASED OF	rical depths of all pertin besequent reports shall be new interval, a Form 316 n, have been completed, a UGGING PROCEDU	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has						
If the proposal is to deepen direction Attach the Bond under which the world following completion of the involve testing has been completed. Final Adetermined that the site is ready for CHEVRON MIDCONTINENT BY JACK SAVAGE, FEBRUARIG UP WIRELINE SET CIBP #1 @ 3604' AND I RUN CEMENT LOG FROM CONSULT WIHT NMOCD TO SET CIBP #2 @ 2798' AND I SET CIBP #3 @ 2564' AND I SET CIBP #3 @ 2564' AND I	peration (clearly state all pertiner tally or recomplete horizontally, ork will be performed or provide doperations. If the operation rebandonment Notices shall be file final inspection.) RESPECTFULLY REQUIREY 29, 2016, IN NOI - ID DUMP BAIL 100' OF CEMIRED OF ANY NEEDED PROUMP BAIL 100' OF CEMIRED OWN BAIL 100' OWN BAIL 100' OF CEMIRED OWN BAIL 100' OWN BAIL 1	give subsurface the Bond No. outlis in a multiped only after all ESTS A REV 332209. ENT ON TOP	locations and meas in file with BLM/BL le completion or rec requirements, inclu- ISED NOI WITH MODITIFCATIO Notify NA prior to	ured and true ve A. Required sul completion in a redirect sul ding reclamation I A NEW PLU N BASED OF	prical depths of all pertin besequent reports shall be new interval, a Form 316 n, have been completed, a UGGING PROCEDU N CBL RESULTS	nent markers and zones. filled within 30 days 0-4 shall be filled once and the operator has JRE AS APPROVED S. DIV DIST. 3						
If the proposal is to deepen direction Attach the Bond under which the world following completion of the involve testing has been completed. Final Adetermined that the site is ready for CHEVRON MIDCONTINENT BY JACK SAVAGE, FEBRUARIG UP WIRELINE SET CIBP #1 @ 3604' AND IR RUN CEMENT LOG FROM CONSULT WIHT NMOCD TO SET CIBP #2 @ 2798' AND IR SET CIBP #3 @ 2564' AND IR SET CIBP #4 @ 2246' AND IR SET CIBP #6 @ 946' AND IR SET CIBP #6 @ 946' AND DIRECT CIBP #6 @ PARCT CIBP #6 @ PARCT CIBP #6 @ PARCT CIBP #6 @ PAR	peration (clearly state all pertiner hally or recomplete horizontally, ork will be performed or provide dispersions. If the operation rebandonment Notices shall be file final inspection.) RESPECTFULLY REQUIARY 29, 2016, IN NOI - ID DUMP BAIL 100' OF CEMICIBP TO SURFACE DIMAKE ANY NEEDED PROUMP BAIL 100' OF CEMICIBP TO SURFACE DUMP BAIL 100' OF CEMICIBP TO SUMP BAIL 100' OF CEMICIPP BAIL 100' OF CEMI	give subsurface the Bond No. o sults in a multip ed only after all ESTS A REV 332209. ENT ON TOF ENT ON TOP 334027 verifie HIDCONTINEN	locations and meas in file with BLM/BL le completion or rec requirements, inclu- ISED NOI WITH MODITIFCATIO Notify NA prior to open d by the BLM We T, LP, sent to th CK SAVAGE on the	N BASED Of MCCD 24 hrs beginning rations	prical depths of all pertins of all be new interval, a Form 316 n, have been completed, a UGGING PROCEDUNICAL PROCEDUNICAL PROCEDUTION OF THE P	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has JRE AS APPROVED						
If the proposal is to deepen direction Attach the Bond under which the world following completion of the involve testing has been completed. Final Adetermined that the site is ready for CHEVRON MIDCONTINENT BY JACK SAVAGE, FEBRUARIG UP WIRELINE SET CIBP #1 @ 3604' AND IR RUN CEMENT LOG FROM CONSULT WIHT NMOCD TO SET CIBP #2 @ 2798' AND IR SET CIBP #3 @ 2564' AND IR SET CIBP #4 @ 2246' AND IR SET CIBP #6 @ 946' AND IR SET CIBP #6 @ 946' AND DIRECT CIBP #6 @	peration (clearly state all pertiner hally or recomplete horizontally, ork will be performed or provide dispersions. If the operation rebandonment Notices shall be file final inspection.) RESPECTFULLY REQUIARY 29, 2016, IN NOI - ID DUMP BAIL 100' OF CEMICIBP TO SURFACE DIMAKE ANY NEEDED PROUMP BAIL 100' OF CEMICIBP TO SURFACE DUMP BAIL 100' OF CEMICIBP TO SUMP BAIL 100' OF CEMICIPP BAIL 100' OF CEMI	give subsurface the Bond No. o sults in a multip ed only after all ESTS A REV 332209. ENT ON TOF ENT ON TOP 334027 verifie HIDCONTINEN	locations and meas in file with BLM/BL le completion or rec requirements, inclu- ISED NOI WITH MODITIFCATIO Notify NA prior to open d by the BLM We T, LP, sent to th CK SAVAGE on the	ured and true ve A. Required sul completion in a reding reclamation I A NEW PLU N BASED Of OCD 24 hrs beginning rations	prical depths of all pertins of all be new interval, a Form 316 n, have been completed, a UGGING PROCEDUNICAL PROCEDUNICAL PROCEDUTION OF THE P	nent markers and zones. filled within 30 days 0-4 shall be filed once and the operator has JRE AS APPROVED S. DIV DIST. 3						
If the proposal is to deepen direction Attach the Bond under which the work following completion of the involve testing has been completed. Final Adetermined that the site is ready for CHEVRON MIDCONTINENT BY JACK SAVAGE, FEBRUARIG UP WIRELINE SET CIBP #1 @ 3604' AND IR RUN CEMENT LOG FROM CONSULT WIHT NMOCD TO SET CIBP #2 @ 2798' AND IR SET CIBP #3 @ 2564' AND IR SET CIBP #4 @ 2246' AND IR SET CIBP #4 @ 2246' AND IR SET CIBP #6 @ 946' AND IR SET CIBP #6 @	peration (clearly state all pertiner tally or recomplete horizontally, ork will be performed or provide doperations. If the operation rebandonment Notices shall be file final inspection.) RESPECTFULLY REQUIARY 29, 2016, IN NOI - ID DUMP BAIL 100' OF CEMICIBP TO SURFACE DIMAKE ANY NEEDED PROUMP BAIL 100' OF CEMICIBP TO SURFACE DUMP BAIL 100' OF CEMICIBP TO SURFACE STRUET TO SURFACE	give subsurface the Bond No. o sults in a multip ed only after all ESTS A REV 332209. ENT ON TOF ENT ON TOP 334027 verifie HIDCONTINEN DESSING by JA	locations and meas in file with BLM/BL le completion or recrequirements, included in the second of t	ured and true very complete on the substitution of the substitutio	pertical depths of all pertins besequent reports shall be new interval, a Form 316 n, have been completed, a UGGING PROCEDUNICAL RESULTS OIL CON MAR System SJWS0120SE)	nent markers and zones. filled within 30 days 0-4 shall be filed once and the operator has JRE AS APPROVED S. DIV DIST. 3						
If the proposal is to deepen direction Attach the Bond under which the world following completion of the involve testing has been completed. Final Adetermined that the site is ready for CHEVRON MIDCONTINENT BY JACK SAVAGE, FEBRUARIG UP WIRELINE SET CIBP #1 @ 3604' AND I RUN CEMENT LOG FROM CONSULT WIHT NMOCD TO SET CIBP #2 @ 2798' AND I SET CIBP #3 @ 2564' AND I SET CIBP #4 @ 2246' AND I SET CIBP #5 @ 2016' AND I SET CIBP #6 @ 946' AND DISET	peration (clearly state all pertiner hally or recomplete horizontally, ork will be performed or provide d operations. If the operation rebandonment Notices shall be file final inspection.) RESPECTFULLY REQUIARY 29, 2016, IN NOI - ID DUMP BAIL 100' OF CEMICIBP TO SURFACE DIMAKE ANY NEEDED PROUMP BAIL 100' OF CEMICIBP TO SURFACE DUMP BAIL 100' OF CEMICIBP TO SUMP BAIL 100' OF CEMICIPP TO SUM	give subsurface the Bond No. o sults in a multip ed only after all ESTS A REV 332209. ENT ON TOF ENT ON TOP 334027 verifie HIDCONTINEN DESSING by JA	locations and meas in file with BLM/BL le completion or recrequirements, included in the second of t	ured and true very complete on the substitution of the substitutio	pertical depths of all pertins besequent reports shall be new interval, a Form 316 n, have been completed, a UGGING PROCEDUNICAL RESULTS OIL CON MAR System SJWS0120SE)	nent markers and zones. filled within 30 days 0-4 shall be filed once and the operator has JRE AS APPROVED S. DIV DIST. 3						
Attach the Bond under which the we following completion of the involve testing has been completed. Final A determined that the site is ready for CHEVRON MIDCONTINENT BY JACK SAVAGE, FEBRUARIG UP WIRELINE SET CIBP #1 @ 3604' AND IR RUN CEMENT LOG FROM CONSULT WINT NMOCD TO SET CIBP #2 @ 2798' AND IS SET CIBP #4 @ 2246' AND IS SET CIBP #4 @ 2246' AND IS SET CIBP #6 @ 946' AND IS SET CIBP #6 @ 946' AND DISTORMENT OF THE SET CIBP #6 @ 946' AND DIS	peration (clearly state all pertiner tally or recomplete horizontally, ork will be performed or provide doperations. If the operation rebandonment Notices shall be file final inspection.) RESPECTFULLY REQUIARY 29, 2016, IN NOI - ID DUMP BAIL 100' OF CEMICIBP TO SURFACE DIMAKE ANY NEEDED PROUMP BAIL 100' OF CEMICIBP TO SURFACE DUMP BAIL 100' OF CEMICIBP TO SURFACE STRUET TO SURFACE	give subsurface the Bond No. o sults in a multip ed only after all ESTS A REV 332209. ENT ON TOF ENT ON TOP 334027 verifie HIDCONTINEN DESSING by JA	locations and meas in file with BLM/BL le completion or recrequirements, included in the second of t	wed and true very complete out omplete out of the complete out of	pertical depths of all pertins besequent reports shall be new interval, a Form 316 n, have been completed, a UGGING PROCEDUNICAL PROCEDUNICAL PROCEDUM CON MAR System SJWS0120SE) INEER	nent markers and zones. filled within 30 days 0-4 shall be filed once and the operator has JRE AS APPROVED S. DIV DIST. 3						

** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **



Additional data for EC transaction #334027 that would not fit on the form

32. Additional remarks, continued

PERFORATE 2-7/8" CASING @ TOC FROM CBL (TOC ~ 900' FROM TEMPARTURE SURVEY)
RIG DOWN WIRELINE
TIE ONTO 2-7/8" CASING, ATTEMPT TO ESTABLISH CIRCULATION AND CIRCULATE CEMENT TO SURFACE
* CONSULT WITH BLM/NMOCD TO MAKE DESIGN MODIFICATION FOR P&A OF UPPER PORTION OF WELL IF UNABLE TO

CUTOFF WELLHEAD, INSTALL DRY HOLE MARKER, CLEAN LOCATION AND RECLAIM SURFACE.


ATTACHED ARE PREVIOUSLY APPROVED BLM COAs, GENERAL REQUIREMENT PA INSTRUCTIONS AND RINCON 212 SPECIFIC CONDITIONS OF APPROVAL

ALSO ATTACHED ARE THE CURRENT AND PROPOSED WELLBORE DIAGRAMS WITH THE RECLAMATION PLAN



Rincon Unit #212 Rio Arriba County, New Mexico PROPOSED Wellbore Schematic

Free Flowing Well, Currently SI



Prepared by: Simon Martin Date: 03/10/2016 Updated by: Date:

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT FARMINGTON DISTRICT OFFICE

6251 COLLEGE BLVD. FARMINGTON, NEW MEXICO 87402

Attachment to notice of Intention to Abandon:

Re: Permanent Abandonment Well: Rincon Unit 212

CONDITIONS OF APPROVAL

- 1. Plugging operations authorized are subject to the attached "General Requirements for Permanent Abandonment of Wells on Federal and Indian Lease."
- 2. Farmington Office is to be notified at least 24 hours before the plugging operations commence (505) 564-7750.
- 3. The following modifications to your plugging program are to be made:
 - a) Bring the top of Plug #4 to 1916 ft. to cover the Kirtland and Ojo Alamo top. BLM picks top of Kirtland at 2196 ft. BLM picks top of Ojo Alamo at 1966 ft. Adjust cement volume accordingly.

Operator will run CBL to verify cement top. Submit the electronic copy of the log for verification to the following addresses: jwsavage@blm.gov Brandon.Powell@state.nm.us

You are also required to place cement excesses per 4.2 and 4.4 of the attached General Requirements.

Office Hours: 7:45 a.m. to 4:30 p.m.