District I 1625 N. French Dr., Hobbs, NM 88240

1301 W. Grand Ave., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

Form C-144

For permanent pits and exceptions submit to the Santa Fe

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505			ironmental Bureau office and provide ropriate NMOCD District Office.	a copy to the
1.00	Pit, Closed-Loop System sed Alternative Method			OIL CONS. DIV DIST. 3
Type of action:	Permit of a pit, closed-loop sys X Closure of a pit, closed-loop sy Modification to an existing per Closure plan only submitted for below-grade tank, or proposed	ystem, below-grade tank, rmit or an existing permitted or I alternative method	or proposed alternative method	d p system,
The state of the s	this request does not relieve the operator of live the operator of its responsibility to comply	iability should operations result in	pollution of surface water, ground water	er or the
Operator: Burlington Resources Oil	& Gas Company, LP	OGI	RID#: 14538	M
Address: PO Box 4289, Farmington	, NM 87499			
Facility or well name: San Juan 27-5	Unit 136			
API Number: 30-	039-20488	OCD Permit Number:	11211	
U/L or Qtr/Qtr: C(NE/NW) Section Center of Proposed Design: Latitude: Surface Owner: Federal	36.53355 °N	Range: 5W Longitude: -10 Tribal Trust or Indian Allo	County: Rio Arriba 7,31302 °W NAD: Comment	### X 1983
Lined Unlined Line String-Reinforced	over vitation P&A er type: Thickness mil tory Other		E PVC Other Dimensions L x W	xD
Type of Operation: X P&A Drying Pad X Above Ground Lined Unlined Liner	notice of in		ties which require prior approval o	of a permit or
Below-grade tank: Subsection I of Volume: bbl Tank Construction material: Secondary containment with leak dete Visible sidewalls and liner Liner Type: Thickness	ection Visible sidewalls, lin	ner, 6-inch lift and automatic Other Other	overflow shut-off	
Submittal of an exception request is requi	red. Exceptions must be submitted to	the Santa Fe Environmental	Bureau office for consideration o	of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, inst Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	titution or chur	rch)
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consiteration (Fencing/BGT Liner) Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	ideration of ap	proval.
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes NA	No
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. 	Yes	No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No
Within a 100-year floodplain - FEMA map	Yes	No

emporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC structions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC					
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design) API or Permit					
losed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC structions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9					
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design) API					
Previously Approved Operating and Maintenance Plan API					
ermanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC					
structions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Climatological Factors Assessment					
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC					
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC					
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC					
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC					
Quality Control/Quality Assurance Construction and Installation Plan					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Nuisance or Hazardous Odors, including H2S, Prevention Plan					
Emergency Response Plan					
Oil Field Waste Stream Characterization					
Monitoring and Inspection Plan					
Erosion Control Plan					
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
roposed Closure: 19.15.17.13 NMAC					
structions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
pe: Drilling Workover Emergency Cavitation X P&A Permanent Pit Below-grade Tank X Closed-loop System Alternative					
posed Closure Method: Waste Excavation and Removal					
oposed Closure Method: Waste Excavation and Removal					
X Waste Removal (Closed-loop systems only)					
Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)					
Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench					
Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench					
Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration) Faste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure					
Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration) Faste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure ease indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration) Saste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure ease indicate, by a check mark in the box, that the documents are attached.					
X Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
X Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					

facilities are required. Disposal Facility Name:	Envirotech / JFJ Landfarm / IEI	Disposal Facility Permit #:	NM-01-0011 / NM-01-0	010B	
Disposal Facility Name:		Disposal Facility Permit #:			
/ill any of the proposed cle Yes (If yes, please p	osed-loop system operations and associated	d activities occur on or in areas that w	vill not be used for future	service and	
equired for impacted areas v Soil Backfill and Co Re-vegetation Plan	which will not be used for future service and op wer Design Specification - based upon the based upon the appropriate requirements an - based upon the appropriate requirement	appropriate requirements of Subsection Subsection I of 19.15.17.13 NMA	C	AC	
structions: Each siting criteria rtain siting criteria may requir	g on-site closure methods only: 19.15.17. requires a demonstration of compliance in the close administrative approval from the appropriate dival. Justifications and or demonstrations of equiv	sure plan. Recommendations of acceptable strict office or may be considered an except	tion which must be submitted to		
	0 feet below the bottom of the buried wast Engineer - iWATERS database search; USGS:			Yes N/A	No
round water is between 50	and 100 feet below the bottom of the bur	ied waste		Yes	No
- NM Office of the State I	Engineer - iWATERS database search; USGS;	Data obtained from nearby wells		□N/A	
round water is more than	100 feet below the bottom of the buried wa	aste.		Yes	No
- NM Office of the State I	Engineer - iWATERS database search; USGS;	Data obtained from nearby wells		N/A	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake measured from the ordinary high-water mark).			Yes	No	
- Topographic map; Visua	ll inspection (certification) of the proposed site				
and the same and An owner	ent residence, school, hospital, institution, or c cation) of the proposed site; Aerial photo; satel		pplication.	Yes	∐No
ourposes, or within 1000 horiz - NM Office of the State E	private, domestic fresh water well or spring th ontal fee of any other fresh water well or sprin, ingineer - iWATERS database; Visual inspection	g, in existence at the time of the initial ap on (certification) of the proposed site	plication.		
ursuant to NMSA 1978, Sect	boundaries or within a defined municipal fresh ion 3-27-3, as amended. verification from the municipality; Written app		pal ordinance adopted	Yes	∐No
Within 500 feet of a wetlan		ora comme non ac manepany		Yes	No
- US Fish and Wildlife W	etland Identification map; Topographic map; V	isual inspection (certification) of the prop	posed site		
Witten confirmation or		ing and Minaral Division		Yes	No
Written confiramtion or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society;			Yes	No	
Topographic map	on potated into the design, 1441 bureau of George	ogy et imierat resources, 0505, 1411 (ecological Society,		
Within a 100-year floodplai - FEMA map	n.			Yes	No
y a check mark in the box	cklist: (19.15.17.13 NMAC) Instruction to that the documents are attached.			ure plan. Plea	se indicate,
Proof of Surface Ow	mer Notice - based upon the appropriate re	quirements of Subsection F of 19.15	.17.13 NMAC		
	Plan of Burial Trench (if applicable) base				
	Plan of Temporary Pit (for in place burial		propriate requirements of	19.15.17.11 N	MAC
	dures - based upon the appropriate requirer ing Plan (if applicable) - based upon the ap		F of 19 15 17 12 NIMAC		
	pling Plan (II applicable) - based upon the ap				
	me and Permit Number (for liquids, drillin			annot be achie	ved)
	based upon the appropriate requirements of			To avente	
	based upon the appropriate requirements				
Site Reclamation Pla	an - based upon the appropriate requiremen	its of Subsection G of 19.15.17.13 N	MAC		

19	
Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and co	emplete to the best of my knowledge and belief.
Name (Print):	tle:
Signature: Da	ate:
e-mail address: Tele	ephone:
# OCD Approval: Permit Application (including closure plan) Closur	e Plan (only) OCD Conditions (see attachment)
OCD Representative Signature:	Approval Date: 05-09-2016
N O I	Approvar Date.
Title: Environmental (Docalist	OCD Permit Number:
21	
Closure Report (required within 60 days of closure completion): Subsection K of I Instructions: Operators are required to obtain an approved closure plan prior to impleme	
report is required to be submitted to the division within 60 days of the completion of the cl	
approved closure plan has been obtained and the closure activities have been completed.	
	X Closure Completion Date: 7//31/13
22 Closure Method:	
	native Closure Method X Waste Removal (Closed-loop systems only)
If different from approved plan, please explain.	
#	"
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Ut Instructions: Please identify the facility or facilities for where the liquids, drilling fluids	
vere utilized.	and arm cuttings were disposed. Ose addentient if more than two facilities
	isposal Facility Permit Number: NM-01-0011 / NM-01-0010B
	sposal Facility Permit Number: NM-01-005
Were the closed-loop system operations and associated activities performed on or in are	
	Original Approved Drying Pad was not utilized for this location)
	Figure repriese by the Land was not defined for this focution?
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation)	
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	
24	
24 Closure Report Attachment Checklist: Instructions: Each of the following iten	ns must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.	
Proof of Closure Notice (surface owner and division)	
Proof of Deed Notice (required for on-site closure)	
Plot Plan (for on-site closures and temporary pits)	
Confirmation Sampling Analytical Results (if applicable)	
Waste Material Sampling Analytical Results (if applicable)	
Disposal Facility Name and Permit Number	
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	
Site Reclamation (Photo Documentation)	
	titude: NAD 1927 1983
25	The state of the s
Operator Closure Certification:	
hereby certify that the information and attachments submitted with this closure report is	ture, accurate and complete to the best of my knowledge and belief. I also certify that
he closure complies with all applicable closure requirements and conditions specified in t	
Name (Print): Dollie L. Busse	Title: Staff Regulatory Technician
Done Lypuss	The Start Regulatory Technician
Signature:	Date: 4/5/16