<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

OIL CONS. DIV DIST. 3

Form C-144 Revised June 6, 2013

MAY 0 3 2016

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade Tank, or
1949 Proposed Alternative Method Permit or Closure Plan Application
Type of action: Below grade tank registration Permit of a pit or proposed alternative method Closure of a pit, below-grade tank, or proposed alternative method Modification to an existing permit/or registration Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinance.
Operator: BP America Production Company OGRID #: 778
Address: 200 Energy Court, Farmington, NM 87401
Facility or well name: Gallegos Canyon Unit 184E
API Number: 3004524427 OCD Permit Number:
U/L or Qtr/Qtr J Section 28 Township 28N Range 12W County: San Juan
Center of Proposed Design: Latitude 36.62982 Longitude -108.11292 NAD: ☐1927 ☐ 1983
Surface Owner: ⊠ Federal □ State □ Private □ Tribal Trust or Indian Allotment
Pit: Subsection F, G or J of 19.15.17.11 NMAC Temporary: Drilling Workover Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Drilling Fluid yes no Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D
3. Below-grade tank: Subsection I of 19.15.17.11 NMAC TANK B
Tank Construction material: Steel
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other
Liner type: Thicknessmil
4. Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)											
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school institution or church)	, hospital,										
Four foot height, four strands of barbed wire evenly spaced between one and four feet											
Alternate. Please specify											
6.											
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) ☐ Screen ☐ Netting ☐ Other											
Monthly inspections (If netting or screening is not physically feasible)											
7.											
Signs: Subsection C of 19.15.17.11 NMAC											
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers											
☐ Signed in compliance with 19.15.16.8 NMAC											
8. Variances and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.											
Please check a box if one or more of the following is requested, if not leave blank: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.											
9. <u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC <i>Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accematerial are provided below.</i> Siting criteria does not apply to drying pads or above-grade tanks.	eptable source										
General siting											
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No										
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No										
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No										
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No										
Within an unstable area. (Does not apply to below grade tanks) - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No										
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	☐ Yes ☐ No										
Below Grade Tanks											
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No										
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No										
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)											
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No										

Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes No
application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 100 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit Non-low chloride drilling fluid	
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	
- Topographic map; Visual inspection (certification) of the proposed site	Yes No
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Permanent Pit or Multi-Well Fluid Management Pit	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa	
lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of	
initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the docattached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC	NMAC 15.17.9 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:	
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	cuments are
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC ☐ A List of wells with approved application for permit to drill associated with the pit. ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC ☐ Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC	.15.17.9 NMAC
☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC ☐ Previously Approved Design (attach copy of design) API Number: or Permit Number:	
- Termeramoti.	

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the	documents are
attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
 □ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC □ Quality Control/Quality Assurance Construction and Installation Plan □ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC □ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC □ Nuisance or Hazardous Odors, including H₂S, Prevention Plan □ Emergency Response Plan 	
☐ Oil Field Waste Stream Characterization ☐ Monitoring and Inspection Plan	
☐ Erosion Control Plan ☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F	Fluid Management Pit
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only)	
☐ On-site Closure Method (Only for temporary pits and closed-loop systems) ☐ In-place Burial ☐ On-site Trench Burial ☐ Alternative Closure Method	
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable south provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. In 19.15.17.10 NMAC for guidance.	
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes No

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	
Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.13 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	11 NMAC 15.17.11 NMAC
17. Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believes	ef.
Name (Print): Title:	
Signature: Date:	
e-mail address: Telephone:	
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: OCD Permit Number: 19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed.	the closure report.
☐ Closure Completion Date: 3/25/2016	
20. Closure Method: Waste Excavation and Removal □ On-Site Closure Method □ Alternative Closure Method □ Waste Removal (Closed-loc □ If different from approved plan, please explain.	op systems only)
21. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please incommark in the box, that the documents are attached. □ Proof of Closure Notice (surface owner and division) □ Proof of Deed Notice (required for on-site closure for private land only) □ Plot Plan (for on-site closures and temporary pits) □ Confirmation Sampling Analytical Results (if applicable) □ Waste Material Sampling Analytical Results (required for on-site closure)	dicate, by a check

22. Operator Closure Certification:	
I hereby certify that the information and attachments submitted wi	th this closure report is true, accurate and complete to the best of my knowledge and closure requirements and conditions specified in the approved closure plan.
Name (Print): Steve Moskal	Title: Field Environmental Coordinator
	Title: Field Elivironmental Coordinator
Signature: Mes Man	Date: April 29, 2016

BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

Gallegos Canyon Unit #184E API No. 3004524427 Unit Letter J, Section 28, 28N, R12W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

- BP shall notify the surface owner by certified mail that it plans to close a BGT.
 Evidence of mailing of the notice to the address of the surface owner shown in the
 county tax records demonstrates compliance with this requirement.
 Notice is attached.
- 2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

Notice was provided and documented in the attached email.

- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)

- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported for recycling.

- 5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.
 - All equipment associated with the BGT has been removed.
- 6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method Tank B - 95 bbl BGT	Release Verification (mg/Kg)	Sample results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	< 0.018
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.074
TPH	US EPA Method SW-846 418.1 or 8015 extended	100	<49
Chlorides	US EPA Method 300.0 or 4500B	250 or background	<30

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled for TPH, BTEX and chloride. BTEX, TPH and chloride concentrations were below the stated limits. The field report and laboratory reports are attached.

7. BP shall notify the division District III office of its results on form C-141. C-141 is attached.

- If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.
 Sampling results indicate no significant release has occurred.
- 9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not

with in the active process area

Sampling results determine no significant release has occurred. Area was backfilled with clean, earthen material and is within the active well pad.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area has been backfilled and will be reclaimed once the well has been plugged and abandoned.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area has been backfilled and will be reclaimed once the well has been plugged and abandoned.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area has been backfilled and will be reclaimed once the well has been plugged and abandoned.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

The area has been backfilled and will be reclaimed once the well has been plugged and abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

BP will notify NMOCD when re-vegetation is successful.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.
 Closure report on C-144 form is included including photos of reclamation completion.
- 16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

* Attach Additional Sheets If Necessary

State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

			Rele	ease Notifi	catio	n and Co	orrective A	etion	
						OPERA	ГOR	☐ Ini	tial Report Final Repor
Name of C	ompany: B	P				Contact: Ste	eve Moskal		
		Court, Farmi	ington, N	M 87401		Telephone 1	No.: 505-326-94	497	
		gos Canyon U					e: Natural gas		
Surface Ov	vner: State			Mineral (Owner:	State		API N	lo. 3004524427
				LOC	ATIO	N OF RE	LEASE		
Unit Letter J	Section 28	Township 28N	Range 12W	Feet from the 1,435		/South Line	Feet from the 1,590	East/West Line East	County: San Juan
		Lati	tude 30	5.62949		_ Longitud	-108.11315		
				NAT	TURE	OF REL	EASE		
Type of Rele	ease: none					Volume of	Release: unknov		Recovered: N/A
Source of Re	elease: belov	w grade tank –	95 bbl			Date and I	Iour of Occurrent	ce: Date an	d Hour of Discovery: none
Was Immed	iate Notice (Yes 🗵	No Not R	equired	If YES, To	Whom?		
By Whom?						Date and I	Iour		
Was a Water	rcourse Read		Yes 🛛	No		If YES, Vo	olume Impacting	the Watercourse.	
Describe Ca	use of Probl		dial Action					ne during remova	l. Soil analysis resulted for
Describe Ar	ea Affected	and Cleanup A	Action Tak	en.* No action n	ecessar	y. Final labora	tory analysis sup	ported closure of	he BGT location.
regulations a public health should their or the enviro	all operators n or the envi operations h onment. In a	are required to ronment. The nave failed to a	o report ar acceptance adequately OCD accep	nd/or file certain to be of a C-141 report investigate and in	release i ort by the remedia	notifications as ne NMOCD m te contaminati	nd perform correct arked as "Final R on that pose a thr	ctive actions for re deport" does not re reat to ground wat	rsuant to NMOCD rules and cleases which may endanger clieve the operator of liability er, surface water, human health compliance with any other
Signature:	De	Mn					OIL CON	SERVATION	N DIVISION
Printed Nam	e: Steve Mo	skal				Approved by	Environmental S	pecialist:	and the later of the second
Title: Field I	Environment	tal Coordinato	г			Approval Dat	e:	Expiration	Date:
E-mail Addr	ess: steven.i	moskal@bp.co	om			Conditions of	Approval:		Attached
Date: April	29 2016		Phone: 50	05-326-9497					

bp



BP America Production Company 200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

March 18, 2016

Bureau of Land Management Katherina Diemer 6251 College Suite A Farmington, NM 87402

VIA EMAIL

Re: Notification of plans to close/remove a below grade tank Well Name: GALLEGOS CANYON UNIT 184E API #: 3004524427

Dear Mrs. Diemer,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about March 22, 2016. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

If witnessing of the tank removal is required please contact me for a specific time (505)-326-9497.

Sincerely,

Steven Moskal

BP America Production Company

Moskal, Steven

From:

Fields, Vanessa, EMNRD < Vanessa. Fields@state.nm.us>

Sent:

Tuesday, March 29, 2016 1:35 PM

To:

Moskal, Steven; Smith, Cory, EMNRD; Diemer, Katherina blagg_njv@yahoo.com; Hixon, Vance E; jeffcblagg@aol.com

Subject:

RE: Sample Notification: Gallegos Canyon Unit 184E

Steve,

OCD is approving BP's request to close the Gallegos Canyon Unit# 184E due to the following:

- Groundwater greater than 25'
- GRO < 3.7 (ND), DRO 64
- No domestic water wells within a 1 mile radius
- Greater than 1000' to surface water

Please include these items in your final C-141.

OCD approval does not relieve BP of any additional requirements imposed by other regulatory agencies.

Thank you,

Vanessa Fields
Environmental Specialist
Oil Conservation Division
Energy, Minerals, & Natural Resources
1000 Rio Brazos, Aztec, NM 87410
(505)334-6178 ext 119
Cell: (505) 419-0463

vanessa.fields@state.nm.us

From: Moskal, Steven [mailto:Steven.Moskal@bp.com]

Sent: Tuesday, March 29, 2016 11:32 AM

To: Fields, Vanessa, EMNRD <Vanessa.Fields@state.nm.us>; Smith, Cory, EMNRD <Cory.Smith@state.nm.us>;

kdiemer@blm.gov

Cc: Hixon, Vance E < Vance. Hixon@bp.com >; blagg njv@yahoo.com; jeffcblagg@aol.com

Subject: RE: Sample Notification: Gallegos Canyon Unit 184E

Vanessa, Katherina and Cory -

I failed to attached the lab results in the previous email. The results indicate GRO = <3.7 (ND), DRO = 64, MRO = 200, BTEX = ND. The 200 MRO ppm caused the BGT sampling to fail closure standards under the pit rule. Now that the remediation falls under the spill and release guidelines, the attached lab results are below the spill and release guidelines and suggest no further action.

Further, based on the site location, BP estimates a greater than 25' to and artificial groundwater surface created by agricultural irrigation; the natural groundwater surface would be greater than 50 feet. A record

search of any domestic water wells within a mile found no results. It is also greater than 1,000 feet to a surface water or dry wash.

Please advise.

Steve Moskal

BP Lower 48 – San Juan – Farmington Field Environmental Coordinator

Office: (505) 326-9497 Cell: (505) 330-9179



From: Fields, Vanessa, EMNRD [mailto:Vanessa.Fields@state.nm.us]

Sent: Tuesday, March 29, 2016 9:33 AM

To: Moskal, Steven; Smith, Cory, EMNRD; kdiemer@blm.gov **Cc:** Hixon, Vance E; blagg@njv@yahoo.com; jeffcblagg@aol.com **Subject:** RE: Sample Notification: Gallegos Canyon Unit 184E

Steve,

Cory or myself will be present for sampling today.

Thank you,

Vanessa Fields
Environmental Specialist
Oil Conservation Division
Energy, Minerals, & Natural Resources
1000 Rio Brazos, Aztec, NM 87410
(505)334-6178 ext 119
Cell: (505) 419-0463

vanessa.fields@state.nm.us

From: Moskal, Steven [mailto:Steven.Moskal@bp.com]

Sent: Tuesday, March 29, 2016 9:15 AM

To: Fields, Vanessa, EMNRD <Vanessa.Fields@state.nm.us>; Smith, Cory, EMNRD <Cory.Smith@state.nm.us>;

kdiemer@blm.gov

Cc: Hixon, Vance E < Vance. Hixon@bp.com >; blagg njv@yahoo.com; jeffcblagg@aol.com

Subject: Sample Notification: Gallegos Canyon Unit 184E

Importance: High

BP would like to sample the BGT excavation for closure later today at or around 2:00 PM. Impacts were found on Tank B during sampling last week. Attached are the preliminary lab results for the sampling event last week.

Please let me know if you approve of this short notice of closure sampling.

Thank you,

Steve Moskal

BP Lower 48 – San Juan – Farmington Field Environmental Coordinator

Office: (505) 326-9497 Cell: (505) 330-9179



This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

CLIENT: BP	BLAGG ENGINEER P.O. BOX 87, BLOOMFIE (505) 632-119	LD, NM 87413	API #: 3004524427 TANK ID (if applicble): B
FIELD REPORT:	(circle one): BGT CONFIRMATION / RELEASE INVEST		PAGE#: 1 of 1
	28N RNG: 12W PM: NM CN		DATE STARTED: 03/25/16 DATE FINISHED:
LEASE#: SF078828A	PROD. FORMATION: DK CONTRACTOR: N	TOIVE	ENVIRONMENTAL SPECIALIST(S): NJV
3)	WELL HEAD (W.H.) GPS COORD.: GPS COORD.: GPS COORD.: GPS COORD.: GPS COORD.:	3.11315 DISTANCE/BEA DISTANCE/BEA DISTANCE/BEA	ARING FROM W.H.: 163', S27.5E ARING FROM W.H.: 481
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) # OR LAB USED:	HALL	OVM READING
1) SAMPLE ID: 5PC - TB @ 5'	95)-B SAMPLE DATE: 03/25/16 SAMPLE TIME:	0830 LAB ANALYSIS: 801	
	SAMPLE DATE: SAMPLE TIME:		
	SAMPLE DATE: SAMPLE TIME: SOIL TYPE: SAND SILTY SAND SILT / SILTY CLAY / O		
APPARENT EVIDENCE OF A RELEASE OBSERVE	T / SATURATED / SUPER SATURATED OF PTS. 5 ANY AREAS DISPLA D EXPLANATION - S: LOST INTEGRITY OF EQUIPMENT: YES NO EXPLANATION:	ALL STATE / FEE / INDIAN STRIKE MBF - B. SCHUMAN 36.62987 X 108.11340 36.62987 X 108.1	
SOIL IMPACT DIMENSION ESTIMATION:		ft. EXCAVATION ES	TIMATION (Cubic Yards) : NA
DEPTH TO GROUNDWATER: <50' N	AREST WATER SOURCE: >1,000' NEAREST SURF	ACE WATER: >1,000' NMOO	CD TPH CLOSURE STD: 100 ppm
SITE SKETCH	BGT Located: off on site PLOT F	N TIME	CALIB, GAS = NA ppm ATE: NA MISCELL. NOTES
	RATOR STEEL CONTAINMENT RING PROD TANK (x x x) (95-B) PBGTL T.B. ~ 5' B.G. V DEPRESSION; B.G. = BELOW GRADE; B = BELOW; T.H. = TEST HOLD	X - S.P.D.	REF #: P - 532 /ID: VHIXONEVB2 PJ #: Permit date(s): 06/08/10 DCD Appr. date(s): 02/03/16 nk OVM = Organic Vapor Meter ppm = parts per million B BGT Sidewalls Visible: Y / N BGT Sidewalls Visible: Y / N
T.B. = TANK BOTTOM; PBGTL = PREVIOUS BELI	WYGRADE TANK LOCATION; SPD = SAMPLE POINT DESIGNATION; R. WALL; DW - DOUBLE WALL; SB - SINGLE BOTTOM; DB - DOUBLE BOT	.W. = RETAINING WALL; NA - NOT TOM.	//agnetic declination: 10° E

Analytical Report

Lab Order 1603C98

Date Reported: 3/30/2016

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering

Client Sample ID: 5PC-TB@5' (95)-B

Project: GCU #184E

Collection Date: 3/25/2016 8:30:00 AM

Lab ID: 1603C98-002

Matrix: MEOH (SOIL) Received Date: 3/26/2016 9:00:00 AM

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS						Analyst:	LGT
Chloride	ND	30		mg/Kg	20	3/28/2016 12:27:02 PM	24483
EPA METHOD 8015M/D: DIESEL RANGE	ORGANIC	S				Analyst:	KJH
Diesel Range Organics (DRO)	55	9.7		mg/Kg	1	3/29/2016 1:03:35 PM	24458
Motor Oil Range Organics (MRO)	160	49		mg/Kg	1	3/29/2016 1:03:35 PM	24458
Surr: DNOP	65.6	70-130	S	%Rec	1	3/29/2016 1:03:35 PM	24458
EPA METHOD 8015D: GASOLINE RANGI	E					Analyst:	NSB
Gasoline Range Organics (GRO)	ND	3.7		mg/Kg	1	3/28/2016 9:16:43 AM	A33101
Surr: BFB	105	66.2-112		%Rec	1	3/28/2016 9:16:43 AM	A33101
EPA METHOD 8021B: VOLATILES						Analyst:	NSB
Benzene	ND	0.018		mg/Kg	1	3/28/2016 9:16:43 AM	B33101
Toluene	ND	0.037		mg/Kg	1	3/28/2016 9:16:43 AM	B33101
Ethylbenzene	ND	0.037		mg/Kg	1	3/28/2016 9:16:43 AM	B33101
Xylenes, Total	ND	0.074		mg/Kg	1	3/28/2016 9:16:43 AM	B33101
Surr: 4-Bromofluorobenzene	111	80-120		%Rec	1	3/28/2016 9:16:43 AM	B33101

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits Page 2 of 6
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

CI	hain-c	of-Cus	tody Record	Tum-Around	Time:	SAME				H	ALI	E	NV	/IF	20	NI	ME	NTA	L	
lient:	BLAG	G ENGR.	/ BP AMERICA	Standard Project Name	Rush _	DAY	-			Al	77.0	LY	519	S L	A	80	RA	TO		-1
Aailing A	ddress:	P.O. BO	X 87		GCU # 184	4E		49	01 H	awkir	s NE	- Al	buqu	ierq	ue, f	NM 8	7109			
		BLOOM	FIELD, NM 87413	Project #:				Te	1.50	15-345	-3975	5	Fax	505	345	-410	7			
hane #:		(505) 63	2-1199					77				Ana	lysis	Re	ques	st				
mail or l	Fax#:			Project Mana	ger			5					-				1			1-5
A/QC Pa			Level 4 (Full Validation)		NELSON VI	ELEZ	₩ (8021B)	+ MTBE + TPH (Gas only)	/ DRO / MRD)		(S)		PO4,50	/ 8082 PCB's			water - 300.1)		a a	
ccredita	tion:			Sampler:	NELSON VI	ELEZ ny	8 8	(6a	SRO	1	8270SIMS)		102	3082			/ wa		sample	
NELA	>	□ Other		On Ice:	Yes ,	, D No	1	TPH	1/0	418.	82705		03,1			A)	300.07			(N)
EDD (Type)			Sample Temp	erature: 14		4	3E +	(GR(po	20		N.	cide	F	j-VC	1 1	<u>a</u>	osit	(Vo
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEAL No.	BTEX +- AAT	BTEX + MTI	TPH 80158 (GRO	TPH (Method 418.1)	PAH (8310 or	RCRA 8 Metals	Anions (F,CI,NO3,NO2,PO4,SO4)	8081 Pesticides	8260B (VOA)	8270 (Semi-VOA)	Chloride (soil	Grab sample	5 pt. composite	Air Bubbles (Y or N)
3/23/10	0310	SOIL	SPE-10@ 5 (95)-A	402-1	Cool	-001	ď		4								4		V	-
	13"							1		19.77	1									
3/25/16	0830	SOIL	5PC-TB@ 5 '(95) - B	4 oz 1	Cool	-002	٧		٧						1 -		٧		٧	
																		i al	1	
										0 1										
												-						1		
	600																			
reter 125 /16	Time:	Relinquishe	d by:	Received by:	7 1 5	Date Time 3/25/14 147.0	Ren	narks	\$	BILL DII	47 6 A 2 2 2 7 7 7 -7	111111111111111111111111111111111111111	42 100 27 10 10			271.00		100000000000000000000000000000000000000		
late. /25/n	1620 Time: 1728		ed by: Have Wallets mitted to Half Environmental may be su	Received by:	× 13/2	Date Time	1257110	eren	ce#	VHD	-53	/B2 Z	VN	NOSE	Mosi SHQF	EC	VR	n Ritch	c	

Hall Environmental Analysis Laboratory, Inc.

WO#:

1603C98

30-Mar-16

Client:

Blagg Engineering

Project:

GCU #184E

Sample ID MB-24483

Sample ID LCS-24483

Prep Date: 3/28/2016

LCSS

SampType: MBLK

TestCode: EPA Method 300.0: Anions

Client ID:

Prep Date:

PBS

Batch ID: 24483

RunNo: 33131

SeqNo: 1017182

Units: mg/Kg

RPDLimit

Qual

Analyte Chloride

3/28/2016

Analysis Date: 3/28/2016

SPK value SPK Ref Val %REC LowLimit

HighLimit

%RPD

Result PQL ND

SampType: LCS

TestCode: EPA Method 300.0: Anions RunNo: 33131

Units: mg/Kg

Analyte

Client ID:

Batch ID: 24483 Analysis Date: 3/28/2016

PQL

SeqNo: 1017183 SPK value SPK Ref Val %REC

0

HighLimit

%RPD **RPDLimit**

Qual

Chloride

14

1.5

15.00

93.1

90

110

Qualifiers:

Value exceeds Maximum Contaminant Level.

Sample Diluted Due to Matrix D

Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

RPD outside accepted recovery limits R

S % Recovery outside of range due to dilution or matrix В Analyte detected in the associated Method Blank

Value above quantitation range

Analyte detected below quantitation limits

Page 3 of 6

P Sample pH Not In Range

Reporting Detection Limit RL

Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1603C98

30-Mar-16

Client:

Blagg Engineering

Sample ID M	B-24458	SampT	ype: MI	BLK	Tes	tCode: E	PA Method	8015M/D: Di	esel Rang	e Organics	
Client ID: PE	BS	Batch	ID: 24	458	F	RunNo: 3	3107				
Prep Date: 3	3/28/2016	Analysis D	ate: 3	28/2016		SegNo: 1	016586	Units: mg/k	(a		
Analyte		Result	PQL		SPK Ref Val			HighLimit	%RPD	RPDLimit	Qual
Diesel Range Orga	anics (DRO)	ND	10			701120			70111		
Motor Oil Range C		ND	50								
Surr: DNOP		7.0		10.00		70.3	70	130			
Sample ID LC	CS-24458	SampT	ype: LC	s	Tes	tCode: E	PA Method	8015M/D: Di	esel Rang	e Organics	
Client ID: LC	css	Batch	ID: 24	458	F	RunNo: 3	3107				
Prep Date: 3	3/28/2016	Analysis D	ate: 3/	28/2016	5	SeqNo: 1	016589	Units: mg/F	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Orga	anics (DRO)	41	10	50.00	0	81.6	65.8	136		7 7 7 7	
Surr: DNOP		3.6		5.000		72.6	70	130			is d
Sample ID 16	03C98-001AMS	SampT	ype: MS	3	Tes	tCode: E	PA Method	8015M/D: Di	esel Range	e Organics	
Client ID: 5P	PC-TB@5' (95)-A	Batch	ID: 24	458	F	RunNo: 3	3126				
Prep Date: 3	3/28/2016	Analysis D	ate: 3/	29/2016	5	SeqNo: 1	017526	Units: mg/k	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Orga	anics (DRO)	46	9.6	47.94	0	95.4	31.2	162			
Surr: DNOP		5.3		4.794		110	70	130	-		
Sample ID 16	03C98-001AMSE	SampT	ype: MS	SD	Tes	tCode: El	PA Method	8015M/D: Die	esel Range	e Organics	794
Client ID: 5P	C-TB@5' (95)-A	Batch	ID: 24	458	F	RunNo: 3	3126				
Prep Date: 3	/28/2016	Analysis D	ate: 3/	29/2016	5	SeqNo: 1	017527	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Orga	anics (DRO)	48	10	49.90	0	95.3	31.2	162	3.98	31.7	

Qualifiers:

Surr: DNOP

Value exceeds Maximum Contaminant Level.

Sample Diluted Due to Matrix D

H Holding times for preparation or analysis exceeded

5.4

4.990

Not Detected at the Reporting Limit ND

R RPD outside accepted recovery limits

% Recovery outside of range due to dilution or matrix S

Analyte detected in the associated Method Blank B

Value above quantitation range

108

70

130

0

Analyte detected below quantitation limits

Page 4 of 6

P Sample pH Not In Range

RL Reporting Detection Limit

Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1603C98

30-Mar-16

Client:

Blagg Engineering

Project.

GCII #184F

Sample ID	5ML RB	SampType: MBLK			TestCode: EPA Method 8015D: Gasoline Range							
Client ID:	PBS	Batch ID: A33101			RunNo: 33101							
Prep Date:		Analysis [Date: 3	28/2016		SeqNo: 1	016382	Units: mg/l	(g			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Gasoline Rang Surr: BFB	e Organics (GRO)	ND 1100	5.0	1000		108	66.2	112				
Sample ID	2.5UG GRO LCS	G GRO LCS SampType: LCS			TestCode: EPA Method 8015D: Gasoline Range							
Client ID:	LCSS	Batch ID: A33101			RunNo: 33101							
Prep Date:		Analysis Date: 3/28/2016			SeqNo: 1016383			Units: mg/Kg				
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Gasoline Rang	e Organics (GRO)	26	5.0	25.00	0	105	80	120				
Surr: BFB		1100		1000		111	66.2	112			. 10	
Sample ID	1603C98-001AMS	Samp	ype: MS	S	Tes	tCode: El	PA Method	8015D: Gaso	oline Rang	е	14	
Client ID:	5PC-TB@5' (95)-A	Batcl	n ID: A3	3101	RunNo: 33101							
Prep Date:		Analysis D	ate: 3/	28/2016	5	SeqNo: 1	016384	Units: mg/k	(g			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Gasoline Rang	e Organics (GRO)	19	4.2	21.06	0	89.5	59.3	143			MIN H	
Surr: BFB	The State	940		842.5	1,519	112	66.2	112			S	
Sample ID	1603C98-001AMSE) Samp1	ype: MS	SD	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	е		
Client ID:	5PC-TB@5' (95)-A	A Batch ID: A33101			RunNo: 33101							
Prep Date:		Analysis D	ate: 3/	28/2016	5	SeqNo: 1	016385	Units: mg/k	(g			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Gasoline Rang	e Organics (GRO)	22	4.2	21.06	0	104	59.3	143	15.3	20	A I KIN	

Qualifiers:

Surr: BFB

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Holding times for preparation or analysis exceeded H

970

842.5

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

% Recovery outside of range due to dilution or matrix S

В Analyte detected in the associated Method Blank

Value above quantitation range

116

66.2

112

0

Analyte detected below quantitation limits

Page 5 of 6

P Sample pH Not In Range

RL Reporting Detection Limit

Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#: 16

1603C98 30-Mar-16

Client:

Blagg Engineering

Project:

GCU #184E

Sample ID 5ML RB		SampType: MBLK			TestCode: EPA Method 8021B: Volatiles					
Client ID: PBS	Batch ID: B33101 Analysis Date: 3/28/2016			F						
Prep Date:				SeqNo: 1016407			Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.1		1.000		113	80	120			
Sample ID 100NG BTEX LCS SampType: LCS		TestCode: EPA Method 8021B: Volatiles								
Client ID: LCSS	3101	RunNo: 33101								

Sample ID 100NG BTEX LCS SampType: LCS			les							
Client ID: LCSS	Batc	Batch ID: B33101 Analysis Date: 3/28/2016			RunNo: 3	3101				
Prep Date:	Analysis [SeqNo: 1016408		Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.96	0.025	1.000	0	96.0	75.3	123			
Toluene	0.98	0.050	1.000	0	97.8	80	124			
Ethylbenzene	0.98	0.050	1.000	0	98.5	82.8	121			
Xylenes, Total	2.9	0.10	3.000	0	97.1	83.9	122			
Surr: 4-Bromofluorobenzene	1.2		1.000		119	80	120			

Sample ID 1603C98-002AMS SampType: MS Client ID: 5PC-TB@5' (95)-B Batch ID: B33101				TestCode: EPA Method 8021B: Volatiles							
				F							
Prep Date: Analysis Date:		Date: 3/	28/2016	SeqNo: 1016409			Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	0.66	0.018	0.7386	0	90.0	71.5	122				
Toluene	0.70	0.037	0.7386	0	94.5	71.2	123				
Ethylbenzene	0.72	0.037	0.7386	0	96.9	75.2	130				
Xylenes, Total	2.1	0.074	2.216	0	95.7	72.4	131				
Surr: 4-Bromofluorobenzene	0.85		0.7386		115	80	120				

Sample ID 1603C98-002AMSD SampType: MSD				TestCode: EPA Method 8021B: Volatiles						
Client ID: 5PC-TB@5' (95)	-B Batcl	B Batch ID: B33101			RunNo: 33101					
Prep Date:	Analysis Date: 3/28/2016			SeqNo: 1016410			Units: mg/K	ζg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.56	0.018	0.7386	0	75.5	71.5	122	17.5	20	
Toluene	0.64	0.037	0.7386	0	86.1	71.2	123	9.39	20	
Ethylbenzene	0.69	0.037	0.7386	0	93.4	75.2	130	3.74	20	
Xylenes, Total	2.1	0.074	2.216	0	93.9	72.4	131	1.88	20	
Surr: 4-Bromofluorobenzene	0.87		0.7386		118	80	120	0	0	

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

Page 6 of 6

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: BLA	IGG .	Work Order Number:	1603C98		RcptNo: 1
Received by/date:	A	03/24/16			
Logged By: Lir	ndswy Mangin	3/26/2016 9:00:00 AM		of the Hogo	
Completed By: Lin	ndsay Mangin	3/26/2016 9:16:51 AM		(strategy Alleger	
Reviewed By:	a	03/26/16			
Chain of Custody	0	011-110			
1. Custody seals int		?	Yes 🗌	No 🗌	Not Present 🗹
2. Is Chain of Custo	dy complete?		Yes 🔽	No 🗌	Not Present
3. How was the same	ple delivered?		Courier		
Log In					
4. Was an attempt r	made to cool the sam	pples?	Yes 🗸	No 🗆	NA 🗀
5. Were all samples	received at a temper	rature of >0° C to 6.0°C	Yes 🗹	No 🗌	NA 🗆
6. Sample(s) in prop	per container(s)?		Yes 🗹	No 🗆	
7. Sufficient sample	volume for indicated	test(s)?	Yes 🗸	No 🗌	
8. Are samples (exc	ept VOA and ONG) p	roperly preserved?	Yes 🗸	No 🗌	
9. Was preservative	added to bottles?		Yes	No 🗹	NA 🗆
10. VOA vials have ze	ero headspace?		Yes	No 🗆	No VOA Vials ✓
11, Were any sample	containers received	broken?	Yes 🗆	No 🗹	# of preserved bottles checked
12. Does paperwork r (Note discrepanci	match bottle labels? es on chain of custoo	ly)	Yes 🗸	No 🗆	for pH: (<2 or >12 unless noted)
13. Are matrices corre	ectly identified on Cha	ain of Custody?	Yes 🗸	No 🗆	Adjusted?
14. Is it clear what an	alyses were requeste	d?	Yes 🗸	No 🗆	
Were all holding t (If no, notify custo	imes able to be met? mer for authorization		Yes 🗸	No 🗌	Checked by:
Special Handling	(if annlicable)				
16. Was client notified		with this order?	Yes	No 🗆	NA 🗹
Person Noti	para a marina	Date [
. By Whom:	nou.	Via:	eMail	Phone Fax	In Person
Regarding:	-				
Client Instru	ictions:				A STATE OF THE STA
17. Additional remark	(S;				
18. Cooler Informat	ion				
	emp °C Condition	Seal Intact Seal No S	eal Date	Signed By	
1 1.4	4 Good	Yes			



