## <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

## State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

## District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Pit or Below-Grade Tank Registration or Closure

1220 South St. Francis Dr. office Santa Fe, NM 87505

Operator: BP AMERICA PROD. CO. Telephone: 505-326-9200 e-mail address:  200 ENERGY COURT. FARMINGTON. NM 87410  Facility or well name: STEWART LS #5					
Type: Drilling   Production   Disposal   ABANDON   Workover   Emergency   Construction material: Double-walled, with leak detection? Yes   If nt explain why not.					
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)  So feet or more, but less than 100 feet (10 points)  Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)  Distance to surface water: (horizontal distance to all wetlands, playas, gation canals, ditches, and perennial and ephemeral watercourses.)  Less than 200 feet (20 points)  (10 points)					
water source, or less than 1000 feet from all other water sources.)  Distance to surface water: (horizontal distance to all wetlands, playas, gation canals, ditches, and perennial and ephemeral watercourses.)  Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more 0  (0 points)  (10 points)  (10 points)					
Distance to surface water: (horizontal distance to all wetlands, playas, gation canals, ditches, and perennial and ephemeral watercourses.)  200 feet or more, but less than 1000 feet (10 points)  1000 feet or more					
rour are burying in place) onsite  offsite  If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No  Yes  If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.  Additional Comments: PIT LOCATED APPROXIMATELY 99 FT. N83E FROM WELL HEAD.  PIT EXCAVATION: WIDTH N/Aft., LENGTH N/Aft., DEPTH N/Aft.  PIT REMEDIATION: CLOSE AS IS:  ALANDFARM:  COMPOST:  STOCKPILE:  OTHER (explain)  Cubic yards: N/A					
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade that has been/will be constructed or closed according to NMOCD guidelines \( \text{\substack} \), a general permit \( \text{\substack} \), or an alternative OCD-approved plan \( \text{\substack} \).  Date: \( \text{\substack} \) Deff Blagg - P.E. \( \text{\substack} \) 11607 \( \text{\substack} \) Signature \( \text{\substack} \) Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.					
Printed Name/Title Signature Signature Date:	_				



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	2 @ 6'	Date Reported:	05-16-05
Laboratory Number:	32988	Date Sampled:	05-12-05
Chain of Custody No:	14054	Date Received:	05-13-05
Sample Matrix:	Soil	Date Extracted:	05-13-05
Preservative:	Cool	Date Analyzed:	05-16-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Stewart LS 5 Abandon Pit.

Analyst

Mustine of Welles
Review